

LONDON MATHEMATICAL SOCIETY LECTURE NOTE SERIES

Editor: PROFESSOR G. C. SHEPHARD, University of East Anglia

This series publishes the records of lectures and seminars on advanced topics in mathematics held at universities throughout the world. For the most part, these are at postgraduate level either presenting new material or describing older material in a new way. Exceptionally, topics at the undergraduate level may be published if the treatment is sufficiently original.

Prospective authors should contact the editor in the first instance.

Already published in this series

1. General cohomology theory and K-theory, PETER HILTON.
2. Numerical ranges of operators on normed spaces and of elements of normed algebras, F. F. BONSALL and J. DUNCAN.
3. Convex polytopes and the upper bound conjecture, P. McMULLEN and G. C. SHEPHARD.
4. Algebraic topology: A student's guide, J. F. ADAMS.
5. Commutative algebra, J. T. KNIGHT.
6. Finite groups of automorphisms, NORMAN BIGGS.
7. Introduction to combinatorial logic, J. R. HINDLEY, B. LERCHER and J. P. SELDIN.
8. Integration and harmonic analysis on compact groups, R. E. EDWARDS.
9. Elliptic functions and elliptic curves, PATRICK DU VAL.
10. Numerical ranges II, F. F. BONSALL and J. DUNCAN.
11. New developments in topology, G. SEGAL (ed.).
12. Proceedings of the Symposium in Complex Analysis Canterbury 1973, J. CLUNIE and W. K. HAYMAN (eds.).
13. Combinatorics, Proceedings of the British Combinatorial Conference 1973, T. P. McDONOUGH and V. C. MAVRON (eds.).
14. Analytic theory of abelian varieties, H. P. F. SWINNERTON-DYER.
15. Introduction to topological groups, P. J. HIGGINS.

Cambridge University Press
978-0-521-21002-7 - Topics in Finite Groups
Terence M. Gagen
Frontmatter
[More information](#)

London Mathematical Society Lecture Note Series. 16

Topics in Finite Groups

Terence M. Gagen

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK MELBOURNE

Cambridge University Press
978-0-521-21002-7 - Topics in Finite Groups
Terence M. Gagen
Frontmatter
[More information](#)

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521210027

© Cambridge University Press 1976

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 1976
Re-issued in this digitally printed version 2008

A catalogue record for this publication is available from the British Library

Library of Congress Catalogue Card Number: 75-17116

ISBN 978-0-521-21002-7 paperback

Contents

	page
Introduction	vii
Notations	viii
Elementary results	1
1. Baer's Theorem	3
2. A theorem of Blackburn	5
3. A theorem of Bender	7
4. The Transitivity Theorem	10
5. The Uniqueness Theorem	12
6. The case $ \pi(\mathbf{F}(\mathbf{H})) = 1$	18
7. The proof of the Uniqueness Theorem 5.1	20
8. The Burnside $p^a q^b$ -Theorem, p, q odd	30
9. Matsuyama's proof of the $p^a q^b$ -Theorem, $p = 2$	31
10. A generalization of the Fitting subgroup	34
11. Groups with abelian Sylow 2-subgroups	38
12. Preliminary lemmas	40
13. Properties of A^* -groups	47
14. Proof of the Theorem A, Part I	53
15. Proof of the Theorem A, Part II	67
Appendix: p -constraint and p -stability	80
References	85

Introduction

The following material is selected from a course of lectures given at the University of Florida in Gainesville, Florida during 1971/72. The reader is expected to have read both Gorensteins' Finite Groups and much of Huppert's Endliche Gruppen I. In particular he must be familiar with the concepts of p -constraint and p -stability in order to begin, although there is a short discussion of these concepts in an appendix here.

The topics covered are such that I feel rather diffident about publishing these notes at all. The title should perhaps be changed to something like 'Lectures on some results of Bender on finite groups'. No less than three of his major results are studied here and of course the classification of A^* -groups depends on his 'strongly embedded subgroup' theorem - which is not studied here at all. I feel that the theorems and techniques of the papers 'On the uniqueness theorem' and 'On groups with abelian Sylow 2-subgroups' are too important for finite groups and much too original to remain, as at present, accessible only to a very few specialists. I think that I understand the motivation for the abbreviation of the published versions of these two results. However, though it is clear that a proof becomes considerably more readable when a two or three page induction can be replaced by the words 'By induction we have', these details must sometime be filled in. And unfortunately, I think Dr. Bender has sometimes disguised the deepest and most elegant arguments by this very brevity. I hope that these notes will serve to make more of the group theoretical public aware of these incredibly rich results.

I must thank here the audience at the University of Florida - Mark Hale, Karl Keppler, Ray Shepherd and Ernie Shult. The contribution of Ernie Shult in particular cannot be minimized. Without him, we would all have floundered very soon.

December, 1973

Terry Gagen
Sydney, Australia

Notations

The notation used here is more or less standard. The reader should refer to [12] or [15] when in doubt.

$\text{SCN}(P)$	The set of all self centralizing normal subgroups of P .
$\text{SCN}(p)$	The set of all self centralizing normal subgroups of a Sylow p -subgroup.
$\mathcal{I}_G(A, \pi)$	The set of all A -invariant π -subgroups of G where π is a set of primes.
$\mathcal{I}_G^*(A, \pi)$	The maximal elements of $\mathcal{I}_G(A, \pi)$.
$r(P)$	The number of generators of an elementary abelian subgroup of P of maximal order (amongst all elementary abelian subgroups of P).
A^B	$\langle A^b : b \in B \rangle$.
G_p	A Sylow p -subgroup of G .
$O_\pi(G)$	The maximal normal π -subgroup of G , π a set of primes.
$O_{\sigma, \pi}(G)$	$O_\pi(G \text{ mod } O_\sigma(G))$.
$O^\pi(G)$	The smallest normal subgroup of G such that $G/O^\pi(G)$ is a π -group.
$F(G)$	The Fitting subgroup of G .
$\Phi(G)$	The Frattini subgroup of G .

The following two results are absolutely basic.

1. **The Three Subgroups Lemma**
 If $A, B, C \subseteq G$, $N \trianglelefteq G$ and $[A, B, C] \subseteq N$, $[B, C, A] \subseteq N$, then $[C, A, B] \subseteq N$.
2. If P is a p -group of class at most 2, then for all $n \in \mathbb{Z}$ and for all $x, y \in P$,

$$(xy)^n = x^n y^n [y, x]^{n(n-1)/2}.$$