CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-21050-8 — The Nature of Mathematical Modeling
Neil Gershenfeld
Index
More Information

Index

1/f noise, 214

Action, 38
Activation function, 150
Adams–Bashforth–Moulton method, 74
ADI, 84
Adjoint, 128
AFSR, 196
AIC, 207
Akaike information criteria, 207
Algorithmic information theory, 115
Aliasing, 130, 266
Alternating-direction implicit method, 84
Analog feedback shift register, 196
Analytical, 7
ANN, 138
Annealing, 162
Ansatz, 10
ANSI, 250
Applet, 245
AR, 205
Argmax, 202
ARIMA, 205
ARMA, 205
ARPANET, 250
Artificial neural networks, 138
Associative, 129
Asymptotic expansion, 18
Asynchronous connection, 237
Auto-regressive model, 205
Autocorrelation function, 51, 206
Autocovariance function, 51
Autonomous system, 212

Bézier curve, 142
Back propagation, 153
Backwards algorithm, 201
Backwards difference, 78
BASIC, 227
Baum–Welch algorithm, 201
Bayes' rule, 46, 116
Bayesian, 47, 116
Bayesian networks, 178
BBGKY hierarchy, 105
Bernstein polynomials, 142
Bessel's equation, 30
Bias/variance tradeoff, 113
BIC, 207
Bimodal distribution, 45
Bispectrum, 212
Blending functions, 141
Blessing of dimensionality, 167
Block entropy, 217
Boltzmann equation, 105
Boltzmann factor, 163
Bootstrap methods, 148
Boundary conditions, 10
Boundary-value problem, 10, 76
Box–Jenkins method, 207
Branch-and-bound algorithm, 156
Brownian motion, 53
Bubnov–Galerkin method, 95
Bulirsch–Stoer method, 75

C, 226
CA, 102
Calculator, 65
Catenary, 270
Cauchy–Schwarz inequality, 126
Cellular automata, 102
Central limit theorem, 49, 117
Chapman–Enskog expansion, 106
Chapman–Kolmogorov equation, 52
Characteristic equation, 10
Characteristic function, 48, 212
Characteristics, 26
Chebyshev polynomials, 145
Circulant matrix, 133
Classes, 245
Client, 235
Closed-form solution, 7
Cluster-weighted modeling, 178
Clustering, 175
Coarse-grained parallelism, 256
Collocation, 94
Colormap, 237
Commutative, 129
Compact support, 136, 172
Complete basis, 94, 144
Complete solution, 10
Conjugate gradient algorithm, 160
Connectionist, 150
Connectionless protocol, 251
Content-addressable memory, 185
Control points, 141
Control theory, 204
Corrector step, 74
Correlation dimension, 215
Cost function, 154
Courant–Friedrichs–Levy condition, 80

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-21050-8 — The Nature of Mathematical Modeling
Neil Gershenfeld
Index
More Information

Covariance matrix, 136
Cramér–Rao bound, 125
Crank–Nicholson method, 84
Cross-validation, 147
Cumulant, 50
Cumulative distribution, 48, 172
Curse of dimensionality, 149

DAE, 67
Datagram, 250
Daubechies wavelets, 132
de Bruijn's identity, 126
Delta function, 51
Density estimation, 169
Detailed balance, 55
Device-independent, 230
DFT, 129
Diagonal approximation, 155, 309
Diagonalization, 13
Diffeomorphic, 210
Differential-algebraic equation, 67
Diffusion noise, 214
Dilation equation, 135
Dirichlet boundary conditions, 84
Discrete Fourier transform, 129
Discrete wavelet transformation, 135
Dispersion, 25
Distributive, 129
Divide-and-conquer, 130
Double buffering, 247
Downhill simplex method, 157
DSC, 231
DWT, 135

Early stopping, 153
Eispack, 228
Elliptic PDE, 27
EM, 177, 201
Embedding, 208, 210
Encapsulated PostScript, 231
Entrainment, 196
Entropy, 217
EPS, 231
Equipartition theorem, 55
Ergodic, 52, 212
Error model, 116
Euclidean norm, 129
Euler angles, 42
Euler equations for rigid bodies, 42
Euler's equation, 35
Euler's method, 68
Evidence, 116
Excel, 229
Expectation value, 45
Expectation-maximization, 177, 201
Extended Kalman filter, 195
Extrapolation, 139

Factor analysis, 137
Fast Fourier transform, 66, 130
Feed-forward network, 153
Fermat's principle, 38
FFT, 130
Filter bank, 132
Fine-grained parallelism, 256
Finite differences, 78
Finite elements, 76, 93
Finite Impulse Response, 205
FIR, 205
Fisher information, 125
Fixed boundary condition, 82
Fokker–Plank equation, 54
Fortran, 226
Forward algorithm, 200
Forward difference, 78
Fourier transform, 50
Fourier transform PDE method, 88
Fourier–Galerkin method, 95
Fourth-order Runge–Kutta method, 70
Fractal, 215
Frequentist, 47
Full rank, 119
Function approximation, 115

GA, 164
Galerkin method, 94
Game of life, 102
Gated experts, 178
Gauss elimination, 83
Gauss–Seidel method, 89
Gaussian distribution, 49
General solution, 10
Generalized coordinates, 38
Generalized dimension, 215
Generating partition, 219
Generic, 210
Genetic algorithms, 164
Geometric sum, 305
GLUT, 240
Gradient descent, 123
Gram–Schmidt orthogonalization, 144

Haar wavelets, 132
Halting problem, 115, 231
Haptic interfaces, 225
Hard clustering, 184
Harmonic wavelets, 136
Hat functions, 95
Hausdorff dimension, 215
Helmholtz's equation, 28
Hermite interpolation, 98
Hermite polynomials, 145
Hessian, 123
Heun method, 76, 276
Hidden Markov model, 186, 197
Hidden units, 150
HMM, 197
Homogeneous differential equation, 9
Homogeneous fractal, 216
HTML, 246
Hyper-parameters, 147
Hyperbolic functions, 37
Hyperbolic PDE, 27

ICA, 137
IID, 48, 117
IIR, 205
IMSL, 227
In-sample error, 147
Independent components analysis, 137
Independent variables, 47
Index of refraction, 38

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-21050-8 — The Nature of Mathematical Modeling
Neil Gershenfeld
Index
More Information

Inertia tensor, 41
Infinite impulse response, 205
Information, 217
Information dimension, 215
Inhomogeneous differential equation, 9
Initial-value problem, 10
Innovations, 205
Integral of the motion, 39
Internet, 250
Internetworking, 250
Interpolation, 139
Inverse problems, 154
IP, 250
ISO, 250

Jacobi's method, 89
Jacobian, 48
Java, 227, 244

k-D tree, 170
k-means, 184
Kalman filter, 186
Kalman gain matrix, 192
Karhunen–Loéve transform, 137
Kernel density estimation, 175
KLT, 137
Knots, 141

Lagrange interpolation, 97
Lagrange multiplier, 37
Lagrangian, 38
Laguerre polynomials, 145
Langevin equation, 55
Laplace transform, 13
Laplace's equation, 27, 84
Lattice gas, 102
Law of large numbers, 49
Lax method, 80
Leapfrog method, 81
Least squares error model, 117, 118
Least squares weighting, 94
Legendre's equation, 32
Levenberg–Marquardt method, 124
Levinson–Durbin recursion, 207
Lexicographic sort, 169
LFSR, 59
Likelihood, 116
Line minimization, 159
Linear congruential random numbers, 57
Linear feedback shift register, 59
Linear least squares, 118
Linpack, 228
LISP, 227
Log-likelihood, 117
Lorenz set, 95, 208
Lossy compression, 137
Lyapunov exponents, 216

MA, 205
Macsyma, 228
MAP, 117
Maple, 228
Marginalize, 46
Markov chain, 51
Markov process, 51
Master equation, 55
Matched filter, 186, 187
Mathcad, 230
Mathematica, 228
Matlab, 228
Maximal LFSR, 59
Maximum entropy, 127, 302
Maximum likelihood, 46, 117
Maximum *a posteriori*, 117
MDL, 115
Mean value, 45
Mesh generation, 98
Meta-modeling, 2
Methods, 245
Mflop, 257
Midpoint method, 70
Minimum description length, 2, 115
Mixture models, 175
Mixture of experts, 178
ML, 117
MLP, 138
Mod map, 207
Model errors, 113, 147
Molecular dynamics, 102
Moment generating function, 49
Moment of inertia, 41
Momentum, 161
Monte-Carlo sampling, 116
Moving average model, 205
MPI, 254
Multigrid methods, 91
Multilayer perceptrons, 138
Multistationary, 153
Mutual information, 218

NAG, 227
NAR, 208
Narrow-sense stationarity, 51
Natural splines, 141
Navier–Stokes equation, 107
Nelder–Mead method, 157
Netlib, 227
Neumann boundary conditions, 84
Neural networks, 150
Newton's method, 123
No free lunch theorem, 113
Noether's theorem, 39
Noise reduction, 186
Nonlinear least squares, 122
Nonparametric fitting, 115
Nonuniform B-splines, 141
Nonuniform rational B-splines, 142
Normal distriibution, 49
Normal modes, 13
Nullspace, 119
Numerical dissipation, 81
Numerical quadrature, 73
Numerical Recipes, 227
NURBS, 142
Nyquist frequency, 130

$\mathcal{O}$, 18
Object oriented programming, 245
ODE, 9
One-sided z-transform, 19
One-sided Laplace transform, 13
Open Inventor, 244

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-21050-8 — The Nature of Mathematical Modeling
Neil Gershenfeld
Index
More Information

OpenGL, 240
Operator splitting, 84
Order of differential equation, 9
Ordinary differential equation, 7, 9
Orthogonal functions, 94, 143
Orthogonal matrix, 119, 128
Orthogonal transformation, 128
Orthogonal vectors, 128
Orthonormal functions, 143
Orthonormal vectors, 128
OSI, 250
Out-of-sample error, 147
Outer product, 136
Overfitting, 147

Packet, 250
Padé approximant, 139
Parabolic PDE, 27
Parametric fitting, 115
Partial differential equation, 7, 9
Partial fraction expansion, 14, 15
Particular solution, 10
Pattern recognition, 184
PCA, 137
PDE, 9
PDF, 231
Penalty function, 154
Perceptrons, 152
Periodic boundary condition, 82
Pesin's identity, 219
Phase-locked loop, PLL, 323
Point predictions, 221
Poisson's equation, 27, 84
Poles, 15, 206
Polynomial expansion, 139
Port, 251
Portable Document Format, 231
Positive definite matrix, 177
PostScript, 230
Powell's method, 159
Power spectral density, 50
Prediction, 186
Predictor step, 73
Predictor-corrector method, 72
Principal axes, 41
Principal components analysis, 137
Printer's point, 231
Prior, 47, 116, 154
Probability density, 169
Probability distribution, 7
Pseudo-inverse, 119
Punctuated equilibrium, 316

Q, quality factor, 22, 261
Quadrature mirror filter, 133

Radial basis functions, 146
Radial correlation function, 214
Random variable, 44
Range, 119
Rank, 119
Rational function, 15
Rayleigh–Ritz method, 93, 100
RBF, 146
Realization of stochastic process, 45
Recurrent network, 153
Recursion relation, 59
Redundancy, 218
Regularization, 154
Relaxation technique, 89
Representation, 128
Residual, 94, 120
Richardson extrapolation, 75
Rigid body motion, 40

Schwarz' inequality, 187
Score, 125
Second moment, 46
Second-order Runge–Kutta method, 70
Separation of variables, 27
Server, 235
Shape functions, 97
Sherman–Morrison formula, 87
Shooting method, 76
Short-time Fourier transform, 131
Side-lobes, 130
Signal separation, 186
SIMD, 107
Simplex, 157
Simulated annealing, 163
Sinc function, 130
Singular value decomposition, 119
Singular values, 119
Smoothing, 186
Snell's law, 270
Socket, 251
Soft clustering, 184
Solitons, 65
Sonification, 225
SOR, 90
Source entropy, 219
SPEC, 257
Spectral radius, 89
Spin glass, 167
Splines, 98, 141
Spread spectrum, 196
Spreadsheet, 229
Standard deviation, 46
State-space reconstruction, 208
Stationary process, 51
Steepest descent, 123
STFT, 131
Stiff differential equation, 75
Stochastic processes, 7, 50
Stochasticity, 44
Strange attractor, 217
Strict stationarity, 51
Successive over-relaxation method, 90
Support, 45
Surrogate data, 214
SVD, 119

TAR, 208
TCP, 251
Threads, 246
Time series analysis, 204
TLA, 137
Transfer function, 17, 206
Transpose, 128
Transversality, 211
Trellis, 199
Trending, 205

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-21050-8 — The Nature of Mathematical Modeling
Neil Gershenfeld
Index
More Information

Tridiagonal matrix, 83
Two-sided Laplace transform, 13

UDP, 251
Uncorrelated variables, 47
Underfitting, 147
Uniform Resource Locator, 2
Unitary, 128
Unreliable protocol, 251
Unsupervised learning, 175
Upper-diagonal matrix, 83
URL, 2

Vandermonde matrix, 121
Vapnik–Chervonenkis dimension, 148
Variable subset selection, 137
Variance, 46
Variational methods, 7
VC, 148
Vector quantization, 185
Visualization, 225
Viterbi algorithm, 202
Volterra series, 208
von Neumann stability analysis, 80
Voronoi tesselation, 184
VRML, 244

Wavelets, 131
Weak stationarity, 51
Weighted residuals, 93
Whitney embedding theorem, 211
Wide-sense stationarity, 51
Wiener filter, 186, 187
Wiener process, 54
Wiener–Hopf equation, 189
Wiener–Khinchin theorem, 51
Wigner function, 136
Windowing, 130
Wold decomposition, 207
World Wide Web, 2

X Windows, 234

Yule–Walker equation, 207

z-transform, 19
Zeros, 15, 206

© in this web service Cambridge University Press & Assessment www.cambridge.org