

## Index

- AC/DC supply, 282  
 active solar heating, 6–7, 159, 203–4, 232, 234  
 active solar heating – collection angle, 89–91  
 admittance, 44, 47, 347, 350, 355  
 adobe brick, 127, 134  
 agricultural buildings, 329–30  
 air flow in Trombe walls, 139  
 air movement in rooms, 52  
 antifreeze, 176  
 appliance energy, 304  
 atria, 37–8, 336
- batteries – electric, 281  
 Beadwall, 142  
 berms, 35, 65, 127  
 BLAST, 151  
 blinds, 109–12, 126  
 boilers, 194, 198–201, 203–6, 221, 230–1, 234, 329
- Buildings  
 Ambient Energy Design House, 70, 71, 203, 205  
 Ark Project, 255  
 Autarkic House, 6, 72, 82, 128, 132, 241, 247, 278, 289–90, 310, 312  
 Autarkic House Turbine, 277  
 Baer House, 142  
 Balcomb House, 134 *et seq.*  
 Basildon Northlands 1 House, 20, 29, 59, 63–4, 78, 234  
 Bebington Houses, 143  
 BRE Solar Energy Houses, 216, 232–3  
 BRS Office Building, 328–9  
 Conservation House, Wales Turbine, 284  
 Curtis House, 124  
 Danish Zero Energy House, 115, 223–4, 248  
 Denver Solar House, 162, 250  
 Dover Massachusetts House, 254  
 Ecology Houses, 35–6  
 Elmstead Primary School, 332  
 Energy Design Group Solar Skin, 310, 312  
 Feilden and Clegg Farmhouse, 318  
 First Village House, 134 *et seq.*  
 Frusher Polyurethane Home, 83  
 Glyn England House, 319  
 Hay House, 144  
 HDD Better Insulated Houses, 78  
 Lewisham flats, 46, 68, 234–5  
 Lioux House, 250–1  
 Locksheath School, 388  
 Milton Keynes Houses, 175, 180, 191, 221, 248  
 Minimum Energy Dwelling, California, 305  
 MIT Solar 5 House, 116, 120, 125 *et seq.*  
 National Coal Board House, 202–3  
 Newnham House, 222, 315–16  
 Odeillo Houses, 139, 140  
 Ourobours House, 65–6  
 Pennyland, 18–19  
 Peterborough Houses, 167, 250, 310  
 Roach Vale Primary School, 333  
 Romsey School, 331  
 Salford Strawberry Hill Houses, 216–17, 223, 233  
 Sheiling School, 330  
 Solar One House, 245  
 St. Johns School, Clacton on Sea, 337  
 Termoroc House, 114  
 Terry House, 117, 127  
 Tyrell House, 142  
 Vale House, 200, 201  
 Wallasey School, 98, 124  
 Yately Newlands School, 334
- Building Regulations, 42, 72, 84  
 buildings – heavyweight, 43, 46–7, 217  
 buildings – lightweight, 43, 46–7, 331  
 buildings – thermal response, 42–7, 77, 194
- clothing, 4, 51  
 coatings on glass, 107, 126  
 coefficient of performance of turbines, 229–30, 232, 234  
 cold bridges, 72, 73, 75, 81  
 collectors – area solar hot water, 175  
 collectors – evacuated tubes, 177  
 collectors – panels, 173  
 collectors – plastic, 177  
 collectors – refrigerant charged loop, 177  
 collectors – surface temperatures, 312  
 collectors – swim pool, 326

## 364

collectors – thermal expansion, 312  
 comfort, 47, 48, 86, 331, 333  
 computer models, *see*: ESP, BLAST, DEROB, FCHART, SCRIBE, SERIRES, SUNCODE  
 condensation, 53, 56–60, 76–7, 81, 88, 308, 358–62  
 condensation, *see also* moisture emission  
 conservatories, 129 *et seq.*, 200, 238  
 conservatory at Peterborough, 315  
 conservatory retrofit, 318  
 contaminants in air, 53, 54, 74  
 control of air solar systems, 165  
 control of solar hot water systems, 177  
 controls-heating, 193, 198, 201, 204, 208, 212–15, 220, 354  
 convective loops, 147  
 convectors, 207, 210–11, 216, 221–2, 329  
 cooking, 307  
 cooling, 145

dampers, 163, 314  
 daylight, 330–1, 335  
 degree days, 127, 354  
 DEROB, 150  
 design methods – passive solar, 148 *et seq.*  
 design methods – solar hot water systems, 179 *et seq.*  
 diffuse solar data, 345 *et seq.*  
 domestic appliances, 304  
 domestic hot water supply, 144, 211, 233, 244  
 drain back systems, 171, 176  
 drain down systems, 172, 176  
 ducts, 147, 162

economics of retrofit, 319 *et seq.*  
 efficiencies of collectors, 174  
 electrical generators, 278  
 energy – consumption, 2, 4, 330  
 energy – delivered, 191–2, 330, 338  
 energy – primary, 2, 191, 222, 230, 328, 338–40  
 energy – useful, 191–2  
 energy collected in solar systems, 160  
 energy in the wind, 268  
 energy saving in appliances, 304  
 ESP, 150  
 external shutters, 114, 328

F-chart 4, 182  
 fan coil unit, 204, 223–4  
 fans for air collectors, 162  
 form, 60–5, 315, 328  
 free heat gains, 43–5, 70, 352–3  
 furnishings, thermal mass, 123

glare, 99, 102, 127  
 glazing, 100, 331, 333  
 glazing – coatings, 107  
 glazing – multiple, 84–7, 103, 317, 328, 350  
 glazing – effect of dust, 100  
 glazing – effect of wind chill, 106

## Index

glazing – heat mirrors, 107, 126  
 glazing – infiltration, 108  
 glazing – Kalwall plastic glazing, 103  
 glazing – plastic, 102–4  
 glazing – properties of glass, 101  
 glazing – sealants, 102  
 glazing – U values, 103 *et seq.*  
 ground coupling, *see also* heat storage, 126  
 ground reflection, 117

heat centre, 212–13  
 heat exchangers, 163, 175  
 heat mirrors, 107, 126  
 heat pumps, 91, 126, 216, 220, 228–34, 241, 258, 326, 333, 338  
 heat recovery, 59, 220–1, 317, 329, 333  
 heat storage, *see* thermal storage  
 heat transfer – air movement, 133  
 heat transfer – air to water, 314  
 heat transfer – via doors, 318  
 heat transfer – wall openings, 133, 139  
 heating systems – ceiling, 49, 227  
 heating systems – efficiency, 192–3  
 heating systems – electrical, 225–8  
 heating systems – forced air, 217–24, 311  
 heating systems – solid fuel, 70, 196–205, 324  
 heating systems – temperature response, 195–6, 218  
 heating systems – underfloor, 211, 216, 227, 236  
 heating systems – water distribution, 205–17, 324  
 hot water system installed solar example, 179  
 hot water usage, 305  
 housing density, 3, 18, 21

infiltration at windows, 108  
 infiltration, *see also* ventilation, 24, 26, 53, 55–6, 68, 75, 86  
 insulation, 7, 58, 74–91, 203, 226, 315, 324, 331

Kalwall plastic glazing, *see* glazing

layout, 67–8  
 lighting, 69, 329, 331  
 lights – heat gain, 123

mass, *see* heat storage  
 mass walls, 137 *et seq.*  
 meteorological data, 16–24, 130, 242, 342–4  
 moisture emission, 58–9, 360

occupancy patterns, 4, 45–6, 77, 80, 189, 237  
 open loop system, 172, 176  
 orientation, 19, 64, 311  
 overshadowing, 20, 68, 116

*Index*

365

- passive solar gain, 18, 46, 63–6, 70,  
   94 *et seq.*, 123 *et seq.*, 195, 216,  
   237, 315, 323  
 pebble beds, 120 *et seq.*, 133 *et seq.*,  
   163 *et seq.*  
 plastic glazing, 102–4  
 pool covers, 326  
 pump, 189, 206, 211–12, 235  
  
 radiators, 207–8, 210–11, 234  
 reflectors, 117, 141  
 refrigerators and freezers, 307  
 rehabilitation of buildings, 317, 319  
 response factor method, 355–6  
 rock bed storage, 120 *et seq.*, 133 *et seq.*,  
   163 *et seq.*  
 roof ponds, 144  
 roof space hybrid collector, 146, 319  
 roofs, 88–91  
 room air movement, 52  
  
 Savonius Rotor, 272, 276  
 school buildings, *see* buildings  
 SCRIBE, 321  
 SERI-RES, 151  
 shutters, external, 114  
 shutters, internal, 109, 112  
 simulation models, *see* ESP. BLAST,  
   DEROB, FCHART, SCRIBE,  
   SERIRES, SUNCODE  
 site planning, 14–39  
 site planning – Beaufort scale, 30  
 site planning – glasshouses, 28  
 site planning – soil, 33–6  
 site planning – underground structures,  
   35–6  
 site planning – water table, 33  
 site planning – wind, 24–33  
 site planning – wind turbine, 31–2  
 site planning – windbreaks, 25–30  
 skirting heating, 211  
 solar air heating, 160 *et seq.*  
 solar hot water – anti-freeze, 176  
 solar hot water – collector area, 175  
 solar hot water – control, 177  
 solar hot water – design method F-chart,  
   182  
 solar hot water – economics, 161  
 solar hot water – hard water effects, 176  
 solar hot water – heating, 159, 161,  
   171 *et seq.*  
 solar hot water – storage, 175, 182  
 solar hot water – stratification, 176  
 solar hot water – system size, 175  
 solar hot water – transfer fluids, 176  
 stack effect, 25, 54, 69  
 storage, *see* thermal storage  
 storage fan heaters, 225  
 storage radiators, 225–6  
 stratification, 176  
 structural thermal storage, 122  
 SUNCODE, 151  
 sunspaces, 128 *et seq.*  
  
 temperature, dry resultant, 48–50  
 temperature, mean radiant, 48–9  
 thermal performance, 346–56  
 thermal storage, 33, 35, 99, 118 *et seq.*,  
   241–58  
 thermal storage – adsorbent beds, 257  
 thermal storage – annual cycle energy  
   system, 255–6  
 thermal storage – bricks and adobe, 127,  
   134, 223  
 thermal storage – earth, 255  
 thermal storage – effect of furnishings, 123  
 thermal storage – for wind turbines, 283  
 thermal storage – ground coupling, 126  
 thermal storage – Peterborough houses,  
   311  
 thermal storage – phase change, 119, 127,  
   252–5  
 thermal storage – photovoltaic, 242  
 thermal storage – rock and pebble beds,  
   120 *et seq.*, 133 *et seq.*, 163 *et seq.*,  
   204, 249–51  
 thermal storage – solar ponds, 255, 257  
 thermal storage – structural, 122  
 thermal storage – water, 128, 137, 141  
 thermal storage for solar hot water, 175,  
   182  
 thermal storage walls, 137 *et seq.*  
 thermosiphoning, 147, 160, 168  
 transfer fluids, 176  
 transport energy use, 308  
 Trombe walls, 137 *et seq.*  
  
 urethane foam, 127  
  
 vapour check, 76, 77, 80, 84, 88  
 vegetation and plants, 21–3, 26–7, 30, 32,  
   36, 91, 129  
 venetian blinds, 116  
 ventilation, 53–7, 77  
 ventilation air preheat, 314  
 ventilation control, 326  
 ventilation, mechanical, 54–5, 69, 217–18,  
   329, 331  
  
 wall insulation – retrofit, 317  
 waste disposal systems, 289, 293–301  
 waste disposal systems – aerobic, 295  
 waste disposal systems, methane digester,  
   293, 295–6, 300–1  
 waste disposal systems, septic tanks, 295  
 water heating energy, *see also* hot water,  
   305  
 water supply systems, 289–92  
 wave power, 262  
 wind – gust ratio, 266  
 wind – hourly speeds in the UK, 266  
 wind – power in the, 242, 264  
 wind – variation with height, 267  
 wind – variation with location, 264  
 wind energy, 262 *et seq.*  
 wind systems, real outputs, 279  
 wind turbines – Autarkic House, 277

366

wind turbines – Conservation House,  
Wales, 284  
wind turbines – cut in speed, 268  
wind turbines – Darrieus, 277  
wind turbines – Wind Energy Group,  
3 MW, 263  
wind turbines – gears, 280  
wind turbines – Musgrove, 277  
wind turbines – NASA 100 kW, 274  
wind turbines – power coefficient, 268,  
270  
wind turbines – power extracted by, 268

*Index*

wind turbines – rated speed, 268  
wind turbines – types of rotor, 271  
window insulation – Beadwall, 142  
window insulation – blinds, 109–12, 126  
window insulation – external shutters, 114  
window insulation – internal shutters,  
109, 112  
window insulation – movable, 109 *et seq.*  
window insulation – venetian blinds, 116  
windows, 63, 351  
wood stoves, 128