

Index

- alkalides 134, 135
aluminium 42, 58
antibiotics 2, 224–8
autoxidation of iron(II) dimers 237–40

barium 42, 44, 45, 95, 102, 103, 106, 131,
 184, 207
binuclear complexes 45, 60, 62–76,
 121–4, 126, 127, 184
bioinorganic chemistry 2–4
Born–Haber cycle 177–9
bovine erythrocyte superoxide
 dismutase 65

cadmium 11, 12, 42, 86, 95, 106, 182,
 198, 230
caesides 135
caesium 95, 106, 149, 156, 199, 206
cage ligands 78, 79, 148–53, 184, 217
 binucleating 88
 capping reactions 80–9
 derived from 1,10-phenanthroline 81
 sepulchrates 83
 trigonal prismatic geometry 79, 80
calcium 42, 44, 58, 95, 103, 184, 200, 207
calixarenes 154–9
calorimetry 175, 184
capped porphyrins 240
carbon monoxide binding 77, 238
catenands 60–2
cavity size
 factors influencing 4–7
cerium(III) 95
chelate effect 176
chelate rings 4
chiral recognition 142–5, 153, 154

chirality 85, 86
chlorins 215
chlorophyll 2, 3, 233–5
chromium(III) 49, 58, 86
chromogenic crown ethers 112–16
chymotrypsin 159
cobalamins 231–3
cobaloxime 232
cobalt(I) 214, 217, 232
cobalt(II) 14, 37, 42, 45, 58, 64, 67, 73,
 75, 76, 79, 83, 86, 88, 89, 118, 182,
 211, 214, 232, 238
cobalt(III) 14, 49, 52, 64, 82, 83, 85, 86,
 211, 214, 220, 231, 233
co-facial dimer 73–6, 126, 127
copper(0) 60
copper(I) 60, 64, 74, 214–16
copper(II) 14, 31, 35, 37–9, 42, 43, 45,
 53, 58, 59, 64–70, 72–4, 78, 86, 89,
 102, 118, 176, 181, 182, 186, 187, 194,
 198, 201–3, 205, 212, 213, 216, 220,
 222, 242
copper(III) 69, 211, 213, 221
copper proteins
 laccase 68
 methaemocyanin 68
 models 68
 oxyhaemocyanin 68
coronands 90
corrin 2, 3, 231
crown ethers 12, 90–154, 183, 189
 aza crowns 100
 binucleating 121–4, 126, 127
 chromogenic derivatives 112–16
 complex solubility 106
 complex structures 95–7

266 *Index*

- crown ethers—*continued*
dissociation kinetics 205–7
effect of substituents 102, 189
for membrane transport 229–31
for phase transfer catalysis 109, 110
formation kinetics 205–7
formation of ‘purple benzene’ 108
generation of naked anions 107, 108
hole size and discrimination 100, 189
hosts for inclusion compounds 138–48
immobilized 109–12
in analytical chemistry 100, 107
metal complex stability 98, 99, 101
mixed donor 100
mobius strip 125
nomenclature 90
peak stability 189
photo-responsive 117–20
polynucleating 124, 125
solvent extraction 104, 106, 119
spiro derivative 123
sulfur-containing 101
syntheses 92–5
use in organic syntheses 107–10
with pendant arms 103–6, 115, 116
- cryptands 78, 86, 127–35, 148–53, 183,
184, 190, 191
calorimetric studies 191
cavity size 128, 130
cavity size discrimination 190, 191
conformations 128
effect of substituents 131
exclusive complex 200
generation of naked anions 131
immobilized 133
lanthanide complexes 130
metal-ion solubilization 131
peak selectivity 190
phase transfer 131, 133
plateau selectivity 190, 191
protonation 128, 129
solvation effects 184, 191
sulfur-containing 133
syntheses 128
- cryptate effect 130
cryptates 89, 199, 200, 206, 207
cryptohemisperands 159
Curtis macrocycle 27–30, 176, 194, 211,
219–21
cyclam 14, 53, 70, 71, 82, 194, 196, 197,
201, 210–12, 214
cyclam complexes
conformations 15
- strain energy 15
X-ray studies 15
- cyclic antibiotics 224–7
- cyclodextrins 164–73
as catalysts 167–73
as enzyme models 167–73
conformational changes 166
inclusion complexes 165–73
separation 166
structurally developed 168–73
uses 166
- cyclophanes 160–3
durene as guest 161
paracyclophane 161
- cytochrome oxidase 73, 241, 242
cytochrome P-450 214, 242–4
oxygen binding 243, 244
- cytochromes 241, 242
oxygen-binding 242
- demetallation 37, 48, 60–1, 86
- discrimination
cavity size 185–91
- dissociation kinetics 62, 200–7
acid-catalyzed 201–4, 207
crown ether complexes 205–7
cryptates 205–7
ring-size effect 203, 204
- dota 58
- edta 58, 201
- electrides 134, 135
- enniatin B 224, 225, 227
- entatic state hypothesis 9
- enterobactin 56
model compound 56
- esr 64, 65, 215
- ferredoxin 235
- formation kinetics 58, 193–200
crown ether complexes 205–7
cryptates 205–7
- gallium(III) 86
- globin 235, 236
- gold(I) 95
- gramicidin A 228
- haem 75, 235–8, 242, 243
- haemoglobin 235–41
function 235, 236
models for 237–41
nature of oxygen binding 239

Index

267

- oxygen-binding curve 237
properties 236
R state 237
T state 237
trigger mechanism 237
hemisperands 154, 155
hexagonal pyramidal geometry 11
high-dilution syntheses 22
host-guest chemistry 136–73
alkylammonium guests 138–41
amino acids as guests 143
anion guests 148, 150–2
as enzyme models 137, 159, 167–73
calixarene hosts 154–9
cavatands as hosts 154–60
chiral host 140
chiral recognition 142–5, 153, 154
cryptands as hosts 148–54
crown ether hosts 138–48
cyclodextrins as hosts 164–73
cyclophanes 160–3
hemisperands and sperands as hosts 154–9
host solubilization 142
metal complexes as guests 147, 148
nature of binding 136, 137
perching and nesting complexes 138, 139–41
relation to biochemical systems 137
stability 139
- immobilized macrocycles 109–12
for anion separation 111, 112
for cation separation 111
HPLC 111, 112
inclusion complexes 77, 91, 138–48
indium(III) 86
ionophores 227–9
iridium(III) 86
iron(I) 214, 217
iron(II) 11, 27, 42, 58, 64, 73, 75, 76, 79, 80, 86, 211, 217, 221, 235–44
iron(III) 42, 56, 57, 81, 86, 211, 241–4
isobacteriochlorin 234
- kinetics and mechanism 192–207
crown ether systems 199, 200
cryptates 206, 207
dissociation 62, 200–7
dissociative interchange 193
effect of ligand protonation 198
effect of ligand substitution 194
formation 58, 193–200
- nmr studies 205, 206
polydentate ligand systems 194–8
solvent exchange 193
- lacunar ligands 76, 238
lanthanides 58, 59
lanthanum(III) 42, 95
lariat crown ethers 103–6
lattice inclusion complexes 163
- lead 11, 44, 66, 95, 106, 126, 127, 130, 182, 198, 230
ligand exchange 55
lithium 60, 95, 103, 104, 114–16, 123, 124, 130, 131, 155, 156, 191, 200, 206
- macrocyclic complex
demetallation 37, 48, 60
macrocyclic effect 9, 34, 57, 130, 176–85
and crown complexes 182
and metalloenzymes 208
and solvation 182
and sulfur-containing complexes 182
choice of reference ligand 180
configurational entropy 180, 182
kinetic 201, 208
origins 176–81
thermodynamic 176
- macrocyclic ligands
arsenic-containing 18–20, 23, 24
cavity size 186–9
conjugation 10
direct syntheses 21
donor hybridization 6
electron delocalization 10
flexibility 9
hole-size selectivity 7, 188, 189
Hückel aromatic 10
interlocked 60
macrocyclic effect 9, 34
metal-ion discrimination 185–91
pendant arm derivatives 51–60
phosphorus-containing 18–20, 23, 24, 32, 33, 40
porphyrins 10, 195, 196, 215, 231
properties 1
ring contraction 186
ring expansion 186
ring size 1, 98
sexadentate 11
Schiff base 18, 34–45, 212–22
solvation effects 186
steric constraints 7

268 *Index*

- macrocyclic ligands—*continued*
 - sulfur-containing 6, 13, 18–20, 23, 24, 32, 33, 52, 63, 65, 66, 72, 74, 86–8, 126, 133, 181, 182, 187, 204, 205, 216
 - syntheses 21–50
 - template syntheses 21, 26–45, 93, 94
 - unsaturated 9, 12, 18
- macrocyclic ring size 4–7
 - ring contraction 5
 - ring expansion 5
- macrocyclic syntheses 21–50
 - high-dilution syntheses 22
 - modification of preformed ring 48
 - ring closing reactions 45–7
 - Schiff base condensation 28–30, 34–45
 - template syntheses 21, 26–45, 93, 94
 - and hydrogen bonding 25, 26, 29
 - via N-alkylation 33
 - via S-alkylation 32, 33
- macrotetrolides 225, 226
- magnesium 42, 44, 58, 86
- magnetic exchange 65, 68, 72
- manganese(II) 42, 58, 63, 73, 86, 213, 214, 218, 219
- manganese(III) 53, 86, 213, 214, 244
- manganese(IV) 214
- membrane transport 2, 120, 121, 123, 227–31
 - channel membrane 127
 - crown ether carriers 229–31
 - effect of counter ion 230
 - facilitated transport 229
 - ionophores 228–31
 - through cell membranes 227, 228
- mercury(I) 95
- mercury(II) 43, 86, 95, 118
- metal exchange 45, 205, 208
- metal-ion discrimination 185–91
- molecular mechanics 5, 189
- monactin 224, 225–7
- myoglobin 235–7
 - models for 237–41
 - oxygen binding 236
 - properties 236
- NADH₂ 235
- naked anions
 - from crowns 107
 - from cryptands 108
- natural macrocycles 2
 - model compounds 4
- nickel(II) 211, 214, 215
- nickel(II) 6, 8, 14, 27, 28, 31–9, 42–44, 53–5, 58, 63, 64, 67, 70, 74, 76, 77, 79, 86, 89, 118, 182, 186, 188, 194–7, 201, 203, 204, 210–12, 215, 219, 222
- nickel(III) 14, 86, 210, 211, 215, 219
- nitrogen cycle 241
- nonactin 2, 3, 225, 228
 - potassium complex 2, 3
- optical activity 34
- oxygen
 - binding 75, 77, 235–41
 - transport 231
- pentagonal bipyramidal geometry 11
- pentagonal pyramidal geometry 11
- phase transfer catalysis 109, 110
- photosynthesis 231, 233–5, 241
- photosystems I and II 234, 235
- phthalocyanine 2, 3, 27, 213
- platinum(IV) 86, 218
- porphyrin 2, 3, 10, 27, 73–6, 195, 196, 213, 215, 231, 234, 242–4
 - picket fence 59, 238–40
- potassides 135
- potassium 2, 3, 95–8, 101–6, 114, 115, 119, 123, 130, 131, 156, 183, 191, 199, 206
- protoporphyrin IX 235
- proximity effect 52
- redox behaviour 60–2, 70, 71, 75, 209–23
 - anion effects 210
 - change in ligand unsaturation
 - pattern 210, 219–23
 - crystal field effects 216
 - formation of ligand radical 213, 219
 - involving cage complexes 217, 218
 - less common oxidation states 210, 211, 217–9
 - oxidations 211–14
 - oxidative dehydrogenation 219–23
 - reductions 214–19
 - self-exchange constants 217
 - solvation effects 210
- rhodium(II) 218
- rhodium(III) 86
- ring size 98
- rubidides 135
- rubidium 95, 96, 98, 106, 114, 119–21, 129, 156, 191
- ruthenium(II) 60, 218
- ruthenium(III) 218

Index

269

- Schardinger dextrans 164
Schiff base ligands 18, 28–30, 34–45,
 212–22
 2:1 condensation 45
 hydrolysis 43, 44
 hydrogenation of 48, 55, 220
 solvolytic 43
silver(I) 42–4, 60, 95, 101, 102, 126, 127,
 182, 214, 230
silver(II) 86, 214
silver(III) 214
sodides 135
sodium 81, 95, 98, 102–6, 114–16, 119,
 126, 130, 131, 155, 156, 191, 199, 205,
 206
solvent extraction 104, 114, 115, 119
solvolytic 35, 43
sperands 154–9
spin-state change 55, 236
stability constant determination 174, 175
strontium 42, 44, 95, 106, 107, 207

technetium(V) 14
template effect 21, 22, 93, 94
 effect of metal ion radius 42
 effect of ring size 42, 44

kinetic 28
thermodynamic 28
transient 49
tetrahedral distortion 8
tetramethylcyclam complexes
 chiral properties 16
 conformations 16
 five-coordinate 16
 trigonal bipyramidal 16
tetranactin 225
thallium(I) 95
thermodynamic techniques 174–6
 enthalpy and entropy determinations
 175
transacylation 159
transferrin 57
triaction 225
trigonal prismatic geometry 79, 80

valinomycin 102, 103, 199, 224–6, 228
vanadium(III) 86
vanadium(IV) 86
vitamin B₁₂ 2, 231

zinc 42, 64, 65, 67, 79, 86, 88, 89, 172,
 198, 230