

Author index

- Abercrombie, M., 254
 Ackerman, J. D., 153, 156, 211, 212
 Adams, R. M., 279 (Dodson 1969)
 Adams, W. W., 49, 54, 63, 97, 98, 169
 Adanlawo, I., 104
 Alaniz, J. R., 260
 Alcorn, S. M., 178
 Alexander, C. P., 245
 Alfani, A., 106
 Alosi, M. C., 199
 Alpert, P., 88, 302
 Anderson, A. B., 295
 Arditti, J., 47, 48, 59; 147 (Nyman 1987)
 Atsatt, P. R., 205, 207
 Atwood, J. T., 183, 308
 Avadhani, P. N., 48, 60, 111
 Awan, B., 121
- Badenoch-Jones, J., 206 (Hall 1987)
 Baker, I., 130
 Ball, E., 49, 62, 268; 72, 77, 78 (Lüttge 1986a)
 Banister, P., 206
 Barkman, J. J., 215
 Barlow, B. A., 184–6, 203, 205, 207; 206 (Hall 1987)
 Barthlott, W., 101
 Bassett, M., 53; 72, 96 (Smith 1985)
 Bates, L., 49; 51, 52, 55 (Ting 1985a)
 Bawa, K. S., 153
 Beach, J. H., 157 (Murray 1987)
 Beckman, K. M., 192
 Bennett, B. C., 227
 Bent, A., 85, 93–5 (Benzing 1982a)
 Bentley, B. L., 129
 Benzing, D. H., 2, 41–3, 54, 55, 56, 59–61, 65, 67, 68, 72, 77, 78, 84, 85, 93–5, 98, 101, 104, 106, 107, 113, 114, 116, 117, 122, 124, 128, 131, 133, 135–7, 142–4, 146, 147, 150, 155, 162, 169, 173, 174, 177, 178, 180, 183, 216–18, 220, 221, 235, 239, 247–9, 257, 258, 261–5, 283, 295, 298, 300, 306–8, 311; 147 (Nyman 1987)
- Bermudes, D., 55; 56, 78, 98, 128, 162, 306, 307 (Benzing 1985)
 Bernhardt, P., 189
 Bhatnagar, S. P., 186
 Billings, F. H., 256
 Bloom, A. J., 150, 151
 Bonga, J. M., 199
 Böttger, M., 146
 Bradshaw, W. E., 140, 142, 145
 Brasell, H. M., 118
 Briske, D. D., 303
 Bronstein, J. L., 160
 Brown, G. K., 155, 281
 Brownell, V. R., 220; 221, 259, 282 (Catling 1986)
 Brulfert, J., 302 (Kluge 1989)
 Bullock, S. H., 153 (Bawa 1985)
 Burgeff, H., 159
 Burkhardt, E. L., 135; 136–7, 140, 251 (Givnish 1984)
 Burt, K. M., 144
 Busby, W. H., 157 (Murray 1987)
- Calder, D. M., 206
 Caldiz, D. O., 260
 Callaghan, T. V., 303
 Calvert, A. M., 245
 Calvert, P. P., 245
 Calvin, C. L., 199
 Capesius, I., 101
 Carpenter, E. J., 129
 Carver, K. A., 82 (Earnshaw 1987)
 Casper, B. B., 303
 Casper, S. J., 24
 Catling, P. M., 220–2, 225–6, 259, 282
 Chapin, F. S., 150, 151
 Chase, M. W., 42, 282
 Chaturvedi, O. P., 266
 Chazdon, R. L., 29, 30, 62
 Christensen, N. L., 53; 47, 54 (Martin 1981)
 Clark, J., 199
 Clarkson, D. T., 117, 118
 Claver, F. K., 260
 Clay, K., 193, 203

All authors whose works are cited in the text, whether principal authors or coauthors, appear in this index. Parentheses indicate the main author of a coauthored work.

334 Author index

- Clements, R. G., 266; 299 (Golley 1978)
 Cock, J. H., 195; 196–7 (El-Sharkawy 1986)
 Cockburn, W., 60, 111
 Cole, L. C., 179
 Connell, J. H., 282
 Connor, J. J., 117, 147
 Cook, C. S., 205
 Cook, M. T., 256, 261
 Cortés, I., 186, 187, 190–2, 204 (Hoffmann 1986)
 Costa, V., 186, 187, 190–2, 204 (Hoffmann 1986)
 Coville, R. E., 153 (Bawa 1985)
 Cowan, I. R., 195 (Ullmann 1985); 200–2 (Ehleringer 1985)
 Coyne, J. A., 299
 Cram, W. J., 114 (H. Griffiths 1989)
 Cribb, P. J., 82 (Earnshaw 1987)
 Croat, T. B., 278
 Croft, J. R., 82 (Earnshaw 1987)
 Crook, C. E., 52, 96 (J. A. C. Smith 1986b); 49, 52, 72, 80, 81, 85, 97 (H. Griffiths 1986)
 Cruttwell, N. E. G., 82 (Earnshaw 1987)
 Cullis, C. A., 299
 Curtis, J. T., 2, 301
- Davidson, D. W., 130, 140, 164–166, 216, 217, 228, 231–3, 238–41, 296
 Davidson, E., 113, 114, 180, 217
 Davis, J. P., 147 (Nyman 1987)
 Dejean, A., 210, 234, 236, 239
 Delgado, M., 48; 54 (E. Medina 1977)
 DeLuca, P., 106
 Dement, D., 193, 203
 DeNiro, M. J., 49, 55; 51, 52, 55 (Ting 1985a); 51, 57, 301, 307 (Ting 1985b); 51 (Sternberg 1984)
 Derr, J., 143, 247, 248
 DeSanto, A. V., 106
 Devlin, B., 204
 Diaz, M., 72; 114 (H. Griffiths 1989); 57, 87, 301 (Popp 1987)
 Dickinson, T. A., 273, 286 (Kelly 1988)
 Docters van Leeuwen, W. M., 166, 190
 Dodson, C. H., 2, 24, 26, 77, 152–3, 155–6, 161, 215, 220–2, 272, 274, 277–9, 284, 286–7, 289, 291–2, 295–9
 Dolzmann, P., 105, 106
 Downs, R., 292
 Dressler, R. L., 154, 155, 213, 273; 276, 279 (Dodson 1969)
 Dudgeon, W., 224
 Dueker, J., 59
 Dycus, A. M., 103, 146
- Eades, C. A., 53; 53, 63 (Martin 1985 and 1986)
- Earnshaw, M. J., 82
 Edwards, P. J., 266
 Ehleringer, J. R., 200–2, 205; 195 (Ullmann 1985)
 Ellstrand, N. C., 204
 El-Sharkawy, M. A., 195–7
 Emmart, E. W., 1
 Emmons, L. H., 113, 295, 296
 Epstein, E., 113
 Epstein, W. W., 130, 140, 164–166, 216, 217, 228, 231–3, 238, 239, 240
 Erwin, T. L., 2, 166, 210
 Estévez, M. P., 259
- Fairbairn, P., 273, 286 (Kelly 1988)
 Farquhar, G. D., 85; 200–2 (Ehleringer 1985)
 Feehan, J., 189
 Feinsinger, P., 157 (Murray 1987)
 Fetcher, N., 29, 30
 Field, C., 115, 116, 151
 Fineran, B. A., 204
 Fish, D., 137, 143, 242
 Fisher, B. L., 236
 Fisher, J. T., 195
 Fittkau, E. J., 265
 Foster, R. B., 241
 Frank, J. H., 137, 142, 242; 244 (Lounibos 1987)
 Franks, N. R., 241
 Frei, Sister John Karen, 215
 Friedman, W. E., 60, 67, 68, 101, 128, 249, 311; 84, 104 (Benzing 1983); 146 (Benzing 1982)
 Friemert, B. L., 302 (Kluge 1989)
 Fritz-Sheridan, R. P., 129
 Fuentes, E. R., 186, 187, 190–2, 204 (Hoffman 1986)
 Furch, K., 116
- Gadgil, M. D., 181
 Galil, J., 253
 Garcia, V., 60, 111 (Winter 1985)
 Gardner, S., 155
 Garth, R. E., 106
 Gasché, A., 146
 Gentry, A. H., 2, 24, 26, 76, 77, 113, 152, 153, 155–6, 161, 220–2, 272, 275, 277–81, 283, 284, 286, 287, 289, 291, 292, 295–9
 Gessner, F., 1, 2, 89
 Gilmartin, A. J., 96, 155, 281
 Giovannetti, M., 128
 Givnish, T. J., 55, 56, 78, 98, 135–7, 140, 162, 251, 306, 307
 Gladstone, D. E., 225–7
 Glazner, J. T., 204
 Godschalk, S. K. B., 191

- Goeschl, J. D., 303
 Goh, C. J., 48, 60; 111 (Cockburn 1985); 302 (Kluge 1989)
 Goldstein, G., 108, 301 (Ting 1987)
 Golley, F. B., 118, 266
 Gómez, L. D., 280
 Goodfriend, G. A., 273, 286 (Kelly 1988)
 Gottlieb, L. D., 299
 Gottsberger, G., 153
 Granville, J.-J., de, 281
 Graves, J. D., 202
 Grayum, M. H., 153 (Bawa 1985)
 Green, T. G. A., 109
 Griffiths, H., 48, 49, 51–3, 72–6, 80, 81, 85, 97, 114, 220; 96 (J. A. C. Smith 1986); 300 (Richardson 1984)
 Griffiths, N. M., 49, 53, 72, 80, 81, 85, 97 (H. Griffiths 1986); 96 (J. A. C. Smith 1986); 300 (Richardson 1984)
 Grubb, P. J., 221, 266
 Gunn, T. C., 82 (Earnshaw 1987)
 Guralnick, L. J., 57, 82
- Haas, N. F., 146
 Haberlandt, G. F. J., 2, 106
 Hadley, G., 128, 173, 311
 Haffer, J., 280
 Hall, D. W., 143
 Hall, P. J., 206
 Hallé, F., 257
 Hammen, T. van der, 280
 Hamrick, J. L., 154
 Hann, J., 108; 301 (Ting 1987)
 Happel, R., 135; 136–7, 140, 251, 260 (Givnish 1984)
 Harris, J. A., 2, 109, 110, 195, 202
 Hawsworth, F. G., 204, 207–9
 Hazen, W. E., 282
 Hellmuth, E. O., 194
 Henderson, K., 133; 146 (Benzing 1976)
 Hernandez, A. P., 195; 196, 197 (El-Sharkawy 1986)
 Hew, C. S., 53, 92
 Hickman, C. J., 254
 Hills, H. G., 279 (Dodson 1969)
 Hocking, P. J., 204
 Hoffman, K., 160
 Hoffmann, A. J., 186, 187, 190–2, 204
 Holbrook, N. M., 42, 84, 123, 128, 132, 254, 298; 108, 301 (Ting 1987)
 Hölldobler, B., 130
 Holthe, P. A., 52
 Holzapfel, C. M., 145
 Hosokawa, T., 31, 34, 220–3, 277
 Hubick, K. T., 62
 Hudson, J., 118; 119, 120 (Kellman 1982)
 Hull, R. J., 194
 Hunter, D., 48
- Huxley, C. R., 34, 130, 131, 139, 229, 238, 298, 310
- Istock, C. A., 145
- Jane, G. T., 109
 Janzen, D. H., 165, 166, 224, 229, 230, 232, 234, 236, 238, 295, 298
 Jebb, M. H. P., 234, 236, 240, 241
 Johansson, D. R., 2, 44, 61, 76, 212, 220–1, 224–5, 256–7, 259
 Johnson, A., 121
 Johnson, M. L., 254
 Johri, B. M., 186
 Jordan, C. F., 118, 262
 Jordan, P. W., 103
 Junk, W. J., 116
- Kaiser, W. M., 84
 Kapos, V., 273, 286 (Kelly 1988)
 Kaul, R. B., 65, 82
 Keeley, J. E., 300
 Keigwin, L. D., 281
 Kellman, M., 118–20
 Kelly, D. L., 76, 77, 162, 163, 222, 223, 273, 286
 Kerenga, K., 82 (Earnshaw 1987)
 Kerr, L. R., 199
 Kessel, B., 133; 146 (Benzing 1976)
 Kethley, J. B., 140
 Khan, I., 48
 Kiew, R., 236, 237
 Kinsman, S., 157 (Murray 1987)
 Kleinfeldt, S. E., 231–3
 Klinge, H., 265
 Kluge, M., 62, 302, 310; 72, 77–8, 268 (Lüttge 1986)
 Knab, F., 245
 Knauft, R. L., 47
 Knudson, L., 103, 146
 Knutson, D. M., 192, 198, 203, 204, 208
 Kohlmann, B., 246
 Koptur, S., 130
 Kramer, D., 57, 87, 301 (Popp 1987)
 Kress, W. J., 4–24, 28
 Kuijt, J., 186–8, 199, 203, 204
 Kuiper, P. J. C., 117; 118 (Clarkson 1986)
- Laessle, A. M., 142, 242, 244, 247
 Lamont, B., 192, 193, 197–9
 Lande, R., 299
 Lange, O. L., 54, 85; 195 (Ullmann 1985); 200–2 (Ehleringer 1985)
 Langley, A. M., 114, 291 (Proctor 1988)
 Larcher, W., 269
 Lavelle, P., 246
 Lawrence, J. V., 2, 109, 110, 195, 202
 Lee, D. W., 64

336 Author index

- Lee, H., 114 (Griffiths 1989); 57, 87, 301 (Popp 1987)
 Lee, Y. F., 114, 291 (Proctor 1988)
 Lee, Y. T., 48
 Lefkovitch, L. P., 220, 222, 225; 221, 259, 282 (Catling 1986)
 Leonard, O. A., 194
 Letham, D. S., 206 (Hall 1987)
 Liberona, F., 186, 187, 190–2, 204 (Hoffmann 1986)
 Liddy, J., 190
 Linhart, Y. B., 157 (Murray 1987)
 Lloyd, J. R., 221
 Longino, J. T., 131, 165
 Lord, E. M., 57, 82; 301, 307 (Ting 1985b)
 Lounibos, L. P., 244
 Loveless, M. D., 154
 Lowry, J. B., 64
 Lozada, P. W., 241
 Lumer, C., 152
 Lüttge, U., 48–9, 52, 53, 62, 64, 72, 77–8, 87, 117, 268; 49, 52, 72, 80–1, 85, 97 (H. Griffiths 1986); 114 (H. Griffiths 1989); 118 (Clarkson 1986); 52, 96 (J. A. C. Smith 1986b); 52, 72 (J. A. C. Smith 1986a); 57, 87, 301 (Popp 1987)
 Machado-Allison, C. E., 244 (Lounibos 1987)
 McGowan, R. E., 48
 Mackee, H. S., 114
 McKey, D., 191
 McLeod, K. W., 63
 Madison, M., 2, 130, 156, 158, 160, 164–9, 231–2, 271–2, 275, 295, 307, 310
 Maguire, B., 242
 Martin, C. E., 46–7, 49, 53, 54, 63, 85–6, 97–8, 110, 169
 Maschwitz, U., 130
 Matelson, T. J., 230
 Mayoral, M. A., 60, 111 (Winter 1985)
 Medina, E., 48, 54, 72, 85, 306; 60, 111 (Winter 1985); 114 (H. Griffiths 1989)
 Medina, J. D., 48; 54 (E. Medina 1977)
 Mesler, M. R., 174
 Mez, C., 1, 72, 106
 Michaloud, G., 212
 Michaloud-Pelletier, S., 212
 Miller, J. R., 199
 Mooney, H. A., 115, 116, 150
 Morat, Ph., 114
 Moscow, D., 85, 93–5 (Benzing 1982a)
 Mosse, B., 128
 Müller, L., 88, 106
 Muñiz, R., 60, 111 (Winter 1985)
 Munro, W. R. C., 114, 291 (Proctor 1988)
 Murray, K. G., 157
 Nadkarni, N. M., 118, 121, 130, 132, 135, 246, 263, 265–7
 Nandi, A. S., 129 (B. Sengupta 1981)
 Navarro, J., 244 (Lounibos 1987)
 Nelson, T., 114, 291 (Proctor 1988)
 Newman, E. I., 129
 Nicholas, D. J. D., 311
 Nishio, J. N., 57, 82, 309, 310
 Nobel, P. S., 103
 Nyman, L. P., 147
 Ocanto, P., 244 (Lounibos 1987)
 O'Dell, S. J., 147 (Nyman 1987)
 Oechel, W. C., 88, 302
 Okahara, K., 140
 Oldeman, R. A. A., 257
 Olin, G., 178
 Olivares, E., 72
 Oliver, W. R. B., 2, 220, 224, 277
 Olmsted, I. C., 210, 234, 236, 239
 O'Meara, G. F., 137
 Ong, B. L., 62, 268; 72, 77–8 (Lüttge 1986); 302 (Kluge 1989)
 Ontalvo, A. M., 211; 212 (Ackerman 1989)
 Orebamjo, T. O., 198
 Orús, M. I., 259
 Osmond, C. B., 48, 62, 63, 82
 Ott, D. W., 61, 101, 180; 146 (Benzing 1982b)
 Pal, D., 129 (B. Sengupta 1981)
 Palacios-Vargas, J. G., 246
 Pandey, P., 224
 Parker, G. W., 206 (Hall 1987)
 Patel, A., 49, 309, 310
 Paterson, S., 237
 Percy, R. W., 62
 Pennington, T. D., 221
 Perry, D. R., 153 (Bawa 1985)
 Perry, M., 192
 Pessin, L. J., 2
 Peters, E. A., 110
 Peterson, C. A., 306
 Peterson, G., 60, 84, 104, (Benzing 1983); 85, 93–5 (Benzing 1982)
 Picado, C., 1, 137, 242
 Pike, L. H., 130
 Pitner, R. A., 53; 53, 63 (Martin 1986)
 Pittendrigh, C. S., 38, 55, 72–7, 96, 162, 220, 306, 307
 Pitzer, A. F., 63
 Plummer, G. L., 140
 Pockman, W., 59
 Pócs, T., 76, 283
 Poole, H. A., 91
 Popp, M., 57, 87, 301; 114 (Griffiths 1989)
 Portécop, J., 129
 Press, M. C., 202

- Price, D., 108, 301 (Ting 1987)
 Pridgeon, A., 84, 101, 107, 146, 147, 306
 Proctor, J., 114, 291
 Putz, F. E., 42, 84, 108, 123, 128, 132, 219,
 254, 298; 108, 301 (Ting 1987)
- Ramirez, W. B., 309
 Rao, A. N., 48
 Raven, J. A., 87, 301, 302; 300 (Richardson
 1984)
 Raven, P. H., 273
 Ray, T. S., 62
 Read, D. J., 311
 Reddell, P., 129
 Reed, M. L., 300 (Richardson 1984)
 Rejmanek, M., 193; 203 (Clay 1985)
 Renfrow, A., 42, 54, 60, 72, 77, 106, 114,
 116–17, 122, 124, 142, 147, 150, 217–18,
 220, 239, 306; 84, 104 (Benzing 1983);
 85, 93–5 (Benzing 1982)
 Renner, S. S., 77, 278, 292
 Richards, P. W., 2, 31, 72, 211, 225, 280
 Richardson, K., 300
 Richardson, T., 266
 Rickson, F. R., 131
 Rico-Gray, V., 235
 Rieseberg, L., 155
 Rivero, J. A., 245
 Robins, R. J., 242, 289
 Rockwood, L. L., 160
 Roksandic, Z., 55; 51, 57 (Winter 1983)
 Rubenstein, R., 48
 Ruinen, J., 44, 256, 311
 Rykiel, E. J., Jr., 303
- St. John, B. J., 311
 Sallé, G., 203
 Samanta, R. K., 129 (B. Sengupta 1981)
 Sanford, R. L., 132
 Sanford, W. W., 2, 104, 212, 221, 272, 283,
 285, 311
 Sanmugadas, K., 118; 119, 120 (Kellman
 1982)
 Schäfer, C., 52, 64, 114 (Griffiths 1989)
 Schaffer, W. M., 181
 Schimper, A. F. W., 1, 31–2, 220
 Schmid, M. J., 3
 Schmid, R., 3
 Schmidt, J. E., 84
 Schmitt, A. K., 54
 Schnell, R., 291
 Schoer, R. D., 152
 Schrimpff, E., 147
 Schulze, E. D., 201; 195 (Ullmann 1985);
 200, 202 (Ehleringer 1985)
 Seemann, J., 2, 54, 261–5, 295; 106, 150
 (Benzing 1978)
- Seidel, J. L., 164
 Sen, S. P., 129 (B. Sengupta 1981)
 Sengupta, B., 129
 Sengupta, D. N., 129 (B. Sengupta 1981)
 Shacklette, H. T., 117, 147
 Sharkey, T. D., 85
 Sheehan, T. J., 91
 Siedow, J. N., 46, 53, 54, 85, 86
 Simpson, B. B., 280
 Sinclair, D. F., 118
 Sinclair, R., 53, 86, 92, 93, 108, 110, 195
 Singh, J. S., 266
 Singh, S. P., 224
 Sipes, D. L., 51, 309
 Smith, F. A., 311
 Smith, J. A. C., 48, 51–53, 72, 96, 200, 220;
 49, 80, 81, 85, 96–7 (H. Griffiths 1986);
 114 (H. Griffiths 1989)
 Smith, L. B., 292–4
 Smith, R., 130
 Smith, S. E., 128, 311
 Snelling, R. R., 241
 Snow, B. K., 161
 Snow, D. W., 161
 Soll, H., 146
 Soltis, D. E., 155
 Southall, K. J., 197
 Spanner, L., 109
 Starnecker, G., 88, 106 (Müller 1981)
 Stearns, S. C., 179
 Stephens, G. S., 147 (Nyman 1987)
 Stern, W. L., 101
 Sternberg, L. da S. L., 51, 52; 57, 301, 307
 (Ting 1985b); 108, 301 (Ting 1987)
 Sternberg, L. O., 49; 51–2, 55 (Ting 1985a)
 Stewart, G. R., 198, 202
 Stichler, W., 82 (Earnshaw 1989)
 Stiles, F. G., 156, 157
 Stimmek, K.-H., 49, 52, 72, 80, 81, 85, 97 (H.
 Griffiths 1986); 96 (J. A. C. Smith
 1986b)
 Stocker, G. C., 55; 51, 57 (Winter 1983)
 Stone, B. C., 64
 Strain, B. R., 53; 47, 54 (Martin, 1981)
 Stribley, D. P., 311
 Strong, D. R., 62, 282
 Stuart, T. S., 88, 89
 Sudd, J. H., 241
 Sugden, A. M., 242, 250, 289
 Sulak, J., 146; 133 (Benzing 1976)
- Tanner, E. V. J., 266; 273, 286 (Kelly 1988)
 Tanner, K., 145
 Templeton, A. R., 282
 Tewari, M., 224
 Thien, L. B., 235
 Thomas, D. W., 233

338 Author index

- Thompson, J. N., 131, 136, 140, 235
 Tieszen, L. L., 205
 Tiffney, B. H., 3
 Ting, I. P., 49, 51, 52, 55, 57, 82, 108, 301, 307, 309, 310
 Titus, J., 143; 247, 248 (Benzing 1971)
 Tocher, R. D., 199
 Todzia, C., 212, 213, 254, 255
 Tomlinson, P. B., 91, 110, 114, 257
 Toth, R., 199
 Troughton, J. H., 48; 54 (Medina 1977)
 Tryon, R., 158
 Tukey, H. B., 217
 Turner, R. M., 178
- Ule, E., 166
 Ullmann, I., 195
 Upreti, N., 224
- Valdivia, P. E., 210, 277
 Van Oye, P., 224
 Veillon, J.-M., 114
 Vera, A. M., 211; 212 (Wallace 1981)
 Vicente, C., 259
- Wagner, W. H., 280
 Wake, D. B., 245
 Walbot, V., 299
 Walker, T. G., 158
 Wallace, B. J., 31, 34, 52, 54–5, 76, 211–12, 221–3, 225–7, 272, 277, 280, 283, 285–6, 288–90; 51, 57 (Winter 1983)
 Walter, H., 89, 109
- Waring, R. H., 151
 Watson, M. A., 303
 Weintraub, J., 135; 136–7, 140, 251, 306 (Givnish 1984)
 Weir, J. S., 236, 237
 Welker, J. M., 303
 Went, F. W., 2, 212, 215, 225
 Wheeler, W. M., 136
 Whitmore, T. C., 221
 Whitten, W. M., 154, 279
 Whittington, J., 195
 Wiehler, H., 159
 Wiens, D., 186, 203–5, 207
 Wilder, G. J., 104
 Williams, N. H., 154, 279 (also Dodson 1969)
 Williamson, B., 128, 311
 Wilson, E. O., 231
 Winkler, S., 88; 106 (Müller 1981)
 Winter, K., 51, 55, 57, 60, 62, 111; 82 (Earnshaw 1987)
 Withner, C. L., 48
 Wong, S. C., 92
 Wood, J., 82 (Earnshaw 1987)
- Yeaton, R. I., 225–7
- Zeil, W., 279
 Ziegler, H., 57, 87, 301 (Popp 1987); 82 (Earnshaw 1987); 87, 195 (Ullmann 1985); 200–2 (Ehleringer 1985)
 Zimmer, H., 145
 Zimmerman, J. K., 236
 Zimmerman, M. H., 84

Subject index

- absorbing trichomes, 1, 53, 90, 98, 104–7, 114, 117, 133, 137, 144, 146, 150, 169, 179, 304, 306
- adaptive uniqueness, 107–11
- aerial roots, 59–61, 70, 83, 90, 93, 108, 111, 126–7, 133, 146–7, 303–4, 310
- Africa, 185, 189, 198, 230, 232–3, 272, 276, 280, 283, 297
- allelopathy, 30–1, 170, 204, 215, 219, 225, 259–60
- Amazonia, 33, 90, 116, 130, 132, 163–5, 171, 217, 231, 233, 274–5, 280–2, 292, 295
- Andes, 223, 274–5, 278–9, 281, 289, 291–4
- anemophily (pollination), 27, 41, 66, 153, 190, 281, 304–5, 307
- ants
 - ant-house symbioses, 33–4, 39, 79, 109, 131, 133, 135–6, 138–9, 155, 158, 216, 224, 229, 232–5, 240–1, 251–3, 295–8, 304–5, 309–10
 - ant pathogens, 130
 - carton, 130, 163, 167, 217, 231, 233, 236, 239, 241
 - defense against leaf cutters, 236
 - epiphyte guards, 140, 235
 - epiphyte removal, 210, 237
 - farmed Homoptera, 131, 140, 231–3, 235, 238–9
 - favoured nest-garden trees, 216–7, 234, 296–7
 - food rewards from plants, 131, 164–6, 228, 232, 235–7, 296
 - importance of, 231–2
 - myrmecotrophy, 33–4, 41, 130–3, 136–7, 140, 233–5, 240–1, 251–3, 298, 304–5
 - nest-garden symbioses, 29, 36, 39, 74, 79, 115, 121, 126, 130, 132, 155, 158, 163–7, 171, 216–7, 224, 228–9, 230–3, 238–9, 295–8, 304, 307
 - origins of myrmecotrophy, 238–41
 - parabiosis, 217, 231, 239
 - role in succession, 225
 - seed attractants, 164, 238, 240
 - seed dispersal (myrmecochory), 130, 158, 160, 163–9, 171, 216–7, 225, 233–5, 237–8, 240, 298, 309–10
 - seed mimicry of ant young, 165, 238
 - in suspended vs. earth soils, 121, 242–4
 - trash-basket associates, 130, 237–9
- Argentina, 260
- Asia, 185, 190, 208, 272
- Australasia, 26, 114, 185, 189, 203, 230–2, 234, 271–2, 276–7, 297–8, 302
- Australia, 52, 54–5, 57, 62, 76, 184, 189–90, 195, 197, 200–1, 205–6, 208, 211–2, 216, 222–3, 227, 272, 280, 285–6, 288, 290
- axeny, 170, 178, 212–3, 215, 219
- Barro Colorado Island, 212–3, 283, 286–7
- bat dispersal (chiropterochory), 160–1, 162–6, 233
- bat pollination, 3, 66, 152
- Belize, 220
- benzothiazole, 164, 240
- Big Cypress Swamp, 215, 288
- bird dispersal (ornithochory), 27, 165, 167–8, 191, 213–4, 226, 307
- Bolivia, 208
- Borneo, 114, 120, 166–9, 273, 295
- Brazil, 88, 137, 160, 173
- breeding systems, 93, 152–6, 190
- British Isles, 231
- bromeliads
 - allelopathy, 260
 - ant-house species, 131, 133, 136–8, 234–6, 250–3, 298
 - atmospheric species, 35, 37, 54, 72, 92, 98, 106, 110–11, 120, 172, 174–8, 180, 217–18, 222, 281, 298, 301, 306; effect of wetting, 39, 42, 53, 106, 163, 222; establishment, 162–5, 169–73; life history, 42, 155–6, 169–83; nutrition, 113, 116, 122, 133, 145–7, 217–9
 - bat dispersal (chiropterochory), 160
 - breeding systems, 154–6
 - CAM: CAM-idling, 49; C₃-CAM, 48, 50, 96; evolution of CAM, 55–6, 62–3, 179; obligate CAM, 48, 72; sources of CO₂, 49, 52; *Tillandsia usneoides*, 53–4; water relations, 82, 85–7, 90, 99–100, 104–7
 - carnivory, 125, 127, 136–7, 250–3, 295, 304, 306

340 Subject index

- bromeliads (*cont.*)
 effect on phorophytes, 256, 260, 262–5
 evolution and adaptation for epiphytism, 3, 108, 134, 162–3, 304, 306–7
 fossils, 3
 heterochrony, 179
 host specificity, 210
 mimicry of ant pupae, 165
 mineral nutrition, 42, 100, 106, 115, 146–7, 217–9, 301
 nest-garden species, 36, 163–5, 217, 228, 298, 232–3
 nutritional piracy, 262–5
 phenology, 156–8
 photosynthesis (*see also* CAM): effect of dehydration, 49, 52, 54; pathways vs. light demand, 73–5; phytotelm species, 64–71, 97–9; atmospheric species, 49, 52–4, 56
 phytotelm (tank) species, 1, 33, 79, 91; adaptive versatility, 140–5; form and pigmentation, 66, 141–3, 145, 249–53; nutrition, 42, 117, 123–5, 132–4, 136–45; water relations, 81–2, 95, 100
 phytotelmata, 95–9, 172, 179, 228, 236–8, 242–6, 273, 298; adaptations of resident fauna, 245–6; food chains (webs), 125, 244; microlimnology, 247–9; N₂ fixation, 129; nutrient sources, 123–5, 132–5, 142, 249–53; resident fauna, *see* fauna; Utricularia, 36, 39, 136
 pollination, 152–4
 pollution, 147–8
 salt tolerance, 114
 seed dispersal, 161–9
 shade tolerance, 53, 63, 162–3, 249–55
 speciation and diversity, 4–27, 271, 281–4, 292–5
 stomata, 53–4, 85–6, 110–11
 succession, 266
 trichomes, 1, 63, 98, 104–7, 117, 133, 137, 146–7, 169, 179, 301, 306–7
 use by birds, 230
 VAM, 128
 vegetative reduction, (*see also* heterochrony), 141, 147, 150
 vertical stratification, 71–7, 162–3
 vivipary, 161–2
 water balance (*see also* CAM; stomata; xeromorphy): absorption, 99–107; osmotic phenomena, 87, 108–10; WUE, 81–2, 96–8
 bryophytes, 26–7, 32, 37, 76, 88, 90, 99, 136, 215–6, 224, 230, 245, 266, 283
 caatinga, 231
 CAM, 45–7, 50–8, 60, 62–4, 72–6, 82, 85–7, 92–9, 111–2, 179, 268–70, 289, 300
 CAM–C₄, 48, 57
 CAM-cycling, 49, 52, 55, 62, 91, 307, 310
 CAM-idling, 48–9, 52, 55, 91
 evolution, 55–6, 298–302, 306, 310
 facultative (C₃–CAM), 48, 55, 73–4, 96, 108–9
 occurrence in arboreal habitats, 47–58
 Canada, 185
 canopy roots, 132, 265
 Caverns State Park, 292
 Central America, 152, 155, 208, 236, 254, 265, 280, 291–2, 297
 Cerro Neblina, 36, 242
 Chile, 192, 204, 292
 China, 208
 Chocó, 281, 292
 citric acid, 87
 cladophyll, 58, 83, 299
 classification of epiphytes by habit and ecology, 31–43, 125, 304–5
 accidental, 27, 31–2, 290
 ant-guarded, 235–7
 ant-house, 33–4, 39, 79, 109, 131, 133, 136, 138–9, 155, 158, 216, 224, 229, 232–5, 240–1, 251–3, 276, 295–8, 304–5, 309, 310
 ant nest-garden, 29, 36, 39, 74, 79, 115, 121, 126, 130, 132, 155, 158, 163–7, 171, 216–17, 224, 228–33, 238–9, 295–8, 304, 307
 atmospheric (*see also* bromeliads), 35, 37, 42–3, 54, 72, 90–2, 96, 98–9, 106–7, 110, 114, 117, 120, 125, 141, 145–7, 150, 169–73, 180–3, 217, 222, 262, 281, 301, 304–6
 carnivorous (*see also* bromeliads), 2, 36, 39, 125, 127, 134–7, 140–1, 143–4, 242, 247, 251–3, 298
 continuous vs. pulse-supplied, 33, 40–3, 86, 99–111, 113, 145–7, 150–1, 298, 300, 304–6
 drought deciduous, 36–8, 79, 85, 91–5, 104, 213
 facultative, 31–2, 34–5, 37, 43, 58, 77, 288
 hemiepiphytic: primary, 32, 35, 76, 87, 108–9, 123, 128, 132, 212–3, 253–4, 288, 298, 304–5, 309; secondary, 1, 32, 35, 58, 62, 65, 69, 76–7, 136, 160, 212, 222, 298, 304–5, 307, 309–10; strangler, 32, 34–6, 57, 108, 128, 160–1, 166, 170, 213, 228, 253–4, 288–9, 298, 301, 305, 309
 humus, 29, 36, 39, 89, 93, 125, 132, 140–5, 173, 212–5, 228, 298, 304
 parasitic: of ant-house symbioses, 234, 238; epiparasitic (*see also* orchids), 34, 44, 61, 184, 188, 194, 198, 202, 204, 256–7; haustorial, *see* mistletoes;

- hemiparasitic, *see* mistletoes; of nest-garden symbioses, 228, 238
 phytotelm, *see* bromeliads
 poikilohydry (resurrection), *see* ferns and allies; water balance
 pteridophytic, *see* ferns and allies
 trash-basket, 33–4, 37, 55, 76, 96, 125, 130, 133, 135, 213, 224, 227, 237–9, 262, 289–90, 298, 304–5, 307
 twig-bark, 29, 36, 39, 55, 71, 93, 103, 125, 150, 210–1, 228
 cleistogamy, 155, 189
 cloud forest, 109, 116, 129, 135, 225, 235, 242, 244–6, 250–3, 263–5, 289
 Cocha Cashu, 165, 233
 coevolution involving myrmecotrophy, 165, 238–41
 cold hardiness, 26–7, 184, 193, 227, 386
 Colombia, 242, 250, 278
 commensalism, 142, 153, 241, 256
 community structure, 219–24, 273
 competition, 32, 125, 142, 156, 178–9, 224, 228, 253, 262, 282
 conifers
 as epiphytes, 6
 as phorophytes, 3, 24, 160, 170–2, 174–8, 185, 189, 203, 225, 262
 conservation, 230
 Costa Rica, 30, 121, 130, 135, 137, 152–3, 156–8, 160, 208, 225–7, 230, 233, 235, 242, 263, 266–7, 280, 283, 287
 CO₂ compensation point, 45
 Cretaceous, 3, 185
 Cuba, 136, 283
 cyanobacteria, 121, 126–7, 129–30
 cycads, 3, 24, 27, 129
 dark respiration, 61–4, 71, 87–8, 192, 199
 deciduousness, 38, 42, 58, 91–3, 108, 188, 213, 269, 278, 302, 304–5
 defensive chemistry (*see also* allelopathy; phytoalexins), 116, 204–6, 229, 237
 demography-population structure, 174–83, 211, 278
 deuterium, 50–1, 55
 diazotrophs, *see* N₂ fixation, nitrogenase
 dipterocarps, 295
 dispersal, 27, 107, 158–69, 190–1, 206–7, 281, 307
 disturbance, 30–1, 42, 78, 150, 178, 182, 228, 231, 282–5, 296
 diversity (*see also* systematic occurrence), 4–26
 effects of: disturbance, 282–5; climate, 272, 280–1, 285–95; elevation, 289–95;
 ethology, 154–5, 279–80; paleoclimate, 280–1; topography, 278–9
 neotropical bias, 273–82
 domatia, 33–4, 131, 133, 136, 138–9, 234–5, 239–41, 304–5
 drought avoidance, *see* deciduousness;
 poikilohydry
 drought endurance, *see* water balance;
 xeromorphy
 dry deposition, 117–18, 262
 ecological succession, 219–20, 224–9, 265
 Ecuador, 27, 33, 35–6, 65, 69, 76, 116, 121, 128–9, 171, 213–4, 216, 220, 228, 232, 276, 278–9, 283–8
 effects on phorophyte, 254–65
 elastic modulus, 84, 108
 elfin forest, 266
 epiparasitism (epiphytosis), 34, 44, 61, 256–7, 262
 epiphylls, 27, 88, 129–30, 214, 247, 259, 265, 267, 269–70, 283
 establishment, 166–73, 190–3, 224–9, 239
 Europe, 184, 208
 eutrophy, 112–3
 evolution and adaptation for epiphytism, 40–1, 79, 91, 108, 134, 302–11
 evolutionary convergence, homoplasy, 29, 78, 189, 207, 220, 240, 246, 298
 evolutionary-ecological sorting, 158, 241, 250
 evolutionary history of epiphytism, 3, 55–6, 77–8, 134, 147, 150, 162–3, 246, 297–8, 302–11
 exodermis (*see also* orchids), 59–60, 101, 306
 extrafloral nectaries, 130, 231–2, 236–7, 296
 fauna
 invertebrates (*see also* ants): amphipods, 121, beetles, 121, 153, 208, 235, 307; butterflies, 153; centipedes, 234; cockroaches, 234; Collembola, 121, 246; detritivores, 121–2, 141, 144, 244, 249; dragonflies, 245, 247; earthworms, 229, 245–6; euglossine bees, 153–4, 183, 279–80, 307; fig wasps, 160, 209; flies, 153, 279–80; fungus gnats, 154; gastropods, 242; Homoptera, 140, 216, 229, 231–5, 238–9, 297; horseflies, 242; Hymenoptera, 190; insects, 137, 191, 207; isopods, 121, 128, 245; midges, 242; mites, 236, 246, mosquitoes, 145, 242–4; moths, 153; Orthoptera, 229; ostracods, 242; phytotelmata residents, 1, 66, 122, 131, 133, 142, 180, 242–6; residents of arboreal vs. earth soil, 121, 243, 246; syrphid flies, 245; tachinid flies, 279; termites, 130
 vertebrates: amphibians, 230, 245–6; arboreal opossums, 206–7; bats, 152, 160–1, 215–16, 233; birds, 130, 132,

342 Subject index

- fauna (*cont.*)
 152, 156, 160, 165, 167, 190, 215–16,
 230, 234, 295; (finches), 230;
 (flycatchers), 230; (honeybirds), 189;
 (hummingbirds), 153, 157–8, 189, 230,
 279; (mistletoebirds) (*see also*
 mistletoes), 160, 189, 191; (ovenbirds),
 230; (sunbirds), 189; (tanagers), 230;
 (thrushes), 230; (toucans), 27; (warblers),
 230; frogs, 133, 145, 245; insectivores,
 234; lizards, 132, 245; reptiles, 230, 244;
 rodents, 132, 152; salamanders, 245–6;
 snakes, 130, 132, 245
- ferns and allies, 1, 2, 27, 29, 34, 146, 212,
 214, 256, 266, 273, 283, 292
 absorbing trichomes, 104, 106
 ant associations, 34, 131, 234–5
 breeding systems, 152, 280
 CAM, 47, 50, 62, 92, 302
 deciduousness, 99–100, 104, 302
 dispersal, 158, 166
 diversity, 2–6, 25–8, 271
 evolution and adaptation for epiphytism,
 79, 91, 108, 302–4
 frost tolerance, 26
 gametophytes, 44, 158, 174, 213, 227, 302
 global occurrence, 271, 275–7
 habit, 180, 302–3
 host specificity, 212, 214
 mistletoe hosts, 188, 203
 MUE, 100, 115–7
 mycotrophy, 44, 174, 227
 origins of epiphytism, 297
 osmotic adjustment, 86–7
 photosynthesis (*see also* poikilohydry), 33,
 37, 87–9, 92, 99, 302
 poikilohydry (resurrection), 33, 37, 87–9,
 92, 99–100, 302
 salt tolerance, 114
 shade tolerance, 76–8, 302
 succession, 224–5, 227–8
 trash-basket species, 37, 54, 213, 227
 VAM, 128
 vertical stratification, 76–7, 162–3, 222–3
 water balance (*see also* poikilohydry), 76,
 87–9, 92–3, 99–100, 108–9, 289, 302
- floral deception, 153–4
 Florida, 33, 35–6, 58, 69, 77, 109–10, 114,
 116–7, 121, 123–4, 128, 133, 137, 142,
 155, 160, 170–1, 174–8, 180–3, 213–5,
 217, 227, 229, 239, 256, 261–5, 276, 283,
 288, 292
 flowering synchrony, 156–8
 fossils, 3
 founder events, 167, 278, 298
 France, 205
 French Guyana, 281
 frost tolerance, 27, 184, 227, 292
 fungi (*see also* mycorrhizas), 44, 125–30,
 173–4, 209, 215
- Gabon, 276
 gap formation, 282
 germination, 162–73, 191–3, 213
 Ghana, 208
 global occurrence, 26–7, 271–9
 Gondwanaland, 184–5, 281
 Gran Sabana, 295
 Guatemala, 225
 Guyana, 92, 211
- habitats, 29–31
 Haiti, 116
 halophytism-salt tolerance, 112, 114, 299–
 300
 haustoria, *see* mistletoes
 Hawaii, 208
 hemiparasitism (*see also* mistletoes), 34, 44,
 184, 188, 194, 198, 202, 204
 herbicides, 209
 herbivory-herbivores, 66, 229, 232, 236, 258
 heterochrony, 149–50, 179
 heterophylly, 62, 65, 98, 169
 Himalayas, 224, 266, 292
 histosols, 31, 122–3, 300
 homoeosis, 299
 Honduras, 118–19
 hormones, 86, 195, 199, 206, 209
 host decline, 256, 261
 host specificity (*see also* mistletoes), 168–9,
 210–19
 hydromorphy, 37–8, 91–2
 hygrophytes, 37, 72, 89, 91, 251
- India, 203, 208–9, 253
 Indonesia, 189–90
 iteroparity (polycarpy), 41, 113, 152, 179–80
 Ivory Coast, 212
- Jamaica, 76–7, 109–10, 117, 162–3, 195,
 222–3, 242, 247, 266, 273, 286–7
 Japan, 26
 Java, 212, 215, 224
- Kentucky, 35
 Kenya, 208
 Kusaie, 223
- La Selva, 153, 156
 Laurasia, 185, 245, 274–5, 281
 leaching-leachates, 39, 117–18, 142, 217,
 261–2
 lenticel, 60
 Liberia, 224

- lichens, 99, 130, 216, 224, 259, 263, 270
 life history, 159–83, 225, 282
 light relations (*see also* vertical stratification), 29–30, 38, 53, 55, 58, 61–78, 249, 253, 259
 limonene, 164
- Madagascar, 52
 Malaya, 208
 Malaysia, 2, 52, 86, 92, 128, 224, 229, 236–7, 291, 297
 Malthusian coefficient, 178–81
 mangroves, 58, 114, 161, 170–2, 204, 213, 300
 mechanical parasites, 31
 Mediterranean, 208
 Mesoamerica, 136, 155, 182, 245, 281
 mesophytes-mesomorphy, 37, 55, 79, 80–1, 89–90, 108, 188, 281
 methyl-6-methylsalicylate, 164, 240
 Mexico, 1, 26, 36, 52, 207–8, 210, 236, 239, 245–6, 254, 276, 278, 292
 microbes, 101, 113, 122–3, 125–7, 129, 131, 137, 140, 209, 249
 Micronesia, 221, 223, 277
 Middle East, 208
 mineral nutrition (*see also* bromeliads, carnivory; mistletoes; orchids)
 effects on community, 233, 249, 261–70
 mini-impoundment, 99–108
 modes of acquisition, 4, 12–14, 112–14, 125, 134
 MUE, 49, 115, 227, 266–9, 308
 nitrogen, 64, 79, 87, 100, 115–17, 197, 201, 301
 phytotoxic ions, 114, 147–8, 197
 sources of nutrients, 114–23, 145–7
 mistletoes, 29, 32, 35, 39, 42, 110, 158, 212, 230, 262, 271, 288
 breeding systems, 189–90
 cold hardiness, 27, 184
 control, 197, 209
 crypsis, 186, 205–7
 effects on hosts, 207–9
 evolution of parasitism, 184–5, 201–2
 flowers, 185–6, 189–90
 germination and establishment, 169, 182, 185–7, 191–3, 203
 haustorium, 34, 185, 187–9, 193–4, 204, 262
 hemiparasitism, 44, 134, 194
 hormones, 195, 199, 206, 209
 host specificity, 193, 202–5, 212
 mineral nutrition, 197–201
 osmotic phenomena, 106, 108–10, 194, 202
 photosynthesis, 34, 44, 185, 195–6
 pollination, 59, 152–3, 160, 186, 189–90
 pseudoberry, 185, 190–1, 206
 seed dispersal, 166–9, 190–1, 215
 stomata, 195–7, 200–2
 systematics and biogeography, 184–5
 viscin, 190–2
 water balance (*see also* stomata) 108, 188, 194–7
 monocarpy, 41, 179–82
 Monteverde, 157, 160
 mortality, 31, 169–74, 181–3
 mycorrhizas, 44, 125–30, 158–60, 173–4, 183, 215–16, 260, 308, 311
 mycotrophy, *see* mycorrhizas
 myrmecochory, *see* ants
 myrmecotrophy, *see* ants
- N-cycling microbes, 121–3, 311
 New Caledonia, 114
 New Zealand, 2, 184, 206, 276, 292
 Nigeria, 208, 285–6
 nitrate reductase, 198, 311
 North America, 152, 155, 208, 236, 254, 265, 280, 291–2, 297
 North Carolina, 53
 N₂ fixation-nitrogenase, 122, 129, 201, 246, 269
 N-use efficiency, 100, 116
 nutritional piracy, 261–5
- oligotrophy, 112, 115, 194, 217
 optimization hypothesis, 85, 200
- orchids
 allelopathy, 215
 ant-guarded, 235–6
 ant-house species, 131, 139, 235, 298, 305
 ant nest-garden species, 74, 130, 163–5, 232, 298
 breeding systems, 154–5
 CAM, 49, 51, 55, 59–61, 92–5, 289, 306;
 C₄–, 48; origin, 55, 298, 300; source of CO₂, 49
 continuous vs. pulse-supplied types, 36, 298
 deciduousness, 93–5, 104, 213, 305
 diversity (*see also* global occurrence), 15–24, 271, 283, 285–6, 308–9
 effects on phorophyte, 256–7
 epiparasitism (epiphytosis), 44, 61, 256–7
 evolution and adaptation for epiphytism, 108, 134, 298–9, 304, 306, 308–9
 exodermis, 59, 90, 102–4, 106, 146, 308
 fossils, 3
 global occurrence, 271–3, 276, 280
 herbivory, 229
 host specificity, 210–17
 humus-rooted, 36, 93, 174

344 Subject index

- orchids (*cont.*)
 microsperms, 116, 160, 163, 227, 305, 308
 mineral nutrition, 114, 146–7
 mycorrhizas, 44, 127–8, 159–60, 173–4, 215, 308, 311
 myrmecochory, *see* ants
 osmotic phenomena, 108–10, 163–4
 parasites of ant-house symbioses, 238
 photoperiodism, 156
 photosynthesis (*see also* CAM), 52, 92; C₄, 48; long-term measurements, 54–5, 93–5; roots, 58–61; stems and reproductive organs, 58
 pneumathodes, 59–60, 101–2, 149
 pollination, 152–4, 183, 279–80, 308
 pseudobulbs, 34, 58, 91, 94, 235
 salt tolerance, 114
 shootless species, 33, 59–61, 69–70, 91, 102, 104, 111, 126–7, 129, 147–50, 158, 161, 180, 257
 speciation, 3, 278, 308
 spirally thickened idioblast, 83–5
 stomata, 85–6, 109–10
 succession, 224–8
 succulence, 82–3
 tilosomes, 90, 101, 131, 162
 trash-basket species, 37, 55, 94, 96, 237–8
 trichomes, 106, 147
 twig- and bark-rooted, 36, 42, 55, 93, 103, 146, 213
 velamentous roots, 2, 59–61, 91, 93, 96, 99–106, 111, 114, 127, 129, 133, 146, 150, 304–8
 vertical stratification, 220–3
 water balance (*see also* CAM; deciduousness; xeromorphy) 2, 82–3, 92–5, 99–104
ortho-vanillyl alcohol, 164
 osmotic adjustment, 85–7, 109, 194, 300
- Pakistan, 208
 Palau, 223
 Paleocene, 3, 185
 Panama, 3, 27, 116, 160, 212–3, 236, 254–5, 276, 278, 281, 283, 286
 Papua, New Guinea, 82, 92, 130, 184, 267, 273, 280
 parallel evolution, 298
 parasites (*see also* epiparasitism; mistletoes; orchid mycorrhizas), 32, 34–5, 256, 262
 pathogens, 101, 173–4, 207–9, 216, 229, 258
 pearl bodies, 165, 232, 236
 Peru, 26, 160, 165, 216, 228, 231–3, 289
 phloem (*see also* mistletoes), 184, 188, 197–8
 photoinhibition, 62–4, 78
 photoperiodism, 52, 91, 156
 photorespiration, 45
- photosynthesis (*see also* CAM; poikilohydry), 50–2, 55–7, 62, 72–5, 80–2, 89, 96–9, 116, 163, 169, 200, 269, 301, 306
 C₃, 44–9, 52, 55–7, 60, 64, 72, 76, 80, 82, 89, 93–4, 96–9, 116
 C₄, 45–8, 57–8, 98, 112, 200
 light reactions, 61–3
 pathways, 47–58
 reproductive organs, 58–9
 roots, 59–61
 stems, 58, 185
 phyllosphere, 129
 phylogenetic constraints, 153, 299–301
 phytoalexins, 173
 phytotelmata *see* bromeliads
 plant economics, 44, 66, 79, 80–3, 115–7, 135–6, 140, 150–1, 235, 251–3, 266, 301
 Pleistocene, 272, 280–1
 Pliocene, 3, 281
 poikilohydry, 33–4, 38, 82, 87–9, 92, 99, 263, 270, 302
 pollination, 152–4, 156, 279–80
 pollution, 147–8
 protocarnivores, 136
 pseudocopulation, 154, 279
 Puerto Rico, 208, 210–11
 Puyehue National Park, 292
- quantum efficiency, 48, 62–4, 66, 78
 Quarternary, 3, 207
- Rancho Grande, 99, 101, 124
 refuges, 280–1
 relationships with fauna, 229–49
 reproductive index, 179–80
 Río Palenque, 76, 116, 131, 188–9, 256, 283, 284, 286
 ruderals, 1, 48, 182, 299–300
- Salvador, 208
 Santa Rosa National Park, 287
 saprophytes, 130, 140, 142, 144, 175, 244
 Sarawak, 168, 238
 sclerophylly, 57, 79, 205, 229, 310
 seed banks, 169
 seed types, 158–62
 seedlings, 97–9, 128, 161, 169–78, 182–3, 192–3, 260
 shade tolerance (*see also* vertical stratification), 38, 53, 62–5, 69, 71–8, 145, 162, 253, 310
 Sian Ka'an, 210, 236
 Singapore, 2, 121
 South Africa, 200
 South America, 26, 89, 152, 155, 184–5, 208, 215, 278, 280–1, 292–4

-
- South Carolina, 63
 South Pacific, 292
 spathes, 59
 speciation, 167, 278–82, 296, 298–9, 308–9
 stemflow, 116, 118
 stomata, 46, 49, 53–4, 58, 63, 80, 82, 85–7, 93, 105, 108–11, 150, 195, 200
 succession, *see* ecological succession
 survivorship, 174–8, 191, 204
 suspended soils, (*see also* fauna; histosols), 3, 11, 32, 89, 99, 115–23, 128, 132, 151, 229, 242, 249, 298, 300, 311
 systematic occurrence, 4–28, 271, 297–9, 303

 Tambopata, 231–2
 tank (phytotelm) epiphytes, *see* bromeliads: classification of epiphytes by habit and ecology
 Tertiary, 3, 207, 279
 Texas, 193
 throughfall, 116, 118
 transfer cells (*see also* bromeliad trichomes) 101–5, 133, 146, 308
 trapline pollination, 154, 156
 Trinidad, 38, 49, 53, 72–6, 82, 86, 96, 117, 162, 208, 227, 231

 United States, 26, 207–8, 261

 VAM, 128
 velamen, *see* orchids
 Venezuela, 36, 49, 84, 99–100, 108, 114, 117–8, 122, 124, 128, 132, 242–4, 295
 vertical stratification, 71–7, 96–7, 162–3, 220–3
 Vietnam, 283
 vivipary, 161, 169

 water balance (*see also* CAM, deciduousness; poikilohydry; stomata; xeromorphy)
 drought defenses, 82–6
 storage (succulence), 30, 38, 42, 47, 54–5, 57, 59, 65, 72, 80–4, 91–2, 96, 98–9, 108, 140, 169, 188, 195, 224
 uptake, 99–107
 WUE, 52, 58, 82, 93–5, 98, 195–6, 200, 253, 267, 308–9
 wet deposition, 116–20
 wind dispersal (anemochory), 41, 158–61, 166–9, 171, 304–5, 307

 xeromorphy, 40, 43, 54, 72, 80, 82–5, 91–3, 98, 108, 188
 xerophytes, 37, 82, 91–5, 297–8, 302–11
 xylem, 84, 88, 96, 184, 188–9, 194–5, 197–200, 204

 Yap, 223
 Yucatan, 210

Taxonomic index

- Abies*, 203, 209
Abronia, 245
Acacia, 131, 194, 205, 207
 acuminata, 197, 198
 cornigera, 210
Acanthaceae, 12, 291
Acer rubrum, 36
Achras sapota, 187
Acriopsis javanica, 15, 164
Actanthus, 189
 macranthus, 186
Aechmea, 14, 25, 137, 157, 161, 164, 228
 aquilega, 48, 50, 74, 81, 86, 97, 245
 aripensis, 72, 74
 augustifolia, 232
 bracteata, 143, 158–9, 210, 214, 236, 247, 248
 brevicollis, 165
 dichlamydea, 74
 downsiana, 72
 fasciata, 52, 81, 86
 fendleri, 50, 52, 72, 74, 81
 fulgens, 64
 lasseri, 128
 lingulata, 50, 75
 mertensii, 156, 165
 nudicaulis, 48, 50, 52, 75, 81, 86, 96, 117, 157, 244
 setigera, 281
Aeschynanthus, 11, 130, 159, 166
 pulcher, 57
Agapetes, 8, 57
 meiniana, 51
Agavaceae, 15, 274
Agave, 15, 182
 deserti, 103
Algaomorpha heracleum, 5, 78, 268
Albies alba, 198
Alepis, 184
Alloplectus, 11, 157
 coriaceus, 156
Amaranthaceae, 47
Amaryllidaceae, 274, 308
Amyema, 189, 205, 206, 208
 cambagei, 183, 193, 205
 lucasii, 203
 miquelii, 193, 195
 nestor, 194
 pendulum, 186, 199
 preissii, 192, 197, 198
 sanguineum, 205
Anarthropteris, 5, 292
Angraecum, 16, 25
Anochetus, 231
Anthurium, 3, 13, 25, 27, 33, 37, 96, 101, 160, 161, 164, 165, 169, 222, 228, 237, 276, 278, 280, 307
 crenatum, 50
 gracile, 155, 165, 217
 grandifolium, 288
 hookeri, 78, 268
 pallidiflorum, 65
 scandens, 158–9
 trinerve, 116
Apocynaceae, 11, 50
Appendicula, 16, 25
Aquifoliaceae, 10, 274–5
Araceae, 3, 13, 25, 27, 50, 59, 129, 130, 154, 160, 169, 222, 229, 271, 274–5, 289, 291, 296, 298, 303, 304–5, 307
Arachnis, 16, 48, 222
Araeococcus, 14, 130
 micranthus, 74
Araliaceae, 10, 50, 153, 274–5, 291, 298, 304–5
Arbutus, 203
Arceuthobium, 184–6, 189, 190, 192, 194, 199, 203–4, 207–9
 abietinum, 192
 americanum, 187, 189
 campylocentrum, 186, 190
 campylopodium, 192, 198
 douglasii, 209
 minutissimum, 186, 203
 pusillum, 193, 199
 tsugense, 193, 198
Arundina graminifolia, 48, 58
Asclepiadaceae, 11, 37, 50, 131, 158, 274–5, 276, 298, 304–5, 309
Aspidiaceae, 274–5
Aspleniaceae, 4, 25, 50, 274–5
Asplenium, 4, 25, 37, 96, 237, 273
 australasicum, 50
Asplundia, 307

- Astelia*, 15, 27, 104, 273
Asteraceae, 13, 47
Atkinsonia, 184, 204
Avicennia germinans, 172
Azoiaceae, 47
Azteca, 164, 217, 231, 233, 239, 297

Backhousia sciadophora, 211, 225, 288
Balsaminaceae, 10, 274–5
Barathranthus, 189
Begonia, 8, 79, 236, 272, 298
Begoniaceae, 8, 274–5
Bignoniaceae, 12, 152, 158, 161, 274–5, 291
Billbergia, 14, 144
 zebrina, 140–1, 160, 251–2
Blakea, 9, 34, 77, 152, 153, 277
Boea, 12, 57
Bothrops schlegeli, 245
Bradesia, 153, 280
Brassavola, 16
 nodosa, 226, 227
Brassicaceae, 299
Brocchinia, 14, 306
 hectioides, 137
 reducta, 137, 140–1, 143, 251
 tatei, 36, 39, 242
Bromelia, 14
 humilis, 72
 karatas, 117
Bromeliaceae, 14, 25, 27, 37, 43, 49, 50, 52, 55, 65, 78, 82, 95, 104, 110, 117, 129–131, 134, 136, 137, 142, 143, 147, 150, 152, 154, 158, 162, 180, 222, 229, 230, 245, 271, 273–5, 281, 289, 291–3, 298, 301, 303–6, 309
Bromelioideae, 55, 134, 162, 180, 298, 306, 307
Bucida pinosa, 210
Bulbophyllum, 16, 25, 153, 168, 180, 277
 aurantiacum, 51
 ultissimum, 58
Burmanna, 15, 272
Burmanniaceae, 15, 274–5
Burmeistera, 12, 128
 tenuifolia, 157
Bursera simaruba, 170, 172, 173

Cactaceae, 7, 27, 50, 58, 152–4, 160, 161, 169, 273, 274–5, 291, 292, 298, 299, 303, 304–5, 310
Cadetia taylori, 17, 51
Calanthe, 168
Callitris, 203
Calophyllum incrassatum, 216
Calyptanthus, 216
Campanulaceae, 12, 128, 274–5

Camponotus, 231, 297
 abdominalis, 235
 femoratus, 164, 165, 217, 231, 232, 239
 planatus, 235
 rectangularis, 235
 sericeiventris, 240
 subg. *Tanaemyrmex*, 164
Campylocentrum, 17, 147
 fasciola, 33, 126, 129
 pachyrrhizum, 59, 69, 70, 128
 sellowii, 102, 104
 tyrridion, 60
Campyloneurum angustifolium, 5, 36, 302
Castanopsis, 212
Casuarina, 205, 207
 torulosa, 186, 205
Casuarinaceae, 185
Catasetum, 17, 36, 37, 79, 85, 94, 96, 154, 174, 303
 intergerrimum, 85, 93–5
 russellianum, 158–9
Catopsis, 14, 134, 293
 berteroniana, 73, 110, 127, 137, 283, 295, 306
 floribunda, 73, 117
 nutans, 68, 71, 90, 146–7, 155, 227
 sessiliflora, 73
Cattleya, 17, 91
Caularthron bilamellatum, 17, 155, 236
Cavendishia, 8, 184, 277
Cecarria, 184
Cecropia, 131, 219
Celastraceae, 274–5
Celtis, 203
Centris, 153
Chenopodiaceae, 47, 299, 300
Chiloschista, 17, 161
 lunifera, 59, 158–9
 phyllorhiza, 51
 usneoides, 60
Chiropterotriton, 245
Chloranthaceae, 309
Citrus, 208
 reticulata, 195–7
Cladosporium myrmecophilum, 130
Clusia, 7, 32, 57, 126, 130, 228, 298, 301
 alata, 263, 267
 mangle, 130, 228
 minor, 108
 odorata, 254
 rosea, 51, 57, 87, 108
Clusiaceae, 7, 51, 126, 274–5, 304–5, 309
Cochliostema, 14, 37
Codonanthe, 12, 57, 164, 228, 232, 240, 310
 crassifolia, 233
 paula, 57, 65, 83
 uleana, 164, 217, 232

348 Taxonomic index

- Codonanthopsis*, 12, 217
ulei, 232
Coelogyne, 17, 25, 168
Collembola, 246
CollospERMum, 15, 37, 292
Columnnea, 12, 26, 157, 276–7
hirsuta, 110
linearis, 57
Commelinaceae, 14, 37, 273, 274–5
Compositae, 274–5
Conocarpus, 172
erecta, 172, 173
Constantia cipoense, 17, 213
Copernicia, 254
tectorum, 84, 123, 132
Coprosma, 12, 298
Coryanthes, 17, 154, 163, 232, 239
Cosmibuena skinneri, 12, 254
Cosmopolliton, 292
Costaceae, 15, 272–5
Coussapoa, 6, 109
panamensis, 254
Crassulaceae, 9, 51, 274–5
Crematogaster, 231, 237, 239, 297
brevispinosa, 235
linata parabiota, 164, 217, 231, 232, 239
longispina, 233
Crescentia alata, 225–7
Cryptanthus, 55
Cryptocarya aff. *hypospodia*, 211
Cunoniaceae, 9, 274–5, 292
Curaeus curaeus, 191
Cyclanthaceae, 13, 59, 104, 222, 274–5, 291, 298, 304–5, 307
Cyclanthus, 128
Cymbidieae, 153
Cymbidiella rhodochila, 18, 213
Cymbidium, 18, 59, 168, 212, 227
madidum, 228
Cynanchum, 11, 297
Cyperaceae, 14, 47
Cyrtandroideae, 297
Cyrtopodium, 18, 37, 213, 236, 238
punctatum, 96
Dalbergaria, 12, 276
Davallia, 4, 168, 228
Davalliaceae, 4, 274–5
Dendrobium, 18, 25, 37, 55, 92, 168, 180, 222
acmulum, 212
canaliculatum, 51
crumenatum, 53, 110, 168, 238
falcorostrum, 211–12
malbrownii, 211
pallideflavens, 164
secundum, 168
speciosum, 52, 53, 55, 63, 76
tortile, 52, 87
ultissimum, 303
Dendrochilum, 18, 25, 130
Dendropemon, 208
Dendrophthoe, 205, 209
falcata, 198, 203
glabrescens, 205
homoplastica, 186, 205
Dendrophthora, 208
cupressoides, 110
epiviscum, 203
gracilis, 195
Dendrotriton xoloccalcae, 245
Desmaria, 184
Dicaeidae, 189
Dicaeum hirundinaceum, 191
Dictymia, 5
brownii, 50, 211
Dimorphanthaera, 8, 51
Dionaea, 135
Diplatia, 205
grandibractea, 203
Dischidia, 11, 84, 140, 168, 234, 236–7, 309
astephana, 168, 237
collyris, 138–9, 168, 309
complex, 237
guadichaudii, 158–9, 168, 238
nummularia, 50, 166, 231
parvifolia, 237
rafflesiana, 138–9, 166, 168, 234, 237, 238, 309
Dolichoderus, 231
Dracula, 18, 154
Drosophila, 153
Drymoglossum, 92, 168
piloselloides, 78, 92, 268, 302
Drymonia, 3, 12, 26, 276, 277
Drynaria, 5, 37, 96, 168, 237, 273
quercifolia, 130
rigidula, 50, 211
Dulongiaceae, 274–5
Dynastinae, 153
Ectatomma tuberculatum, 235
Ectozona, 11, 131
Elaeocarpaceae, 7, 274–5
Elaphoglossum, 4, 25
queenslandicum, 50
Elytranthe, 208
Encyclia, 18, 25, 94
cochleata, 58, 158–9, 180
cordigera, 226, 227
ghillanyi, 213
krugii, 210
tampensis, 35, 58, 59, 83, 93–5, 102, 110, 114, 122, 180, 215

- Englerina*, 189
Epidendrum, 19, 25, 59, 122, 153, 154, 180, 299
 anceps, 149
 imatophyllum, 163
 imbricatum, 110
 nocturnum, 281
 radicans, 61, 127
Epiphyllum, 7, 164, 169
 phyllanthus, 155
Eremolepidaceae, 184
Eremolepis, 187
Eria, 19, 25
 fitzalani, 51
 velutina, 53, 87, 92, 93, 110
Erianthemum, 189
Ericaceae, 26, 27, 34, 37, 51, 57, 126, 152, 154, 230, 271, 274–7, 289, 291, 304–5, 310, 311
Eucalyptus, 195, 199, 203, 205–7, 212
 paucifolia, 186, 195
 shirleyi, 186, 205
Euglossa, 153, 279
Eulaema bomboides, 279
Euonymous, 10, 292
Euphorbiaceae, 47

Fabaceae, 27
Ferrocactus, 310
 acanthodes, 103
Ficus, 6, 26, 32, 34, 57, 109, 212–13, 228, 232, 253, 272, 298, 309
 aurea, 35, 170, 172
 ballenei, 254
 campensis, 233
 citriifolia, 254–5
 colubrinae, 254–5
 costaricana, 254–5
 crassipes, 51, 132
 obtusifolia, 254–5
 paraensis, 163, 165, 217, 232, 239, 240, 254–5
 perforata, 254–5
 pertusa, 84, 132, 160, 254, 288
 religiosa, 253
 trigonata, 84, 132, 254, 255
 subg. *Urostigma*, 298
 watkinsiana, 222
Flindersia, 203
Fragraea, 11
 berteriana, 51, 57, 227
Fraxinus caroliniana, 128
Fringillidae, 230
Furnariidae, 230

Gaiadendron, 184, 189, 204
 punctatum, 188

Gaultheria, 8, 272, 298
Gauzuma, 296
Geitonoplesium cymosum, 51
Gentianaceae, 11, 274–5, 309
Gesneriaceae, 3, 11, 26–7, 37, 57, 82, 91, 110, 130, 152, 154, 158, 160, 169, 230, 271, 274–5, 291, 295, 298, 303–5, 310, 311
Gesnerioideae, 276, 297
Gibsoniothamnus, 12, 152
Globimetula, 189
Glomeropitcairnia, 14, 293
 erectiflora, 73, 96, 242
Glomus tenuous, 128
Goodyera repens, 128
Grammatis, 5, 25
Grimmia laevigata, 88
Griselinia, 298
Griselinaceae, 274–5, 292
Guttiferae, 217, 289, 291
Guzmania, 14, 25, 128, 163, 227, 293
 cylindrica, 250, 251
 lingulata, 77, 91, 117, 250, 251; var. *lingulata*, 75
 monostachia, 48, 50, 68, 70, 71, 81, 96, 110, 116, 123, 124, 142, 157, 227, 229, 250, 251; var. *monostachia*, 74
 nicaraguensis, 157
 sanguinea, 250, 251; var. *sanguinea*, 74
 scher, 157
 sintensis, 110

Harrisella porrecta, 19, 70, 102, 127, 128
Hasseltia, 296
Hattoria, 58, 310
Hautiopsis flexilis, 254
Hedychium, 15, 169
Hippeophyllum celebicum, 19, 168
Hohenbergia stellata, 14, 75
Homoptera, 140, 216, 229, 231–5, 239, 297
Hoya, 11, 146, 166, 168, 227, 309
 nicholsoniae, 50
Hura crepitans, 212, 213
Hydnophytinae, 131, 234–6, 240–1, 273
Hydnophytum, 13, 34, 109, 155, 161, 165, 169, 229, 234, 276, 310
 formicarium, 33, 51, 158, 168, 238
 kajewski, 234
Hylocereus, 7, 58, 310
 trigonus, 50
Hymenophyllaceae, 4, 25, 89, 274–5
Hymenophyllum, 4, 25, 89
Hymenoptera, 190
Hypoclinea, 233
 bispinosa, 236
Hypodinea bidens, 239

350 **Taxonomic index**

- Ilex*, 10, 292
Inga, 216, 296
Ionopsis, 19, 42, 213, 216
 utricularioides, 33
Iridomyrmex, 297, 309
 cordatus, 165, 216, 231, 236, 238
 scrutator, 240
Ixocactus, 203
- Juanulloa*, 11, 131
Juglans nigra, 198
Juniperus, 203
- Kageneckia oblonga*, 187, 204
Kalanchoe uniflora, 9, 52, 64, 78, 268
Kingidium taeniale, 60, 61, 102, 149
Korthalsella, 208
- Laelia rubescens*, 20, 226, 227
Laeliocattleya, 91, 158–9
 Lamiaceae, 27
 Lamnaceae, 299
Lansium domesticum, 208
 Laurales, 184
Lecanopteris, 5, 234, 235
 carnosa, 139, 168
 mirabilis, 138–9, 158, 168, 236
 sinuosa, 168
 Lentibulariaceae, 12, 136, 158, 274–5
Lepanthes, 20, 25
 ovalis, 110
Leptospermum, 237
 Liliaceae, 15, 37, 51, 273–5, 292
 Liliopsida, 32, 303, 306
Liparis, 20, 25
 persimilis, 51
Lithraea caustica, 187, 204
Lobaria oregana, 130
 Lomariopsidaceae, 50
 Loranthaceae, 152, 168, 184, 185, 189, 194,
 204, 208, 230
Loranthus, 188, 198
 europaeus, 198
 langsone, 208
 pulverulentus, 197
Luzuriaga, 15, 292, 298
Lycianthes, 11, 272
 Lycopodiaceae, 6, 25, 50, 274–5
Lycopodium, 6, 25, 27, 36, 44, 174, 180, 227,
 271, 303
 phlegmaria, 50
 proliferum, 50
Lysiana, 205
- Macleania*, 8, 310
 cordifolia, 126, 129
Macradenia lutescens, 20, 110
- Macrosolen*, 189
 cochinchinensis, 187
 platyphyllus, 186
 Magnoliophyta, 3, 6, 26, 271
 Magnoliopsida, 6, 303, 309
Mammillaria, 310
Manettia, 13, 152
Mangifera indica, 198
Marcgravia, 7, 152, 288
 coriacea, 65
 ulei, 164
 Marcgraviaceae, 7, 62, 129, 152, 155, 230,
 274–5, 291, 298, 304–5, 309
Markea, 11, 34, 131
 ulei, 165
Masdevallia, 20, 25
Maxillaria, 20, 25
 Maxillarieae, 153
 Maxillariinae, 276
Medinilla, 10, 26, 168, 276
 Melastomataceae, 9, 26, 27, 57, 77, 126, 128,
 131, 153, 154, 158, 271, 274–8, 281, 289,
 291, 292, 298, 304–5, 310, 311
 Meliphaagidae, 189
Metacypripis, 242
Metrosideros, 9, 298
Mezobromelia, 14, 292
Microcoelia, 20, 257
Microgramma, 5, 99, 269
 lycopodioides, 99, 100
 polypodioides, 269
Microlaena, 14, 292
Monacid debilis, 232
 Monotropaceae, 308
Monstera, 13
 dubia, 62
 gigantea, 62
 Monstereae, 160
 Moraceae, 6, 26, 51, 109, 153, 274–5, 289,
 291, 298, 304–5, 309
Muellerina, 184, 205
 bidwillii, 203
Myrcine guianensis, 172
Myremecodia, 13, 34, 109, 165, 211, 234,
 240, 276, 310
 muelleri, 51
 tuberosa, 138–9, 168
 Myrsinaceae, 9, 153, 274–5
Myrsine, 9, 272
 Myrtaceae, 9, 185, 205, 274–5, 298
 Myzodendraceae, 184
- Nectariniidae, 189
Neoregelia, 14, 217
 Nepenthaceae, 8, 131, 136, 274–5
Nepenthes, 8, 134–6, 140
 × *hookeriana*, 78, 134–6

- Nephrolepis*, 4, 228
Nidularium, 14, 137
 bruchellii, 64, 68, 70, 71, 140–1, 251
Norantea, 7, 130, 152
 spiciflora, 130
Nothofagus moorei, 211, 212
Nototriton, 245
Nuytsia, 184, 204
 floribunda, 192

Oberonia, 21, 25
Octadesmia montana, 110
Octomeria, 21, 25
Odonata, 247
Odontoglossum, 20, 25
Odontomachus, 239
Oecophylla longinoda, 232
Olea europea, 203
Onagraceae, 9, 274–5, 278
Oncidiinae, 276
Oncidium, 21, 25
 cebolleta, 226, 227
 henekenii, 154
 sect. *serpentaria*, 59
 warmingianum, 213
Ophioglossaceae, 4, 50, 274–5
Ophioglossales, 4, 27
Ophioglossum, 4, 44
 palmatum, 174, 213
 pendulum, 50
Orchidaceae, 3, 15, 25, 27, 44, 51, 55, 82, 91, 92, 101, 110, 114, 130, 131, 134, 145, 147, 150, 152, 154–5, 158, 160–1, 169, 174, 229, 271–3, 274–5, 279, 281, 289, 291, 298–9, 303–9, 311
Oryctanthus, 208
 occidentalis, 288

Pachycentria, 10
 tuberosa, 238
Pachycondyla, 239
 villosa, 236
Pandanaceae, 13, 273, 274–5
Paphiopedilum, 21, 109, 110
Paradrymonia, 12, 37
 aurea, 158–9
 gibbosa, 158–9
Parsonia straminea, 50
Parulidae, 230
Pennentia cunninghamii, 211
Peperomia, 3, 6, 26 36, 57, 58, 65, 82, 91, 99, 100, 128, 153, 158, 161, 165, 169, 222, 272, 276, 280, 289, 298, 309, 310
 basellifolia, 110
 cacaophylla, 126
 camptotricha, 49, 51, 52, 57, 58, 65, 158–9
 dolabriformis, 65
 johnsonii, 51
 macrostachya, 164, 165, 217, 228, 240
 magnoliaefolia, 84
 scandens, 52
 septemnervia, 110
 tetraphylla, 51
 tropaeolifolia, 65, 69, 76
Peraxilla, 184
Pfeiffera, 7, 292
Phacellaria, 203
Phalaenopsis, 21, 59
 amabilis, 51, 102, 149
Pheidole, 130
Philesiaceae, 274–5
Philodendron, 14, 25, 27, 37, 58, 276, 307
 bipinnatifidum, 153
 lacerum, 77
 myrmecophyllum, 232
 uleanum, 164
Phlebodium aureum, 302
Phoradendron, 194, 198, 208, 209
 bolleanum subsp. *bolleanum*, 203
 californicum, 201, 204
 flavescens, 35, 110
 libocedri, 189
 tomentosum, 193, 203
Phreatia, 22, 25
Phrygilanthus
 acutifolius, 188
 aphyllus, 203
Phthirusa, 188, 208
 parvifolia, 110
 pauciflora, 110
 pyrifolia, 195–7
Picea, 186
Pilea, 7, 298
Pinaceae, 185
Pinguicula, 12, 136
 casabitoana, 136
 lignicola, 136
Pinus, 3, 174
 clausa, 262
 contorta, 187, 189
 elliottii, 172
 griffithii, 203
 nigra, 203
 ponderosa, 204
 sylvestris, 203
Piper, 6, 272
Piperaceae, 6, 26, 27, 51, 110, 130, 131, 153, 271, 274–5, 289, 291, 298, 304–5
Piperales, 6, 309
Pitcairnia bromeliaefolia, 14, 117
Pitcairnioideae, 306, 307
Pithecellobium, 296
Pittosporaceae, 9, 274–5
Pittosporum undulatum, 76

352 Taxonomic index

- Platycerium*, 5, 37, 39, 96, 130, 133, 237, 238, 273
bifurcatum, 227
coronarium, 168, 237
grande, 78, 268
hillii, 50, 211, 227
madagascariense, 213
Platypodium elegans, 213
Plectorrhiza, 22, 55
tridentata, 52, 55
Pleopeltis, 5, 99
angusta, 88
astrolepis, 99, 100
Plethodontidae, 245
Pleurothallidinae, 153, 276, 279
Pleurothallis, 22, 26, 149
racemiflora, 110
Plicosepalus, 189
Ploiarium alternifolium, 217
Poaceae, 14, 27, 47, 274–5
Polemoniaceae, 291
Polypodiaceae, 5, 25, 50, 91, 110, 131, 229, 274–5, 298
Polypodium, 5, 25, 88, 222
polypodioides, 26, 33, 87, 88, 89, 302
Polyradicion, 22, 91, 153
lindenii, 104, 127, 128, 149
Polystachya, 22, 26
minuta, 110
Populus, 204
Portulacaceae, 47
Posoqueria, 13, 298
Potaliaceae, 51, 274–5
Pothos, 14, 307
longipes, 50
Procris, 7, 57
cepalida, 51
Prosopis, 203
Proteaceae, 185
Prunus avium, 35
Psammisia, 8, 310
Pseudolaelia, 22
vellosicola, 213
Psidium, 213, 215, 216, 269
guajava, 100
Pisilotaceae, 6, 50, 274–5
Psilotum, 6, 27, 44, 158, 174, 271
complanatum, 50
nudum, 283
Psittacanthus, 188, 189
cuneifolius, 186
schiedeanus, 187
Psychotria, 13, 272
Psymorchis, 22, 42, 213, 216
glossomystax, 36, 215
pusilis, 215
Pteridophyta, 4, 25, 158
Pyrrosia, 5, 25, 62, 92, 222, 271, 276, 302
adnascens, 86, 92
angustata, 87, 92, 93, 110
confluens, 50, 63
lanceolata, 78, 268
longifolia, 50, 78, 92, 268
Pyrus malus, 198
Quararibea astrolepis, 212
Quercus, 224, 262, 263
floribunda, 224, 266
petraea, 198
virginiana, 33, 35, 172, 214, 256, 262, 264, 265, 288
Quillaja saponaria, 187, 204
Ranunculaceae, 6, 274–5
Rapateaceae, 14, 158, 274–5
Ravnia, 13, 152
Remusatia, 14, 307
Restrepiella ophiocephala, 22, 107
Rhaphidophora, 14, 25, 27, 276, 307
pachyphylla, 50
Rhipsalis, 7, 58, 161, 169, 272, 298, 310
Rhizophora, 170, 172, 213
mangle, 114, 172, 173, 213
Rhododendroideae, 297
Rhododendron, 3, 8, 26, 34, 158–9, 273, 310
Rodagesiana, 213
Rodriguezia, 23, 216
Rosaceae, 9, 274–5
Rubiaceae, 12, 51, 152, 154, 158, 166–7, 229, 271, 274–6, 291, 298, 304–5, 310, 311
Sabal palmetto, 213, 214
Santalaceae, 184, 203
Santalales, 184, 201
Sapium, 296
Saraceniaceae, 299
Sarcanthinae, 147, 149, 180
Sarcanthus machadonia, 238
Sarcochilus, 23, 280
falcatus, 288
hillii, 211, 288
Sarracenia, 140
purpurea, 143, 145
Schefflera, 11, 57, 272, 298, 299
actinophylla, 50
Schizaeaceae, 4, 274–5
Schlegelia, 12, 152
Schlumbergera, 7, 58
Schombocattleya, 48
Schomburgkia, 23, 131, 138–9
humboldtiana, 49, 114
tibicinis, 235
Schrophulariaceae, 11, 27, 202, 274–5

- Selaginella*, 6
 arenicola, 263
 willdenovii, 64, 65
Selaginellaceae, 6, 274–5
Selenicereus, 7, 58
Senecio, 272, 299
Senna, 296
Serenoa repens, 262
Smilacina, 15, 299
Sobralia, 23, 129
 macrantha, 90, 127, 133, 146
Solanaceae, 11, 131, 274–5, 278, 291, 298
Solanum, 11, 272, 298
Solenopsis, 231
 picta, 233
Solanopteris, 6, 235
 bifrons, 138–9
Souroubea, 7, 169
Spartina, 48, 182
Spathoglottis plicata, 155
Sphaeradenia, 13, 308
Stanhopea, 23, 154, 279
 embreei, 278
 frymirei, 278
 jenishiana, 278, 279
Stelestylis, 13, 308
Stelis, 23, 26, 99, 100
 micrantha, 110
Stellilabium, 23, 279
Streptocalyx, 15, 164, 228
 longifolius, 164, 165
Struthanthus, 188, 189
Swietenia macrophylla, 121
Synammia, 292

Taeniophyllum, 24, 26
 malianum, 51
 rhizophyllum, 59
Tapinanthus, 189, 208
 bangwensis, 198
Tapinostemma, 189
Taxodium, 3, 170, 174
 ascendens, 122
 distichum, 35, 170–3, 175–7, 215
Telipogon, 24, 279
Terminalia, 257
Thalictrum, 6, 292
Theaceae, 217, 277
Theobroma, 33, 115, 129
 cacao, 121
Thraupidae, 230
Thrixspermum, 24, 277
Tillandsia, 3, 15, 25, 43, 53, 54, 64, 114, 115,
 131, 134, 136, 146, 147, 154, 155, 161,
 163, 169, 178, 180–2, 222, 226, 229, 234,
 239, 245, 246, 250, 256, 263, 268, 281,
 283, 292, 294, 297–8
 aeranthos, 260; subg. *Allardtia*, 294
 anceps, 75, 250; subg. *Anoplophytum*, 294
 baileyi, 239
 balbisiana, 117, 158–9, 171, 210, 239, 263,
 288
 bryoides, 110
 bulbosa, 74, 106, 138–9, 234, 239, 250
 butzii, 136, 235
 capillaris, 155
 caput-medusae, 133, 136, 156, 235, 236
 circinnatoides, 54
 complanata, 74
 concolor, 54, 83, 292
 dasyliirifolia, 180, 210
 deppiana, 96, 97, 98, 169; subg.
 Diaphoranthema, 294
 didistichoides, 73
 elongata, 50, 81
 elongata var. *elongata*, 73
 fasciculata, 33, 35, 263, 288
 fasciculata var. *fasciculata*, 74
 fendleri, 50
 flexuosa, 48, 73, 114, 140–1, 161, 227, 239,
 295
 gardneri, 73
 imperialis, 91, 140–1
 ionantha, 90, 155, 292
 juncea, 73
 latifolia, 107
 makoyana, 180
 monodelpha, 75
 paucifolia, 35, 42, 112–14, 122, 147, 155,
 161, 169–78, 180–2, 193, 217, 218, 219,
 239, 288, 292, 301; subg. *Phytarrhiza*,
 294
 pruinosa, 227; subg. *Pseudo-catopsis*, 294
 purpurea, 106
 recurvata, 54, 85, 87, 110, 147, 155, 214,
 256, 260, 288
 schiedeana, 49, 54, 140–1
 spiculosa var. *micrantha*, 74
 streptophylla, 83, 107, 133, 239
 stricta var. *stricta*, 73
 tectorum, 90, 117
 tenuifolia, 73; subg. *Tillandsia*, 294
 usneoides, 26, 38, 46, 47, 53, 54, 63, 73,
 85, 86, 106, 110–11, 117, 140–1, 147–8,
 155, 214, 256, 263–4, 288, 303
 utriculata, 50, 69, 73, 81, 110, 133, 161,
 180–2, 250, 263, 288
Tillandsioideae, 55, 104, 158, 162–3, 169,
 179, 292–3, 306, 307
Tmesipteris, 6, 27, 44, 174, 271
Tococa, 216
Tolypanthus, 208
Topobea, 10, 77, 126, 128, 153
 parasitica, 281

354 **Taxonomic index**

- Toxorhynchites haemorrhoidalis*, 244
Trichantha, 12, 276
Trichoceros, 24, 154, 279
Trichomanes, 4, 25
Trichosurus, 205
Trilepidea, 184
Trimonius singularis, 51
Tripodanthus, 184
Tristania conderta, 212
Tristerix
 aphyllus, 34
 tetrandrus, 186, 187, 190, 192, 204
Trochilidae, 230
Tupeia, 184, 189
Turdus falklandii, 191
Turidae, 230
Typha, 182
Tyrranidae, 230

Ulmus, 203
Urticaceae, 6, 51, 153, 274–5, 291
Utricularia, 12, 134, 136, 169, 272, 298
 humboldtii, 36, 39, 242

Vacciniaceae, 51
Vaccinioideae, 297
Vaccinium, 8, 272, 299, 311
Vanda, 24, 70, 149
 parishii, 102
 whiteana, 51
Vanilla, 91, 158–9, 164
 barbellata, 58, 149
 eggersii, 110
 fragrans, 1
 planifolia, 146, 163, 164, 217
Vanwykia, 189
Vellozia, 213
Viscaceae, 34, 184, 185, 190, 194, 208
Viscum, 208
 album, 187, 190, 192, 193, 197, 198, 203,
 204, 208, 209; *album abietis*, 203; *album*
 mali, 203; *album pini*, 203; subsp.
 album, 202
 cruciatum, 203
 laxum, 198
 minimum, 199
Vitaceae, 10, 274–5
Vittaria, 4
 elongata, 50
 lineata, 213, 214
Vittariaceae, 4, 50, 274–5
Vriesea, 15, 25, 64, 99, 147, 163, 242, 245,
 250, 292, 293, 298
 amazonica, 50, 73, 163
 broadwayi, 73
 capituligera, 74
 erythrodactylon, 69
 fosteriana, 65–70
 heterandra, 250, 251
 hieroglyphica, 66
 johnstonii, 73
 platynema, 99, 100, 124, 128
 platynema var. *platynema*, 74
 procera var. *procera*, 73
 rubra, 74
 simplex, 75
 splendens, 250–1; var. *formosa*, 75
 splitgerberi, 50, 74

Weberocereus glaber, 7, 226
Weinmannia, 9, 187
Welfia georgii, 129
Winteraceae, 274–5
Wittrockia, 15, 55
Wyeomyia smithii, 145

Zamia, 6
 pseudoparasitica, 27, 129
Zingiberaceae, 15, 272, 273
Zygocactus, 58, 83, 310
 truncatus, 50
Zygophyllaceae, 47