

Contents

	<i>Page</i>
<i>Preface</i>	xiii
1 Context and content	1
1.1 Ordered crystalline metals	1
1.2 Disordered metals	2
1.3 Beyond Boltzmann theory	4
1.4 Metallic glasses	4
2 Production and structure of metallic glasses	6
2.1 What are metallic glasses?	6
2.2 Properties of glasses in general	7
2.3 How are metallic glasses produced?	9
2.4 Alloys that can form stable glasses	11
2.5 Structure of metallic glasses	13
3 Electron transport in metals: introduction to conventional theory	20
3.1 The source of electrical resistance	20
3.2 The conduction electrons	21
3.3 Calculation of electrical conductivity	25
3.4 The electrical conductivity	28
3.5 Conductivity and diffusion coefficient of conduction electrons	32
4 Scattering	34
4.1 Some definitions and formulae of scattering theory	35
4.2 Fourier transforms	37
4.3 The influence of scattering angle	39
4.4 The influence of the exclusion principle	40

x

Contents

4.5	Electron screening in metals	41
4.6	The pseudopotential	44
5	Simple liquid metals: Ziman theory	48
5.1	<i>k</i> -states in disordered metals	48
5.2	The Ziman model	49
5.3	The temperature dependence of resistivity	51
6	Phonons in disordered systems	55
6.1	Normal modes in glasses	55
6.2	Scattering of electrons by phonons	56
6.3	Low-temperature scattering of electrons by phonons	57
6.4	Scattering of electrons by phonons at high temperatures	61
7	Interactions and quasi-particles	63
7.1	The validity of the independent electron picture	63
7.2	Quasi-particles	64
7.3	Particle–hole pairs	66
7.4	Electron–electron interaction mediated by phonons	67
7.5	Collective electron modes	70
8	Transition metals and alloys	71
8.1	Crystalline transition metals	71
8.2	The Mott model	74
8.3	Transition metal glasses	77
9	The Hall coefficient of metallic glasses	81
9.1	Conventional theory	81
9.2	Preliminary comparison with experiment	86
9.3	Hybridisation of s- and d-electrons	87
9.4	Skew scattering and the Hall coefficient	94
9.5	Experimental results	97
10	Magnetoresistance	100
10.1	Qualitative picture	100
10.2	Two-band model	100
10.3	Kohler’s rule	102
10.4	Rough estimates	103

11 Electrical conductivity of metallic glasses: weak localisation	105
11.1 The negative temperature coefficient of resistivity	106
11.2 Interference effects	109
11.3 The Aharonov–Bohm effect	111
11.4 Weak localisation	115
11.5 The temperature dependence of resistivity	117
11.6 Coherence and processes that destroy it	118
11.7 Magnetic field dependence of resistivity	121
11.8 The influence of electron spin	125
11.9 Spin–orbit scattering	126
11.10 Scaling theory and weak localisation	136
11.11 Summary	139
12 The interaction effect or Coulomb anomaly	140
12.1 Introduction	140
12.2 Electron–electron interaction and the density of states	141
12.3 Interaction energy in a disordered metal	143
12.4 The exchange contribution	146
12.5 Coupling constant for the exchange terms	154
12.6 The Hartree terms in the particle–hole channel	156
12.7 The combined contribution of Hartree and exchange terms	162
12.8 Interactions in the particle–particle or Cooper channel	162
12.9 Change of density of states with temperature	165
12.10 Summary	166
13 The effect of the Coulomb interaction on conductivity	167
13.1 Introduction	167
13.2 The particle–hole channel	167
13.3 Enhanced interaction effect and spin–orbit scattering	171
13.4 The Cooper channel: additional effects	174
13.5 Summary	175
14 Influence of a magnetic field on the enhanced interaction effect	176
14.1 Magnetoresistance in the particle–hole channel	176
14.2 Temperature dependence of magnetoresistance	178
14.3 Spin–orbit scattering and magnetoresistance	180
14.4 The Cooper channel	181
14.5 Zeeman splitting in weak localisation	182
14.6 The Maki–Thompson correction	183

xii

Contents

14.7	Electron–electron scattering in disordered metals	183
14.8	Diagrammatic techniques	184
14.9	The Hall effect	184
15	The thermopower of metals and alloys	188
15.1	Definitions	188
15.2	The calculation of thermopower in a metal	190
15.3	The thermopower of metallic glasses	194
16	Comparison with experiment	200
16.1	Introduction	200
16.2	Conductivity of Cu–Ti metallic glasses	201
16.3	Magnetoresistance in a wide range of glasses	204
16.4	Ca–Al alloys	211
16.5	Conclusions	224
Appendices		
A1	Some formulae in weak localisation	225
A2	Weak localisation with s- and d-bands	226
A3	Fourier transform of classical diffusion probability	227
A4	Modified values of F	228
A5	The Maki–Thompson correction	229
A6	Electron–electron scattering in disordered metals	231
<i>Notes</i>		
<i>References</i>		
<i>Index</i>		