

INDEX

- Aceras anthropophorum* (L.) Ait.f., 1629
Acorus calamus L., 1640
 × *Agropogon littoralis* (Sm.) C. E. Hubbard, 1873
Agropyron caninum (L.) Beauv., 1830
 donianum F. B. White, 1831
 junceiforme (A. & D. Löve) Á. & D. Löve, 1834
 pungens (Pers.) Roem. & Schult., 1833
 repens (L.) Beauv., 1832
Agrostis canina L., 1865
 gigantea Roth, 1867
 setacea Curt., 1864
 stolonifera L., 1868
 tenuis Sibth., 1866
Aira caryophyllea L., 1856
 praecox L., 1855
Alisma gramineum Lejeune, 1458
 lanceolatum With., 1457
 plantago-aquatica L., 1456
Allium ampeloprasum L., 1523
 babingtonii Borrer, 1524
 carinatum L., 1529
 oleraceum L., 1528
 schoenoprasum L., 1530
 scorodoprasum L., 1525
 sphaerocephalon L., 1526
 ursinum L., 1532
 vineale L., 1527
Alopecurus aequalis Sobol., 1885
 alpinus Sm., 1887
 bulbosus Gouan, 1886
 geniculatus L., 1884
 mysurosoides Huds., 1882
 pratensis L., 1883
 × *Ammocalamagrostis baltica* (Schrad.) P. Fourn., 1859
Ammophila arenaria (L.) Link, 1858
Anacamptis pyramidalis (L.) Rich., 1639
Anisantha diandra (Roth) Tutin, 1815
 madritensis (L.) Nevski, 1814
 rigida (Roth) Hyl., 1816
 sterilis (L.) Nevski, 1813
 tectorum (L.) Nevski, 1817
Anthoxanthum odoratum L., 1891
 puelii Lecoq & Lamotte, 1892
Apera interrupta (L.) Beauv., 1870
 spica-venti (L.) Beauv., 1869
Arrhenatherum elatius (L.) Beauv. ex J. & C. Presl, 1848
 Arrow-grass, 1468–9
 Arrow-head, 1460
Arum italicum Mill., 1642
 maculatum L., 1641
 Asparagus, 1509
Asparagus officinalis L., 1509
 Asphodel
 Bog, 1502
 Scottish, 1501
Avena fatua L., 1843
 ludoviciana Duricu, 1844
 strigosa Schreb., 1845

Baldellia ranunculoides (L.) Parl., 1454
 Barley, 1836–7
 Beak-sedge, 1676–7
 Beardgrass, 1871–2
 Bent-grass, 1865–7
 Bermuda-grass, 1902
 Black Bryony, 1588
 Black Twitch, 1882

 Bluebell, 1520
 Blue-eyed Grass, 1576
Blysmus compressus (L.) Panz., 1664
 rufus (Huds.) Link, 1665
 Bog-rush, 1674
Brachypodium pinnatum (L.) Beauv., 1829
 sylvaticum (Huds.) Beauv., 1828
Briza maxima L., 1807
 media L., 1805
 minor L., 1806
 Brome, 1765, 1811–26 passim
Bromus arvensis L., 1825
 commutatus Schrad., 1823
 feronii Mabilie, 1819
 interruptus (Hack.) Druce, 1824
 lepidus Holmberg, 1821
 mollis L., 1818
 racemosus L., 1822
 secalinus L., 1826
 thominii Hard., 1820
 Bulrush, 1668–9
 Bur-reed, 1644–7
 Bushgrass, 1860
 Butcher's Broom, 1510
Butomus umbellatus L., 1461

Calamagrostis canescens (Weber) Roth, 1861
 epigejos (L.) Roth, 1860
 scotica (Druce) Druce, 1863
 stricta (Timm) Koeler, 1862
 Canary Grass, 1894
Carex acuta L., 1724
 acutiformis Ehrh., 1699
 appropinquata Schumacher, 1730
 aquatilis Wahlenb., 1725
 arenaria L., 1735
 atrata L., 1720
 atrofusca Schkuhr, 1722
 bigelowii Torr., 1728
 binervis Sm., 1684
 buxbaumii Wahlenb., 1719
 capillaris L., 1691
 caryophyllea Latour., 1714
 chordorrhiza L.f., 1737
 curta Good., 1746
 demissa Hornem., 1687
 depauperata Curt., 1692
 diandra Schrank, 1731
 digitata L., 1717
 dioica L., 1753
 distans L., 1681
 disticha Huds., 1734
 divisa Huds., 1736
 divulsa Stokes, 1739
 echinata Murr., 1744
 elata All., 1723
 elongata L., 1743
 ericetorum Poll., 1713
 extensa Good., 1689
 filiformis L., 1703
 fiacca Schreb., 1709
 flava L., 1685
 hirta L., 1710
 hostiana DC., 1683
 humilis Leyss., 1716
 lachenalii Schkuhr, 1747
 laevigata Sm., 1680
 lasiocarpa Ehrh., 1711
 lepidocarpa Tausch, 1686
 limosa L., 1706
 maritima Gunn., 1738
 microglochin Wahlenb., 1750
 montana L., 1715
 muricata L., 1742
 nigra (L.) Reichard, 1727

norvegica Retz., 1721
ornithopoda Willd., 1718
otrubae Podp., 1732
ovalis Good., 1748
pallescens L., 1702
panicea L., 1704
paniculata L., 1729
pauciflora Lightf., 1751
paupercula Michx., 1707
pendula Huds., 1700
pilulifera L., 1712
polyphylla Kar. & Kir., 1740
pseudocyperus L., 1693
pulicaris L., 1752
punctata Gaud., 1682
rariflora (Wahlenb.) Sm., 1708
recta Boott, 1726
remota L., 1745
riparia Curt., 1698
rostrata Stokes, 1694
rupestris All., 1749
saxatilis L., 1697
serotina Mérat, 1688
spicata Huds., 1741
stenolepis Less., 1696
strigosa Huds., 1701
sylvatica Huds., 1690
vaginata Tausch, 1705
vesicaria L., 1695
vulpinoidea Michx., 1733
 Carnation-grass, 1704, 1709
Catabrosa aquatica (L.) Beauv., 1762
Catapodium marinum (L.) C. E. Hubbard, 1786
 rigidum (L.) C. E. Hubbard, 1785
 Cat's-tail, 1648, 1877, 1880–1
Cephalanthera damasonium (Mill.) Druce, 1590
 longifolia (L.) Fritsch, 1591
 rubra (L.) Rich., 1592
Ceratocloa carinata (Hook. & Arn.), Tutin, 1827
 Chives, 1530
Cladium mariscus (L.) Pohl, 1678
 Club-rush, 1661–2
 Cock's-foot, 1801
 Cockspur, 1904
Coeloglossum viride (L.) Hartm., 1611
Colchicum autumnale L., 1533
Convallaria majalis L., 1504
Corallorhiza trifida Chatel., 1609
 Coral-root, 1609
 Cord-grass, 1899–1900
Corynephorus canescens (L.) Beauv., 1857
 Cotton-grass, 1650–3
 Couch-grass, 1830–4
 Crab-grass, 1906
 Creeping Soft-grass, 1850
Crococsmia × *crococsmiflora* (Le-moine) N.E.Br., 1586
 Crocus
 Autumn, 1533
 Autumnal, 1583
 Purple, 1584
Crocus nudiflorus Sm., 1583
 purpureus Weston, 1584
 Cuckoo-pint, 1641
 Cut-grass, 1754
Cynodon dactylon (L.) Pers., 1902
Cynosurus cristatus L., 1803
 echinatus L., 1804
Cyperus fuscus L., 1673
 longus L., 1672
Cypripedium calceolus L., 1589

INDEX

- Dactylis glomerata* L., 1801
polygama Horvat., 1802
Dactyloctenium aegyptium (L.) Vermeul., 1632-3
fuchsii × *praetermissa*, 1634
incarnata (L.) Vermeul., 1630
maculata (L.) Vermeul., 1631
majalis (Rchb.) Vermeul., 1637
praetermissa (Druce) Vermeul., 1635
purpurella (T. & T. A. Steph.) Vermeul., 1636
traunsteineri (Saut.) Vermeul., 1638
Daffodil, 1574-5
Damasonium alisma Mill., 1459
Darnel, 1774
Deer-grass, 1654
Deschampsia alpina (L.) Roem. & Schult., 1852
caespitosa (L.) Beauv., 1851
flexuosa (L.) Trin., 1853
setacea (Huds.) Hack., 1854
Digitaria ischaemum (Schreb.) Muhl., 1905
sanguinalis (L.) Scop., 1906
Duck's-meat, 1643
Duckweed, 1643
Echinochloa crus-galli (L.) Beauv., 1904
Eel-grass, 1470
Eleocharis acicularis (L.) Roem. & Schult., 1656
multicaulis (Sm.) Sm., 1658
palustris (L.) Roem. & Schult., 1659
parvula (Roem. & Schult.) Link, 1655
quinqueflora (F. X. Hartmann) Schwarz, 1657
uniglumis (Link) Schult., 1660
Eleogiton fluitans (L.) Link, 1671
Elodea callitrichoides (Rich.) Casp., 1466
canadensis Michx., 1464
nuttallii (Planch.) St John, 1465
Elymus arenarius L., 1835
Endymion hispanicus (Mill.) Chouard, 1521
non-scriptus (L.) Garcke, 1520
Epipactis atrorubens (Hoffm.) Schult., 1599
dunensis (T. & T. A. Steph.) Godf., 1597
helleborine (L.) Crantz, 1594
leptochila (Godf.) Godf., 1596
palustris (L.) Crantz, 1593
phyllanthes G. E. Sm., 1598
purpurata Sm., 1595
Epipogium aphyllum Sw., 1600
Eriocaulon septangulare With., 1500
Eriophorum angustifolium Honck., 1650
gracile Roth, 1651
latifolium Hoppe, 1652
vaginatum L., 1653
False-brome, 1828-9
Fescue, 1763-72, 1776-7
Festuca altissima All., 1766
arundinacea Schreb., 1764
gigantea (L.) Vill., 1765
glauca Lam., 1772
heterophylla Lam., 1767
juncifolia St-Amans, 1769
ovina L., 1770
pratensis Huds., 1763
rubra L., 1768
vivipara (L.) Sm., 1771
Flea-sedge, 1752
Flote-grass, 1758
Flowering Rush, 1461
Foxtail, 1883-7
Fritillaria meleagris L., 1513
Fritillary, 1513
Frog-bit, 1462
Gagea lutea (L.) Ker.-Gawl., 1515
Galanthus nivalis L., 1572
Galingale, 1672
Garlic
Crow, 1527
Field, 1528
Triquetrous, 1531
Gastroidium ventricosum (Gouan) Schinz & Thell., 1875
Gladdon, 1579
Gladiolus illyricus Koch, 1587
Glyceria declinata Bréb., 1760
fluitans (L.) R.Br., 1758
maxima (Hartm.) Holmberg, 1761
plicata Fr., 1759
Goodyera repens (L.) R.Br., 1606
Grass-wrack, 1470
Groenlandia densa (L.) Fourr., 1494
Gymnadenia conopsea (L.) R.Br., 1612
Hair-grass
Crested, 1840
Early, 1855
Silvery, 1856
Tufted, 1851
Wavy, 1853
Hammarbya paludosa (L.) O. Kuntze, 1607
Hare's-tail, 1653, 1876
Heath Grass, 1757
Helictotrichon pratense (L.) Pilger, 1846
pubescens (Huds.) Pilger, 1847
Helleborine, 1590-9
Herb Paris, 1534
Herminium monorchis (L.) R.Br., 1610
Hermodactylus tuberosus (L.) Mill., 1582
Hierochloa borealis (L.) Beauv., 1890
Himantoglossum hircinum (L.) Spreng., 1621
Holcus lanatus L., 1849
mollis L., 1850
Holoschoenus vulgaris Link, 1663
Holy-grass, 1890
Hordelymus europaeus (L.) Harz, 1839
Hordeum marinum Huds., 1838
murinum L., 1837
secalinum Schreb., 1836
Hyacinth
Grape, 1522
Wild, 1520
Hydrocharis morsus-ranae L., 1462
Iris
Snake's-head, 1582
Stinking, 1579
Iris foetidissima L., 1579
germanica L., 1581
pseudacorus L., 1580
spuria L., 1578
Isolepis cernua (Vahl) Roem. & Schult., 1670
setacea (L.) R.Br., 1670
Juncus acutiflorus Ehrh. ex Hoffm., 1551
acutus L., 1548
alpinarticulatus Chaix, 1553
articulatus L., 1552
balticus Willd., 1546
biglumis L., 1558
bufonius L., 1541
bulbosus L., 1554
capitatus Weigel, 1549
castaneus Sm., 1557
compressus Jacq., 1538
conglomeratus L., 1544
dudleyi Wiegand, 1577
effusus L., 1543
filiformis L., 1545
gerardi Lois., 1539
inflexus L., 1542
kochii F. W. Schultz, 1555
maritimus Lam., 1547
mutabilis Lam., 1556
squarrosus L., 1535
subnodulosus Schrank, 1550
tenuis Willd., 1536
trifidus L., 1540
triglumis L., 1559
Kobresia simpliciuscula (Wahlenb.) Mackenzie, 1679
Koeleria cristata (L.) Pers., 1840
vallesiana (Honck.) Bertol., 1841
Lady's Slipper, 1589
Lady's Tresses
Autumn, 1601
Creeping, 1606
Drooping, 1602
Lagurus ovatus L., 1876
Leek
Round-headed, 1526
Sand, 1525
Wild, 1523
Leersia oryzoides (L.) Sw., 1754
Lemna gibba L., 1643
minor L., 1643
polyrrhiza L., 1643
trisolula L., 1643
Leucojum aestivum L., 1571
vernum L., 1570
Leucorchis albida (L.) E. Mey., 1613
Lilium martagon L., 1511
pyrenaicum Gouan, 1512
Lily-of-the-Valley, 1504
Liparis loeselii (L.) Rich., 1608
Listera cordata (L.) R.Br., 1604
ovata (L.) R.Br., 1603
Lloydia serotina (L.) Rchb., 1514
Loddon Lily, 1571
Lolium perenne L., 1773
temulentum L., 1774
Lop-grass, 1818, 1820
Lords and Ladies, 1641
Luronium natans (L.) Raf., 1455
Luzula arcuata Sw., 1566
campestris (L.) DC., 1567
forsteri (Sm.) DC., 1561
luzuloides (Lam.) Dandy & Willmott, 1563
multiflora (Retz.) Lej., 1568
nivea (L.) DC., 1564
pallescens Sw., 1569
pilosa (L.) Willd., 1560
spicata (L.) DC., 1565
sylvatica (Huds.) Gaud., 1562
Lyme-grass, 1835
Maianthemum bifolium (L.) Schmidt, 1508
Marram Grass, 1858
Martagon Lily, 1511
Mat-grass, 1898
May Lily, 1508
Meadow-grass, 1796-7
Meadow Saffron, 1533
Melica nutans L., 1809
uniflora Retz., 1808
Melick, 1808-9
Mibora minima (L.) Desv., 1874
Milium effusum L., 1888
scabrum Rich., 1889
Millet, 1903, 1908
Molinia caerulea (L.) Moench, 1756
Montbretia, 1586
Muscari atlanticum Boiss. & Reut., 1522
Najas flexilis (Willd.) Rostk. & Schmidt, 1498
marina L., 1499

INDEX

- Narcissus obvallaris* Salisb., 1575
pseudonarcissus L., 1574
Nardurus maritimus (L.) Murb., 1779
Nardus stricta L., 1898
Narthecium ossifragum (L.) Huds., 1502
Neotinea intacta (Link) Rchb.f., 1616
Neottia nidus-avis (L.) Rich., 1605
 Nitgrass, 1875
- Oat, 1842–7
Ophrys apifera Huds., 1617
fulciflora (Crantz) Moench, 1618
insectifera L., 1620
sphegodes Mill., 1619
 Orchid, 1600–39 passim
Orchis laxiflora Lam., 1627
mascula (L.) L., 1628
militaris L., 1623
morio L., 1625
purpurea Huds., 1622
simia Lam., 1624
ustulata L., 1625
Ornithogalum pyrenaicum L., 1517
umbellatum L., 1516
- Panicum mileaceum* L., 1903
Parapholis incurva (L.) C. E. Hubbard, 1897
strigosa (Dum.) C. E. Hubbard, 1896
Paris quadrifolia L., 1534
Phalaris arundinacea L., 1893
canariensis L., 1894
minor Retz., 1895
Phleum alpinum L., 1879
arenarium L., 1881
bertolonii DC., 1877
phleoides (L.) Karst., 1880
pratense L., 1878
Phragmites communis Trin., 1755
 Pipe-wort, 1500
Platanthera bifolia (L.) Rich., 1615
chlorantha (Cust.) Rich., 1614
 Poa, 1780–95
Poa alpina L., 1790
annua L., 1787
bulbosa L., 1789
chaixii Vill., 1800
compressa L., 1795
flexuosa Sm., 1792
glauca Vahl, 1794
infirmata Kunth, 1788
jemtlandica (Almq.) Richt., 1791
nemoralis L., 1793
palustris L., 1799
pratensis L., 1796–7
trivialis L., 1798
Polygonatum multiflorum (L.) All., 1507
odoratum (Mill.) Druce, 1506
verticillatum (L.) All., 1505
Polypogon monspeliensis (L.) Desf., 1871
semiverticillata (Forsk.) Hyl., 1872
 Pondweed, 1473–94
 Canadian, 1464
 Horned, 1497
Potamogeton acutifolius Link, 1490
alpinus Balb., 1479
berchtoldii Fieb., 1487
coloratus Hornem., 1475
- compressus* L., 1489
crispus L., 1491
epihydus Raf., 1482
filiformis Pers., 1492
friesii Rupr., 1483
gramineus L., 1478
lucens L., 1477
natans L., 1473
nodosus Poir., 1476
obtusifolius Mert. & Koch, 1486
praelongus Wulf., 1480
pectinatus L., 1493
perfoliatus L., 1481
polygonifolius Pourr., 1474
pusillus L., 1485
rutilus Wolfg., 1484
trichoides Cham. & Schlecht., 1488
Puccinellia distans (Jacq.) Parl., 1781
fasciculata (Torr.) Bicknell, 1783
maritima (Huds.) Parl., 1780
pseudodistans (Crép.) Jans. & Wacht., 1782
rupestris (With.) Fernald & Weath., 1784
 Purple Moor-grass, 1756
- Quaking Grass, 1805
- Ramsons, 1532
 Ray-grass, 1773
 Red Millet, 1905
 Reed, 1755
 Reed-grass, 1893
 Reed-mace, 1648–9
Rhynchospora alba (L.) Vahl, 1676
fusca (L.) Ait.f., 1677
Romulea columnae Seb. & Mauri, 1585
Ruppia maritima L., 1496
spiralis L. ex Dumort., 1495
Ruscus aculeatus L., 1510
 Rush, 1535–59
 Rye-grass, 1773
- Sagittaria sagittifolia* L., 1460
Scheuchzeria palustris L., 1467
Schoenoplectus americanus (Pers.) Volkart, 1667
lacustris (L.) Palla, 1668
tabernaemontani (C. C. Gmel.) Palla, 1669
triquetrus (L.) Palla, 1666
Schoenus ferrugineus L., 1675
nigricans L., 1674
Scilla autumnalis L., 1519
verna Huds., 1518
 Scirpus, 1666–71
Scirpus maritimus L., 1661
sylvaticus L., 1662
 Scutch, 1832
 Sedge, 1678–1753
Sesleria albicans Kit. ex Schult., 1810
Setaria italica (L.) Beauv., 1908
lutescens (Weigel) Hubbard, 1910
verticillata (L.) Beauv., 1909
viridis (L.) Beauv., 1907
Sieglingia decumbens (L.) Bernh., 1757
Simethis planifolia (L.) Gren. & Godr., 1503
Sisyrinchium bermudiana L., 1576
- californicum* (Ker.-Gawl.) Ait.f., 1577
 Smallreed, 1861–2
 Snake's Head, 1513
 Snowdrop, 1572
 Snowflake
 Spring, 1570
 Summer, 1571
 Solomon's Seal, 1505–7
Sparganium angustifolium Michx., 1646
emersum Rehm., 1645
erectum L., 1644
minimum Wallr., 1647
Spartina alterniflora Lois., 1901
maritima (Curt.) Fernald, 1899
 × *townsendii* H. & J. Groves, 1900
 Spike-rush, 1656–9
Spiranthes romanzoffiana Cham., 1602
spiralis (L.) Chevall., 1601
 Squill, 1518–19
 Squirrel-tail Grass, 1838
 Star-of-Bethlehem, 1516
 Yellow, 1515
Sternbergia lutea (L.) Ker.-Gawl., 1573
Stratiotes aloides L., 1463
 Sweep's Brush, 1567
 Sweet Flag, 1640
 Sweet Vernal-grass, 1891
- Tamus communis* L., 1588
 Thrumwort, 1459
 Timothy, 1878
Tofieldia pusilla (Michx.) Pers., 1501
Trichophorum cespitosum (L.) Hartmann, 1654
Triglochin maritima L., 1469
palustris L., 1468
Trisetum flavescens (L.) Beauv., 1842
 Twayblade, 1603–4
 Twitch, 1831–2
Typha angustifolia L., 1649
latifolia L., 1648
- Vulpia ambigua* (Le Gall) More, 1778
bromoides (L.) S. F. Gray, 1776
membranacea (L.) Dum., 1775
myuros (L.) C. C. Gmel., 1777
- Water-Plantain, 1456
 Floating, 1455
 Lesser, 1454
 Water Soldier, 1463
 Water Whorl-grass, 1762
Wolffia arrhiza (L.) Hook. ex Wimm., 1643
 Wood Barley, 1839
 Wood Millet, 1888
 Woodrush, 1560–9
- Yellow Flag, 1580
 Yorkshire Fog, 1849
- Zannichellia palustris* L., 1497
Zerna erecta (Huds.) S. F. Gray, 1811
ramosa (Huds.) Lindm., 1812
Zostera angustifolia (Hornem.) Rchb., 1471
marina L., 1470
noltii Hornem., 1472