

# Index

- absorption, 176
- accelerators, 161
- addition theorem, 248
- adiabatic approximation, 59, 228, 243
- aligned band, 66
- allowed transitions, 84
- alpha-decay, 140, 258
  - barrier height, 143
  - Gamow factor, 142
  - Geiger–Nuttall plot, 142
  - lifetimes, 142
  - preformation probability, 142
- $\alpha_{\Lambda\mu}$  deformation parameter, 52
- alpha particle, 232
- analogue reactions, 170
- analogue states, 13, 86, 197, 199
- analogue transitions:
  - $\beta$ -decay, 89
  - $\gamma$ -decay, 122
- angular correlations, 137
- angular distribution, 168
- Aston, 17
- asymmetric fission, 146, 149
- asymmetry term, 19
- atomic mass unit (a.m.u.), 163
- attenuation length, 167
- available energy in centre of mass, 164
- axial-vector current, 85, 107
- Bacher, 18
- backbending, 64, 69
- barn, 166
- barrier height:
  - $\alpha$ -decay, 143
  - fission, 146
- barrier penetration, 140
- Barshay, 171
- Bartlett force, 230
- Becquerel, 2
- $B(EL)$  and  $B(ML)$ , 119
- bell-shaped angular distribution, 205
- Bergkvist, 102
- $^{10}\text{Be}$ , 170
- Bessel function:
  - first order, 175
  - spherical, 90, 181, 187
- $\beta$ -band, 63
- beta decay, 77
  - allowed transitions, 84
  - Cabbibo's hypothesis, 111
  - comparison with electromagnetic interaction, 80
  - conserved-vector current, 109
  - coupling constant  $G_\beta$ , 83, 89
  - double  $\beta$ -decay, 23, 78
  - electron capture, 92
  - electron helicity, 108
  - electron-neutrino correlation, 108
  - energetics, 78
  - Fermi's theory, 82
  - Fermi transitions, 84
  - forbidden decays, 90
  - form factors, 110
  - $ft$  value, 89
  - Gamow–Teller transitions, 85
  - inverse  $\beta$ -decay, 105
  - isospin selection rules, 86
  - Kurie plot, 88, 103
  - mixed transitions, 85
  - muon capture, 93
  - neutrino, 99
  - neutrino detection, 105
  - neutrino types, 104
  - parity violation, 94
  - range, 79
  - Sargent's rule, 88
  - selection rules, 85, 92
  - spectrum shape, 86
  - super-allowed transitions, 89
  - theory, 78
  - ( $V$ - $A$ ) theory, 107
  - weak magnetism, 111

272      **Index**

- $\beta$  deformation parameter, 52
- beta-delayed  $\alpha$ -emission, 143
  - neutron emission, 143, 155
  - proton emission, 143
- $\beta$ -vibration, 52
- Bethe, 18
- Big Bang, 103
- binding energy, 22, 232
- bismuth germanate (BGO) detector, 70
- Blair phase rule, 181
- Bohr, 2, 51, 167, 189
- Bohr orbit, 15
- Born approximation, 4, 81, 172, 203, 226
- $^{10}\text{B}$ , 170
- Bose symmetry, 2, 163
- bosons, 257
- breeder reactors, 155
- Breit-Wigner formula, 186, 199
- Brown, 237
- Buck, 257
- $C_2$  parameter, 52
- Cabbibo's hypothesis, 111
- $^{118}\text{Cd}$ , 55
- $^{40}\text{Ca}$ , 124
- capture reaction, 163, 167
- $^{10}\text{C}$ , 170
- $^{14}\text{C}$  radioactivity, 144
- central force, 224
- centre of mass frame, 163
- centrifugal barrier potential, 141, 212
- centrifugal stretching, 64
- Chadwick, 3
- chain reaction, 155
- charge density, 6
- charge exchange, 227, 230
- charge independence, 11, 222, 230
- charge symmetry, 11, 223
- Clebsch-Gordan coefficients, 266
- closed-shell nuclei, 47
- cluster model, 257
- $^{60}\text{Co}$ , 96
- Cockcroft, 162
- coexistence, 124
- coherent scattering, 220, 222
- cold-fusion reaction, 213
- collective model, 50, 181, 243
- collective motion, 240
- complex potential, 176
- compound elastic scattering, 186, 192
- compound nucleus reaction, 167, 169, 185, 189, 201
- Compton effect, 71
- Condon, 3
- configuration space, 237
- confinement, 216
- conservation laws, 10
- contact interaction, 83
- control rods, 155
- conversion coefficient, 136
- core-excited states, 48
- core polarisation, 256
- Coriolis force, 62, 69, 252
- cosmic microwave background radiation, 104
- Coulomb barrier, 140
- Coulomb energy, 21
- Coulomb excitation, 183
- coupling constant, 9
  - $f^2$ , 231
  - $G_B$ , 83, 89
  - $G_F$ , 109
  - $g_s$ , 230
  - $\lambda G_B$ , 89
- Cowan, 105
- Cox, 97
- CP invariance, 97
- cranking model, 250
- cranked Nilsson model, 253
- cross section, 9, 165
  - limiting, 189
- current-current interaction, 81
- cyclotron accelerator, 162
- $D_2$  parameter, 52
- dark matter, 104
- dating, 112
- Davis, 107
- de Broglie wavelength, 173
- Debye temperature, 133
- Debye-Waller factor, 135
- deep inelastic reactions, 167, 210
- deflectors, 161
- deformation, values for, 46
- deformed nuclei, 37, 240
- deformed shell model, 40
- delayed coincidence, 129
- $\delta$  deformation parameter, 43
- $\Delta E$  detector, 164
- detectors:
  - BGO, 70
  - germanium diode, 70
  - silicon surface barrier, 70, 165
  - TESSA, 72
- deuteron, 224
- diagonalising pairing interaction matrix, 255
- direct elastic scattering, 186, 192
- direct reactions, 167, 169, 203
- dissipative collisions, 210
- distance of closest approach, 173, 184
- distorted wave, 178
  - Born approximation (DWBA), 181

- Doppler broadening, 131  
 Doppler shift attenuation method (DSAM), 129  
 double  $\beta$ -decay, 23, 78  
 double-folding potential, 178, 257  
 double-hump fission barrier, 149  
 Dover, 257  
 $^{152}\text{Dy}$ , 73  
 E1 transitions, 123  
 E2 transitions, 124  
 E3 transitions, 126  
 effective charges, 128, 256  
 effective mass, 235, 241  
 effective moment of inertia, 65, 67  
 effective range, 217  
 elastic scattering, 167, 173  
 electric dipole moment, 35  
 electric quadrupole moment, 37  
 electric radiation, 116  
 electron capture, 92  
 electron scattering, 6  
 electrostatic accelerator, 162  
 energy gap, 254  
 enhanced transitions, 119, 262  
     dipole, 120  
     octupole, 126  
     rotational, 120  
     vibrational, 124  
 $\epsilon$  deformation parameter, 41  
 equilibrium deformation, 45, 241  
 equivalence principle, 139  
 $^{158}\text{Er}$ , 64  
 Euler angles, 61, 249, 265  
 $^{152}\text{Eu}$ , 99  
 exchange energy, 229  
 exchange forces, 226, 233  
 excitation function, 168, 172, 202  
 excited states, 47  
 exotic decays, 258  
 $^{17}\text{F}$ , 128  
 $^{19}\text{F}$ , 122  
 Fabry-Perot etalon, 190  
 Fano factor, 70  
 fast breeder reactors, 155  
 favoured transitions, 89  
 Fermi, 3, 82, 189  
 Fermi coupling constant, 109  
 Fermi function, 87  
 Fermi gas model, 28, 203, 232  
 Fermi level, 28  
 Fermi level density, 28, 148  
 Fermi transitions, 84  
 Fermi's golden rule, 3, 171  
 Feynman, 82, 108  
 fission, 25, 144  
     asymmetric, 146, 149  
     chain reaction, 155  
     double-hump, 149  
     fission barrier, 144  
     fission isomers, 146  
     isomeric rotational band, 151  
     lifetimes, 146, 213  
     liquid-drop model, 144  
     natural reactor, 156  
     neutron-induced, 153  
     nuclear power, 155  
     shape isomerism, 151  
     shell corrections, 146  
     spontaneous, 144  
     Strutinsky technique, 147  
     sub-threshold  $n$ -induced, 154  
     weapons, 155  
 flux, 166  
 folded potentials, 178  
 forbidden  $\beta$ -decays, 90  
 form factor, 5, 110  
 Fourier transform, 4, 133, 205  
 Fraunhofer diffraction, 175  
 Fresnel diffraction, 176  
 $f\tau$  value, 89, 91  
 fusion, 156  
     laser induced, 159  
     pp cycle, 157  
     reactors, 158  
     thermonuclear, 156  
 fusion reactions, 212  
 $\gamma$ -band, 63  
 gamma decay, 114  
     angular correlations, 137  
     E1 and M1 transitions, 123  
     E2 transitions, 124  
     E3 transitions, 126  
     effective charges, 128  
     enhanced transitions, 119  
     experimental transition rates, 122  
     interband transitions, 124  
     internal conversion, 135  
     intraband transitions, 124  
     isomeric transitions, 126  
     isospin selection rules, 120  
     measurement of lifetimes, 129  
     Mossbauer effect, 132  
     multipole fields, 116  
     resonance absorption, 130  
     selection rules, 118  
     single-particle estimates, 116, 119  
     spontaneous decay, 114  
      $0 \rightarrow 0$  transitions, 136  
 $\gamma$ -vibration, 52

274      **Index**

- Gamow, 3  
 Gamow factor, 142, 157, 172  
 Gamow-Teller transitions, 85  
 Gaussian potential, 257  
 Geiger, 2, 173  
 Geiger-Nuttall plot, 142  
 Gell-Mann, 108  
 germanium detector, 70  
 giant dipole resonances, 54, 120, 258, 262  
 giant quadrupole resonances, 128, 258  
 giant resonances, 54  
 Goldhaber, 99  
 Goshal, 201  
 gravitational red-shift, 139  
 grazing angular momentum, 211  
 Grodzins, 99  
 ground-state quadrupole moment, 45  
     deformation, 45, 240  
 Gurney, 3  
  
 $H_2^+$  molecular binding, 228  
 handedness, 94  
 hard-sphere scattering, 192  
 harmonic oscillator, 29  
 Hartree-Fock theory, 246, 257  
 Hartree theory, 245, 263  
 Hauser-Feshbach theory, 201  
 Haxel, 29  
 healing distance, 236  
 heavy-ion elastic scattering, 180  
     direct reactions, 205  
 Heisenberg, 3, 230  
 Heisenberg force, 230  
 helicity, 94, 97, 108  
 $^{168}\text{Hf}$ , 70  
 $^{174}\text{Hf}$ , 64  
 high-spin states, 64  
 historical review, 2  
 $^{161}\text{Ho}$ , 50  
 $^{165}\text{Ho}$ , 49  
 hole states, 6, 47, 49  
 Hubble's law, 103  
 hydrocarbon mirror, 221  
 hyperfine structure, 39, 135, 224  
  
 independence hypothesis, 201  
 independent-particle models, 26  
 independent-particle motion, 236  
     evidence, 7  
 inelastic scattering, 167, 180  
 Inglis cranking formula, 250  
 interacting boson approximation (IBA), 257  
 interband transitions, 124, 258  
 intermediate vector bosons, 80  
 internal conversion, 135  
 intraband transitions, 124, 258  
  
 intrinsic parity:  
     of photon, 116  
     of pion, 225  
 intrinsic quadrupole moment, 42  
 intrinsic state, 63  
     wavefunction, 59, 243  
 invariance, 10  
 inverse  $\beta$ -decay, 105  
 irrotational moment of inertia, 61  
 island of stability, 212  
 isobaric analogue resonances, 196  
 isobaric mass multiplet equation (IMME),  
     14, 266  
 isobaric nuclei, 10  
 isomeric states, 126  
     fission isomers, 146  
 isospin, 11  
     of ground state, 14  
 isospin-forbidden reactions, 199  
 isospin impurities, 170, 198  
 isospin multiplets, 11  
 isospin selection rules:  
      $\beta$ -decay, 86  
      $\gamma$ -decay, 120  
     nuclear reactions, 170  
 isotope separator, 213  
 isovector current, 110  
 Iwanenko, 3  
  
 Jacobian, 87  
 Jensen, 29  
 JET, 158  
  
 $K = \frac{1}{2}$  bands, 244  
 $K$  quantum number, 61  
 Kellogg, 224  
 kinematic matching, 206  
 Klein-Gordon equation, 80  
 Kuo, 237  
 Kurie plot, 88, 103  
  
 $\lambda_{\text{cm}}$ , 164  
 Landé interval rule, 39  
 Lawrence, 162  
 Lee, 93  
 Lemmer, 240, 242  
 leptonic  $\beta$ -decay, 109  
 level density, 20, 28, 203  
 lifetimes, 129  
 linear accelerator, 162  
 liquid drop model, 17  
 Livingstone, 162  
 logarithmic derivative, 191  
 long-range alphas, 143  
 Lorentz invariance, 110

- M1 transitions, 123, 200
- magic numbers, 26, 29
- $^{24}\text{Mg}$ , 72
- magnetic dipole moment, 32
  - of deuteron, 224
- magnetic radiation, 116
- Majorana force, 230
- Marsden, 2, 173
- mass, 18
- mass excess, 163
- mass parabola, 23
- matrix elements of residual interaction, 237
- Maxwellian velocity distribution, 157
- Mayer, 29
- mean free path, 167, 177
- measurement of lifetimes, 129
- meson exchange, 225, 230
- mid-shell nuclei, 49
- millibarn, 166
- mirror for neutrons, 221
- mirror nuclei, 11
- mirror symmetry, 98
- missing mass, 104
- mixed transitions:
  - beta, 85, 89
  - gamma, 123, 138
- moderators, 155
- moment of inertia, 60, 249, 250
  - effective, 65
  - even-even nuclei, 60
  - fission isomeric band, 153
  - odd- $A$  nuclei, 63
  - rigid body, 60, 68
- momentum dependent potential, 235, 239
- Moseley, 2
- Mossbauer effect, 132
- Mottelson, 51
- multiplicity, 70
- multipolarity, determination of, 136, 137
- multipole expansion, 237
- multipole fields, 116
- multipole-multipole force, 238
- muon  $\beta$ -decay, 109
- muonic X-rays, 6
- $\text{NH}_3$  electric dipole moment, 36
- natural fission reactor, 156
- natural parity states, 163
- $^{19}\text{Ne}$ , 122
- $^{239}\text{Np}$ , 63
- neutrino, 99
- neutrino detection, 105
- neutrino mass, 101
- neutrino oscillations, 107, 113
- neutron-induced fission, 153
- neutron mirror, 221
- neutron strength functions, 194, 196
- Nilsson diagrams, 45, 51
- Nilsson model, 43, 148
- $^{14}\text{N}$ , 124
- non-local potential, 239
- Nordheim's rules, 75
- nuclear fission weapons, 155
- nuclear force, 216
  - Bartlett, 230
  - central, 224
  - charge exchange, 227, 230
  - deuteron, 224
  - effective range, 217
  - exchange, 226
  - healing distance, 236
  - Heisenberg, 230
  - Majorana, 230, 232
  - meson exchange, 225, 230
  - momentum dependence, 235
  - n-n and p-p scattering, 222
  - n-p scattering, 219
  - phase shifts, 225
  - repulsive core, 225, 231
  - residual interaction, 237
  - saturation, 232
  - scattering length, 217
  - separable, 238
  - slow n refractive index, 220
  - spin dependence, 221, 231
  - spin-orbit, 226, 231
  - symmetry dependence, 228
  - tensor, 224, 231
  - Wigner, 228, 230
  - within nuclei, 231
- nuclear matter, 236
- nuclear models, 17
  - cluster, 257
  - collective, 50
  - cranked Nilsson, 253
  - deformed shell, 40
  - Fermi gas, 28
  - independent-particle, 26
  - interacting boson, 257
  - liquid drop, 17
  - Nilsson, 43
  - Rainwater, 42
  - schematic, 258, 260
  - shell, 26
- nuclear potential well, 233
- nuclear power, 155
- nuclear reactions, 161
  - angular distribution, 168
  - Breit-Wigner formula, 187
  - compound nucleus, 167, 169, 185
  - Coulomb excitation, 183
  - deep-inelastic, 170, 210

276      **Index**

- nuclear reactions (*cont.*)  
   detailed balance, 171  
   direct, 167, 169, 203  
   elastic scattering, 173  
   excitation function, 168, 172  
   fusion, 212  
   general features, 167  
   Hauser-Feshbach theory, 201  
   heavy ion, 205  
   independence hypothesis, 201  
   inelastic scattering, 180  
   isobaric analogue resonances, 196  
   isospin, 170  
   isospin-forbidden, 199  
   kinematic matching, 206  
   limiting cross-sections, 189  
   neutron level width  $\Gamma_n$ , 194  
   optical model, 176  
   partial waves, 187  
   reaction time, 167  
   resonances, 168  
   Rutherford scattering, 173  
   slow n-induced resonances, 189  
   superheavy elements, 212  
   Woods-Saxon potential, 178
- nucleon-nucleon scattering, 216  
   coherent, 220, 222  
   high-energy, 225  
   low-energy, 219, 222  
   ortho- and para-hydrogen, 222
- nucleon separation within nuclei, 236
- oblate, 41, 242
- octupole vibrations, 54, 126, 258, 262
- $\Omega$  quantum number, 44, 61
- one body operator, 237
- one pion exchange potential, 231
- optical model, 176
- optimum  $Q$ -value, 209
- ortho-hydrogen, 222
- $^{16}\text{O}$ , 47, 123, 124
- $^{17}\text{O}$ , 48, 128
- P invariance, 97
- pair-production, 71, 137
- pairing gap, 253
- pairing interaction, 20, 48, 69, 149, 238, 254
- pairing term, 21, 255
- $^{106}\text{Pd}$ , 50, 54
- para-hydrogen, 222
- parity, 32, 243
- parity violation, 93, 163
- partial waves, 187, 216
- particle-hole states, 49, 256, 258
- particle identification, 164
- Pauli, 2
- Pauli exclusion principle, 232, 236, 257  
   generalised, 15
- Pauli spin operator, 108, 222, 230
- $^{206}\text{Pb}$ , 6
- $^{207}\text{Pb}$ , 47
- $^{208}\text{Pb}$ , 47
- Peierls, 244
- phase shift, 188, 192, 216, 225
- phonon, 53, 126
- photoelectric effect, 70
- pickup reaction, 167, 203
- pion capture by d, 223
- plunger, 130
- polarisation, 98, 101, 137
- Polikanov, 146
- pp cycle, 157
- preformation probability, 142, 258
- principle moments of inertia, 57
- projection operator, 222, 247
- projection theorem, 33
- prolate, 41, 242
- proton radioactivity, 143
- pseudoscalar, 94, 230
- $Q$ -value, 162  
   optimum, 209
- quadrupole magnets, 161
- quadrupole moment, 37  
   intrinsic, 42  
   of ground state, 45
- quadrupole-quadrupole force, 237
- quadrupole surface oscillations, 52, 57
- quadrupole transition matrix element, 184
- quadrupole vibrations, 54, 258
- quantum-mechanical tunnelling, 140
- quark-gluon plasma, 161
- quarks, 216
- quasi-molecular resonances, 258
- quasi-particle state, 256
- Rainwater, 39, 41
- Rainwater model, 42
- range of a particle, 164
- range of an interaction, 79
- reactions, 161
- reactors, 155, 158
- reciprocity theorem, 172
- recoil distance technique, 129
- recoilless emission and absorption, 132
- red shift, 104
- reduced mass, 164
- reduced rotation matrix, 250, 265
- redundant variables, 61, 244
- refractive index, 220
- Reines, 105
- relativistic heavy-ions, 161

- repulsive core, 225, 231, 233
- residual interaction, 19, 237
- resonance absorption, 130
- resonances, 168, 185
- resonant scattering, 101
- rigid-body moment of inertia, 60
- rotation matrix, 183, 250, 265
- rotational frequency, 65
- rotational levels, 249, 257
  - even-even nuclei, 57
  - odd- $A$  nuclei, 61
- rotational wavefunction, 61, 243
- rotations, 265
- rotations  $R_1$  and  $R_2$ , 243
- Royds, 2
- Rutherford, 2, 3, 162
- Rutherford scattering, 4, 173
- Sargent's rule, 88
- saturation of nuclear force, 18, 232
- scattering length, 217, 222
- schematic model, 258, 260
- Schmidt limits, 33
- Schrödinger, 3
- Schrödinger equation, 141
- Segrè chart, 22
- selection rules:
  - $\beta$ -decay, 85
  - $\gamma$ -decay, 118, 120
- selective excitation, 206
- self-conjugate nuclei, 55, 121
- self-consistent potential, 43, 246
- semi-conductor detector, 70
- semi-empirical mass formula, 18
- semi-leptonic  $\beta$ -decay, 109
- separable force, 237, 260
- separation energies, 26, 235
- Serber force, 233
- shape isomerism, 151
- shell corrections to liquid drop model, 146
- shell model, 26
  - description of collective states, 256
- signature, 243
- silicon detector, 70
- single-folding potential, 178
- single-particle  $\gamma$ -decay estimates, 116
- single-particle energy, 246
- single particle resonances, 194
  - width  $\Gamma_{sp}$ , 195
  - strength factor  $\gamma^2$ , 195
- single-particle shell model, 29
- size, 7, 17, 93
- Slater determinant, 245
- slow neutrons, 189
- $^{117}\text{Sn}$ , 48
- $^{152}\text{Sn}$ , 99
- Soddy, 2
- solar luminosity, 157
- solar neutrinos, 106
- solid angle, 174
- Specht, 151
- spectroscopic factor, 204
- spherical harmonic  $Y_{lm}(\theta, \phi)$ , 265
- spherical tensor, 265
- spin, 31
  - spin dependence of nuclear force, 221, 231
  - spin-orbit interaction, 29, 226, 231
  - spin statistical factor, 172
  - spontaneous decay, 114
  - spontaneous fission, 25, 144
  - square well potential, 29
  - stability, 22
  - stopping power, 129, 164
  - stripping reaction, 167, 203
  - strong interaction radius, 175
  - Strutinsky method, 147, 212
  - Stückelberg, 82
  - sub-threshold n-induced fission, 154
  - Suess, 29
  - sum energy, 70
  - Sunyar, 99
  - superallowed transitions, 89
  - superdeformed band, 73
  - superheavy elements, 212
  - surface interaction, 237
  - surface term, 19
  - symmetry, 10, 243
  - symmetry dependence of nuclear force, 228
  - synchrotron accelerator, 162
  - Temmer, 171
  - tensor force, 224, 231, 232
  - TESSA detector, 73
  - $^{205}\text{Tl}$ , 6
  - thermonuclear fusion, 156
  - Thompson, 2
  - three-body interactions, 236
  - time:
    - characteristic, 7
    - delay, 190, 192
    - reaction, 168
  - time-reversal, 35, 171
  - Tokamak, 158
  - transition charge density, 81
  - transitional spectra, 257
  - transmission coefficient, 141, 172, 195, 201
  - triaxial, 70
  - tritium  $\beta$ -decay, 83, 101
  - truncation schemes, 256
  - tunnelling, 140
  - two-body operator, 237
  - two-particle transfer, 255

Cambridge University Press

978-0-521-26994-0 - Fundamentals of Nuclear Physics

N. A. Jelley

Index

[More information](#)278      **Index**

- units, 7  
 $^{238}\text{U}$ , 60, 64  
u, the atomic mass unit, 163  
van de Graaf accelerator, 162  
van der Waals force, 9, 216  
Varg, 257  
variational method, 245  
vector interaction, 82  
vector mesons, 231  
vector model, 33  
very high spin states, 69  
vibrational levels, 51, 258  
Walton, 162  
weak charge, 82  
weak magnetism, 111  
Weinberg–Salam theory, 84  
Weisskopf, 240, 242  
Weisskopf units, 119  
Weizsäcker, 18  
Weyl equations, 108  
width  $\Gamma$ , 168, 191  
    gamma  $\Gamma_\gamma$ , 196  
    neutron  $\Gamma_n$ , 191, 194  
    single-particle  $\Gamma_{sp}$ , 195  
Wigner coefficients, 266  
Wigner–Eckart theorem, 266  
Wigner force, 228  
Wilkinson, 55  
Woods–Saxon potential, 178  
Wu, 96  
Yang, 93  
Yoccoz, 244  
Yrast levels, 64, 70  
 $^{176}\text{Yb}$ , 50  
Yukawa, 9  
 $0 \rightarrow 0$  transitions, 136  
Zero-range approximation, 180, 203, 205