

# Index

See also the list of contents

- acceleration  
 convective 47  
 Eulerian and Lagrangian 39, 48
- added mass  
 for an accelerating cylinder 238–9  
 for an accelerating sphere 246  
 for a wine bottle 275
- adiabatic change 121  
 for a shock 350–1
- aerofoil  
 drag force on 464–5, 478  
 flow round 471–2  
 Joukowski 469, 471, 474  
 lift force on 465, 475, 478  
 meaning of 463  
 stalled 465
- analysis of motion near a point 73–5  
 angular velocity and vorticity 72, 74
- Archimedes' theorem 105–6
- atmosphere  
 models for 122–3  
 scale height of 122–3  
 standard 123
- axisymmetric flow 49  
 stream function for 62–4
- Bernoulli's equation  
 and Blasius' theorem 422  
 for compressible flow 186  
 as an energy equation 185–6  
 examples of 181, 184, 186–93, 203
- experiments to demonstrate 193–6  
 and flow from a container 181–2  
 and flow through a contraction 184–5  
 and the force on a sphere 200–1, 203  
 in high speed flow 327–8  
 for sound waves 250–1  
 in steady flow 180–1  
 at the surface for water waves 291  
 with uniform vorticity 183  
 in unsteady irrotational flow 232–3
- Bessel functions  
 examples of 204, 288  
 properties of 317–20  
*see also* Fourier–Bessel series and  
 Hankel functions
- Blasius' theorem  
 examples of 425–32  
 proof of 422–4  
 use for aerofoils 463–4, 466–7
- body forces  
 centrifugal and Coriolis 95–6, 136–7  
 the inertia force 95, 108  
 and hydrostatic pressure 102
- bore  
 from the meeting of characteristics 375  
 tidal, on rivers 376–7  
 undular 376  
*see also* hydraulic jump
- boundary conditions  
 for Laplace's equation 208  
 for the Navier–Stokes equation 133–4

522 *Index*

- the no-slip condition 134, 160, 208
- and the wave equation for sound 252–3
- and water waves 290–2
- boundary layer
  - in channel flow 172–3
  - for the diffusion equation 153
  - general character 159
  - in a percolation flow 159, 167
  - separation of 164–5, 167, 220
- bubbles
  - accelerating upwards 246
  - radial oscillations of 228–31, 235
  - sound radiation from 280–2
- buoyancy 30, 135
- camber, of an aerofoil 472
  - and the force and moment 474–6
- canal, water waves on 317
- cartesian tensors 8, 14
- Cauchy's theorem 425
- centre of pressure 108
- centrifugal force, *see* body forces
- channel
  - flow through a contraction in 172–3, 184–5
  - flow with percolation 157–9
  - viscous flow through 141–2
- characteristics
  - and boundary conditions 335, 337–9
  - crossing or meeting 338, 343, 349, 375, 377
  - and fluid dynamic equations 339–40
  - method of using 334–6
  - 'plus' and 'minus' 340
  - and range of influence 337–8
  - and Riemann invariants 339
  - for waves on a channel 373–5
- chord, of an aerofoil 467
- circle theorem 419
- circular cylinder
  - accelerating 237–9
  - no force for simple flow model 189
  - separation of flow round 164
  - single vortex behind 93, 433
  - source outside 60–1, 428–30
  - stream function model of flow 58–59
  - transverse force with circulation 189–91
  - vortex pair behind 91–2, 420–2
  - vortex street behind 412
- circulation 57–8
  - generation for aerofoil 477–8
  - Kutta condition on 463
  - Kelvin's theorem for 85–8, 178–9
  - for a line vortex 58
  - round a cylinder in a stream 189–91
  - round irreducible circuits 207, 212
- clarinet, model for the frequencies 263–4
- cnoidal waves 392
- complex potential
  - basic examples 397
  - and flow into a channel 407–9
  - and force calculations 422–32
  - and image methods 413–21
  - simple transformations 399–400
  - and fluid velocity 398–9
  - for vortex systems 410–3
- compressibility, *see* incompressibility
- compression waves, in gas flow 341, 344–7
  - piston in a tube causing 348
  - sound waves as an example 345
- conformal mappings
  - of circles to aerofoils 463, 468, 472, 476
  - of circles to strips or ellipses 456–8
  - critical points of 440
  - definition 439
  - of exponential type 453–6
  - general properties 440–8
  - and image methods 438
  - inversion of circles 450–3
  - Joukowski 463
  - particular cases 448–59
  - by powers 435–6, 449
  - preliminary examples 436–8
  - singularities and boundary values 445–7
  - transformation of the potential 443
- conservation of mass 45
- constitutive equation for a Newtonian fluid 130–1
- continuity equation 46
- continuum model 33
  - in shock waves 350
  - in sound waves 258
- convection and diffusion, balance of 160–2
- convective acceleration 47
  - derivative 47
- Coriolis force, *see* body forces
- corners
  - flows in 403
  - flows round 403–5
  - images in 417–18
  - and mappings 436–8
- critical points of a mapping 440–1
  - and change of angles 442–3
  - and transformation of singularities 446–7
- Crocco's vertex theorem 360
- curl in polar coordinates 21
- cut plane 207, 400–2
- $D^2$ 
  - in cylindrical coordinates 78
  - in the vorticity equation 202

- $D/Dt$  47  
 D'Alembert's paradox 240  
 decibels and loudness 277–8  
 density  
   in the continuum model 33  
   as a function of state 113–14  
 derivatives, in polar coordinates 13  
 deviatoric part of stress tensor 101  
 diffusion  
   equation for and the similarity method 149–51  
   of heat and momentum 170  
   of a vortex sheet 153–4  
   of vorticity from a boundary layer 161  
 dimensional arguments 29–30, 150, 155  
 dipole  
   complex potential 397  
   definition and stream function 55–7  
   by differentiation of a source 56  
   Stokes' stream function for 65–6  
   for sound waves 282–3  
   transformation by mappings 447  
   velocity potential 215, 216  
 dispersion  
   and non-linear steepening 383  
   relation for shallow water waves 305  
   relation for waves in a canal 317  
   relation for waves on deep water 294  
   of sound waves in a duct 271  
 div in polar coordinates 20  
 divergence theorem 18  
 domain, in complex function theory 401  
 downwash, behind aircraft and chimney 89–90  
 drag, on aerofoil 464–5  
   experimental values 478  
 Dubois–Reymond lemma 19  
 duct, sound waves in 268–71  
   the group velocity of 300  
 dynamic pressure 134–5  
  
 efficiency, of sound radiation 282, 285  
 eigenvalues and eigenvectors 16, 17  
 electrostatic analogies 48, 58, 60, 430, 432  
 elliptic cylinder, as aerofoil 463  
   flow round 462–3  
   lift force on 465  
   wake from 462  
 elliptic functions and integrals 386  
 end correction 263  
 energy  
   and Bernoulli's equation 185–6  
   conversion in a bore 376, 379–80  
   conversion in a shock 350, 354  
   as a function of state 116  
   Kelvin's theorem on minimum 212–3  
   loss in reflection of sound 261, 286  
   in the perfect gas model 118–19  
   radiation in 3-D sound waves 279, 284  
   in sound waves 272–4  
   in a thermally perfect gas 119  
   in water waves 297  
 energy flow velocity  
   in a plane sound wave 277  
   in water waves 298  
   *see also* group velocity  
 entropy  
   change across a shock 351, 354  
   as a function of state 117  
   as an integrating factor 117  
   and reversibility 117  
   in a thermally perfect gas 119–20  
 equation of motion  
   Euler's form 132  
   fundamental form 128  
   Navier–Stokes form 131–2  
 equation of state 114  
   model forms 114  
 equilibrium, in thermodynamics 113  
   *see also* stability  
 error function 151  
 Euler's equation  
   derived from Navier–Stokes 132  
   leading to Bernoulli's equation 180–1, 232–3  
   leading to vorticity equation 171  
   regions of applicability 169  
   replaced by Laplace's equation 208  
   used in Kelvin's theorem 179  
 Eulerian description 38  
  
 flow rate  
   between streamlines 52  
   through a curve 52  
   through stream tubes 63  
 fluid, distinction from gas and solid 28  
 fluid particle 34  
 flute, model for sound waves in 262–3  
 flux, *see* flow rate  
 force  
   on an accelerating cylinder 238–9  
   on an accelerating sphere 246  
   on an aerofoil, *see* aerofoil  
   between line source and cylinder 246, 428–30  
   between line vortex and plane 430–2  
   on a body due to hydrostatic pressure 105  
   calculated by Blasius' theorem 422–4  
   on a cambered aerofoil 475  
   on a cylinder in a stream 189  
   and d'Alembert's paradox 240–3  
   element due to stress tensor 99

524 *Index*

- on a model of a rising puff 227–8, 246
  - on a sphere in a stream 200
- Fourier–Bessel series 320–1
- free streamlines 409
- free surface boundary condition 291–2
- frequency
  - of a clarinet or flute 262, 264
  - of a sinusoidal wave 255
  - of a wine bottle 274–6
- friction, due to turbulence in a river 363, 376–7
- Froude number 366
  - and Mach number 366
- function of state 111–12
  - entropy as 117
  - internal energy as 116
  - speed of sound as 249
- fundamental, of a musical instrument 262
- gas, distinction from liquid 28
- group velocity
  - for deep water waves 299–300
  - for shallow water waves 308
  - for sound waves in a duct 300
  - for water waves in a canal 317
- Hankel functions 319, 324
- heat, as a form of energy 115
  - quantity of 115
- Helmholtz theorem 71
- Hill's spherical vortex 81–3
  - example for vorticity theorems 83–4, 86–7
  - satisfies vorticity equation 176–7
- hydraulic jump 375–6
  - changes across 377–82
  - see also* bore
- image methods
  - for a circle 419–20
  - and the complex potential 413–21
  - and conformal mappings 438
  - for a corner 417
  - justification of 213–14
  - for a line source and a cylinder 60–1
  - for a line vortex and a wall 59–60
  - for plane sound waves 258–9
  - for sound source or dipole and wall 287–8
  - for the stream function 58–61
- impedance 257
  - and sound transmission through a wall 266
- incompressibility
  - implies  $\nabla \cdot \mathbf{v} = 0$  47
  - and Mach number 327
  - in terms of rate of strain tensor 75
- instability, *see* stability
- integration theorems 17–19
- internal energy 115–16
- inversion, as a mapping 449
- inviscid solution outside a boundary layer 159
- irreducible circuits 207, 212
- irrotational flows 205
  - basic flows 214–16
  - examples of 205–6
  - radial motion 229
  - see also* potential and velocity potential
- isentropic changes in thermodynamics 121
- isentropic model for gas flow 121
- isothermal atmosphere 122
- isothermal model for gas flows 121–2
- isotropic part of stress tensor 101, 131
- isotropic stress in a fluid at rest 101–2
- isotropic tensors 17
- Joukowski aerofoil, symmetrical 471
- Joukowski's hypothesis 463
- Joukowski transformation 462
- Kármán vortex street 412–413
- Kelvin's minimum energy theorem 212–3
- Kelvin's theorem on circulation 85–8
  - and circulation round an aerofoil 477
  - and irrotational flow 205
  - and generation of circulation 191
  - proof of 178–9
  - use outside viscous regions 160
- kinematic viscosity 133
- kinetic energy
  - for an accelerating cylinder 239
  - for circulation round a cylinder 239
  - Kelvin's theorem on 212–13
  - in potential theory 209
- kinetic theory of gases 113
- Kutta condition on circulation 463
  - and flow near a trailing edge 470–1
- Lagrangian acceleration 39, 48
- Lagrangian description 38
- Laplace's equation
  - boundary conditions for 208
  - for irrotational flow of incompressible fluid 208
  - and water waves 290, 292
- Laurent series 425
- Laval nozzle 358, 362
- Legendre polynomials, in potential flow 223
  - some properties of 223–4
- lift force
  - on an aerofoil 465, 475, 478
  - from Blasius' theorem 426–7

- on a circular cylinder with circulation 189–90
  - experimental values 478
- line vortex 57
  - see also* vortex
- liquid, distinction from gas 28
- Lituya Bay, solitary wave at 390, 394
- local motion analysed 73–5
- loudness of a sound 277
- Mach cone 330
- Mach number 327
  - and Froude number 366
- Magnus force
  - on a circular cylinder 189–90
  - on a general cylinder 243, 247, 426–7
- mass, conservation of 145–6
- Milne–Thomson circle theorem 419, 458
- modelling
  - of flow past a sphere 197
  - mathematical 25–7
  - of rising puff of hot gas 221–2, 228
- moment of forces
  - on an aerofoil 466–7
  - calculated by Blasius' theorem 424
  - on a cambered aerofoil 476
- momentum equation 127
- musical instruments
  - models for flute and clarinet 262–4
  - model for a piano 26–7
  - need for plane waves 271–2
- Navier–Stokes equation 132
  - boundary conditions for 133–4
  - non-uniqueness of solutions of 209
- Newtonian fluid 131
- no-slip condition 134, 160
  - and Laplace's equation 208
- particle paths 35
  - examples 35
  - in sloshing in a container 312, 323
  - and streamlines 40–1
  - in water waves 296, 306–7
- perfect gas
  - equation for 114, 118
  - internal energy for 116, 119
  - model for gases 118
- period of a sinusoidal wave 255
- phase in a plane wave 253
- pipe flow
  - Poiseuille solution 142–4
  - rates of strain and vorticity 77, 92
  - swirling flow 93
  - through a contraction 202
- pitot tube 191–2
- plane waves
  - along a duct 268–71
  - on deep water 293
  - energy densities for 273–4, 297
  - energy flow velocity for 277, 298
  - interacting with boundaries 264–71
  - in musical instruments 261–3
  - moving parallel to a wall 266–8
  - in one dimension 253–5
  - reflected by a wall 258–60, 295
  - sinusoidal 254–5
- Poiseuille flow 77, 92, 142–4
- polar coordinates 10–13
  - vector derivatives in terms of 20–2, 23
- potential
  - for a body force 96
  - for centrifugal force 96
  - complex 397–8
  - see also* velocity potential *and* irrotational flow
- potential flow against a wall with a hump 217–9
- pressure
  - and Bernoulli's equation 180–1
  - and body forces 102
  - centre of 108
  - in the continuum model 43
  - dynamic 134–5
  - equation for 202
  - in flow through a contracting channel 184–5
  - as a function of state 113–14
  - as the isotropic part of the stress tensor 101–2
  - as mean normal stress 129, 131
  - in a sound wave 250–1
  - in a uniformly rotating liquid 104
- principal axes of a second order symmetric tensor 16
  - rates of strain 76
  - stresses 101
- puff of hot gas, model of the flow 221–2, 228
- quadrupole, as a limit of two dipoles 226, 288
- radiation
  - boundary condition on 253
  - from an oscillating bubble 280–2
  - from an oscillating sphere 283–4
  - solution in 3-D sound waves 278–9
- range of influence 337–8
- Rankine's method 67
  - used to model flow past a sphere 197
- Rankine vortex 80–1
  - compressible version 360–1
  - as a model of the viscous solution 156–7

526 *Index*

- pressure in 186–8
- Rankine–Hugoniot relations across a shock 352
- rate of strain tensor 75
- Rayleigh's criterion for stability 147–8
- reflection, *see* plane waves
- reversible changes in thermodynamics 116
  - and entropy 117
- Reynolds number 133
  - in a percolation problem 158
- Riemann invariants
  - for 1-D gas flow 339
  - for surface waves on a channel 373
- rotation
  - pressure and uniform 104
  - vorticity and local 72, 74
- scale height 122–3
- secondary flow
  - in flow against a wall 167
  - in flow round a cylinder 163–4
  - for a line vortex in a container 163
- semi-infinite body
  - flow round 66–7
  - force on 198–200
- separation of boundary layer
  - in flow past a cylinder 165
  - not in flow past a rising puff 228
  - in potential flow against a hump 220
  - on Rankine body 200
  - at trailing edge of an aerofoil 470–1
- separation of variables
  - examples of 93, 168
  - general results 220
  - in plane polar coordinates 217–8, 245
  - in spherical coordinates 223–4
  - for sound waves in a duct 268–9
  - for sound waves parallel to a wall 266–7
  - for water waves 290–1
  - for water waves in a circular container 312–3
- shallow water, waves on 305–6
- shear stress 28
  - in channel flow 142
  - in pipe flow 144
  - in rotating cylinders flow 146
  - see also* stress and stress tensor
- shock tube 362
- shock waves, and meeting of characteristics 343–4, 375
  - caused by a piston 349
  - conditions across 350–5
  - in a Laval nozzle 359
  - speed of 355–6
- similarity solution, for the diffusion equation 150
- simply connected regions 207
- singular perturbation, in a differential equation 160
- sink, *see* source
- sinusoidal waves, as basic solution 253–4
- sloshing, of a liquid in a container 310–2
- sluice gate, transition at 380–1
- solitary wave 388
  - equation for the depth 386
  - experiments 389
  - at Lituya Bay 390
  - speed of travel of 387
  - stream function for 385
  - surface profile of 387
  - volume and momentum in 388–9
- sonic conditions in a Laval nozzle 357–9
- sound waves
  - background facts 248–9
  - irrotational and isentropic 249–50
  - loudness 277–8
  - modelling in the equations for 249–50
  - size of displacement and velocities in 257–8
  - speed of 248, 252
  - steepening of the compressive part 345
  - in 3-D 278–85
  - see also* plane waves
- source 54–5
  - complex potential for 397
  - in sound waves 278–9
  - Stokes' stream function for 65
  - stream function in 2-D flow 54–5
  - transformation by a mapping 446–7
  - velocity potential 215–16
- specific heat
  - in a perfect gas 118–19
  - in a thermally perfect gas 119
- sphere, stream function models for flow past 67–8, 197
- spherical vortex, *see* Hill's spherical vortex
- stability
  - of the atmosphere 122–3
  - of floating bodies 108
  - of flow between rotating cylinders 147–8
  - of flows in general 35
  - Kelvin–Helmholtz 304, 323
  - Rayleigh's criterion for 147–8
  - of a vortex 167
  - of a vortex street 411–13
  - of waves at an interface 304
- stagnation point 38
- stall, of an aerofoil 465, 479
- standing waves and reflection of a sound wave 260
- steady flow 38
- steepening

- of compression waves 344
- and dispersion 383
- of sound waves 345
- of water waves 373, 382–3
- Stokes' stream function 62–4
  - for model flow past a sphere 197
  - see also* stream function
- Stokes' theorem 18
- streak line 42
- stream
  - flowing over a hump 365–7
  - flowing through a constriction 367–70
- stream function 48–52, 62–4
  - basic axisymmetric examples 65–6
  - basic 2-D examples 53–8
  - and complex potentials 397
  - existence of 49–50
  - model axisymmetric flows 66–8
  - in polar coordinates 54–5, 62–3
  - properties of 50–2, 63–4
  - relation to the velocity 49–50, 62–3
  - for the solitary wave 385
  - vorticity equation in terms of 174, 202
- streamlines 39
  - examples of 40–1
  - and particle paths 40, 41
  - and the stream function 51
- stream tubes 63
- stress 28, 96
  - on a boundary 99
  - molecular explanation of 129–30
  - and rate of strain 130
- stress tensor 99
  - in cylindrical coordinates 143, 145
  - deviatoric part of 102
  - isotropic in a static fluid 102
  - for a Newtonian fluid 131
  - and rate of strain tensor 130–1
  - symmetry of 100–1
- subcritical and supercritical flows 366
  - and the Froude number 366
  - transition between 370, 379, 381
- subsonic and supersonic flows 329, 366, 368, 379
  - and the Mach number 329–31
- suction and boundary layer separation 228
- surface forces 96, 99
- surface tension or energy 29–30
- surface tension and water waves 322–3
- surface waves, *see* water waves
- symmetric and antisymmetric parts of
  - of a tensor 73
- Taylor vortices between rotating cylinders 147–8
- temperature, as a function of state 114
- tensors 8, 14–17
  - isotropic 17
  - symmetric and antisymmetric parts 73
  - see also* stress tensor *and* rate of strain tensor
- thermally perfect gas 119
- thermodynamics
  - equations for fluid motion 137–8
  - equations for high speed flow 326–7, 353–4
  - first law of 116
  - second law of 117
- throat in a pipe 357
- tides
  - generating bores in rivers 376–7
  - in the North Sea 316
  - primitive theory 109
- trailing edge
  - flow near 470–1
  - separation at 463
  - sharpened 466, 468–9, 476–7
- transition layer 54
- vortex sheet as limit of 78–9
- vorticity in 78–9
- transition region in compressive gas flow 346
- transmission of sound through a wall 264–6
- tubes of flow, *see* stream tubes
- turbulence
  - in a bore 376, 379
  - in circular flow between cylinders 148
  - frequent occurrence of 35
  - paths of particles in 35
  - in rivers 363, 376
- two-dimensional flow 37
- uniqueness
  - and a badly posed problem 219
  - for Laplace's equation 209–12
  - and the Navier–Stokes equation 209
- unsteady flow
  - past a moving cylinder 237, 241
  - out of a vertical pipe 231–2
- unsteady form of Bernoulli's equation 233
- Van der Waal's equation 114
- vector derivative,  $\nabla$  13
- velocity
  - and complex potential 398–9
  - in continuum model 34
  - measurement of 34
  - in terms of stream function 49, 50, 62, 63
- velocity profile 53

528 *Index*

- velocity potential 206–7
  - for basic flows 214–16
  - for complex potential 397
  - for sound waves 250
  - theorems on 209–14
  - for water waves 290
  - see also* potential and irrotational flow
- venturi meter 192–3
- virtual mass, *see* added mass
- viscosity
  - kinematic 133
  - due to molecular motions 129–30
  - and Reynolds number 133
  - values for some fluids 132–3
- viscous dissipation of energy 137
- vortex
  - complex potential of line vortex 397
  - decay of line vortex 154–7
  - Hill's spherical vortex 81–3
  - line vortex left by an aerofoil 477
  - line vortex near a corner 436
  - potential of a line vortex 215
  - Rankine's vortex 80–1
  - stream function for a line vortex 57
  - transformation of a line vortex by a mapping 437–8
- vortex line 83
  - examples of 89–92
  - motion of 88–90
- vortex pair
  - behind a cylinder 91, 420–2
  - in a stream 90, 410
- vortex sheet 79
  - diffusion of 153–4
- vortex surface 83
- vortex systems, complex potential of 410–3
  - behind a cylinder 412
  - behind a projection 411
- vortex theorems 85, 87–8
- vortex tube 84
  - strength of 84–6
- vorticity 71
  - and angular velocity locally 74
  - convection and diffusion 160–2
  - increased by stretching 86–7, 176–7
  - model flows 78–83
  - physical meaning 71–2
  - and stream functions 77–8
  - theorems 85–8
- vorticity equation
  - in axisymmetric flow 176
  - derived from Euler's equation 171
  - in general flows 177
  - in terms of the stream function 174, 202
  - in 2-D flows 171, 173–4
- vorticity meter 72
- wake
  - from a cylinder 164–5
  - from an ellipse 462
  - from a streamlined body 161–2, 169
- wall
  - interacting with a normal sound wave 264–6
  - sound wave moving along 266–8
- water waves
  - in a container 310–17
  - at an interface 300–5, 308–10
  - particle paths in 296, 306–7, 312
  - for a shallow superficial layer 308–10
  - on shallower water 305–6
  - speed of 293–4, 305
  - see also* plane waves
- wave over a hump 365–6
- wave equation
  - boundary conditions 252–3
  - elementary solutions 253–4, 278
  - for sound waves 251
  - for surface elevation 292–3
- wave fronts for moving sources 329–31
- wave guide 271, 286
- wavelength of a sinusoidal wave 255
- wavenumber for a sinusoidal wave 255
- wave speed, *see* sound waves and water waves
- wing, pressure in flow over 191
  - see also* aerofoil
- work, in thermodynamics 112, 115–16