

## Name Index

- Albrecht, Helmut, 75, 77, 83n1, 90, 100, 140  
 Aldrich-Blake, F. P. G., 21  
 Alland, Alexander, Jr., 7  
 Allen, Melvin Lloyd, 94, 153n5  
 Almquist, Allan J., 36, 40, 202n9  
 Altmann, Jeanne, 80  
 Altmann, Stuart A., 80  
 Andrews, Peter, 49, 49n8, 51, 159  
 Ankel, Friderun, 45  
 Ardrey, Robert, 25, 26  
 Aronson, J. L., 181  
 Avis, Virginia, 52, 199  
 Ayala, Francisco J., 35, 36  
 Azen, Edward A., 186, 190n7, 268
- Badrian, Alison, 58n10  
 Badrian, Noel, 58n10  
 Bakeman, Roger, 58n10, 110, 129  
 Baker, B. H., 187  
 Barry, E. M., 34n1, 51  
 Barry, J. M., 34n1, 51  
 Bartholomew, George A., Jr., 24  
 Bauer, Harold R., 67  
 Behrensmeier, A. K., 171, 171n1, 218, 250  
 Bell, R. H. V., 135  
 Bender, M. A., 34  
 Benson, Dennis A., 123  
 Berggren, W. A., 40n7  
 Bernor, R. L., 40n7  
 Billsborough, A., 45  
 Bingham, Harold C., 32  
 Birdsell, Joseph B., 24  
 Birdwhistell, Ray I., 127  
 Bishop, W. W., 236n2, 250, 251, 251n14, 251n15  
 Boas, Franz, 127  
 Boaz, Noel T., 139n3, 228, 230, 233–236n2, 258
- Bock, Kenneth E., 2  
 Bond, Geoffrey, 136  
 Bonnefille, Raymond, 136, 232, 255, 255n21, 258  
 Bourlière, François, 134, 135  
 Brain, C. K., 197, 214, 218  
 Brock, A., 231  
 Brown, F. H., 229, 231  
 Bruce, Elizabeth J., 35  
 Brunker, Lynda, 198  
 Burckle, L. H., 44  
 Busse, Curt D., 75, 79, 102, 144  
 Butzer, Karl W., 40n7, 51, 135, 136–169, 178, 184, 225, 231n2, 254n18  
 Bygott, J. David, 83n1, 100, 104n10, 105
- Campbell, Bernard, 7, 40n7, 166, 192  
 Carlson, Steven S., 40  
 Carney, J., 250, 251, 251n15, 253, 253n16, 261n25  
 Carpenter, C. R., 153  
 Carr, C. J., 229, 230, 255, 258  
 Cerling, T. E., 246, 250, 257n21  
 Chalmers, N. R., 153n5  
 Chapman, G. R., 137  
 Chapple, Eliot D., 127  
 Chavaiillon, J., 87n5, 230  
 Chevalier-Skolnikoff, Suzanne, 111  
 Chu, E. H. Y., 34  
 Ciochon, Russell L., 199, 203–204n12  
 Clark, Cathleen B., 89, 90, 208  
 Clark, J. D., 212, 216, 216n22, 236, 240, 240n10  
 Cooke, H. B. S., 169, 181, 214, 218, 236n2, 255, 255n21  
 Coolidge, Harold J., Jr., 58n10  
 Coppens, Yves, 178n3, 179, 180, 181, 226, 227n1, 228, 229, 230, 231, 258  
 Corruccini, Robert S., 49n2, 170–171, 199

## 362 *Name Index*

- Couch, Joseph B., 119  
 Cowey, Alan, 115  
 Cramer, Douglas L., 58n10, 202n9  
 Cronin, John E., 35, 36, 37, 38, 39, 39n5, 40, 41n7, 41, 45, 53n9, 54, 56, 58n10  
 Crook, John Hurrell, 8, 203  
 Curtin, Richard, 21, 99n9  
 Curtis, Garniss H., 44, 205, 246
- Dart, Raymond A., 24, 216n22, 225  
 Darwin, Charles, 1, 2, 3, 5, 6, 7, 8, 9, 22, 23, 29, 30, 31, 34, 36, 42, 111, 128, 165, 166, 167, 195, 201, 202, 269, 270  
 Davenport, Richard K., 115, 121  
 Dawkins, Richard, 23  
 Day, Michael H., 254  
 de Beer, Gavin, 23  
 de Benedictis, Tina, 103, 202n10  
 DeChamps, R., 230  
 Dejong, W. W. W., 38, 39  
 Delson, Eric, 45  
 DeVore, Irvn, 19, 20, 21, 24, 77, 80, 151, 153, 157  
 Dobzhansky, Theodosius, 133, 161  
 Dolhinow, Phyllis, 21, 22, 99n9  
 Doolittle, R. F., 38, 39, 42  
 Drake, R. E., 246  
 Draper, Patricia, 150n4  
 DuBrul, E. Lloyd, 193n3, 258  
 Dunham, Kelly, 35n2  
 Dunnett, Sinclair C., 75, 77, 83n1, 90, 100, 140
- Eckhardt, Robert B., 41, 171  
 Edey, Maitland, 181, 226  
 Ehrman, Lee, 166  
 Eisenberg, J. H., 203  
 Ellefson, John O., 153  
 Engels, Frederick, 18  
 Etkin, William, 24  
 Ettlenger, G., 115, 206
- Fitch, Frank J., 243  
 Fitch, Walter M., 38  
 Flannery, Regina, 220  
 Fouts, Roger S., 116, 117n1, 119  
 Fox, Robin, 3, 8, 23  
 Frayer, David W., 51, 54  
 Freeman, Derek, 7  
 Frisch, Rose E., 161
- Galaburda, Albert M., 123  
 Gallup, Gordon G., Jr., 116
- Gantt, David G., 52  
 Gardner, Beatrice T., 117, 119, 127  
 Gardner, R. Allen, 117, 119, 127  
 Garn, Stanley, 104  
 Gartlan, J. S., 20, 21n3, 22, 151, 202  
 Gaulin, Steven J. C., 268  
 Geertz, Clifford, 18, 109, 110, 262, 262n26, 277  
 Geist, Valerius, 203n11  
 Gentry, A. W., 255, 271  
 Geschwind, Norman, 116, 123, 206  
 Gill, Timothy V., 120  
 Goffman, Erving, 127  
 Goodall, Jane, 19, 32, 33, 35, 60, 69, 70, 72, 73, 74, 75, 77, 80, 83, 83n1, 84, 88, 88n6, 89, 90–91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 104n10, 105, 111, 113, 126, 128, 140, 146, 153n5, 156, 165n7, 208, 216, 220  
 Goodenough, Ward H., 127  
 Goodman, Morris, 34, 36, 38  
 Gould, Richard A., 197, 267  
 Gould, Stephen Jay, 7  
 Granit, Ragnar, 206  
 Greenfield, L. O., 45  
 Gregory, William K., 67  
 Griffin, P. Bion, 220  
 Grine, Fred E., 52  
 Guilloud, N. B., 34  
 Guilmet, George M., 230, 257  
 Gumperz, John J., 127  
 Gwynne, M. D., 135
- Hadley, Malcolm, 134, 135  
 Hafez, E. S. E., 94, 153n5  
 Hall, Edward T., 127, 151, 153  
 Hall, K. R. L., 20, 70, 75, 77, 80, 208, 210n17  
 Halperin, Stewart, 115, 155  
 Hamburg, David A., 19, 60, 113, 216  
 Hamilton, William D., 162  
 Haq, Bilal, 44  
 Haraway, Donna, 19  
 Harcourt, A. H., 203  
 Harding, Robert S. O., 80  
 Harpending, Henry, 147  
 Harris, J. M., 169, 181, 210, 231, 243, 246  
 Harris, John W. K., 206n14, 211, 211n18, 250, 251  
 Harris, Marvin, 193  
 Hay, R. L., 175, 176, 197, 237, 237n4, 240, 242  
 Hayes, Cathy, 70, 116, 117, 127

- Hayes, Keith J., 116, 117, 127  
 Haynes, C. Vance, Jr., 240, 240n10  
 Hewes, Gordon W., 127  
 Hill, Andrew, 214  
 Hill, W. C. Osman, 60  
 Hladik, C. M., 72, 77, 90  
 Hofstadter, Richard, 5  
 Hodson, Harry E., 23  
 Holloway, Ralph L., 158, 185, 202, 206,  
 207, 208, 248  
 Holmes, Janet, 127  
 Howell, F. Clark, 21, 87n5, 171, 177, 184,  
 226, 227n1, 228, 229, 230, 231, 236,  
 237n6, 240, 242, 248n12, 251n15, 252,  
 254, 255, 255n21, 257, 258  
 Howells, W. W., 171  
 Hsiung, D. G., 34  
 Hutchinson, Thomas C., 22  
 Huxley, Thomas Henry, 5, 6, 26, 29, 30,  
 31, 34, 36, 42  
 Hyman, Stanley Edgar, 23  
 Hymes, Dell, 127
- Isaac, Glynn Ll., 87n5, 206n14, 211,  
 211n18, 212, 215n21, 215, 216, 250  
 Itani, Junichiro, 83n1, 85, 86, 98, 139n3,  
 149, 184, 212  
 Izawa, Kosei, 83n1, 85
- Jacob, Teuku, 44, 205  
 Jaeger, J.-J., 232  
 Jarvis, M. J., 115  
 Jay, Phyllis, C., 67, 70  
 Jochim, Michael A., 147  
 Johanson, Donald C., 87n5, 178, 178n3,  
 179, 179n4, 180, 181, 181n5, 184, 185,  
 187n6, 190, 193n3, 197, 200n8, 202n9,  
 211, 226, 231, 237n6, 254, 258, 272  
 Jolly, Clifford J., 204n12  
 Jones, Clyde, 75, 83n1
- Kano, Takayoshi, 58n10, 85, 86, 221  
 Kawabe, Munemi, 80  
 Kawanaka, Kenji, 83n1, 84, 88, 104,  
 104n10  
 Keith, Arthur, 198  
 Kelly, James T., 203  
 Kennedy, G. E., 51, 52  
 Kimbel, W. H., 185, 186  
 King, B. C., 35, 36, 38, 42, 137  
 King, Mary-Claire, 35, 36, 38, 42  
 Kinzey, Warren G., 203n12  
 Klinger, Harold P., 34
- Kochman, Thomas, 128  
 Köhler, Wolfgang, 31, 33, 69, 74, 140, 149  
 Kohl-Larson, 178  
 Kohne, David E., 37  
 Kohts, N. N., 32  
 Koman, Jeremy, 83n1, 84, 89, 104n10  
 Konner, Melvin J., 208, 268  
 Kooij, M., 75  
 Korey, Kenneth A., 54  
 Kortlandt, Adriaan, 75, 78, 100, 152 fig.  
 7:7, 169  
 Krantz, Grover S., 259  
 Kretzoi, Miklós, 53  
 Krogman, W. M., 200n8  
 Kruuk, H., 79  
 Kuhn, Thomas S., 191  
 Kummer, Hans, 153, 159
- Lancaster, C. S., 24  
 Lancaster, Jane B., 69, 129, 130, 206, 208  
 Landes, Ruth, 220  
 Lark, David, 56  
 Larson, Joseph S., 23  
 Lasker, Gabriel W., 34, 38, 39  
 Leakey, Mary D., 174, 175, 176, 178, 181,  
 181n5, 197, 205n14, 211, 212, 214,  
 214n20, 216n22, 229, 237, 237n3,  
 237n5, 240, 240n7, 241, 242, 254, 272  
 Leakey, Richard E., 191n1, 204n13,  
 206n14, 212, 229, 237n3, 237n5, 241,  
 242, 243, 248, 257, 258  
 LeBoeuf, Burney J., 271  
 Lee, Richard B., 24, 87, 135, 135n2, 144,  
 147, 196n4, 197  
 LeGros Clark, W. E., 178n3, 200, 254  
 LeMay, Marjorie, 123  
 Lemmon, William Burton, 94, 153n5  
 Leutenegger, Walter, 166n9, 203  
 Levi-Strauss, Claude, 8  
 Levitsky, Walter, 123  
 Lewin, Roger, 212  
 Lewis, O. J., 45, 53, 58, 199  
 Lillegraven, Jason A., 41n7  
 Linton, Sally, 193, 267  
 Lorenz, Konrad, 3  
 Lovejoy, C. Owen, 197  
 Loy, James D., 153n5  
 Luscombe, G., 98  
 Lyght, Charles E., 103, 202n10
- McClure, H. M., 34  
 McDougall, Ian, 246  
 McGinnis, Patrick R., 96, 164–165n7

## 364 *Name Index*

- McGrew, William C., 73, 75, 77, 83n1, 89, 92, 96, 97, 110, 193, 216, 268n1  
 McHenry, Henry M., 30, 58, 170, 171, 198  
 McKim, Donald, Jr., 22  
 MacKinnon, John, 58n10, 202  
 Mahler, Paul Emil, 179n4  
 Mann, Alan E., 208, 210, 236  
 Marler, Peter, 111  
 Marshall, Lorna, 147  
 Martyn, John, 172  
 Mason, W. A., 83n1, 98  
 Mayr, E., 159, 160  
 Menzel, Emil W., Jr., 74, 77, 99, 114, 115, 121, 126, 129, 149, 155, 220, 221  
 Merrick, H. V., 87n5, 211, 230, 257  
 Merrick, J. P. S., 87n5, 211, 230, 257  
 Meyer, Grant E., 21, 51, 52, 53  
 Miller, Dorothy A., 34  
 Miller, J. A., 243  
 Montagu, Ashley, 3, 6  
 Moore, G. W., 38  
 Moore, Ruth, 52  
 Morbeck, Mary Ellen, 45, 49, 53, 58  
 Morgan, Henry Lewis, 5, 18  
 Morris, Desmond, 3, 23, 80  
 Morris, Kathryn, 3, 23, 80, 220  
 Morton, Dudley J., 67, 198  
 Mross, G. A., 38, 39, 42
- Nagel, V., 159  
 Napier, John, 25, 26, 52, 103, 199, 199n6, 202, 202n10, 211  
 Napier, P. H., 103, 202, 202n10  
 Nei, Masatoshi, 36, 37  
 Ninkovich, D., 44  
 Nishida, Toshisada, 58n10, 72, 73, 75, 78, 79, 83n1, 84, 88, 89, 98, 100, 101, 104, 104n10, 106, 110, 128, 268n1  
 Nissen, Catherine H., 117, 127  
 Nissen, Henry W., 32, 78  
 Noneman, A. J., 123
- Oakley, Kenneth P., 25 fig. 2:3, 69, 254  
 Oxnard, C. E., 52
- Partridge, T. C., 231, 231n2, 236n2, 254n18  
 Passingham, R. E., 123, 206  
 Patterson, Bryan, 171, 171n1  
 Patterson, Francine, 60, 110  
 Pauling, Linus, 39  
 Pickford, M., 170
- Pilbeam, David, 21, 45, 49, 49n8, 51, 52, 53, 54, 203, 205, 231, 237n6, 255, 260  
 Poirier, Frank E., 45  
 Potts, Richard, 240  
 Premack, Ann James, 119  
 Premack, David, 119  
 Preuschoht, H., 45, 58  
 Pride, J. B., 127  
 Pusey, Anne, 84
- Radinsky, Leonard, 40n7  
 Rahm, V., 77  
 Read, Carveth, 24  
 Read, Dwight M., 236  
 Reynolds, Frances, 33, 75, 78, 83n1, 84, 84n2, 85, 101, 104n10, 115, 128  
 Reynolds, Vernon, 75, 78, 83n1, 84, 84n2, 85, 98, 102, 104n10, 115, 128  
 Rigby, Randall L., 116, 117n1, 119  
 Rightmire, G. P., 199  
 Riss, Davis C., 75, 79, 98, 101, 144, 165n7  
 Robinson, J. T., 178n3  
 Rogers, Charles M., 115, 121  
 Romero-Herrera, A. E., 40n7  
 Rowell, Thelma E., 20n2, 21, 80, 153n5  
 Rumbaugh, Duane M., 60, 110, 116, 117n1, 119, 120, 121  
 Ryan, Alan S., 185
- Sabater, Pi, Jorge, 60, 75, 83n1, 141 fig 7:2  
 Sahlins, Marshall, 5  
 Sapir, Edward, 127  
 Sarich, Vincent M., 35, 36, 38, 39, 40, 41n7, 41, 45, 53n9, 56, 58  
 Savage, E. S., 58n10, 110  
 Savage-Rumbaugh, E. S., 58n10, 110, 120, 121, 122, 129, 153–154n5  
 Sawyer, Jeffrey R., 35n2  
 Schaller, George B., 23, 77, 79, 136, 202  
 Schultz, Adolph H., 104, 202n10  
 Selander, 8  
 Shackleton, Robert M., 252  
 Shipman, Pat, 214–215n21, 215  
 Shuey, R. T., 229, 231  
 Silberbauer, George B., 147  
 Silk, Joan B., 89, 90  
 Simons, Elwyn L., 40n7, 45, 49, 49n8, 54  
 Simpson, George Gaylor, 137, 163  
 Spencer, Herbert, 2, 3, 5, 23  
 Steward, Gregory P., 52  
 Stiles, Daniel, 211, 236, 241  
 Stocking, George W., Jr., 2, 5

- Struhsaker, Thomas T., 20, 21, 151  
 Strum, Shirley C., 80, 127, 128, 129  
 Sugiyama, Yukimaru, 73, 77, 83, 83n1, 84,  
 85, 86, 87, 88, 89, 90, 97, 99, 101, 102,  
 104, 104n10, 105, 107, 221  
 Suzuki, Akira, 72, 75, 79, 83n1, 85, 86,  
 140, 143  
 Swindler, Daris S., 45  
 Szalay, F. S., 41n7, 253  
  
 Taieb, M., 87n5, 181, 181n5, 184, 185,  
 197, 226, 231, 272  
 Tanaka, Jiro, 135, 216  
 Tanner, Nancy M., 60, 81, 128, 133, 148,  
 155, 190, 193, 203, 267, 270  
 Tauxe, Lisa, 51, 54  
 Teleki, Geza, 35, 72, 75, 77, 78, 79, 80,  
 81, 83, 83n1, 84, 90, 91, 98, 101, 104,  
 143, 193, 210n16, 216, 263  
 Temerin, L. Alis, 198  
 Tenaza, Richard, 111  
 Tennyson, Alfred Lord, 23  
 Tiger, Lionel, 3, 20, 23  
 Tobias, Philip V., 172, 226, 242, 250, 258  
 Trivers, Robert L., 7, 98, 162, 163, 164, 165  
 Tutin, Caroline E. G., 73, 96, 97, 98, 99,  
 164n7  
 Tuttle, Russell H., 67, 199  
 Tylor, Edward B., 5  
  
 Uzzell, Thomas, 49n8, 51  
  
 Van Couvering, John A., 49, 50  
 Van Couvering, Judith A. H., 49, 50, 51, 56,  
 159, 169, 178, 184  
 Von Koenigswald, G. H. R., 258  
 Vrba, Elizabeth S., 52, 218, 231  
  
 Wade, Nicholas, 35  
  
 Walker, Alan, 49, 51, 204n13, 229, 242,  
 253, 254, 257, 258  
 Wallace, Alfred Russel, 2  
 Wallace, John A., 203, 258, 259, 260  
 Warren, J. M., 123  
 Washburn, Sherwood L., 19, 21, 24, 30, 45,  
 52, 67, 80, 127, 128, 129, 151, 191, 202,  
 203–204n12  
 Weiskrantz, Lawrence, 115  
 Wesselman, H. B., 230  
 White, Tim D., 169, 174, 178, 178n3, 179,  
 179n4, 180, 181, 184, 185n6, 190,  
 193n3, 200n8, 210, 226, 231, 237n6,  
 243, 246, 254, 258  
 Whorf, Benjamin Lee, 127  
 Wilkerson, Beverly J., 58n10, 129, 154n5  
 Williams, B. J., 135n2  
 Wilson, Allan C., 34, 35, 36, 37, 39, 39n4,  
 39n6, 40, 42  
 Wilson, Edward O., 162  
 Wohlenberg, J., 137  
 Wolpoff, Milford, 179n4, 192, 200, 201,  
 203, 257n23  
 Wood, B. A., 248  
 Wrangham, Richard W., 79, 99  
  
 Yellen, John, 147  
 Yeni-Komshian, Grace H., 123  
 Yerkes, Ada W., 31, 32  
 Yerkes, Robert M., 31, 32  
 Yoshiba, Kenji, 21  
 Yunis, Jorge J., 35n2  
  
 Zihlman, Adrienne L., 7, 58, 58n10, 60, 81,  
 123, 128, 133, 147, 155, 190, 193, 197,  
 198, 202n9, 203, 267, 270  
 Zukerkandl, Emile, 39  
 Zuckerman, Solly, 19, 24  
 Zwell, Michael, 260

# Subject Index

- Acheulian industry, *see* *Homo erectus*  
 advanced gracile australopithecine, *see*  
*Australopithecus habilis*; *Australopithecus africanus*  
 Afar, *see* Hadar Formation  
 African apes, *see* chimpanzee (common);  
 chimpanzee (pygmy); gorilla  
 African rift system, East, 49, 51, 159, 169,  
 173, 178, 253  
 albumin, 35, 39, 39n6, 42  
 altruism, evolution of, 162  
 American Sign Language (ASL), 117–119  
 amino acids, 34, 37  
 amino acid sequencing, 37, 42  
 ancestral population, adaptation to  
 environment, 134, 137–139; behavior,  
 137–139, 140, 264; bipedalism, 138,  
 264; canines, bimodal distribution, 201;  
 communication, 128; dating, 333; diet,  
 137, 139–140, 264; food sharing, 264;  
 foraging, 140; Lothagam, 171; mental  
 capacities, 126, 142; model of,  
 chimpanzee (common), 65–131, 264;  
 model of, chimpanzee (pygmy), 58n10;  
 mother-off spring, 264; radiation, 55; tool  
 use, 138; *see also* chimpanzees (com-  
 mon); chimpanzees (pygmy)  
 anthropoids, 43  
 ape-like ancestors, dating and location, 174,  
 255, 276  
 apes, brain, 30, 31; evolution, 29–30;  
 intelligence, 31; locomotion, 29, 30, 31,  
 45; nonverbal communication, 33;  
 similarities to humans (Darwin and  
 Huxley), 29–31; teeth and jaws, 30,  
 178–179, 180, 186–187, 200, 201; *see*  
*also* Miocene “apes”; chimpanzees  
 (common); chimpanzees (pygmy); gorilla;  
 orang utan; gibbon  
 Asian apes, *see* orang utan, gibbon  
*Australopithecus*, Africa, 174; animal  
 associations, 214; bipedalism, 55, 197–  
 199; brain, 69; 206–208, 273;  
 butchering, 220, 222–223; childhood  
 duration, 208–209; classification, 185–  
 187, 191n1, 192–193, 252–254;  
 communication, 203, 207, 221; canine  
 reduction, 202–204; cheek teeth, 204–  
 205; China, 52, 276; cranial capacity,  
 205, 208, 242–243; dating, 44, 170, 246,  
 252–253, 255, 276; death process, 210;  
 defense, 195, 196–197, 217–218; diet,  
 193; food sharing, 221; gathering, 189,  
 193, 220–221; generic adaptation, 11,  
 193, 222–223; group size, 197, 209,  
 219; hand and arm, 198–199; hunting  
 hypothesis, 25, 193–195; invention of  
 containers, 205; Java, 276; location, 255;  
 locomotion, 197–198; maps, 174, 194,  
 276; mating behavior, 202; meat eating,  
 215; mother-offspring relationship, 198,  
 208–209, 219; population density,  
 139n3; predation and defense, 217–218;  
 range size, 221–222; sexual behavior,  
 207, 209–210, 257–258; sexual  
 dimorphism, 220; social organization,  
 195–197, 207, 209, 218, 219, 220;  
 summary: species and sites, 225–227;  
 teeth and jaws, 193; tools, 69, 205–  
 206n14, 210–214, 215, 216, 217, 228,  
 230–231, 236–237, 238–239, 241, 244–  
 245, 259, 261, 262; variability and  
 speciation, 193, 254–260; *see also* *A.*  
*afarensis*; *A. africanus*; *A. robustus*; *A.*  
*habilis*  
*Australopithecus afarensis* (basal australo-  
 pithecine), Hadar Formation, Afar Tri-  
 angle or Depression, bipedalism, 173–178,

- 184, 192; cranial capacity; 185; dating, 170, 174, 175, 176, 180, 181, 182–183, 184, 186, 226, 255, 276, 329; distinct hominid species, 178n3, 226; earliest known hominid, 178n3, 192, 226, 227n1, 253, 254n17, 255; Hadar Formation, 181–187; Laetoli, 173–177, 178–181; map, 175; “Lucy” (AL 288–1), H4, 55, 182–183, 184; Omo, 227, 228, 229, 230–231; sexual dimorphism, 190, 271n1, summary, 226–227; teeth and jaw, 55, 178, 179n4, 180, 181, 186, 200, 200n8, 254n17; tools, 182, 215–216; see also Hadar Formation
- Australopithecus africanus* (gracile australopithecine), classification, 204n13, 206n14; dating, 192–193, 255, 256n20; East Turkana, 204, 244–245, 247, 248; Makapansgat, 204, 232–233, 236–237; Olduvai Gorge, 204, 204n13, 237, 238–239, 242; Omo, 204, 227, 228, 229, 230–231, 232, 237; probable ancestor to *A. habilis* and *A. robustus/boisei*, 255; sequence, 228, 255; similarities to robust, 193n3, 228, 229; skull, 207; southern Africa, 234–235; Sterkfontein, 204, 207, 232–233, 236–237; summary, 226, 227; Taung, 204n13, 225, 233n2, 234–235, 236; teeth and jaw, 179n4, 229, 254n17; tools, 206n14, 215–216
- Australopithecus boisei*, see *Australopithecus robustus/boisei*
- Australopithecus habilis* or *Homo habilis* (advanced gracile australopithecine), dating, 193, 228, 229, 230–231, 238–239, 241, 244–245, 246, 248, 255, 256n20; East Turkana (Lake Rudolf), 242, 244–245, 247, 248; evolutionary success, 259; Olduvai Gorge, 237, 237n5, 238–239, 241, 242, Omo, 228, 229, 230–231; reclassification, 206n14, 237n3 and n5; summary, 227, Swartkrans, 234–235; teeth and jaw, 241, 254n17; tools, 205, 206; variability 256–257
- Australopithecus robustus/boisei* (robust australopithecine), Chesowanja, 249–251, 252; dating, 192–193, 227, 228, 229, 230–231, 254, 255; diet, 258; East Turkana (Lake Rudolf), 205n14, 244–245, 247; eastern and southern Africa, 204; Olduvai Gorge, 187, 205n14, 238–239, 241, 242; Omo, 228, 229, 230–231, 232; Peninj, 249, 252; skull, 206; southern Africa, 234–235, 237; summary of, 227, Swartkrans; 206; teeth and jaws, 186–187, 193n3, 204, 237n6, 241, 254n17, 258–259, 260–261; tools, 205n14, 234–235, 238–239, 241, 244–245, 251; variability, 247, 254–257, 259–261
- baboons, meat eating, 80; model of ancestral population, 19–21; popularization, 20, 21; sexual behavior, 153; sexual dimorphism, 20, 202; social behavior, 20n2, 20–21, 151, 153; speciation, 159–160
- Baringo (Lukeino Formation and Chemeron Beds), eastern Africa, 46–47, 138, 169, 170, 71, 172–173
- basal australopithecine, see *Australopithecus afarensis*
- bipedalism, adaptation, 30, 274; *Australopithecus*, 55, 197–199; *Australopithecus afarensis*, 173–178, 192; birth, 157; chimpanzees, 67, 70, 74, 123, 145, 152, 179; defense, 150, 151, 152; gathering, 145; hominids, 30–31; sexual and natural selection, 165–166, 272; tool use, 31; transitional population, 56, 143, 162
- Bodrapithecus*, see Rudabánya and Miocene “apes”
- brachiation, description, 45, 48; development, 52–53, 55, 59; *Ramapithecus*, the critical question, 58
- brain, ape intelligence, 31, 126–127; *Australopithecus*, 206–208; chimpanzee, 30, 123, 208; expansion, 273; human, 30, 208; transitional population, 155, 156
- “Bush people” (Kalahari Desert, southern Africa), Botswana, 27; Bush women, 150n4; Dobe region (Kalahari Desert), 10, 12, 87, 135, 135n2; flexible groups, 87, 196n4; group size, 87; Kade San peoples (Kalahari Desert), 135; Kalahari Desert (southern Africa), 135, 135n2, 150, 4; !Kung peoples, 27; !Kung San peoples, 10, 12, 27, 144; Namibia, 27; nursing knee-baby, 142; subsistence foods, 135–136; subsistence time, 135
- Bush women, 150n4
- butchery (*Australopithecus*), 220, 222–223, 240, 240n8, 240n9 240n10
- calibration point, see molecular clocks
- canine reduction, 31, 202–204

## 368 Subject Index

- Chemeron Beds, see Baringo
- Chemoigut Formation, see Chesowanja
- Chesowanja (eastern Africa), Chemoigut Formation, 250–251; dating, 251, 251n15; environment, 251; hominid remains, 250–252, 261, 261n25; hominid skull reconstructions, 251, 252, 252n16; tools, 205–206n14, 251
- chimpanzees, common (*Pan troglodytes*), ASL, 118, 119; aggression, 87, 99, 100, 101, 102; aggression, females, 88n6; aggressive behavior, increase at Gombe, 102–103; aggressive displays and object use, 74, 152; ant “dipping,” 73; “begging,” 112, 114; bipedal behavior, 67, 67n1, 123, 145, 179; brain, 30, 123, 208; Budongo Forest, 62, 66, 101–102; cognitive “mapping,” 77–78, 110, 114, 126; cross-modal perception, 162; “consort” relationships, 96, 164n7, 197; death, 88, 210n16; defense, females, 152; diet, 56, 75, 77, 78, 79, 140; diet, seasonal and regional variation, 11, 77, 140; digging, 76, 140, 141; divergence from stem population, 59, 60; estrus, 93–94; facial expressions, 32, 111, 112–113; females, nutritional stress, 77, 190; females, more frequent tool use, 190, 268n1; field studies, 32, 50–51, 65, 67, 85, 91; field study sites, 57, 62–63, 66; flexibility, 83, 84, 86; food sharing, 79–80, 89, 90, 104, 105, 143; Gombe Stream Reserve, 62, 66, 101–102; greetings, 88, 89; grooming, 84, 87, 89, 105; group size, 184; habitat, 57, 60, 65, 137; hand, 69, 70; “hunting” ants, 73; knuckle-walking, 69, laboratory research, 32, 109, 114, 115, 116, 117–122, 123, 126; Lana, 119, 120; “language” learning, 117–122; “leader,” 115; learning, 210n17; locomotion, 11, 30, 48, 52, 53, 67, 68, 69, 70, 71; Lucy, 118; Mahale Mountains (Mahali Mountains), 63, 66; memory, 77–78; mental capacities, 31, 32, 115, 116; model of ancestral population, 19, 22, 58, 60, 61, 65, 109, 255, 264, 267; mother-offspring relationship, 32, 87, 88, 89–93, 121, 122, 145, 208, 209, 210n16, 268; object modification, 72, 73, 75, 92, 93; play, 32; population: size, density, range and environment, 84, 85, 85n3, 86, 87, 184, 197n3, 221; predation and meat eating, 78–81, 93; rank, 98–99; Sarah, 119, self recognition, 116; sexual behavior, 93–98, 99, 104, 153, 155; sexual dimorphism, 61, 103, 104, 201, 202, 203, 271; sexual variability, 103–105; sibling relations, 91, 92, 93; sociability, 88; social behavior, 105–107; social modes: concentration, linkage, dispersal, 84–85; social organization, 83, 83n1, 84; stranger males, 104n10; teeth and jaw, 30, 86, 179, 179n, 200, 200n8, 201; termite “fishing,” 72, 73; tool use, 11, 32, 33, 69, 70, 72, 73, 75, 69–76, 141, 152, 157, 190, 268n1; tool use and females, 32, 73, 74–75, 152, 157, 273, 274; tool use: regional variation, 75; tree use, 68; Viki, 70, 116, 117; Washoe, 117, 118; “Yerkish,” 120, 121
- chimpanzee, pygmy (*Pan paniscus*), model of ancestral population, 58n10; sexual behavior, 124–125, 153n5; teeth, 179n4, 180, 202n
- China, Keiyuan excavations, 51, 52, 276; see also *Australopithecus*
- chronistics, 40; see also cladistics; patristics; molecular “clocks”
- cladistics, 39–40, 42; see also chronistics; patristics; molecular “clocks”
- cladogram, 40–41
- communication, 181, 183, 184; ancestral population, 128; *Australopithecus*, 203, 207, 221; chimpanzees (common), 33, 88, 89, 106, 110–114, 128, 129, 155, 156; chimpanzees (pygmy), 110, 122, 124–125, 203; evolution, 127–130; language, 130; nonverbal, 111–113, 115, 124, 127
- cross-cultural research, 4, 16, 16n1, 17, 263
- cross-modal perception, 115
- culture, 9, 22, 109, 192, 262, 262n26, 264, 265, 267, 273, 275–277
- cytochrome C, 34, 38
- Darwin, Charles, expression of emotions, 128; finches, Galapagos Islands, 56; language, 111; sexual selection, 1–2, 167; theory of evolution, 1–3, 5–7; see also Social Darwinism
- dating, 40Ar/39Ar step heating, 243; *Australopithecus*, 44, 170, 226, 227, 229; DNA, 34, 37, 38, 42, 53n9; faunal, 246 (see also suids, below); geological epochs



- (Miocene, Pliocene, Pleistocene), 44, 46–47; geological strata, 182, 232, 242–245; hominid divergence, 41, 42, 51, 54–55, 59, 60; *Homo erectus*, 44, 46–47, 192n2, 214–215n21, 226, 227, 242, 254; KBS tuff (East Turkana), 243–248; lower-higher primate divergence, 40n7, 41; methods, 43, 44; Miocene “apes,” 44, 46–47, 51; molecular “clocks,” 39–43; polarity, 241; potassium/argon (K/Ar), 176, 237n4, 243, 246; *Ramapithecus*, 46–47, 51, 56; range expansion during hominid evolution, 276; suids, 170, 243; see also Miocene; Pleistocene; Pliocene and Miocene “apes”
- dental cingula, 188, 190n7
- dental enamel prism pattern, 52
- Deoxyribonucleic acid (DNA) hybridization (chimpanzee-human), 37, 38
- “Developed Oldowan” Industry, see Oldowan Industry
- Dobe !Kung San, see “Bush people”
- drill baboon, see baboons
- “Dryopithecids,” 49; see also dryopithecines; *Dryopithecus* and Miocene “apes”
- dryopithecines, 46–47
- Dryopithecus*, 49, 49n8; *D. africanus*, 49n8; *D. major*, 49n8
- East Turkana (eastern Africa), *Australopithecus africanus* (gracile), 204, 244–245, 247; *Australopithecus habilis*, 242, 244–245, 247; *Australopithecus robustus/boisei*, 205n14, 214n20, 244–245, 247; dating, 46, 243–248; environment, 248–250, 256n21; hominid remains, 46–47, 242–243, 244–245, 247, 248; Karari Industry, 205n14, 211n18; KBS Industry, 205n14; KBS Tuff, 242, 243, 245, 246, 248, 250; KMN-ER406, 244, 246, 247; KNM-ER732, 244, 246, 247; KNM-ER1469, 245, 248; KNM-ER 1470, 242, 243, 245, 246; KNM-ER1482, 245, 246, 248; KNM-ER1805, 245, 246, 248, 258, 350–362; KNM-ER1806, 245; KNM-ER1813, 245, 248, 352; KNM-ER3230, 3733, 3883, 244–245; region, Ileret, 242, 243, 244, 246, 247; region, Koobi Fora, 242, 243, 245, 246, 247; sites, KBS, 249; tools and animal bones, 214, 214n20, 215, 245, 250; tools, dating, 182, 210–211
- electrophoresis, 37
- environment, eastern Africa, Miocene, 49, 50, 51; Mio-Pliocene, 136–137, 159
- estrus, 153–154, see also chimpanzees, common
- evolution, female and male roles in, 18, 28, 273; hominid phylogeny, 256; hominid spread, 276; interdisciplinary approach, 15–17; new model of, 17–19, 22, 27, 28; origin myth, 1–7, 22, 23 (see also Social Darwinism); trends, 46–47; see also kin selection; natural selection; sexual selection
- evolutionary “clock,” see molecular “clock”
- evolutionary “distance,” anatomic comparisons, 29, 30, 31; genetic and molecular comparisons, 34, 34n1, 35, 35n2; see also molecular “clock”
- evolutionary slogans, 3, 23, 24, 25; “the competition of each with all,” 6; “the imperial animal,” 23, “King Kong,” 24; “man the hunter,” 3, 23, 25; “men in groups,” 23; “the naked ape,” 23; “nature red in tooth and claw,” 23; “the selfish gene,” 16, 23; “the struggle for existence,” 6; survival of the fittest,” 6, 23; see also origin myths, Social Darwinism
- Facial expression, chimpanzee and human, 111, 112–113; see also communication, chimpanzees (common), chimpanzees (pygmy)
- female, choice of sexual partners, 8, 155, 163–167, 269, 270, 272; defense, 197, 218; food-sharing, 143, 144; gathering, 140–141, 190, 222–223, 267–268; half of species, 18; mother-offspring relationship, 148, 161–162, 274; nutritional stress 142, 268; participation in evolutionary process, 28, 161–162, 197
- fibrinopeptides, 35, 38, 38n3, 39; see also molecular “clocks”
- Galapagos Islands, see Darwin, finches
- gatherer-hunter, flexibility, 87; group size, 87; see also “Bush people”
- gathering, African peoples, 27; bipedalism, 138, 143; critical innovation, 139, 267; distinct from foraging, 140, 141; evolutionary importance, 139–140; 267; female role, 140–141, 268; hominid adaptation, 274–275; organic tools, 144; plants, 141–143, 144, 190, 264, 267,

## 370 Subject Index

- gathering (*cont.*)  
 274; proteins, 145–146; reliable food source, 146; tool use, 143–144, 274; types, possible, 189
- gibbon, 52–53, 153
- Gigantopithecus*, 46–47, 49n8, 51; *see also* Miocene “apes”
- gorilla, 52, 55, 137, 264; diet, 56, 60–61; habitat, 60–61; locomotion, 52, 53, 56; not model, 60–61, 264; phylogenetic tree, 59; sexual dimorphism, 61, 202–203; social organization, 202–203
- gracile australopithecine, *see Australopithecus africanus*
- Hadar Formation (Afar Triangle or Depression), Ethiopia (northeastern Africa), bipedal skeleton (“Lucy”), 184; classification, 181n5; dating, 41, 45–46, 87n5, 170, 181, 182–183, 184, 186, 246; hominid remains, 41, 173, 181–187; hominid remains, fossil numbers (AL 200), 186–187, (AL 288-1, AL 188-1, AL 241-14, AL 333, AL 333W, AL 333X, AL 161-40, AL 207-13, AL 366-1, AL 388-1, AL 211-1, AL 277-1, AL 228-1, AL 166-9, AL 128, AL 129, AL 129-1A, AL 198, AL 199-1, AL 200-1, AL 137-48a, AL 137-48b, AL 145-35, AL 311-1, AL 322-1, AL 400-1, AL 411-1), 182–183; jaw (AL 200), 186; map, 57, 138, 174, 175, 181, 194, 276
- Hamadryas baboon, *see* baboon hominids, 282–283, 282n4;
- hand and arm, functions of, hominids, 282–283, 282n4; pongids, *see* brachiation
- hemoglobin, 35, 39
- Hipparion* (horse ancestor), 51, 53
- hominid divergence, *see* dating
- hominids, bipedalism, earliest established, 87n5, 173–178; brain, 208; dating, 170, 246; divergence from ape ancestor, 133, 134, 136, 137; habitat, 137; phylogeny, 255; population density, 86n4, 87n5, 139n3; remains found, *see A. afarensis*, *A. africanus*, *A. robustus*, *Homo erectus*; teeth, 186, 187; tool use, 56, 87; *see also Australopithecus*; *A. afarensis*; *A. africanus*; *A. robustus*; *Homo erectus*; *Homo sapiens*
- Homo erectus*, 46–47; Acheulian Industry, 211, 211n19, 238–239; associations, animal, 214–215n21; canine teeth, 201, classification, 191n1, 226, 227, 254, 258; dating, 44, 46–47, 192n2, 214–215n21, 242, 254, 255; Early Acheulian, 211, 227, 236, 238–239, 242; East Turkana, 227; locations, 255; Olduvai, 227, 238–239, 241, 242; Olorgesailie, 214–215n21; Omo, 227, 228, 230–231, 232; southern Africa, 234–235; Sterkfontein Extension Site, 227, 236; Swartkrans, 236; symbolic components, 192
- Homo habilis*, *see Australopithecus habilis*
- Homo sapiens*, 44, 46–47, 52, 201, 255, 258
- Homo sapiens sapiens*, 6, 30, 46–47, 139, 165n8, 264, 275, 276, 277; *see also* humans
- humans, affinities between African apes and humans, 43; brain, 30, 208; cultural choice, 277; evolution, 255, 273; molecular “clock,” 42; locomotion, 30, 71; phylogeny, 59; sexual dimorphism, 61, 104, 201n10; symbolic components, 192; teeth and jaw, 30, 186–187, 201
- Hungary, Rudabánya, fossils, *see* Miocene “apes”; ramapithecids; *Ramapithecus*, Rudabánya
- hunter-gather, *see* gatherer-hunter and “Bush” people
- Hunting, distinct from predation, 81, 146–147; insect “hunting,” 73; “man the hunter,” 23, 25, 26; middle Pleistocene, misemphasis, for australopithecines, 193–195; women hunting, 220–221
- Ileret, *see* East Turkana
- immunology, 37
- Indian langurs, 21, 99n9
- Indonesia, hominid remains (*Australopithecus* and *Meganthropus*, *Homo erectus* and *Pithecanthropus erectus*), 46–47, 205, 276
- Java, *see* Indonesia, hominid remains
- Kade San people, *see* “Bush people”
- Kalahari Desert, *see* “Bush people”
- Kanapoi (Kenya), 46–47, 138, 169, 171, 171n1, 172–173; *see also* transitional population
- Karari Industry, *see* East Turkana
- KBS Industry, *see* East Turkana
- KBS site, *see* East Turkana

- KBS Tuff, see East Turkana  
 Keiyuan, see *Australopithecus* and China  
*Kenyanthropus wickeri*, 49n8; see also Miocene "apes"  
 "kin selection," 162–163, 163n6, 167  
 knuckle walking, ancestral population, 199n6; chimpanzees, 67, 69, 71  
 Koobi Fora, see East Turkana  
 Kromdraai (southern Africa), dating, 233, 234–235; hominid remains, 234–235, 236; map, 194, 232  
 !Kung peoples, see "Bush people"
- Laetoli, Ethiopia (eastern Africa), bipedal footprints found, 173–174, 175, 176–177; dating, 46–47, 174, 175, 176; hominid remains, 41, 46–47, 55, 176–177, 178–181, 272; Laetolil Formation, 41, 173, 178, 181; map, 138, 174, 175; see also *Australopithecus afarensis*  
 Laetolil Formation, see Laetoli  
 Lake Rudolf, see East Turkana  
 Lake Turkana, see East Turkana  
 Lana, see chimpanzee  
 language and culture, 127, 128  
*Limnopithecus*, 49, 49n8; see also Miocene "apes"  
 locomotion, 30, 45, 48, 50, 69, 71; see also *Australopithecus*; *Australopithecus afarensis*; bipedalism; brachiation; knuckle walking; quadrupedalism; *Ramapithecus*; chimpanzees  
 Lothagam (eastern Africa), 41, 46–47, 138, 169, 170, 171, 172–173; see also ancestral population and transitional population  
 Lucy see chimpanzee  
 "Lucy," see *A. afarensis*  
 Lukeino Formation, see Baringo
- Makapansgat (southern Africa), *Australopithecus africanus*, 46–47, 204, 232–233, 236; dating, 46–47, 204, 232, 236; map, 194, 232  
*Meganthropus africanus*, 178n3; see also *Australopithecus afarensis*; Laetoli; Hadar  
 Middle Pleistocene, 214n21, 215n21; see also *Olorgesailie*; *Homo erectus*  
 Miocene, dating, 43, 44, 46–47; early middle, 44, 45, 46–47, 50, 51, 52; see also dating; Pleistocene; Pliocene  
 Miocene "apes," classification, 49, 49n8; early to middle Miocene fossils, 44, 45, 46–47, 49, 58; late middle and late Miocene fossils, 46–47, 50, 51, 52, 58; locomotion, 45, 50, 53, 58; map, 57, see also dating; *Dryopithecus*; *Ramapithecus*  
 models, primate models, baboon, 19–21; common chimpanzee, 58, 61, 65–131; gorilla, 60, 61; hunting, 23–26; interdisciplinary approach, 15–17; new model: explicit, process oriented, both sexes and all ages, 17–19, 27–28; new model and new data: a remarkable fit, 190; pygmy chimpanzee, 58n10; Western values, 16  
 molecular "clocks," 39–41, 42; calibration points, 40n7; genetic "distance" between African apes and humans, 34, 34n1, 35, 36; genetic "distance" between chimpanzees and humans, 38, 39, 42, 43; methods of measurement, 36–38; UEP (unit evolutionary period), 38n3, 39n4–6  
 monkeys, 19–22, 44–48, 51; see also baboons; patas monkeys; vervet monkeys  
 mother-offspring chimpanzees, sharing, 143; humans, 142, 144; kin selection, 162; natural selection; 161, parental investment, 163; sexual selection, 163; see also ancestral population; *Australopithecus*; chimpanzees; female; transitional population  
 myoglobin, 35, 38, 39, 39n4
- natural selection, 1, 161, 162, 166, 167, 270, 272; see also sexual selection  
 nucleic acids (see also molecular "clocks"), 34n1, 35, 37
- Oldowan Industry, 211, 238–239, 241; Developed Oldowan and/or Early Acheulian, 211, 235, 238–239, 241; Early Oldowan, 205n12, 238–239, 241; possible uses, 213, 214, 215, 216, 217; see also Olduvai Gorge  
 Olduvai Gorge (eastern Africa), Acheulian Industry, 238–239, 241, 242; Acheulian Industry, Early, 238–239, 241, 242 (see also Developed Oldowan); *Australopithecus africanus*, 46–47, 204, 204n13, 205, 237, 238–239, 241, 242; *Australopithecus habilis*, 46–47, 204, 205, 238–239, 241, 242; *Australopithecus robustus/boisei*, 46–47, 237, 238–239, 241, 242; Bed I, 199, 238–239, 241, 242; Bed II,

## 372 Subject Index

- Olduvai Gorge (*cont.*)  
 238–239, 241, 242; chart summaries, 237–238, 241; butchery sites (possible), 220, 222–223, 238–239, 240, 240n8, n9, and n10; dating, 237n4, 237–238, 241, 246; “Developed Oldowan” Industry, *see* Oldowan Industry; environment, 237, 240, 256; hominid remains, wrist, 199, finger bones, 199n6; hominid remains (OH4, OH5, OH7, OH8, OH9, OH10, OH13, OH19, OH24, OH36, OH38), 237–238, 241; *Homo erectus*, 46–47, 238–239, 241, 242; map, 194; Oldowan Industry, *see* Oldowan Industry; tools and animal bones, 214, 214n20, 238–239; tools, 210–211, 216n22, 238–239, 241, 242; “Zinj” (OH5), 187, 238–239, 241
- Olgorgesailie, 214–215n21; *see also* *Homo erectus*
- Omo (northeastern Africa), *Australopithecus afarensis* (possible), 227n1, 228, 229, 230–231, 232; *Australopithecus africanus*, 46–47, 204, 227, 228, 229, 230–231; *Australopithecus habilis*, 46–47, 228, 229, 230–231; *Australopithecus robustus/boisei*, 46–47, 228, 229, 230–231; dating, 204, 226, 227, 228, 229, 230–231, 243; density of early hominid population, 139n3; environment, 229, 232; formations, Shungura, 87n5, 230; formations, Usno, 230; hominid sequence, 228; *Homo erectus*, 46–47, 228, 230–231, 232; tools, 87n5
- orang utan (Asian ape), 42, 52, 53, 59, 202
- Oreopithecus*, 49n8; *see also* Miocene “apes”
- organic tools, 215, 216
- origin myths, 1–7; evolution as origin myth, 1, 2, 3; pair bonding, as part of an evolutionary myth, 195; Social Darwinism, 5, 6, 7
- Pakistan, excavations, 51; dating, 51; *see also* *Ramapithecus*
- Pan paniscus*, *see* chimpanzee (pygmy)
- Pan troglodytes*, *see* chimpanzee (common)
- patas monkey, 20, 21, 21n3, 151
- patristics, 40; *see also* cladistics and chronistics
- Pb and PPb proteins, *see* salivary proteins
- Peninj (eastern Africa), robust australopithecine remains, 250, 252
- Pleistocene, dating, 44, 46–47; *see also* dating; Miocene; Pliocene
- Pliocene, dating, 44, 46–47; *see also* dating; Miocene; Pleistocene
- Pliopithecus*, 49, 49n8; *see also* Miocene “apes”
- population densities and group sizes, *Australopithecus*, 197, 209, 219; chimpanzees: variability in group and range size, 85, 86, 87, 139n3; Dobe !Kung San, 87; hominids, transitional and/or early, 139n3; Omo, hominid fossils, 139n3; transitional population, 139n3; *see also* chimpanzees; gatherer-hunter; *Australopithecus*
- Proconsul*, 49, 49n8; *see also* Miocene “apes”
- quadrupedalism, 45, 48; *see also* Miocene “apes”
- “ramapithecids,” 51; *see also* *Ramapithecus*; Miocene “apes”
- ramapithecine, 47, 52; *see also* *Ramapithecus*; Miocene “apes”
- Ramapithecus*, brachiation as critical question, 52, 53, 54; classification, 52; dating, 51, 53; locomotion, 53–54; possible hominid ancestor, 49n8, 51; Pakistan, 51; Rudabánya, Hungary, 53; teeth and jaw, 21, 51, 52, 53, 54, 55; tool use (no evidence of), 21; *see also* dating; Miocene “apes”
- Ramapithecus punjabicus*, 54; *see also* *Ramapithecus*; Miocene “apes”
- Rangwaypithecus*, 49; *see also* Miocene “apes”
- reductionism, 16
- rift system, *see* African rift system
- robust australopithecine, *see* *Australopithecus robustus/boisei*
- Rudabánya, Hungary, 53 *Bodnaithecus*, 53; *Pliopithecus*, 53; *Rudapithecus*, 53; *see also* Miocene “apes,” ramapithecids, *Ramapithecus*
- Rudapithecus*, 51, 53
- salivary proteins (Pb and PPb proteins), 187, 188, 190, 267, 268
- Sarah, *see* chimpanzee
- savanna, fauna, 136; food availability, 135, 136; vegetation, 134, 135, 136, 178n2
- savanna baboon, *see* baboon

- sexual dimorphism, *Australopithecus afarensis*, 271n2, 381n1; baboon, 20, 202; chimpanzee (common), 61, 103, 104, 202n10, 264, 271; chimpanzee (pygmy), 58n10; comparison: chimpanzee, gorilla, humans, 61, 201; stellar sea lions, 271
- sex stereotyping, 23
- sexual selection, 7, 8, 9, 161, 163–167, 269–272
- Shungura Formation, see Omo
- Sivapithecinae*, 51; see also Miocene “apes”
- Social Darwinism, 2–7, 22–23, 26–27; see also Darwin, evolution as an origin myth sociobiology, 16
- speciation, 56, 160, 225–227, 252–254, 254–262
- species, half of, 18; see also female speech, see communication
- Sterkfontein (southern Africa), *Australopithecus africanus*, 204, 207, 232, 233, 234–235; dating, 233, 234–235; hominid remains, 233, 234–235; map, 194
- Sterkfontein Extension (southern Africa), dating, 233, 234–235; hominid remains, 234–235, 236; tools (Early Acheulian), 211, 234–235, 236
- suids, see dating
- Swartkans (southern Africa), dating, 233, 333n2, 234–235; hominid remains, 46–47f, 199, 206, 234–235, 236; leopard predation, 196, 218; map, 194; tools, 211, 234–235
- Taung (southern Africa), *Australopithecus africanus*, 234–235; dating, 204n13, 233n2, 236n2 cont.; map, 194; “Taung child,” 233, 234–235, 236
- time spans: Miocene, Pleistocene, Pliocene, 43, 44, 46–47
- tools, animal remains, 214, 215; *Australopithecus*, 69, 205, 205n14, 206, 210–214, 215, 216, 217, 259, 261; biface, 211; chimpanzees, 32, 33, 69–76, 190, 268n1; chopper, 211; containers, 205; East Turkana, dating, 211; Hadar 182–183; Omo, dating, 211, 230–231; evidence, 211; early stone tools, 210, 211; importance, 274, 275; Olduvai Gorge, dating, 211, 238–239; 241; organic, 144; scrapers, 212; uses, 210–217; see also Oldowan Industry; *Homo erectus* Acheulian Industry)
- transferrin, 35, 42, 49; see also molecular “clocks”
- transitional population, access to new environment: physical, evolutionary, ecological, 137–139; adaptation to environment, 137; bipedalism, 56, 141, 143, 157, 175–177; brain, 155, 156, 158; communication, 155, 156; cooperation, 149; defensive displays, 147, 151, 152; diet, 139, 139n3, 140, 141, 142, 143; environment of Mio-Pliocene, 136, 137; estrus, loss of, 153, 154; evolution of “altruism,” 162; females and gathering, 140, 141, 144, 145, 146, 150; fossils 6–4 mya, 11, 138, 169, 170, 171, 172–173; gathering as the critical innovation, 139, 140, 141; genealogical unit, 148; group composition, 147, 148; map: fossil hominoid/hominid-like sites, dating 6–4, mya, eastern Africa, 138; mental capacities, 142, 155; mother-offspring relationship, 145, 146, 148, 149, 150, 152, 156, 157, 158, 162, 163; “parental investment,” 163, 167; population density, 139n3; predation by, 145, 146; predator avoidance, 150–152; savanna, 134–136; sexual behavior, 152–154; sexual selection, 163–167; sibling ties, 148; social life, 11; socialization, 148; social organization, 147–150; tool use, 140, 141, 143, 144, 145, 146, 147
- ungulates, 21, 146, 203n11
- unit evolutionary period (UEP), see molecular “clocks”
- upright walking, see bipedalism
- Usno Formation, see Omo
- vervet monkeys, 151
- Viki, see chimpanzees
- Washoe, see chimpanzees
- warfare, 195, 227
- women, see female
- Yerkish (artificial language for chimpanzees), 119, 120, 121; see also chimpanzees
- Zinjanthropus*, see *Australopithecus robustus/boisei*