

Index

Page numbers in *italic type* indicate references to tables or figures.

Species of animals are listed under English names only, and those having only a passing reference are included under the general heading, birds, fish, insects, mammals, etc.

- abortion, selective, in adaptive modification of sex ratio, 233
- absolute fitness, measure of, 67–8
- active choice, in sexual scramble, 183–5
- active replicator, 47–8, 61
- activities: and investment of resources, 92; measurement of, 335; pattern of, 326, 332
- adaptability, 114
- adaptation: concept of, 11–13, 17; fitness for, 15–17; of genes, 20–1, 25, 61; in radiation of species, 329–30; in species arrays, 332; in vehicles, 55–6, 61
- adaptationist hypothesis, 344–5
- adaptive behaviour, 137, 323
- adaptive hypothesis, for sex-ratio variation, 237–8
- adaptive modification, of sex of progeny, 230–1
- adaptive significance, of mutualistic grouping types, 283–5
- adaptive trait, 129
- adaptive trends, 343; comparisons of, 319–22, 348–58
- adaptive value, 88, 97
- adaptive variability, 144
- adaptiveness, of social behaviour, 323–5
- additive model, of fitness, 76–7, 79, 81, 84
- adult survival rate, 67
- advantages: of dispersal in space, 102–3; dispersal in time, 99; investment variation, 100–1
- advertisement level, 181–2, 185
- advertisement, sexual, 176–8, 180, 181–5
- age difference, of sexes in Yanomamö Indians, 291, 311, 316
- age at maturity, 326–7
- age of mother, in reproduction, 106, 235–6
- age and ontogeny, 300–1
- age structure of population, 158–9
- age : sex distribution in Yanomamö Indians, 291, 316
- age, related to size, 191, 365
- allele: for altruism, 76–9, 82; distribution of, 145–6; and fitness, 65; in gene identity, 115, 128–9; in kin selection, 39–42
- alliance formation, 281–3, 294–5
- allies, social, 300–1, 307–8
- allocation of resources, *see* resource allocation
- allometry, 87, 345, 354–5, 357–8
- alternative strategy: competition, 186–94, 198; payoff, 372–3, 375; for resources, 378
- altruism: allocation of, 263–5; compulsion in, 259–60; concept of, 249–65; delayed benefit in, 257–9; evolution of, 31–2, 33, 82–4, 103–4; evolutionary existence of, 256–7; explanation of, 255; in IM groups, 281–3, 286; imposition of, 256; in kin selection, 5–6, 22, 66; motive for, 256; and non-adaptive behaviour, 256, 260–1; due to parental manipulation, 31; problems in, 263–5; recipient of, 252, 254–6; in synergistic selection, 34–7; time scale of effects of, 255
- altruist, 39–42, 74–6, 79, 80, 106 (*see also* helper)
- altruistic act, 264
- altruistic behaviour, 251, 257

382 *Index*

- altruistic gene, 31–34, 33, 83, 104, 134
 altruistic genotypes, 66
 altruistic individual, 66, 78–9, 80–2
 altruistic interactions, 106, 270–1
 altruistic trait, 29, 31–4, 33, 72, 74–5
 amino-acids, in evolution, 67
 amphibians, anuran, and sex role reversal, 204–5; *see also* individual spp.
 analysis, in comparisons, 343, 346–52
 analysis of covariance, 353–4
 animal-centred measurements, 334–7, 340
 animal dispersal, 88–9
 anisogamy, evolution of, 206
 ants, *Myrmecocistus*, 260
 anteater, 17
 antelope: adaption for speed, 144; African, 328–33; breeding groups, 337; cover density and social behaviour, 325; food strategies, 335; *see also* individual spp.
 anthozoan coelenterates, 159
 arctic skua, 68
 arranged marriages, among Yanomamö Indians, 294–300, 316
 array of species, 331–7, 340
 asexual reproduction, 17, 50, 61–2
 attack, success of, 185
 attraction: of predator, 185; sexual, 183; zone of, 176, 182–3
 attributes: in inter-population comparisons, 337–40; measurement of, 334–7; species specific, 331–3
 babbler, *Turdoides* spp., 259–60
 baboon: altruism, 38, 261–2; costs of rearing offspring, 229; male coalitions, *Papio anubis*, 261–2; maternal dominance, 236; mutualism, *P. hamadryas*, *P. anubis*, *P. cynocephalus*, 279–80
 band societies, 291–4, 305
 Batesian mimics, 71, 185
 bee: altruism, *Centris pallida*, 251, *Apis mellifera*, 264–5; food supply, *C. pallida*, 365; mating strategy, *C. pallida*, 191, 365, 369
 behaviour: adaptations, 87, 95–7, 323–5; changes, 142; comparisons, 326; development of, 134–9, 147; effects on, 143–4; evolution of, 1; while feeding, 335; genetically determined, 368–9, 378; morphology of, 173; pattern, 134–6, 138; social, *see* social behaviour; specialisation, 328–30, 363
 behavioural assessment, 366–8
 behavioural character, 134–5, 343
 behavioural characteristics, 113–4, 129, 310, 319–21
 behavioural decision-making, 91–5
 behavioural diversification, 95, 327
 behavioural ecology, 269, 354–8
 behavioural mechanisms, 157
 behavioural strategies, 321, 364–8, 372, 375–7
 behavioural trait, 135
 behavioural variants, 323–4
 behavioural variation, 221, 343
 benefits: of altruism, 252, 255, 257–9, 263–4; of behavioural strategies, 321, 375–7; in competitive competitions, 181, 197; to female mutant, 210; of fitness, 39, 66, 74–6, 80, 83, 104; measurement of, 369, 371; of mutualism, 271–7, 281–5; to mother of mature daughter, 228–30; of parental care, 207–9; scaling of, 178–81, 180, 198; in sexual scramble, 176–7, 198; of slow development, 142–3; of specific gene, 135
 Bergman's rule, 96
 best fit, line of, *see* line of best fit
 bilateral cross-cousin marriage, 301
 biochemical traits, 14, 128–9
 biotic adaptationism, 55
 birds: adaptive behaviour, 325; alarm calls, 42, 262; altruism, 257–8, 262; behaviour, 325; colouration, 186; diet, 331–2; flock formation, 42, 103; groups, of kin, 279–80; imprinting, 140–3; mutualism, 280; nest helpers, 257–8; nesting strategy, 101–3; predation avoidance, 186; polygyny, 280, 344; sexual dimorphism, 186; sex role reversal, 204–5; territory, 344; variations in brood members, 158–9; *see also* individual spp.
 birth, date of, and sex ratio of progeny, 237
 birth of first child, age of parents among Yanomamö Indians, 291, 311, 316
 birth weight, relative in male and female mammals, 227, 229, 231
 blackbird, *Agelaius* spp., 331
 blowfly, 158
 bluegill sunfish, 194
 blue tit, 145–6
 bodily condition: and birth sex ratio, 234–6; strategy for fitness, 94; foraging, 103, 108; reproduction, 99, 106
 body size: costs and benefits, 369; and environment, 95–6, 332–3; interspecific comparisons, 320; and male strength, 224, 226–8; and mating success, 364–5; in radiation of species, 328–30; relationship to tooth area, 345; and reproductive success, 224, 226–8, 344
 body weight, 327, 346
 boom-bust strategy, 100–1, 108
 bottlenecks: in family size, 88; gene extinction in, 117–8; in population size, 115, 117; in Tristan da Cunha population, 126

Index

383

- bovids, African, 328–30; *see also* individual spp.
- brain size, relative, 346; *see also* encephalic quotient
- bread baking analogy, 135–6
- breeding, *see also* reproduction: position of altruist, 258; process, 258; success, 105, 258, 339
- brood, 158, 207–9
- buffalo, *Syncerus caffer*, 328–30
- bullfrog, *Rana catesbeiana*, 23, 365, 369
- butterfly, speckled wood, *Pararge aegeria*, 364
- caddis larva's house, 59
- calling, and advertisement, 363–4, 369
- canalisation, 146–7
- capture, risk of, 185
- care, parental, *see* parental care
- caste determination, social insects, 144
- cat, 142
- catch-up, after retarded development, 146–7
- cells, as gene vehicles, 50, 56
- certain strategy, fitness of, 92–4
- chaffinch, 144, 251
- characters, genes for, 134–7, 140, 147–8
- characteristics of kin, 141
- cheetah, 144
- chick, 139
- child-bearing, mean age of, 68
- chimpanzee, 236–7, 259, 282
- chromosomes: in eusociality, 355; in replicators, 49–50; X of male, 238
- cistron, 49, 61
- class, social, *see* social rank
- climate, 326
- clone, of *Hydra*, 164
- clonal descent, 53, 55–6
- clutch, of eggs, 208–17, 374; double clutching, 205, 217, 220
- coancestry: co-grandparents, 125; genetic, 115–6, 119, 121–3; and incest taboo, 124; on Tristan da Cunha, 126–9
- coefficient of relationships, in kin selection, 75–6, 83
- cohesion, in animal groups, 269
- colouring: dimorphism in ruff, 365–6, 368, 375; intrinsic variables, 326; in sexual dimorphism, 333
- communities, fissioning of, by Yanomamö Indians, 296, 305–10
- comparative method of study, 12–13
- comparative studies, 326–8, 343, 346–8
- comparisons, interspecific, 319–28
- competition: alternative strategy, 186–94, 198; in altruism, 282; between characters, 135–7; in contest competitions, 194–7, by IM, 272–4, 278–83; in population, 125; in scramble competitions, 176–86
- competitive ability: in continuous phenotype model, 192–3; differences in, 178–81, 186–7; inherent, 197–8; partner choice in, 273; in sexual scramble, 178–82, 180
- competitive benefits, 181–3
- competitive encounters, 230
- competitive expenditure, 176
- competitive interactions, 187, 191
- competitive optimum, 177
- competitive strategy, 174, 282
- competitive success, 224, 226–7
- competitors: 88, 187–91, 198; density of, 187–91, 198; in scramble competitions, 176–81; social among Yanomamö, 300–1, 307–8; in phenotype scales costs, 181
- complexity, of structure, 54–5
- compulsion, in altruism, 259–60
- computer: program, 220–1; simulation for nesting strategy, 102–3; simulation for parental care, 209–16
- conception: after rearing offspring, 227, 229; sex ratio of, 231, 238
- conditional probability matrix, 74, 80
- confidence limits, of slope, 345
- conflicts of interest: in evolution, 169; in reproduction, 169–70; for resources, 169–70, 375–7
- conspicuousness, as a cost, 178
- constant fitnesses, 76
- constraints, of strategies, 373–5
- contest competitions, 194–9
- contests, ESS models, 175
- contests, and male body size, 224, 226–7
- continuous-phenotype model, 191–4
- continuous strategy, 207
- continuously breeding population, 207
- controls, for variation in body size, 320
- convergence, of species, 326
- cooperation, between animals, *see* mutualism and reciprocity
- correlation coefficient, in line of best fit calculations, 348, 353, 355, 357
- costs, 283–5, 321; of altruism, 104, 255, 257, 264, 281–3; of behavioural strategies, 321; of breeding 275–7; in competitive competitions, 197; computer results, 210–16; in fertilization, 218; of fitness, 39, 74–6, 80, 83, 255; of maintenance, 155; of mating, 209–10; measurement of, 369–71; of mutualism, 271–7, 281–3; of nest dispersal, 103; in rearing offspring, 170, 225, 227–31, 238, 240, 254; in reproduction, 155; of running, 345; and selection pressure, 144; of sexual advertising, 177–85; of specific

384 *Index*

- cost (*cont.*)
 gene, 135; of different strategies, 321, 375–7; and survival probability, 193, 197
 cost: benefit ratio, 183–4
 counter selection, 182–6
 courtship feeding, 205, 272–3
 cousins, 123, 125, 301
 coypu, 233
 cricket, *Gryllus integer*, 369
 crossover, of replicators, 49
 cultural changes, 291, 300–1
 cultural effects, 235–6
 cultural replicators, 48
 cultural specifications for marriage, among Yanomamö Indians, 310–15
 cultural transmission of behaviour, 145–6, 148
- DNA (deoxyribonucleic acid), 45–50, 61, 104
 Darwin, Charles H., 5, 9, 137, 183
 Darwinian: fitness, 67–72; formula, 10–11, 15; theory, 25, 51, 87, 225
 data: analysis of, 343; interpretation of, 23–4; in interspecific comparison, 325–8; in taxonomic levels, 346–7; and theory, 375
 date of birth and sex ratio, 237
 daughter: allocation of resources to, 223–6; conception sex ratio, 231–8; investment in, 228–31, 238–41; *see also* offspring
 dead-end replicator, 46
 decision, definition of, 371
 decision-making, 91–5
 decrease of population, 115, 117–22
 deer: in arrays of species, 333; and environment, 234–8; maternal age, 235–6; mule deer, 235; nutrition and birth sex ratio, 234–5; roe, 235; weather and, 235; white tailed, 234–5
 deer, *Cervus elaphus*: adult growth, 194, 365, 368; maternal investment, 227, 229; and reproduction, 235–8; stags, 371
 delayed reproduction, 97–101
 demes, 29–30; interdemic selection, 31–3
 demography, 291–2, 316
 density, of competitors, 187–91, 198
 density-dependent selection, 70–1
 deoxyribonucleic acid *see* DNA
 descendents, 115, 170; *see also* offspring, progeny, daughters, sons
 desertion, of mates, 206–8
 development: of behaviour, 134–9, 147; of groups, 56, 140–2; retarded, benefit of, 142–3
 developmental biology, 88
 developmental evidence, 142–3
 developmental homeostasis, 146–7
 developmental processes, 133, 135, 138–9
 diet: and array of species, 331–3; and behaviour, 139; low protein, 139; phenotypic effects, 170; and radiation of species, 328–30; selection of, 326
 differential survival: of genes, 113–20; of mutations, 120
 differential migration, 31–2, 33
 dik-dik, *Madoqua* spp., 329–30, 334
 diploid inheritance, in kin selection, 40–2
 diploid organisms, 88
 discrete vehicles, 58–62
 discrete-phenotype model, 187–91
 dispersal: mortality in, 226; and natural selection, 161–5; and population regulation, 161–5; of sons, 228; in space, 101–3; in time, 98–9; of young, 97, 159
 displays, species differences, 363
 diversification, of investment, 95
 divorce, among Yanomamö Indians, 294
 dog: maternal age and litter size, 237; sex ratio of offspring, 235; wild, altruism in, 251, 253
 dominance, of allele, 74, 76–8
 dominance, social: and alliance formation, 282; and body size, 364–5, 368; and colour, 365–6; in ducks, 367–8; in troops of monkeys, 230–1, 236; *see also* hierarchy, social rank
 dominant character, 65, 83, 84
 dominant phenotype, 72
 donor, in kin selection, 39–42
 dormancy, of seeds, 95
 double clutching, of eggs, 205, 217, 220
 duck: in behavioural assessment strategy, 367, 372; mating behaviour, 363; self-stimulation, by Mallard ducklings, 140
 dungfly, *Scatophaga stercoraria*, 186, 365
 dynamics, of population, 88
- ESS (evolutionary stable strategy), 102; for advertisement, 185; in alternative strategy competitions, 186–91; for contest competitions, 194–7; of continuous phenotype model, 192; cost, 181–2; mixed, 366, 372–3; for paternal care 206–8, 218; phenotypic asymmetries, 169; phenotype-limited, 174–81; ratio, 180; in reciprocal altruism, 37; variable conditions in, 174–5
 ecological conditions, 158; and social evolution, 274–7
 ecological models, 89, 157
 ecological variation, 320–1
 ecologically similar species, 331–4
 ecology, 88–9, 156–7; and altruism, 105; and behaviour, 142; in evolution of species, 323, 325; and females, 277;

Index

385

- holistic approach to, 153–4; in inter-specific comparisons, 319–20; in reproduction, 105; in species differences, 326–8, 363
- ecosystems, 153, 166
- effective population size, 117
- egg: care of, 203, 204, 206, 208–10; hatching, 158–9; laying, 164–5
- Ego, hypothetical individual: altruistic gene in, 105–6; social behaviour of in Yanomamö Indians, 300–1, 304–5
- eland, *Taurotragus oryx*, 328–30, 334
- elasticity in developmental processes, 146
- elephant seal *see* seal, elephant
- elevation, in graphs, 354–7
- Elman Service, 292
- emigration, 163–6
- encephalization quotient, 333, 345–6, 348, 355
- energy: as cost in courtship feeding, 205; parental care, 203; sexual selection, 183–4; expenditure of in foraging, 103; in sexual advertisement, 177
- environment: animal-centred view of, 334–7; and behaviour, 137–9, 144, 146, 364; and ESS, 174–5; and habitat, 161–2; influences, 135; component in male phenotype, 184, 185; optimization, 197; in radiation of species, 328–30; and sociobiological attributes, 337–40; and strategy for resources, 371
- environmental conditions: in animal grouping, 269; and birth sex ratios, 234–8, 240; in comparisons, 340; seasonal, 339
- environmental histories, 113–4
- environmental influences on evolution, 67, 71, 300–1
- environmental niche, 328–30
- environmental relationships, 333
- environmental resources, and breeding, 273, 276–7, 281
- environmental variability: and dispersion, 97–99; effects of, 91–96; in foraging, 103; payoffs, 106–8; and reproduction, 99–101
- environmental variation: 144–5; and habitat, 161–2; at hatching time, 159; and resources, 166
- equids, Equidae, 15
- equifinality, in behaviour patterns, 139
- equilibrium, in altruism, 79–83
- equilibrium frequency: of allele, 78–9; in mating, 188; parental care, 215; of tolerant males, 210, 213
- equivalence, and behaviour, 139
- error, problems of, 349–52, 356, 358
- ethological mechanisms, 157
- ethogram, 363
- evolution: 11; in absence of selection, 87; of adaptations, 87, 95; of altruism, 82, 103, 265; in arrays of species, 330–4; of behaviour, 1, 170, 323–4; causes of, 67; changing environment, 106, 113–4; computer program, 210–216; Darwin's theory, 10–11, 15, 25, 51, 87, 225; developmental homeostasis, 146–7; differential survival, 46; of genes, 14–15; language for, 134–6; long-term, 129; model of, 65, 67; natural selection, 16; parental care, 205–9; phenotypic evidence, 15; of population, 123; population fitness, 70–1; in radiation of species, 327–9; reproductive success, 91; of strategy refinements, 175
- evolutionary biology, 14–16
- evolutionary change, 87, 145, 147, 169, 327–8
- evolutionary determinants, 323–34
- evolutionary explanations, synthesis of, 323
- evolutionary interests, 169
- evolutionary principle, 89
- evolutionary process, 91
- evolutionary stability, 170
- evolutionary stable strategy *see* ESS
- evolutionary theory, 88
- evolutionary thought, 142–3
- exogamy, in Yanomamö Indian tribes, 300
- expenditure: on advertisement, 181–3; competitive, 176; relative, 178
- experience: of breeding process, in altruism, 258; of mother, 106
- extended phenotype, doctrine of, 58–62
- extinct association, index of, 116–9, 123
- extinction: of genes, 113–9, 123; of habitat, 165–6; insurance against, 101–2; of populations, 161–3; selective, 326
- family groups, 57, 87
- family size, 117; distributions, 115, 117–8
- family structure, 292–4
- father, in Yanomamö Indian family, 292–300
- favours, in altruism, 257
- feeding *see* food
- female: attraction of, 176–81; availability, 187; in bee *C. pallida*, 191; care of egg, 203; and caring males, 206; choice, 182–6, 278–9, 283; computer program, 210–16; in contests, 198; in continuous phenotype model, 186, 191, 193; dungfly, 186, 191; genetic polymorphism, 365; intra-sexual mutualism, 278–9; investment in offspring, 223–6, 228–31; scorpionfly mating, 372–3; segregation from males, 333–4; sex ratio of investment in pro-

386 *Index*female (*cont.*)

geny, 231–41; sex role reversal, 209, 216–8; in social groups, 284–5; and strategies for resources, 276–7; *see also* daughter, maternal care, mother

fermentation, of food in gut, 333

fertility, and fitness, 67

fertilization: change from internal, 218; external, and parental care, 205–6, 217, 220; internal, 217–8; timing of and sex ratio of offspring, 237

field studies, 326–7

fighting: club-fight, among Yanomamö Indians, 301; in contest competitions, 196, 199; in ESS contests, 175; as strategy, 368; wasps, 366; *see also* war

filial imprinting, 140–2

fish: fertilization, 218; male behaviour, 363; sexual dimorphism, 333; sex role reversal, 204–5; variation in size and food distribution, 158; *see also* individual spp.

Fisher R.A., theory of, 206, 216, 225–6, 238–9

fissioning, of Yanomamö Indian communities, 296, 305–10

fitness: adaptations, 16–17, 20–1; of altruist, 84; benefits of, 275–7; and competitive ability, 186–7; concept of, 11–16; cost, 183; Darwinian, 67–72; foraging success, 103; function, 93, 95–6, 99–100, 106; of genotypes, 83; in heterozygous altruism, 79; of investment in kin selection, 74–6; mating, 187, 191; measures of, 14, 91–2; nest laying, 101; payoffs, 91–2, 106–8; of phenotypes, 170, 179–82, 180, 188–90, 193, 196–9; of population genetic model, 66; and resources, 92–7, 163–4; and selection, 34–7, 74–6, 114; in strategies, 34–7, 92–7, 101, 106–8, 187–91

fixation, of allele, 77–8

flexible and fixed rules, in competition, 372

flock, of birds, 42, 103

foetus: mortality of, 232–3; sex difference in mortality, 238–9; sex of and attacks on mother, 230

food supply, 158, 164, 170, 191, 328–9, 335; and body size, 224, 364–5; costs, 364, 375–7; defence of, 272; effort for, 275–7; extraction of nutrients, 332–3; as extrinsic variable, 326; feeding niche, 327; fluctuations in, 146; and habitat, 334–5; intake, 158; and grouping of impala, 339; measurements for, 335; and parental investment, 233; resource, 278–9; shortage, 258; and social behaviour, 325; species differences, 328–9, 363; and sterility, 260

foraging, 87, 92, 95, 103, 170

forest stands, stability of, 156–7

founders of Tristan da Cunha, 126–8

frequency of actions, species-typical values, 326

frequency-dependent equilibrium, 365–8, 372

frequency-dependent selection, 70–1, 75–7, 83, 187, 213

frog: bullfrog, *Rana catesbeiana*, 23, 365, 369; croaking, variations, 363; mating strategies, 370–1; sex role reversal, 204; treefrog, *Hyla cinerea*, 370–1

fruitfly, *Drosophila*, 144–5, 185

gains: in alternate strategy, 186–94; in foraging strategies, 103; in ESS contests, 175

game theory, 363, 377

games, 194–9

gametes, 73, 123, 125

gametic frequencies, 70

genes: competition, 124–5, 129; definitions, 19–20; descent of, 127; differences, 147; in ESS, 175, explanation of change, 20–1; in fruit flies, 144; in kin selection, 39–42, 72–6, 104, 304; in male phenotype, 184, 185; in natural selection, 154; promotion of, 169; for sex ratio of offspring, 225; for survivorship, 183; variability of, 121–2

gene extinction, 88, 113–20, 123, 126–8

gene for altruism, 29, 31–4, 76–8, 82–4, 104, 134, 257, 260–1, 265

gene for a character, 134–7, 140, 147–8

gene frequency changes, 16, 69, 117, 136, 148; *see also* fitness

gene identity, 115, 121, 123

gene selection, 6, 49–50, 58–62

gene survival, 65, 88, 114, 117–9, 128

genealogy: in gene competition, 116–8; of Tristan da Cunha, 125–9; of Yanomamö Indians, 301, 310–15

generation: bands, 297, 298, 311–13; classification, 291; and genotypic frequencies, 79; in kin selection, 72–6; length of, 311–13; overlapping, 67–9; time, 68–9

genet, 53, 62

genetic characteristics, 126

genetic determination, in ESS, 175

genetic differences, 170

genetic drift, 87

genetic influence, on evolution, 1

genetic models, 66

genetic mosaic, 56

genetic mutation, 134, 146, 148

genetic polymorphism, 365–6

genetic replicators, 61–2

- genetic system, in evolution, 67
 genetic traits, 113
 genetically determined behaviour, 137, 368–9
 genome, 50, 60, 61, 104
 genotype: of founders of Tristan da Cunha, 128; and reproductive success, 91; in selection, 65, 73–6, 82, 91, 158
 genotypic change, 146, 339
 genotypic differences, 326
 genotypic expression, 72
 genotypic fitness, 66–9, 75, 82, 83
 genotypic frequencies, 69–72, 76, 78–9, 82–3
 germ-line replicator, 46–7
 gestation lengths, 227
 giant water bug, *Belostomidae*, 204, 206 209–16, 218
 grandparent, in Yanomamö Indian household, 293–4
 great tit, *Parus major*, 339, 374
 grooming, 22, 282
 group, 278–9, 332–3; *see also* flock, kin group, tribe, troop, etc.
 group extinction, 31–2, 33
 group selection: at cellular level, 56–7; in demes, 29–30; and dispersal, 162, 165; and individual selection, 62; in kin selection, 57–8, 61; theory, 6
 group size, 170, 335, 336
 group stability, 274–5, 280
 grouping patterns, 269
 growth: constraints on strategy, 374–5; continuous, 194; rates, 227; and reproduction, 55–7, 62; of vegetation, 327
 guarders, in mating strategy, 191–4, 198
 guarding, parental, 206, 217
 gut morphology, of antelope, 335
- habitat: animal-centred view of, 334–7; assessment of, 326; and species, 161–3, 166, 328–30, 332–3; quality, 278–9, 281; variation in, 339
 Hardy-Weinberg: frequencies, 72; law, 79, 81–2; ratios, 70, 73
 hawk: dove games, 196
 helpers, in care of offspring, 38–9, 99, 104–5, 375; *see also* altruism, mutualism
 heredity, principle of, 10–11
 hereditary traits, 159
 heterozygote, 73–7
 heterozygous altruism, 78–80, 83–4
 hierarchy: of evolutionary determinants, 333–4; and resource partitioning, 158–61; *see also* dominance, social; social rank
 home range, 228–9, 326, 345
 homeorhesis, 146–7
 homeostatic mechanisms, 146–8
 homozygote, in kin selection, 73–7
 homozygous altruism, 80–1, 83–4
 horn shape, 326, 330
 house fly, *Musca domestica*, 369
 household of Yanomamö Indians, 293–4
 human altruism, 252–3, 258–9
 human-centred measurements, 334–7
 human kinship, 250
 human mutualism, 2–3, 285
 human reproduction, 235–8
 hunters, early, organization, 301
 hunting: in alternative strategy, 372–3; by human, 301; by lion, 52; in mutualism, 59–60, 259, 272; by scorpion fly, 372–3; by wolf, 59–60
Hydra, 164
 hypothesis testing, 344–5
- IM, interference mutualism: 283–6; and altruism, 281–3; cooperation, 272–4; intrasexual, 278–80; *see also* mutualism
 ideal-free animal distributions, 162–3
 impala, *Aepyceros melampus*, 194, 259, 334, 339
 importance, cultural, 295, 329–30; *see also* dominance, social; hierarchy; social rank
 imprinting, 140–2
 inbreeding: avoidance of, 88, 141; rates of, 122
 incest taboos, 88, 124, 312–15
 inclusive fitness: in altruism, 76–7, 79–82, 84, 103, 256; and animal behaviour, 53, 59; concept of, 3–4, 6, 14; in kin selection, 39–42, 65–6, 75; in mutualism, 271, 273; of rule making, 315–6; of Yanomamö tribesmen, 295, 303–5
 increase of population, 115–6, 118–22
 independence, age of in marmot, 327
 index of extinct association, 116
 index of survival association, 116
 Indians, *see* Yanomamö Indians
 individual: and altruism, 53, 83; in contest competitions, 197; and costs, 178, 181–2; Ego, hypothetical, 105–6, 300–1, 304–5; in evolution, 169; increase of fitness of, 106; genotypes, 66; ontogeny, 88; in population, 163, 321; random mating, 125; in relationships, 249–50; and reproduction, 91, 98–9; and resources, 98–9, 154–6, 158–61; in scramble competitions, 176, 198; selection, 6, 30–1, 154, 158–61; selectionism, 60–2; survival of, 114; terms for, 53, 58, 61; variability, 157
 individuality, 363
 innate behaviour, 137–8, 140
 innate rules, 137
 innateness, 137–40, 147

Cambridge University Press

978-0-521-28520-9 - Current Problems in Sociobiology

Edited by King's College Sociobiology Group, Cambridge

Index

[More information](#)388 *Index*

- insects, sex role reversal, 205; *see also* individual spp.
- insects, social: caste determination, 144; compulsory altruism, 260; mutualism, 38
- interactions: of genes, 127–8; instantaneous, 326; between strategies, 375–7
- interactive system, 327–8
- interdemic selection, 30–2, 33, 37
- interests, conflict of, 169
- interference mutualism *see* IM
- interpopulation comparisons, 337–40
- inter-sexual mutualism, 280–1
- intra-sexual mutualism, 278–80, 283
- intra-sexual relationships, 274–7
- interspecific comparisons, 319–22; animal-centred, 334–7; in arrays, 331–4; data, 325–8; interpopulation, 337–40; problems, 323–5; in radiation, 328–30
- intraspecific competitions: alternative strategy, 186–94; contest, 194–7; scramble, 176–86
- invertebrates, 204, 218, 231; *see also* individual spp.
- investment: ability, 231; allocation, in progeny, 223–31, 238–41; cost, 183, 225–31; delayed benefit, 259; distribution of, 97; diversification of, 95; in eggs, 217; in mating, 198; in offspring, 205–6; parental, among Yanomamö Indians, 292–300; period of, 223–8; in reproduction, 98–9; in scramble competition, 198; in sociality, 105–8; strategy, 106, 223–6; timing of, 99–101
- jacana, *Jacana spinosa*, 204, 218
- key resource, 286; females, 279–80; food, 278–9; strategy for, 274–7
- kin: alliance, 281–3; categories, 305–15; and altruism, 106–9, 255; and mutualism, 269–70, 272–4; network, 292–305; recognition, 140–2; in wife acquisition, 294–300
- kin group, 58, 62; altruism in, 106, 108–9; competition in, 230; stability, 274; lions, 284–5; mutualism in, 274–80; and resources, 286; selection, 57–8; of Yanomamö Indians, 306–10, 316
- kin selection: and altruism, 5–6, 22, 66; in evolution, 1–2, 67; genotypic fitness, 66; of group, 57–8, 62; inclusive fitness, 65; models for, 39–43, 72–6, 82–3; mutualism in, 34, 38; random mating, 29–30; among Yanomamö Indians, 292, 303–5
- kinship, 1–3, 250, 269–77, 282
- kinship axis, 295–7
- kinship classification, 301, 303–4, 310–16
- kinship information, 291, 311–15
- kinship structure, 301–2
- lactation, 228, 229, 236
- language, problems, 134–40, 147; *see also* terminology
- laterality, in kinship, 295–7
- latitude, geographical, 96
- learned behaviour, 137–43, 148
- learning, 139, 175; process of, 145
- licking of offspring, 136
- life-history models, 91, 142–3
- lifetime success, 370–1
- light patterns, and chicks, 139
- line of best fit, 320, 350–2, 354–8; in comparative studies, 348–50; in hypothesis testing, 345; problems, 352–3; slope, 353–4
- lineage, in evolution, 55
- lineage composition, in Yanomamö villages, 306–15
- linear relationship, 345
- linearity, 348–54
- lion, *Panthera leo*: altruism, 251, 259, 262–3; cooperation, 52; kin selection, 38; mutualism, 279; social groups, 284–5
- litter, of offspring, 237, 253–4
- locusts, 137
- log-linear model, 127
- logarithmic transformation of data, 350–1, 353–4, 357–8
- logarithms, 345
- longevity, 326
- Lotka's equation, 68
- low fat diet, 234–5
- macropodids, Macropodidae, 331–3
- macaque, 229–31
- macrostructure, of population, 115, 129
- major axis analysis, 348–54, 357–9
- male: acquisition of mate, 293–300; allocation of resources to sons, 223–7, 229; attraction of females, 176–85; body size, 186, 191, 192, 193; conceptual sex ratio, 231–4; in contests, 198–9; in continuous phenotype model, 193; in courtship, 203; foetal mortality, 233, 236–7; foetal ratio, 238–9; genetic polymorphism, 365; internal fighting, 305–10; kin, importance of, 295–300; mating, 333, 372–3; mutualism, 275–7, 279–80; paternal care, 209–11, 216–9; risk of predation, 185–6; sex ratio of offspring, 234–8; social groups, 284–5; social class, 335, 337; *see also* father, paternal care, son
- Mallard ducklings, 140
- mammals: age of weaning, 142; behaviour, 325; body size, 96; browsing and grazing,

Index

389

- 345; comparisons of species, 331–4;
 environment, 96, 234–8; lack of sex role reversal, 204–5; mutualism, 281, 283;
 progeny sex ratio, 223–6, 231–8; radiation of species, 328–30; sex ratio, 238–41; taxonomic levels, 347; territory, 347;
see also individual spp.
- mammary glands, 58
- manipulation of neighbours, by
 Yanomamö Indians, 291, 304, 310–15
- mantis shrimp, 219
- marmot, *Marmota* spp., 327–8, 331;
M. flaviventris, 339
- marriage, arranged, 294–300, 316; prohibited partner, 302
- matching, for comparisons, 323
- mates: acquisition of, 275–7, 293–5; choice, 140–3, 147; competition for, 169–70, 272, 304, 364; defence of, 281, 285–6, 346; eligible, 301–2, 309–15; kin groups, 305–10
- maternal age, and sex ratio of offspring, 235–6
- maternal care, 141, 203–4, 206–9
- maternal condition, 224
- maternal dominance, 236
- maternal environment, 235
- maternal nutrition, 234–5
- mating: alternative strategy, 186–94; behaviour, 363; computer program, 210–16; contest for, 182; evolution, 209–10, 218–9; kin selection, 73–4; patterns, 88, 115, 121–5, 129; preferences, by female, 206; repeated, 207; strategies, 176–86, 186–94, 198–9, 333, 372–3; system, 67, 99, 326
- matrilateral kin, 296–7
- matrimonial systems, 301
- maximum fitness, 78
- maximum likelihood method, 354, 358–9
- mean fitness, 65, 70–1, 77, 79–80
- mean group size trap, 336, 337
- mean population fitness, 70, 83
- measurements: of attributes, 334–7; for comparative studies, 327; of costs, 369; of fitness, 67–72; sample size, 369–70
- mechanisms, for selection, 29–30
- medical characteristics, of people of Tristan da Cunha, 126
- meiotic drive, 67
- memes, 48
- Mendelian processes, 15
- metabolic requirements, 326, 328–9, 346
- method, of comparison, 325–8
- microstructure of population, 115, 129
- migrants, status of, 165
- migration: between populations, 121, 146–7; change of habitat, 161–4; mortality in, 162–4, 166; rates of 115; seasonal, 339; among Yanomamö Indians 299
- milk yield, 224
- mimicry, in predator avoidance, 71
- mobilisation of resources, 98
- mobility, 95, 329, 332–3
- model of kin selection, 72–6, 83–4
- monkey, 22, 229–31, 236; *see also* individual spp.
- monogamy, 205, 293–4
- monomorphic population, 80
- monster, 147
- morphological variety, 173, 343
- morphology, 323–4, 326, 333
- mortality, 316; differential, 339; and environment, 158–9, 161; foetal, 233, 237–8; in migration, 162–4, 166; and parental investment, 238–9; patterns, 291, 294, 297, 299, 316, 326; of progeny during rearing, 225–6; sex ratio, 231
- moth, 15
- mother, 191, 292–300; *see also* female, maternal
- motive for altruism, 256
- mouse, 161, 231–2, 234
- multiplicative model, 76–9, 81, 83–4
- mutant: and advertisement, 181; competition between, 121–2, 129; computer results, 210–16; mating strategy, 188; and Nash ESS, 185; in sexual scramble in ESS, 177–9; in sex role reversal, 204, 209–10, 216–8
- mutant cells, 55–6
- mutant gene, 134, 146, 148
- mutant strategy, 102
- mutation: changes in gene frequency, 15, 55–6; in contests, 196; in evolution, 67, 88; and gene survival, 119–20; random, 134, 146; recurrent, 185; unit of, 136; in variability, 113
- mutualism: altruism and, 281–3; concept of, 2, 36, 249–50, 270, 285–6; groups, 281–5; nature of, 270–1; overlapping effects of, 272–3; and social evolution, 278–81; *see also* IM, NIM, synergistic selection
- mutualistic groups, 283–5; and character selections, 136; discrete vehicles in, 59–60; IM groups, 272–4, 278–83; NIM groups, 272–4, 278–80
- mutualistic interactions, 270–1, 272–4
- mutualistic relationships, 270
- NIM, non-interference mutualism, 272–4, 278–80, 283–5, 285–6
- Nash equilibrium, 185
- natural history, of parental care, 204–5, 220

390 *Index*

- natural selection: and altruism, 261–3; and behaviour, 95; for bottle-opening, 146–7; and dispersal, 164; in evolution, 67; in evolutionary change, 87–8; licked offspring, 136–7; and mutualism, 270; and population self-regulation, 154; principle of, 6, 10, 45–7, 140; and reproductive success, 321
- neighbours, manipulation of kinship, by Yanomamö Indians, 310–15
- neighbour modulated fitness, 39–40
- neighbour support, 291, 293, 300
- nepotistic behaviour, 292, 301, 303–4
- nest building, 204
- nest helper, 257–8
- nest laying strategy, 101–3, 108
- nest site, 272
- nestling: care of, 157–8, 375; resources and brood survival, 157; variance of survival, 101–3, 108
- net reproductive rate, 67–8
- neutral mutation theory, 67
- non-interference mutualism *see* NIM
- non-reproductive animals, 264–5
- normality, 348
- nuclear family, 292–4, 297
- nutrition, 234–5
- observed associations, 325–8
- offspring: and altruism, 76–7, 257–8, 263–4; arranged marriages for, 292–300; average number of, 67–9; computer program, 210–16; diet, 170; genes, 104, 113, 115, 117–20, 123–4, 128; as investment *see* parental investment; and kin selection, 72–6, 83; licking of, 136; natural selection, 87–8; number distribution, 117, 122; parental care, *see* parental care; reproduction, 91; sex ratio of, 223–38
- ontogeny, 88, 133, 143–7; of Yanomamö Indian, 291, 300–1, 311
- operationalism, 12
- optimal assessor rule, 196
- optimization, 174–6, 197
- orb-web spider, *Metabus gravidus*, 38
- Orians-Verner model, 281
- organisation, in evolution, 327, 333
- outbreeding, 141, 143
- overlapping generations, 67
- oviposition site, 210–18
- paradoxical solutions, 196
- parasitic behaviour, 363–6, 368, 369–71, 375–8
- parents, 104, 170, 293–4, 327–8; *see also* mother, maternal, father, paternal
- parental care, 203–17; in computer simulation, 209–16; evolution of, 207–9; exclusion from altruism, 253–4; and giant water bug, 216–9; and natural selection, 106, 108; and sex role reversal, 203–17; in species arrays, 332
- parental investment: in daughter, 228–31; division, 238–41; in offspring, 223–31; sex ratio, 231–8; in sons, 226–7; among Yanomamö Indians, 292–300
- parental manipulation, 31, 260, 265
- parental resources, 223–6
- partnerships, in IM and NIM, 274–5
- passerine species of birds, 262, 333
- passive choice, 183–4
- passive replicator, 47, 61
- paternal care: computer results, 210–16, 219–20; and egg survival, 208–9; evolution of, 206–7, 213, 215–7; in giant water bugs, 206; sex role reversal, 203–5
- patrilateral kin, 295–7
- patrolling, by butterfly, 364, 368
- payoffs: and behavioural decision making, 91–7; behavioural strategies, 321, 365–8, 372–3, 375, 378; in contests, 196–7; of dispersal strategies, 99–103; in ESS strategies, 174; in natural selection, 87; of resources, 107–8; *see also* benefit
- payoff-relevant asymmetries, 196–7
- pedigree, 124; *see also* genealogy, lineage
- penetrance, of genotypes, 73–4
- perching, by butterflies, 364, 368
- permanent phenotypic difference, 170
- perturbation experiment, 372
- phalarope, 204
- phenotype: adaptive variability, 144; behavioural strategy, 364–5; benefits, 178–81, 180; and competitive strategy, 174–8, 191–4; continuous model, 191–4; and costs, 181–4; discrete model, 187–91; fitness, 67–8, 83, 198–9; fixed constraints, 375; limitation of strategy, 174–6, 178, 179, 186–8, 191–2, 198; mutation, 134; and morphology, 173; phenotype-limited ESS, 186–7, 197–8; predation, risk of, 185–6; selection of, 113–4; variation, 146–8
- phenotypic asymmetries, 169–70, 175, 178–81, 183–5, 195–6, 198
- phenotypic characters, 140
- phenotypic competitive ratio, 179–81, 180
- phenotypic effects, 58–62, 273–4
- phenotypic expression of gene, 59–60
- phenotypic frequencies, 71–2, 188
- phenotypic power, 53
- phylogeny, 144
- physiological changes, of human, 291, 300–1
- physiological mechanisms, 157

- physiological traits, 114
 physiology, 323–4, 326
 pied kingfisher, *Ceryle rudis*, 375
 pied wagtail, *Montacilla alba*, 375–7, 378
 pipefish, 204, 219
 plants, terrestrial, 157–9, 161
 plasticity, 134, 143–7, 173
 play, in cat, 142
 politics, of Yanomamö Indian marriages, 294
 polyandry, 204–6
 polygyny, 280, 295, 303, 344
 polymorphisms, 71, 77–81
 population: and behaviour, 320–1; density, 157–8, 161–6, 326; dynamics, 88; genetics, 6, 14–19, 56, 66–83, 104, 114–6, 129, 219; and habitat, 161–2; limited growth, 154–7; properties, 154; reproduction rate, 205; self-regulation, 154–65; size, 115–21, 155–64; stability, 155–7, 159–61, 166; structure, 87–8, 113–7, 122–9; survival, 129
 postdiction of results, 24–5
 precopulatory demands, in insects, 205, 372–3
 predator: and altruism, 74; and avian alarm, 262, avoidance of, 328–9, 332–3; brain size, relative to prey, 346; common prey, 71–2; defence against, 272; exposure to, 326; and nesting, 103; in sexual advertisement, 178, 369; size, 344; survival against, 258
 predator avoidance strategy, 332
 predator choice, 182, 185–6
 predation, 74, 101–3, 108, 185–6
 prey: avoidance by mimicry, 71; capture, 272; choice of, 185–6; in nest laying, (avoidance), 101–3; relative brain size, 346; size, 344
 prediction of results, 24–5
 primates: diet, 332; grooming, 22, 282; kin groups, 282–3; mutualism in, 278–9, 281; organizational change, 327; relative male canine size, 346; sex ratio, 337; social behaviour, 320–1; *see also* individual spp.
 probability, in kin selection, 73–5
 probability-generating function (p.g.f.), 118–9
 profitability, 186
 progeny: emigration of, 164–5; of mating, in sexual scramble, 183; in population growth, 155–7; sex ratio of, 223–6; *see also* offspring, daughter, son
 protection, 77, 84
 protein evolution, 67
 provisioning, *see* food
 quantitative methods, for analysis, 343, 346
 RHP *see* resource holding power
 rabbit, 231–2
 radiation, of species, 326, 328–30, 340
 ramet, 53, 56, 62
 random mating, 33, 34, 74; population, 119–22
 rare-male effect, 71
 rat, 137–8
 recessive genes, 88
 recessive phenotype, 72
 reciprocal altruism: 30, 37–8, 258; in IM groups, 282–3; and risky strategy, 106, 108; short term, 255
 reciprocity, 258, 261–5
 reclassification of kinship, 302, 310–15
 recognition, 104, 183
 recurrence equations, 79–81
 red deer *see* deer
 reduced major axis analysis, 348–54, 356–7
 regression analysis, 320, 348–53, 355, 357–8
 relatedness, 104; *see also* kinship
 relationship, 123–4, 249–50; of taxa, 346–53
 relatives, 1, 226, 254–7, 263, 265; *see also* kin, offspring, parents, siblings, etc.
 relative energy requirements, 96
 relative expenditure, 178
 relative fitness, 68–9, 71, 75, 174, 193, 197–8
 relative male canine size, 346
 relative success, 323
 repayment, 106, 108–9
 replication, 135–7
 replicator, 45–50, 58–62, 136–7
 reproduction: and environment, 92, 97–101, and growth, 55–7, 62; and habitat, 161–2, 165–6; and investment of resources, 108; rate of, 164; and resources, 155; types of, 52–3
 reproductive age among Yanomamö Indians, 311, 316
 reproductive benefit, 257–9, 261–2
 reproductive inequalities, 302
 reproductive interests, 292–301
 reproductive life span, 291, 311, 316
 reproductive output, 253–4, 256
 reproductive potential, in mutualism, 270–5
 reproductive prospects, 106
 reproductive rate, 205–7, 216, 332
 reproductive status, of mother, 227, 236
 reproductive strategies, 97–103, 207
 reproductive success: in alternative strategy, 191; of altruism, 252, 256, 258; analysis of results, 23; and body size, 224, 344; of genotype, 83; of individual, 321; of lioness, 263; mutualism in, 270–7;

Cambridge University Press

978-0-521-28520-9 - Current Problems in Sociobiology

Edited by King's College Sociobiology Group, Cambridge

Index

[More information](#)392 *Index*

- reproductive success (*cont.*)
 in natural selection, 87, 91; in nest laying strategy, 101–2; offspring, 224–6, 241; paternal care, 205; in sexual scramble, 177; and social structure, 105, 161; in soft selection, 158; among Yanomamö Indians, 303–10
- reproductive synchrony, 205
- reproductive timing, 99–101
- resources: 91–3, 285–6; competition for, 176–86, 188, 194–7, 364; group formation, 284–6; in radiation of species, 328–30; and reproduction, 105–6, 108, 273, 276; and social class, 335; storage of, 98–9; pooling of, among Yanomamö Indians, 300; *see also* food, mates, females etc.
- resource allocation: 91, among offspring, 223–7; distribution, 97–101; unequal distribution, 154–66
- resource holding potential, 364
- resource holding power, RHP, 196–7
- resource investment, 92
- resource, key, 274–5
- resource value, 196–7
- resorption, of foetus, in modification of sex ratio, 233
- responsiveness, 141
- rhesus monkey, 139
- risk: in decision making, 91–7; in parental care, 203; of predation, 185–6
- risky strategy: and fitness, 92–5, 106; foraging, 103; investment, 98–9, 107
- ruff, *Philomachus pugnax*, 365–6, 368, 375
- rule breaking, and inclusive fitness, 315
- rodents, 332; *see also* individual spp.
- running, costs of, 345
- salamander, 205; larvae 158
- sample size, in field studies, 369–70
- satellite, form of behaviour, 363–6, 368–71, 375–8
- scales benefits of phenotypes, 178–81, 180
- scales costs of phenotypes, 181–2
- scaling, in hypothesis testing, 345–6
- scorpion fly, *Hylobittacus apicalis*, 185, 372–3
- scramble competitions, 170, 176–86, 198
- sea horse, 204
- seal, 237; elephant seal, *Mirounga angustirostris*, 194, 227, 229, 365, 368
- seasonal variations, in attributes, 339
- seasonality, 96
- seed dormancy, 95
- seed germination, 158–9
- selection, 113–4, 121–2; absence of, 87–8; of characters, 136–7; classification, 29–30; counter, 182–6; density, 70–1; in evolution, 87, female choice, 182–6; in genealogy of Tristan da Cunha, 128–9; investment in offspring, 228; in kin selection, 73, 84; modification of sex ratio, 191; natural, *see* natural selection; pressure, 133, 144, 146; in reproduction, 17; sex ratio of offspring, 231; variation in brood, 158
- selectionist argument, 88
- selective extinction, 326
- selective forces, 113
- self-regulation, 134
- self stimulation, 139–40
- selfish gene: concept of, 6, 49, 136; and individual altruism, 53, 82; in individualistic behaviour, 363, 377
- semi-dominant character, 65
- sex ratio: bias, 238–41; and environment, 234–8; in groups, 269; in mating systems, 187; offspring, 169–71, 223–6, 231–4; and parental care, 207–8; sociogenic, 333; values, 326
- sex-linked locus, 77
- sex role reversal, 170, 203; in birds, 217; computer program, 210–16; evolution, 208–9; favourable factors, 206–7; in mating, 219
- sex-specific strategies, 274–7
- sexual advertisement scramble, 176–86, 198
- sexual differentiation, 333
- sexual dimorphism, 326, 333, 344
- sexual discrepancy, 203
- sexual imprinting, 140–3
- sexual maturity, in marmot, 327
- sexual reproduction, 17, 62, 88
- sexual selection: and ESS, 174–84; in mating system, 67; and mean population fitness, 71; and parental care, 216; relative male canine size, 346; and sex ratio, 237–8; sex roles, 203; theory of, 344
- sib-to-sib altruism, 72, 74–8, 80, 82–4
- siblings: care, 105–6, 108; shared genome, 104; kin selection, 72–6; matings, 123, 125; and parental care, 105–6; of Yanomamö Indians, 302–3, 306, 307
- sibship distribution, 115
- signal, advertisement, 176
- size: determination of, 191–3; of groups, 269; of males, 195–6; of population, 115–21; in radiation of species, 328–30
- skills, acquisition by kitten, 142
- slave worker, of ants, 260
- slope of graph, 348–59
- snail shell, 59
- sneaks, 191–4, 198
- sneaking, by subordinate males, 363–5, 367–8
- snow goose, 143

Index

393

- social allies, among Yanomamö Indians, 300–1, 306–8, 311
- social behaviour, 1, 7; in arrays of species, 333; comparisons, 319–21; data, 326–8; evolution, 323; kin selection, 37; in lions, 284–5; among Yanomamö Indians, 300–1
- social bonds, 258
- social class, 335–6; *see also* hierarchy; social rank; dominance, social
- social competitors, 300–1, 306–8, 310
- social evolution, 6, 274–85
- social group: of animals, 228–30; animal centred, 335; of females, 278–9; of lions, 284–5; of males, 279–80
- social insects, 260 *see also* individual spp.
- social interactions: in kin selection, 39–42; reciprocal altruism, 37–9; in synergistic selection, 34–7
- social organization: in arrays of species, 333; and habitat of impala, 339; of marmots, 327, 339; species typical values, 326–8; and vegetation growth, 327
- social rank, 230–1, 236, 295, 329–30, 335–6; *see also* hierarchy; dominance, social
- social relationships, 106; *see also* sociality
- social strategies, 305–10
- social structure, 161, 301; *see also* hierarchy
- sociality, 87, 103–6, 108, 249–50, 316
- sociobiology: adaptations, 328–30; animal-centred measurements, 334–7; comparisons, 323–8, 337–40; dogma of, 65; evolution of, 133; inclusive fitness, 103; objections to, 87; predictions, 331–3; problems, 140; terminology, 19–20
- sociodemographic limitations, 292–300
- socioeconomic sex ratio, 333, 337
- soft selection, 158
- song repertoire: of chaffinch, 144; of great tit, 339
- sons: preferential allocation of resources to, 223–9, 238–41; and sex ratio, 231–8; *see also* male, offspring
- specialisations, in radiation of species, 328–30
- speciation, 143
- species: comparisons between arrays, 331–7; comparisons, interspecific, 319–28; divergence, 326; diversity, 156–7, 166; radiation of, 328–30; recognition, 140–1; restriction on altruism, 252–3
- species-specific social behaviour, 323, 326–8, 333–7
- species typical values, 326
- specific-general continuum, 138–9
- sperm, 206, 217, 232, 237
- spermatozoa, 231–2
- stable polymorphism, 65, 81–2
- stability, of genotype, 79–80
- stability of population, 88, 154–7
- standard deviation, 348–54
- starfish, 52
- statistics, pitfalls of, 320
- statistical error, 348–50, 355
- status: of altruistic propensity, 258; and dominance, 159; of migrants, 165; *see also* hierarchy, social rank; dominance, social
- stealing, 372–3
- stickleback, *Gasterosteus aculeatus*, 368
- stochastic growth, 159
- storage of resources, 95–6, 98–9
- strangers, and sociality, 106
- strategies: alternative competition, 186–94, 198; behavioural, 321; classification, 364–8; conflicts between, 375–7; constraints of, 373–5; definitions, 368–9; in environmental variability, 92–7; foraging, 103, 276; of individualistic behaviour, 363; investment in, 99–100; for key resources, 274–5; life-time success of, 370–1; for mating, 99–100, 176–86, 198, 276, 294–5, 333; for parental care, 207–8; payoffs, 321, 372–3; phenotype-dependent, 174–6, 178–9; for predator avoidance, 332; synchrony of, 205; variance of, 107–8; among Yanomamö Indians, 294–5
- studies, data from, 326–8
- study group, 326
- subdivisions, of population, 119, 121
- subordinates: males, 363–5, 368; ducks, 367
- success, relative, 323
- successive offspring, sex ratio of, 236–7
- sun, *Nesotragus moschatus*, 329–30
- surface law, 346
- survival: ability, 181–2; in altruism, 258; in soft selection, 158–66
- survival association, index of, 116–9, 123
- survival of the fittest, 10
- survival of genes: 114–20, 123, 126, 128–9; of offspring, 206–9, 217–8, 220; of population, 129; of people of Tristan da Cunha, 127–8
- survival of nestlings, 101–3, 108
- survival probability, 88, 194
- survival prospects, 92, 106, 181–3
- swarms, 182–3
- symbionts, 59, 136
- symbiotic relationship, 106
- synchrony, 205
- synergistic selection, 30, 33, 34–7
- tactile stimulation, 139
- taxa, 320; paths of, 323–5; of traits, 343–6
- taxonomic level, 346–8, 354–5
- technical problems, with data, 326–7

Cambridge University Press

978-0-521-28520-9 - Current Problems in Sociobiology

Edited by King's College Sociobiology Group, Cambridge

Index

[More information](#)394 *Index*

- techniques, of interspecific comparison, 325–7
- teleonomy, 21
- temporary phenotypic differences, 170
- termination of pregnancy, 230
- terminology, 1, 5; for individuals, 53; for relationships, 310–11; for selection, 30; replicators and vehicles, 46
- territories: in competition, 169–70, 364, 375–7; defence of, 185, 272; quality, 344; values for, 326
- territoriality: by antelope, 333; of impala, 339; male, 206; and paternal care, 205, 217; reproductive strategy, 207, 220
- theoretical contributions on evolution of parental care, 205–9
- time: commitment of in parental care, 203, 207–8; as cost in sexual selection, 183–4; in model of population growth, 154
- timing of: development, 142–3; fertilization, 237; imprinting, 140–2; weaning, 142
- toad, *Bufo bufo*, 191, 368
- tolerant male, in evolution of mutant female, 209–10, 217–18, 210–16
- tooth area, and body size, 345
- topi, *Damaliscus korrigum*, 334
- traits, comparisons between, 343
- trait groups, 33, 34–7; *see also* synergistic selection
- tribal demography, 291–2, 316
- tribal fitness-maximising strategies, 294
- tribe *see* Yanomamö Indians
- Tribolium castaneum*, 164–5
- transgenerational effect, 170
- Tristan da Cunha, genealogy of, 126–9
- troop, *see* social group
- turtle, snapping, 369
- uncertainty in: environmental fluctuations, 91–7; foraging, 103; reproductive strategies, 97–103; sociality, 103–6
- unequal segregation, in genetic system, 67
- ungulates: female grouping, 279; male growth, 227; NIM groups, 283; predator avoidance, 332; radiation of species, 328–30; *see also* individual spp.
- units of selection, 6, 60–1
- unit of natural selection, 56
- variables: in arrays of species, 331–4; characteristics, 323, 325–6; continuously distributed, 343; extrinsic, 326; intrinsic, 326; line of best fit, 349–50; measurement of, 355, 358; new, 345–6; in radiation of species, 328–30
- variability, 113–4, 121–2
- variance: in altruism, 104–6; in elevation, 353–4; errors, 356; genetic, 121–2; on line of best fit, 348–52; offspring distribution, 117; sexual selection, 344; of strategies, 96–7, 107–8; in taxonomic levels, 347
- variants, in population, 120–1, 129
- variation, principle of, 10–11
- vegetation, 96, 327
- vegetative propagation, of plants, 53–7, 62
- vehicles: discrete, 58–62; for replicators, 46, 50–54, 56, 136
- village fissioning, 296, 305–10
- village headman, 305, 307–10
- visual information, for chicks, 139
- war of attrition games, 196
- warfare, 285; *see also* fighting
- wasp: digger, *Sphex ichneumoneus*, 366, 371–2; paper, *Polistes*, 259; tropical, *Metapolybia aztecoides*, 38
- wax esters, 95–6
- weaning: age of, 142; maternal investment, 224–6; sex ratio, 239–41; of sons, 226–7, 246; post-weaning investment, 228–31, 240
- weather, and birth sex ratio, 235
- within-population structure, 119, 121–2
- woodrats, 233
- words, *see* terminology
- Yanomamö Indians: 250, 291–2, 316; fissioning of villages, 305–10; kin support, 301–5; kinship manipulation, 310–15; ontogeny, 300–1; parental investment, 292–300
- zone of sexual attraction, 176, 182–3
- zooplankton, marine, 95–6