
Index

- additional information 246
 additivity 275
 aliases 372, 374, 492
 alternative estimators 354, 365
 analysis of effects 608
 analysis of variance 12, 15, 17, 36–8, 110
 analysis of variance identity 15, 17, 226
 assumptions 47, 261, 275, 353, 408
 failures of 283
 asymptotic response 516
 asymptotic variance 522, 524
- balance 69, 143, 156, 188
 balanced incomplete block designs 150
 between patient information 200, 202
 bio-assay 341, 612
 blindness 218
 block contrasts 437, 473
 blocking 10, 130, 263, 265, 551, 582
 practical forms 11, 27–30
 blocking factors 246
 block–treatment interaction 608
 broken stick model 517
- chi-square distribution 64, 80, 290
 clinical trials 201, 237, 264
 coincidence 215, 579
 combination of information 168
 competing criteria 530, 533
 completely randomised design 9, 12, 109, 217
 composite designs 543
 compromise designs 543
 computer packages 88
 computer programs 88
 confidence intervals 82
 confidence regions 82
 confounded effects 471, 600
 confounded experiments 426
 confounding fractional replicates 496
- confounding in rows and columns 471, 502
 confounding in split units 590, 595
 confounding theory 473
 constraints 52, 76, 100
 contrasts 66, 373, 410, 435
 contrasts SS 67, 435
 covariance adjustment 251
 covariance analysis 249
 covariate 249, 265, 583
 criss-cross design 395, 407
 cross-over design 197, 201, 257
 cubic effect 365
 cuboctahedron design 545, 572
 cyclic designs 154
- defining contrast 492
 degrees of freedom 16, 17, 586
 for error 391, 398, 587
 derived variables 409
 design criteria 521
 design matrix 49
 design model 249, 386
 deviance 288
 discrimination 518, 528
 dummy factors 479, 481
 Duncan's multiple range test 311
- efficiency 166, 172, 439, 461, 483
 error distribution 287
 error sum of squares 17
 estimation of σ^2 51, 74, 128, 367, 387, 393, 397
 estimation of parameters 518, 521, 525
 even and odd combinations 348, 472
 EVOP 555
 expectations of sums of squares 51, 74, 123, 227
 expected treatment mean square 110, 337
 experimental objective 31, 308, 517, 538, 583

Index

619

- experimental treatments 33, 583
- experimental units 197, 580
- experiment–treatment interaction 605
- experimentwise error rate 310
- exponential response model 516, 524
- exponential response surface 542
- extra sum of squares 59, 80
- F*-distribution 64, 82, 230
- F*-ratios 606
- factorial efficiency 43, 328, 364
- factorial structure 32, 42, 326, 328, 423, 542, 585
 - incomplete 331, 333, 598
- factor model 98
- factors 32, 326
- fan design 534
- fixed set of units 224
- four-level factor 365, 419
- fractional partial confounding 453, 554
- fractional replicate 370
- fractional replication 491, 542
- function optimisation 558
- Gauss' Theorem 73
- general analysis package 90, 100
- general confounding 459
- generalised interaction 474, 488
- generalised linear models 102, 287
- generalised variance 526
- Graeco–Latin square 182
- guard areas 415, 533
- hidden replication 45, 329, 370
- incomplete blocks 134, 423
- incomplete confounding 439
- information, relative 446, 455
- interaction 35, 326
- interaction effects 347, 362
- interaction SS 37
- inter-block analysis 167
- inter-block information 163
- interpretation of effects 40, 327
- inverse polynomial models 517, 541, 563
- joint analysis 606
- Latin rectangle 180, 235
- Latin square design 177
- Latin square randomisation 234
- lattice concept 158
- lattice designs 152
- least squares equations 48, 72, 132, 142, 250
- least squares estimation 49, 72
- least squares principle 47, 72
- levels 32, 326
 - numbers of 533
- linear contrasts 309
- linear effect 324, 361, 365, 410, 482, 596
- linear model 46
- link function 287
- logits 288
- main effect 35, 326, 347, 362
- main effect SS 37
- main units 385
- missing values 291
- mixed levels 365, 485
- mixed levels factors 428
- mixtures 567
- modelling 515
- modified LS estimators 77
- multiple blocking 177, 462, 583
- multiple comparison methods 310
- multiple confounding rule 474, 488
- multiple errors 387, 391
- multiple Latin squares 178, 235
- multiple strata 385, 396, 402, 405
- multiplicative model 279
- multivariate analysis 413
- natural blocks 134, 459, 462
- nearest neighbour analysis 268
- neighbour balanced designs 268
- non-linear models 516
- non-linear parameters 564
- non-orthogonal analysis 293
- non-orthogonal block design 155
- non-orthogonal design 102, 184, 460
- non-orthogonal effects 206, 442
- non-orthogonality 251
- non-orthogonal structure 332
- normal deviate plots 282
- normal distribution 64, 80, 229, 276
- normality 276
- occurrence matrix 157
- optimal confounding 476
- optimal design 521, 524
- optimal design theory 526
- optimum response 539
- optimum seeking 558, 584
- orthogonal classifications 181
- orthogonal contrasts 67, 85, 361
- orthogonality 59, 80, 89, 155, 551
- outliers 276, 295
- over-parameterisation 52, 75
- parameters 46
 - estimation 518, 521, 525
 - subsets of 58
- partial confounding 443
- partition of parameters 78, 99
- pooling SS 56, 368
- populations 157, 214
- practical choice of design 192

620 *Index*

- precision 197, 353, 603
 - of adjusted estimates 251, 253
 - comparisons 131, 140
 - relative 157, 485
- prediction variances 549
- presentation of results 315
- principal block 477, 490
- priority ordering of effects 423, 591
- procrustean design 579
- pseudo-random numbers 26
- quadratic effects 324, 361, 365, 410, 480, 543, 596
- quadratic model 515, 522
- qualitative information 297
- qualitative treatments 317
- quantitative treatments 320
- questions 308, 580, 586
- random effects 336, 605, 607
- randomisation 24, 216, 396, 535
 - for incomplete blocks 232
 - restricted 237
 - unnecessary 605
- randomisation distribution 223, 235
- randomisation inference 230
- randomisation procedure 231
- randomisation test 218
- randomisation theory 224, 229
- randomised block design 10, 13, 217, 579
- recipes 579
- reciprocal models 517
- regression 282, 320, 595
- regression model 101, 249
- relevance of results 198, 603
- repeated experiments 604
- repeated measurements 408
- replication 108
 - alternative 113, 118
 - appropriate 117
 - effective 369
 - how much 124
 - inappropriate 112, 118, 403
 - necessary 125
 - relative 333, 592
 - unequal 126
- research programme 584
- residual effects 201
- residual plots 281
- residuals 23, 249, 277, 280
- residual SS 51, 55, 74, 78
- resolvable designs 152, 591
- resources 125, 580
- resources equation 587
- response function 414, 416, 515
- response surface 538
- response surface analysis 538
- ridge regression 559
- robustness 277
- rotatability 550
- saddle points 541, 558
- San Cristobal design 547
- screening experiments 339
- second-degree polynomials 540
- selection experiments 338
- sequences of experiments 183
- sequential experimentation 554
- sequential treatment allocation 231
- significance level 220
 - estimated 223
- simplex designs 568
- simulation 524
- single replicate 366
- spatial covariance 266
- split information 390, 459
- split-split units 393
- split units 384, 407, 455, 588, 595, 598
- suboptimality 531
- sums and differences 197, 357, 602
- sweeping methods 100
- systematic design 533
- systematic sampling 414, 605
- systematic treatment allocation 415, 535
- testing fit 551, 567
- three-level factors 361, 434, 447, 481, 485, 543
- time as blocking factor 197
- time as treatment factor 407
- time effect 595
- trade-off 353
- transformation 145
 - for counts 286
 - logarithmic 284
 - power 286
- treatment choice 31, 308
- treatment comparisons 21, 66, 85, 353, 364, 591
- treatment concurrences 143, 188, 190
- treatment contrasts 101
- treatment structure 583
- two-level factors 346, 432, 443, 473, 542
- unit structure 581
- validity 604
- variance
 - components 122, 387, 393, 397
 - homogeneity 276, 279
 - of least squares estimators 73
 - of treatment means 225, 388
- within block analysis 165
- within patient information 199, 202
- within unit replication 108, 119
- Yates' algorithm 350
- zero levels 332
- zero values 297