

INDEX

A

adjustable dimensions, 69, 73, 77, 97
 arguments
 actual, 56, 58, 61, 66-7, 69-71
 dummy, 60-1, 66-71, 80, 86
 input and output, 69
 arithmetic
 expressions, 26-7, 61
 operators, 26
arithmetic IF, 42, 45
 array elements, 23, 30
 not allowed, 39, 40, 43, 50, 61, 94, 121
 arrays, 48-9
 as arguments, 66-9, 78
 in I/O lists, 96
 initialization of, 86-91
assigned GO TO, 43
 assignments, 30-1, 5, 25
 in FUNCTION subprograms, 67
ASSIGN, 43
 association, 71, 76-8
 asterisk, 26-7, 20
 in DATA statements, 86
 auxiliary I/O statements, 120-1

B

BACKSPACE, 120-1
BASIC, *viii*, 66
 basic external functions, 58-9, 62
 using names of, 61, 70
 binary
 digits, 8, 43
 files, 118-21; see also "records"
 blank
 COMMON, 76-7, 87
 record, 100
 blanks (spaces), 20, 12-15, 25, 102, 113
 in data items, 105, 89, 113, 114-15
BLOCK DATA, 87, 16-17
 uses of, 79, 88
 Boolean values, 28-9, 36, 111
 brackets (parentheses), 20
 in expressions, 5, 26-9
 in COMPLEX constants, 25
 in FORMAT statements, 99
 in I/O lists, 96-7

C

CALL, 68
 card
 image, 89, 94, 106, 114, 118-19
 punched, 12-13, 6-9
 reader, 5, 9, 94-5
 carriage control, 101, 104
 chains, 82-3, 126-7
 characters
 descriptors (A, H), 112-13, 5
 initialization of, 88
 in run-time formats, 102
 manipulation of, 88-9, 23

PRINCIPAL REFERENCES, WHERE SUCH
 EXIST, ARE PUT FIRST IN THE LIST

standard set of, 20, 14, 99
 columns
 blank; see "blanks"
 of arrays, 49, 96
 of punched cards, 12-14, 4
 commands, 9, 94
 comment lines (C), 14, ix, 20
COMMON, 76-9, 16-17
 blank, 76-7
 initialization of, 87, 71
 order of elements in, 76-7
 with EQUIVALENCE, 81
 compilation, separate, 70
 compiler, Fortran, 8, 9
COMPLEX, 22-3, 17
 arguments, 56, 58
 assignment, 30
 constants, 25
 descriptors (F, E, D, G, P), 106-10
 FORMAT for, 101
 size and precision of, 22, 78
computed GO TO, 39
 constants, 24
 as arguments, 69
 in DATA statements, 86
 continuation line, 14, 17
CONTINUE, 39, 41
 control statements, 33-45

D

data
 deck, 6-9, 13
 files, 7, 118-21
 numbers in, 105
 tape, 6-8
DATA, 86-7, 17, 102
 descriptors, 98-9, 101, 104-13
 digits, 20
 binary, 8, 43
 in symbolic names, 21
DIMENSION, 48-9, 17
DO loop, 40-1
 implied, 96-7
DOUBLE PRECISION, 22-3, 17
 arguments, 56, 58, 67
 assignment, 30
 constants, 24
 descriptor (D), 108, 104-5
 expressions, 27
 functions, 56, 58, 66
 items of data, 105
 size and precision of, 22, 78

E

ENDFILE, 120-1
END line, 14, 5, 66, 68, 87
EQUIVALENCE, 80-1, 17
 executable statements, 15, 17
 labels on, 15
 exponent form, 24, 105, 107-9

Cambridge University Press

978-0-521-28810-1 - Illustrating Fortran: (The Portable Variety)

Donald Alcock

Index

[More information](#)

expressions

arithmetic, 26-7

logical, 28-9

extended range, 41

EXTERNAL, 70, 17**F**

fields, 99, 4-5, 13, 104-5

files, 118-21; see also "records"

formats

fixed-point, 106, 109

floating-point, 107-9

free, 88-9, 114-15

nested, 99

run-time, 102

FORMAT, 98-101, 4-5

label on statement, 15

formatted (readable)

files, 118-21

records, 94-101

Fortran, *viii*, 4

functions, 5, 27

basic external, 58-9

intrinsic, 56-7

statement, 60-1

FUNCTION, 66-7, 16-17**G***GO TO*, 38

graph plot, 103

H

Hollerith, Hermann, 12, 5, 25

Hollerith

constants, 25, 71, 102

items (data), 13, 14, 20, 100

literals, 113, 25, 102, 104

I

implicit typing, 23, 48-9, 61, 66

implied

decimal point, 105-6

DO loop, 96-7

multiplication

initialization, 86-91

of characters, 88-9

I/O list, 96-7, 94-5

with descriptors, 106-13

with files, 118-19

INTEGER, 22-3, 3-4, 17

arguments, 56, 58, 61

arrays, 48

assignment, 30

constants, 24

descriptor (I), 111

expressions, 26

functions, 56, 58, 66-7

size and precision of, 22-3, 15, 78, 88

intrinsic functions, 56-7, 62

using names of, 61, 70

invocation, 56, 58, 61, 66-7, 68, 71

J

job control language (JCL), 9

K

keywords, 21

L

label, 15, 14

in transfers, 38, 39, 42, 43

of *FORMAT* statements, 15, 98

terminating a DO loop, 40-1

letters (A to Z), 20-1

line printer, 101, 8, 5, 95, 100

lines of a program, 14

little boxes, 3, 4, 23, 48, 69

LOGICAL, 22-3, 17

arrays, 78

assignment, 30

constants, 24

descriptor (L), 111

expressions, 28-9, 36, 61

functions, 63, 88

operators, 28-9

logical IF, 36, 28-9**M**

magnetic tape, 7, 9, 118-20

matrix, 51, 54, 74

mismatching, 100

mixed mode, 27

N

name; see "symbolic names"

non-integral power, 31

non-standard

characters, 20

Fortran, 20, 38, 86

O

octal numbers, 38

operating systems, 9

operators

arithmetic, 26

logical, 29

order

of characters, 20, 88-9

of statements, 17

P

parameters

of DO loops, 40-1

of statement functions, 61

parentheses; see "brackets"

PAUSE, 38

peripheral devices, 4-9, 94-5

portability, *viii-ix*, 20, 21, 23, 27, 43, 78, 114

precision, 22

program

concept of, 3

deck, 6, 8, 9

illustration in Fortran, 4

labels in, 15

main, 16-17

units, 16-17

INDEX (CONTINUED)**R**

READ, 94, 4
REAL, 23, 3-4, 17
 arguments, 56, 58, 61
 arrays, 48
 assignment, 30
 constants, 24
 descriptors (F,E,D,G,P), 106-7, 109-10
 expressions, 26
 functions, 56, 58, 61, 66
 size and precision, 22, 78
 records
 blank, 100-1
 end-of-file (EOF), 120-1
 logical, 118-19
 physical, 94-5, 118
 recursion, 16, 96, 98
 relational expressions, 28
 repeat count
 in DATA statements, 86
 in FORMAT statements (t), 98, 104
 rescans, 99, 101, 118-19
RETURN, 66-7, 68, 71
 reverse Polish notation, 128-9
REWIND, 120-1
 Roman numerals, 90-1
 run-time format, 102-3

S

scale factor (P), 110, 98, 104
 shapes (structures), 34-5
 shortest route, 126-7
 sign
 bit, 88
 equals, 20, 5, 30
 plus and minus, 26, 20, 24
 simultaneous equations, 46, 124-5
 slash, 26, 20
 in FORMAT statements, 100, 118-19
 sorting, 52-3, 54
 spaces; see "blanks"
 stacks, 79, 83, 128-9
 statement functions, 60-3
 state tables, 90-1, 114-15
STOP, 38, 5
 storage units, 22, 78
 subprograms
 EXTERNAL, 70
 FUNCTION, 66-7
 horrors with, 71
 names of, 21
 SUBROUTINE, 68-9
SUBROUTINE, 68-9, 16-17
 subscripts, 50-2, 80, 86
 generation of, 96-7

symbolic names, 21
 in basic external functions, 58-9
 in FUNCTION subprograms, 66-7
 in intrinsic functions, 56-7
 in SUBROUTINE subprograms, 87
 in statement functions, 60-1
 of arrays, 48
 of BLOCK DATA subprograms, 87
 of COMMON blocks, 77

T

tape
 blocks of, 94-5, 118
 magnetic, 7, 9, 118-21
 paper, 6, 9, 95
 type, 23, 17
 association of, 76-8
 character, 88
 of constants, 24-5
 of expressions, 26-7
 of functions, 56-62, 66
 of variables, 22-3

U

unconditional transfer, 38
 undefined
 arrays, 49
 input, 100
 variables, 23, 71, 80
 unformatted (binary)
 files, 119-21
 records, 94-7
 unit number, 4-5, 9, 101
 unsigned integers, 89

V

variables, 22
 control, 41
 in I/O lists, 96
 initialization of, 86-91
 symbolic names of, 21
 vector, 50-1, 67
 visual display unit (VDU), 7, 9

W

words, 22, 78, 88
WRITE, 95, 5

Z

zero
 as a blank in data, 105
 in column six, 14
 in labels, 15
 with arithmetic IF, 42

