

Index

- abnormal Claisen rearrangement, 251, 276
 acetylenedicarboxylic esters
 2 + 2 addition, 193
 8 + 2 addition, 231
 14 + 2 addition, 236
 as dienophiles, 108, 112, 127, 160, 228
 as dipolarophiles, 53, 135, 148, 229
 acrolein
 as a dienophile, 108, 122
 dimerisation, 121
 molecular orbitals, 121
 acrylonitrile
 2 + 2 addition, 185, 186
 4 + 2 addition, 111, 118, 186
 dimerisation, 175
 molecular orbitals, 92
 activation energy, 3–5
 in Cope rearrangement, 269
 in cyclobutene ring-opening, 51, 52, 66
 in ethylene dimerisation, 174
 in 1,4-hydrogen elimination, 301
 in sigmatropic hydrogen shifts, 248, 252
 in sigmatropic shifts of other groups, 260, 261
 in keten cycloaddition, 194
 activation entropy, 4, 19
 in Diels-Alder reaction, 117
 in 1,3-dipolar addition, 140
 in keten cycloaddition, 194
 in retro-2 + 2 addition, 210
 in retro-Diels-Alder reaction, 129
 in [1,7] shifts, 252
 activation volume, 19
 in Diels-Alder reaction, 117
 in retro-2 + 2 addition, 210
 adamantene, 182
 alkyl migration, 253–65
 allene
 cycloaddition, 203–6
 dimerisation, 203
 allowed reaction, 27
 allyl
 anion: cycloaddition, 133; from cyclo-
 reversion, 157
 cation: cycloaddition, 80, 165; electro-
 cyclic reactions, 48
 esters: rearrangement, 280
 ethers: pyrolysis, 296; rearrangement,
 272–8
 imidates: rearrangement, 280
 molecular orbitals, 24
 thionocarbonates: rearrangement, 280
 allylic inversion, 14
 amine oxides, 284, 286, 297
 aminimides, 298
 amino-Claisen rearrangement, 279
 1,3-anionic addition, 134
 cycloreversion, 157
 anions
 [1,2] shifts, 263, 284
 [3,2] shifts, 282
 antarafacial, antarafacial addition, 78
 antarafacial
 component, 40
 migration, 244, 253
 antarafacial, suprafacial addition, 76
 anthracene
 in Diels-Alder reaction, 109, 111, 127
 9,10-dimethyl-, 185
 aromatic transition states, 35–9
 Arrhenius equation, 4
 asymmetric induction, 13
 in Cope rearrangement, 267
 in ene reaction, 291
 azepines
 cycloaddition, 228
 dimerisation, 79, 100, 232
 molecular orbitals, 100
 valence tautomerism, 59
 azides, as 1,3-dipoles, 136, 145, 151
 azines, in cycloadditions, 138
 azimines, 136, 236

- aziridines
 electrocyclic reactions, 52, 136
N-amino-, fragmentation, 217
N-chloro-, ring-opening, 50
N-nitroso-, fragmentation, 216
N-oxides, fragmentation, 217
- azodicarboxylic esters
 2 + 2 addition, 191, 192
 2 + 2 + 2 addition, 163
 in Diels-Alder reaction: as 2π component, 108, 127; as 4π component, 192, 201
- azomethine imines, 136, 142, 145, 152
 azomethine ylides, 53, 136, 145
- azoxy compounds
 as 1,3-dipoles, 137
 fragmentation, 131
- benzene
 in Diels-Alder reaction, 109
 oxide, 57
 photo-addition to butadiene, 182
- benzynes, 109, 112, 164
- bicyclobutanes, 210, 220
- bis-homo-Diels-Alder reaction, 163
- bullvalenes, 269
- butadiene
 electrocyclic reactions, 50, 62
 in Diels-Alder reaction, 108
 in radical cycloadditions, 174, 176, 179
 isomerisation to bicyclobutane, 220
 laboratory preparation, 125
 molecular orbitals, 25
 photo-addition to benzene, 182
 photo-dimerisation, 168, 220
- calciferol, 65
- carbenes
 as 1,3-dipoles, 139
 cycloaddition, 212–15
 extrusion, 161, 218
 rearrangement, 263
- carbenium ions, rearrangement
 [1,2], 263
 [1,4], 264
 [1,6], 264
 [3,4], 285
- carbodi-imides, 195, 200, 201, 202
- carbon dioxide, extrusion, 157, 162, 163
 210
- carbon monoxide, extrusion, 160
- carbonyl imines, 137
- carbonyl oxides, 137
- carbonyl ylides, 53, 137, 143, 145
- Chapman rearrangement, 259, 280
- charge transfer complexes, in cycloadditions, 122, 185, 219
- cheletropic reactions
 addition: of carbenes, 212; of sulphur dioxide, 81, 159, 229; of trivalent phosphorus compounds, 158
 definition and selection rules, 81–3
 extrusion: of carbenes, 160, 218; of carbon monoxide, 160; of nitrenes, 218; of nitrogen, 160, 216; of nitroso compounds, 217; of nitrous oxide, 216; of sulphur dioxide, 81, 159, 216, 229; of sulphur monoxide, 216
 involving 4 electrons, 212–18
 involving 6 electrons, 158–62
 involving 8 electrons, 229
 linear, 81
 non-linear, 82
 chemically induced dynamic nuclear polarisation, 11, 258, 285
- chemiluminescence, 211
- Chugaev reaction, 294
- Claisen rearrangement, 272–8
 abnormal, 251, 276
 amino-, 279
 catalysed, 277
 modified, 277
ortho-ortho-, 275
 photo-, 289
- coefficients, in molecular orbitals
 definition, 23
 for: acrolein, 121; acrylonitrile, 92; alkenes, 90; allyl, 24; azepine, 100; butadiene, 25; 1,1-dicyanoethylene, 92; dienes, 1-substituted, 90; dienes, 2-substituted, 91; 1,3-dipoles, table, 145; ethylene, 23, 89; fulvene, 234; 2-methylnaphthotriazine, 236
- concerted reactions
 definition, 1, 5, 7
 experimental criteria for, 10–20
- configuration interaction, 102–5
 in 2 + 2 cycloaddition, 102, 190
 in 4 + 2 cycloaddition, 104
 in [1,3] sigmatropic rearrangement, 256
- conrotatory process, 29
- Cope elimination, 297
- Cope rearrangement, 265–71, 274
- correlation diagrams
 construction, 29–35
 for allyl anion addition to a monoene, 133
 for butadiene cyclisation, 31, 32
 for Diels-Alder reaction, 73
 for ethylene dimerisation, 74, 75, 77
 for pentadienyl anion cyclisation, 47

- cumulenes
 cycloaddition, 193–207
 retro-addition, 202
- cyclic azo-compounds
 as dienophiles, 112
 fragmentation, 111, 128, 131, 132, 178
- cycloaddition
 1,3-anionic, 134
 cheletropic, 81–3, 158–62, 212–5
 definition and classification, 70
 Diels-Alder, 106–25
 dipolar, 1,3-, 132–56; 1,4-, 187; 1,5-, 229, 233; 1,11-, 236
endo-, 100
exo-, 100
 intramolecular, 44, 109, 140, 236
 metal catalysed, 84, 224–7, 237
 multicomponent, 79, 196, 236
 of: allenes, 203; allyl anions, 134; allyl cations, 80, 165; carbenes, 212; cumulenes, 193–207; cyclopropanones, 165; fulvenes, 233; ketens, 195; nitrenes, 212
 photochemical, 83, 167, 218
 retro-, 84, 125–32, 156–65, 207, 212–18
 selection rules, 71, 78
 2 + 1, 212
 2 + 2: concerted, 182; non-polar (diradical), 174–82; of cumulenes, 193–207; polar (ionic), 183–93
 2 + 2 + 2, 162
 3 + 2, 132–56
 4 + 1, 158–62
 4 + 2, 106–25
 4 + 3, 165
 4 + 4, 230
 5 + 2, 229
 5 + 3, 233
 6 + 1, 229
 6 + 2, 228
 6 + 4, 232
 6 + 6, 235
 11 + 2, 236
 12 + 2, 236
 14 + 2, 236
- cyclobutadienes, 64, 114, 118
 cyclobutenes, ring-opening, 50–2, 54, 62, 64, 66, 127
 cyclodecapentaenes, 58, 65, 127
 cycloelimination reactions
see cheletropic reactions, retro-additions reactions
 cycloheptatrienes, 55, 228
 cyclo-octatetraenes, 54, 67, 123, 237
 cyclopentadiene
 2 + 2 addition, 181
 6 + 4 addition, 232
 Diels-Alder reaction, 108, 119, 126, 181, 186
 formation from dimer, 125
 from retro-1,3-dipolar addition, 128
 cyclopentadienones, 112, 113, 161
 cyclopentenones
 fragmentation, 221
 photo-addition, 160
 cyclopropane
 as a component: in cycloaddition, 162, 163; 163; in rearrangements, 48, 55, 250; in retro-addition, 163, 164
 bonding, 250
 cyclopropanones, 165
 cyclopropyl
 anions, 53
 cations, 48–50, 165
 cycloreversions
see retro-addition reactions
- degenerate Cope rearrangement, 269
 Dewar benzenes, 52, 64
 diazenes, fragmentation, 159, 216
 diazoalkanes, as 1,3-dipoles, 135, 136, 145, 150
 diazoketones, 213
 dichlorodifluoroethylene, 174, 176
 Diels-Alder reaction, 106–25
 catalysed, 122
 correlation diagram, 74
endo-addition, 118, 132
 effect of pressure, 117
 intramolecular, 109
 mechanism, 114, 122
 periselectivity, 100, 101
 reactivity, 94, 112, 118
 regioselectivity, 97, 120
 retro-, 125–32
 scope, 106
 stepwise, 122, 124
 stereoselectivity, 116, 118
 with inverse electron demand, 112
- dienes
 configuration, 109
 electron-deficient, 112
 photodimerisation, 168
 1-substituted, orbital energies and coefficients, 90
 2-substituted, orbital energies and coefficients, 91
 table, 107
 dienones, in Claisen rearrangement, 274
 dienophiles, table, 107
 di-imide, 126, 300
 1,2-dioxetans, 211

- dioxalanes, base-induced fragmentation, 157
- 1,5-dipolar cyclisation, 59
- 1,3-dipolar cycloaddition, 53, 81, 128, 132–56, 233
 correlation diagram, 133
endo-addition, 155
 intramolecular, 140
 mechanism, 140
 reactivity, 143, 144
 regioselectivity, 143, 150
 retro-, 156–8
 stepwise, 143
- 1,4-dipolar cycloaddition, 187, 194
- 1,5-dipolar cycloaddition, 229, 233
- 1,3-dipoles, 135
 orbital energies and coefficients, 145, 149
 reactivity, 146
 stability, 138, 146
 tables, 136, 139
- diradicals, 8
 in 2 + 2 addition, 174–82
 in 4 + 2 addition, 179
 in [1,2] shifts, 284–7
 in [1,3] shifts, 258
- dismutation of olefins, 225
- disrotatory process, 29
- dithiolanes, base induced fragmentation, 157
- dyotropic reactions, 301
- electrocyclic reactions, 44–69
 2 π , 48
 4 π , 50
 6 π , 54
 8 π , 60
 10 π , 60
 metal-catalysed, 66
 of: allyl cations, 48; aziridines, 50, 52; butadienes, 50, 62; cyclobutenes, 50, 62; cyclopropyl anions, 53; cyclopropyl cations, 48, 165; cyclopropyl radicals, 61; cyclohexadienes, 54; dipoles, 52, 59; norcaradienes, 55; oxirans, 53, 57, 58; pentadienyl anion, 46, 59
 photochemical, 62
 selection rules, 44
- electron spin resonance spectroscopy, 11
- ene reaction, 290–2
- energy
 of activation
see activation energy of molecular orbitals
see individual compounds under ‘molecular orbitals’
 separation of frontier orbitals, in 1,3-dipolar addition, 149
- entropy of activation
see activation entropy
- episulphones, fragmentation, 215
- episulphoxides, fragmentation, 215
- esters, pyrolysis, 292
- ethylene
 Diels-Alder reaction, 94, 112
 dimerisation, 75, 174
 molecular orbitals, 23, 89
- Evans rule, 37
- excited states, lifetime, 9, 219
- extrusion
see cheletropic reactions, retro-addition reactions
- Fischer indole synthesis, 281
- forbidden reaction, 27
- fragmentation
see cheletropic reactions, retro-addition reactions
- free energy, 2
- frontier orbital theory, 25–9
 in cycloaddition, 85–102, 120, 121, 145–56, 197, 223, 233, 234, 236
 in sigmatropic rearrangements, 245, 246, 260
see also molecular orbitals
- fulvenes, 233
- furan
 in Diels-Alder reaction, 109, 118
 with cyclopropanones, 166
- general perturbation equation, 86
- Gibbs function, 2
- heterocumulenes
 cycloaddition, 194
 table, 195
- heterodipolarophiles, 155
- Hofmann elimination, 298
- homo-Diels-Alder reaction, 162
- homodienyl [1,5] shifts, 250, 276
- Hückel systems, 36
- hydrogen
 migration, 243–52
 transfer, 289–301
- β -hydroxy-esters, pyrolysis, 295
- β -hydroxy-ketones, pyrolysis, 295
- β -hydroxy-olefins, pyrolysis, 296
- imines, dimerisation, 191
- indenes, rearrangement, 248, 260
- intermediates, detection, 10
see also diradicals, zwitterions
- irreversible reaction, 3

- isocyanates
 cycloaddition, 195, 201, 202, 203
 chlorosulphonyl-, 203, 229
- isothiocyanates, 195
- isotope effects, 17
 in 2 + 2 addition, 192, 196
 in allene dimerisation, 205
 in Diels-Alder reaction, 117
 in ene reaction, 292
 in [1,5] hydrogen shifts, 247
 in retro-Diels-Alder reaction, 129
- ketens
 cycloaddition, 194–203
 extrusion, 164
 from diazoketones, 214
 molecular orbitals, 196, 197
- β -keto-acids, decarboxylation, 294
- kinetic control, 6
- β -lactams, 203, 211, 229, 299
- β -lactones, fragmentation, 210
- linear cheletropic reactions, 81
- Meisenheimer rearrangement, 284, 286
- mesoionic compounds, 138, 233
- metal-catalysed reactions, 66–8, 84, 224–7, 277
- metathesis of olefins, 225
- microscopic reversibility principle, 6
- migratory aptitude, in sigmatropic shifts, 260
- Möbius systems, 36
- molecular orbitals, 21–9
 for: acrolein, 121; acrylonitrile, 93; alkenes, 90, 149; alkynes, 93; allyl, 24; azepine, 100; azides, 135, 145, 151; azines, 138; butadiene, 25; carbenes, 213; cyclopropane, 250; diazoalkanes, 135, 145; 1,1-dicyanoethylene, 93; dienes, 90, 91; 1,3-dipoles, 135, 145, 149; ethylene, 23; fulvene, 233; heteromultiple bonds, 93; indene, 260; ketens, 196, 197; 2-methylnaphthotriazine, 236; oxygen, 113; sulphur dioxide, 81; transition metals, 68; vinyl cations, 206
see also frontier orbital theory, secondary orbital interactions
- nitrens
 as 1,3-dipoles, 139
 cycloaddition, 212–5
 extrusion, 218
 rearrangement, 263
- nitrenium ions, [1,2] shifts in, 263
- nitrile imine, 136, 142, 143, 145, 154
- nitrile oxide, 136, 144, 145, 154
- nitrile sulphide, 136
- nitrile ylide, 136, 141, 145, 146, 154, 156
 molecular orbital coefficients, 145, 154
- nitrogen, extrusion of, 128, 131, 157, 159
 163, 164, 178, 210, 216
 from cyclic azoalkanes, 128, 131, 178
 from diaryltetrazoles, 157
 from diazenes, 159, 216
 from diazetidene, 210
 from pyrazolin-4-yl anion, 157
 in retro-2 + 2 + 2 addition, 163, 164
 in retro-Diels-Alder reaction, 128, 131
- nitrones, 136, 142, 145, 153
- nitroso imines, 137
- nitroso oxides, 137
- nitrous oxide
 as 1,3-dipole, 136, 145
 extrusion, 131, 216
- non-linear cheletropic process, 82, 212–8
- norbornadiene, 224
- norbornadienones, 161
 ketals, 161
- norcaradienes, 55, 228, 260
- nuclear magnetic resonance spectroscopy
 to detect radicals, 11, 258, 285
 to study valence tautomerism, 55, 270
- optical activity, in studies of mechanism, 13, 267, 291
- orbital interaction diagrams
 for 2 + 2 addition, 102, 103
 for [1,3] sigmatropic migration, 246, 255, 256
- orbital interaction energies, in 1,3-dipolar addition, table, 149
- orientation of cycloaddition, 14
see also regioselectivity
- oxazolones, 138, 140
- oxepins, 57
- oxirans, 53, 143, 218
- oxy-Cope rearrangement, 272, 296
- ozone, 137, 145
- Paterno-Buchi reaction, 223
- pentadienyl
 anion, cyclisation, 47, 59
 cation, cycloaddition, 167
- pericyclic reactions
 definition, 7
 general selection rules, 37, 39–41
- periselectivity, 86
 in azepine dimerisation, 86, 100, 232
 in cheletropic reactions, 229
 in dipolar cycloaddition, 231, 236
 in fulvene cycloaddition, 233

- perturbation theory, 85
- photochemical reactions, 9
- cycloaddition, 83: 2 + 2, 177, 218–24; 4 + 2, 167; 4 + 4, 230; 6 + 6, 235; intramolecular, 168
 - electrocyclic processes, 62–6
 - extrusions, 159, 217
 - rearrangement, 288–9
- photodimerisation, 218–24
- polar 1,4-cycloaddition, 107
- pressure, effect in Diels-Alder reaction, 117
- prismane, 164
- 2-pyrone
- in Diels-Alder reaction, 108
 - valence tautomerism, 64
- pyrroles
- in Diels-Alder reaction, 109
 - sigmatropic rearrangement, 261
- radicals, rearrangement, 263
- selection rules, 61
- regioselectivity
- in Diels-Alder reaction, 97, 120
 - in 1,3-dipolar addition, 150
 - in photochemical 2 + 2 addition, 222
- Reppe synthesis, 237
- retro-addition reactions, 84
- (2 + 2), 188, 207–12
 - (4 + 2), 125–32, 156–8
 - (2 + 2 + 2), 163
 - see also* cheletropic reactions
- retro-aldol reaction, 295
- retro-1,3-anionic cycloaddition, 157
- retro-Diels-Alder reaction, 109, 117, 125–32
- retro-1,3-dipolar addition, 156–8, 161
- retro-ene reaction 292–6
- retro-homo-Diels-Alder reaction, 131
- reversible reaction, 3
- secondary orbital interactions, 100
- in determining *endo-exo* ratios in cycloaddition, 101, 119, 155, 232
 - in determining regioselectivity in Diels-Alder reaction, 101
 - in 1,3-dipolar cycloaddition, 155
 - in keten cycloaddition, 196
 - in sigmatropic migration, 257, 260, 266
- selection rules
- for cheletropic reactions, 81–3
 - for cycloadditions, 71–84
 - for electrocyclic reactions, 44, 61, 62, 66
 - for hydrogen transfer, 289
 - for retro-addition, 81, 84
 - for sigmatropic rearrangement, 243, 253, 265, 282
 - general, for pericyclic reactions, 37, 41
- selenium dioxide, 158
- selenoxides, pyrolysis, 300
- semibullvalene, 269
- sigmatropic rearrangements, 242–89
- definition, 242
 - nomenclature, 242, 278
 - of alkyl groups, 253
 - of hydrogen, 243
 - of other groups, 260, 261
 - relative migratory aptitudes in, 260, 261
 - selection rules, 243, 253, 265, 282
 - [1,2], 245, 263, 284
 - [1,3], 246, 255, 257
 - [1,4], 252, 264, 265
 - [1,5], 247, 259
 - [1,6], 264
 - [1,7], 251, 262
 - [1,9], 262
 - [3,2], 282
 - [3,3], 265
 - [3,4], 287
 - [3,5], 275
 - [5,4], 287
 - [5,5], 287
- silyl groups, migration, 261, 301
- singlet oxygen, 9, 113
- solvent effects, 15
- in 2 + 2 addition, 185, 194
 - in 4 + 2 addition, 115, 140
 - in Claisen rearrangement, 273
 - in ene reaction, 292
- Sommelet-Hauser rearrangement, 283
- state correlation diagrams, 33
- stepwise reactions, 5,7
- experimental criteria for, 10–20
- stereoselectivity, 12
- Stevens rearrangement, 284, 285
- substituent effects, 14
- in 2 + 2 addition, 185
 - in 4 + 2 addition, 94, 112, 147, 185
 - in [1,3] rearrangements, 247, 256
 - in [1,5] rearrangements, 248
 - in [3,3] rearrangements, 273
 - on molecular orbital energies, 89–93, 149
- sulphenes, 194, 195
- sulphenic acids, addition to olefins, 299
- sulphines, 158, 195
- sulphinylamines, 137, 158, 195, 200, 201
- sulphonium ylides, rearrangement, 283
- sulphoxides, pyrolysis, 299
- sulphur di-imides, 137, 195, 202

- sulphur dioxide
 addition, 81, 159, 229
 as heterocumulene, 194, 195
 extrusion, 81, 159, 215, 229
 in Diels-Alder reaction, 159
sulphur monoxide, extrusion, 215
suprafacial, antarafacial addition, 76
suprafacial
 component, 40
 migration, 244, 253
suprafacial, suprafacial addition, 71
syndones, 138, 140, 153, 157
symmetry-allowed reaction, 27
symmetry-forbidden reaction, 27
symmetry
 conservation, 29
 of orbitals, 22
 plane, 22
 twofold axis, 22
synchronous reaction, 7
- tetracyanoethylene
 2 + 2 addition, 184, 185
 4 + 2 addition, 108, 112
 8 + 2 addition, 231
 12 + 2 addition, 235
 14 + 2 addition, 236
 oxide, 53, 143
tetrazines, in Diels-Alder reaction, 111
thermodynamic control, 6
thiocarbonyl imines, 137
thiocarbonyl ylides, 137
thio-Claisen rearrangement, 279
thioketens, 195, 202
thiophen, in Diels-Alder reaction, 109
- transition states
 antiaromatic, 35
 aromatic, 35
transition state theory, 2
tropones, 232
- β,γ -unsaturated acids, decarboxylation, 295
 β,γ -unsaturated esters, rearrangement, 249
 β,γ -unsaturated ketones, rearrangement, 249
 γ,δ -unsaturated ketones, rearrangement, 261
- valence tautomerism, 55, 265
van Alphen rearrangement, 261
vinyl cations, 206
vitamin D, 65
volume of activation
 see activation volume
- Wittig rearrangement, 283-7
Wolff rearrangement, 213
Woodward-Hoffmann general rule, 41
- xanthates, pyrolysis, 294
- ylides
 pyrolysis, 298
 [1,2] rearrangement, 284-7
 [1,4] rearrangement, 288
 [3,2] rearrangement, 282-5
 [5,4] rearrangement, 288
- zwitterions, 8
 in 2 + 2 addition, 183
 in 4 + 2 addition, 124
 in Cope rearrangement, 271