

Author Index

- Aitken, A. C., 44, 113n, 154
 Almond, G., ix, 136, 146, 154
 Andrewartha, H. G., 150
 Archbold, J. W., 150
- Bartholomew, D. J., 139, 146, 150
 Bartlett, M. S., viii, 55n, 70, 72, 74, 75, 76, 106, 110, 111, 112, 133, 150, 172
 Bellman, R. A., 150
 Bernardelli, H., viii, 37, 58, 150
 Bienaymé, I. J., xii, 98, 99, 150
 Birch, L. C., 150
 Borch, K., 150
 Box, G. E. P., 135, 150
 Bühlmann, H., 150
- Cavalli-Sforza, L. L., 1n, 150
 Coale, A. J., 51, 150
 Cox, P. R., 150
- Darwin, J. H., 50, 150
 Demetrius, L., 49, 150
 de Moivre, A., 151
- Everett, C. J., 118, 151
- Feller, W., 26, 60, 63, 151
 Fisher, R. A., 43, 68, 69, 110, 151
 Freeman, H., 151
 Frobenius, G., viii, 39, 40, 42, 59, 106, 114, 151
- Galton, F., ix, 97, 98, 99, 101, 103, 106, 108, 109, 111, 112, 116, 124, 125, 126, 127, 128, 129, 135, 137, 151, 172
- Gani, J., ix, 50, 136, 137, 138n, 139, 142, 151
- Gantmacher, F. R., 151
 Gompertz, B., 17n, 19, 151, 159
 Goodman, L. A., ix, 49, 85, 91, 92n, 94, 151
 Goubert, P., 1n, 151
- Gower, J. C., 150
 Graunt, J., 1, 3, 151
- Hadwiger, H., 32, 151
 Hajnal, J., 151
 Harris, T. E., 39, 98, 104, 108, 116, 118, 151
 Hartree, D. R., 152
 Hawkins, D., 152
 Heyde, C. C., xii, 98, 99, 152
 Hill, A. V., 142, 152
 Hooker, P. F., 152
- Jordan, C. W., 12n, 152
- Karmel, P. H., 82, 92n, 152
 Kendall, D. G., viii, ix, 60, 65, 68, 69, 70, 75, 76, 77, 80, 84, 86, 87, 91, 96, 98, 112, 130, 131, 133, 150, 152
 Kendall, M. G., 27, 71n, 152
 Keyfitz, N., xii, 29, 34, 35, 36, 37, 38, 149, 152
 Kuczynski, R. R., 82, 152
- Lancaster, H. O., 142, 152
 Le Bras, M. H., 152
 Lefkovich, L. P., 152
 Leslie, P. H., viii, ix, 37, 38, 40, 41, 42, 45, 47, 48, 49, 50, 51, 52, 55, 58, 59, 81, 93, 105, 112, 113, 114, 115, 116, 118, 128, 135, 136, 149, 150, 153, 166
- Lewis, E. G., viii, 37, 153
 Longley-Cook, L. H., 152
 Lopez, A., 51, 52, 153
 Lotka, A. J., vii, ix, 1, 23, 27, 31, 39, 49, 79, 83, 84, 95, 96, 102, 111, 112, 133, 153, 154, 170, 171
- MacArthur, R., 57, 153
 McFarland, D. D., 153
 McKendrick, A. G., 60, 153
 Makeham, W. M., 17n, 18, 153
 Malthus, T. R., vii, 1, 22, 23, 63, 153

180 *Author Index*

- Moran, P. A P., 153
 Müller, M. E., 135, 150
- Parzen, E., 119, 153
 Pearl, R., 142, 153
 Perron, O., viii, 39, 40, 42, 59, 106, 114, 153
 Pollard, A. H., viii, 82, 83, 84, 95, 96, 153
 Pollard, G. N., 153
 Pollard, J. H., 38, 71, 111, 112, 127n, 128, 129, 136, 147, 153
- Rhodes, E. C., 24, 154
 Riordan, J., 127n, 154
- Schofield, R. S., 1n, 154
 Schuster, A., 142, 154
 Seal, H. L., 136, 154
 Seneta, E., xii, 98, 99, 152
 Sharpe, F. R., vii, 1, 23, 39, 79, 83, 95, 112, 133, 154
 Sneddon, I. N., 66, 154
 Steffensen, J. F., 154
 Strachey, R., 142, 154
- Stuart, A., 27, 71n, 152
 Sutherland, I., 1, 154
 Sykes, Z. M., 129, 154
- Tallis, G. M., 154
 Turnbull, H. W., 44, 113n, 154
- Ulam, S., 118, 151, 152
 Usher, M. B., 154
- Vajda, S., 136, 154
- Watson, H. W., ix, 97, 98, 106, 108, 109, 111, 112, 116, 124, 125, 126, 127, 128, 129, 135, 137, 151, 154, 172
 Waugh, W. A. O'N., 154
 Weiler, H., 154
 Wicksell, S. D., 32, 36, 154, 164, 165
 Williams, R. M., 50, 150
 Wrigley, E. A., 1n, 154
- Yntema, L., 96, 154
 Young, A., ix, 136, 146, 154
 Yule, G. U. viii, 60, 61, 69, 154

Subject Index

- accuracy of demographic calculations, 148,
age distribution
 asymptotic, 27, 39, 44–6, 51, 116–18, 144
 of Australian Academy of Science, 136,
 142, 144
 in competing populations, 56, 57
 at election, 142–3
 in hierarchical populations, 137
 initial conditions, 51, 116, 128
 stable, 26–7, 37, 44–6, 48, 116–18, 146;
 see also population, stable
 stationary, 11–12, 37, *see also* population,
 stationary
- age groups
 discrete, 37, 38, 114
 reproductive, 39, 71, 81, 82
- America, *see* USA
- ancestor, 64, 78, 107, 111, 131, 132, 135, 169
- animal population, 19, 49, 56, 59
- arithmetic-mean model, 85, 88
- asymptotic results
 for multi-type branching process, 109,
 128
 for stochastic version of Leslie's model,
 116–19, 120
- Australia
 female population of, 59, 121
 intrinsic rate of natural increase of, 37–8
 male population of, 49
 population of, 37–8, 132
 universities of, 136
- Australian Academy of Science, 136, 142–6
- Australian life table
 females (1954), 38
 males (1961), 4, 5, 6–8, 19, 49, 166,
 175–7
- auxiliary equations, 63, 67, 169
- Bienaymé process, 99n, *see also* branching
 process(es)
- binomial distribution
 conditional, 71, 77, 78, 81, 115, 125, 130
- moment-generating function of, 71
 normal approximation to, 121
- birth(s)
 discounted, 43
 multiple, 114, 115, 119–20, 133
 probability of, 114, 119
- birth and death process(es), 60–9, 91–2
 due to Kendall, 65–8, 69
 linear, 62–5
 including migration, 65–8, 69
 Poisson, 60–1
 due to Yule, 61–2
- birth rate
 age specific, 24, 38, 114, 119
 in stable population, 33
 in stationary population, 11
- branching probabilities
 fixed, 129
 in hierarchical models, 138, 141, 146
 for the multi-type process, 103, 125, 126
 random, 129–30
- branching process(es)
 expectation matrix of, 105–6, 128
 in genetics, 110–11
 Lotka example of, 102–3, 111, 171
 moment calculations, 129
 moments, 105–6, 124–30, 133–4
 multi-type, 103–9, 112, 116, 119, 124–30,
 135, 137
 non-singular, 106
 one-type, *see* branching process, simple
 simple, xii, 97–103, 106, 110–11, 134,
 135
 singular, 106, 146
 two-type, 107, 111, 125, 126, 127, 133,
 135, 146, 147, 173
- Cambridge Group for the History of
 Population and Social Structure, in
 characteristic equation
 for the joint analysis, 94–5
 for the Leslie matrix, 42, 47, 48

182 *Subject Index*

- characteristic equation (*cont.*)
 for MacArthur's example, 57
 for marriage, 86, 87, 88, 89, 91
 for the stochastic discrete-time model, 117
- child-bearing, average age, 27n, 33, 48
- closed population, *see* population, closed
- competing populations, 55–7
- complex roots
 for the continuous model, 24, 31, 32, 35
 for the discrete model, 42
 for the joint analysis, 84
 for a simple marriage model, 88
- conjugate roots, 24–5, 84, 170
- continuous-time models, 22–36, 60–9,
 75–9, 83–93, 130–3
- contour, 63, 64, 167
- contraception, 33
- convergence
 in probability, 145
 with probability one, 109, 118–19
- convex function, 100
- correlation
 negative, 142, 146
 positive, 121, 141
 zero, 141
- covariance, *see* moments
- covariance matrix, multi-type process,
 105–6
- criticality theorem, simple branching
 process, 98, 101
- cumulant-generating function, 27, 71, 74
- cumulant-generating functional, 76
- cumulants
 effect on r_0 of, 29
 net maternity function, 28, 29, 35
 numerical example of use of, 29
 for US population, 29
- cyclic environment, 57–8, 59
- death rate
 age-specific, 6, 37
 central, 6, 20
 in stationary population, 11
- decrement, multiple, 12, 13, 16, 17, 21
- dependent rate of decrement, 13, 16, 17
- deterministic models
 in continuous time, 1, 23–7, 37, 83–4, 85
 in discrete time, 37, 38–9, 50, 70
 hierarchical, 136
 for marriage, 86–91
- differential–difference equation, 61, 62, 65,
 92
- differential equation
 for Kendall's stochastic model, 77
 for logistic population, 23, 49
 for simple exponential model, 23
- differential operator D, 8
- differentiation, numerical, 159
- direct product of matrices, *see* Kronecker
 product
- direction cosine, 66–7
- discontinuity problem, 77
- discounted assurance, 20–1
- discrete-time models, 37–59, 70–5, 93–4,
 97–147
- dominance, marriage, 86, 92, 93–4
- dominant root
 for continuous model, 24–6, 27–9
 for discrete model, 42–4
- double-decrement table, 12–18, 21
- ecological system, 56
Educational Times, 98, 151
- eigenvalue, *see* latent root
- employees, 136–40, 146
- enrolments at university, 50, 136
- environment, cyclic, 57–8, 59
- ergodicity
 strong, 51
 weak, 51, 148n
- error term for grouping, 131–3
- estimation, xi, 20, 161
- Euler–Maclaurin expansion, 8–9, 10
- expectation density, 77
- expectation matrix, for multi-type process,
 105–6, 108
- expectation of life, 9–10, 11, 19, 33
- expectations
 for Bartlett's general model, 74
 for Bartlett's two-type example, 71
 for hierarchical models, 136–8
 for Kendall's continuous theory, 77, 7
 for Kendall's migration model, 64
 for linear birth and death processes, 63
 for multi-type branching processes,
 105
 for simple branching processes, 100–1
 for the stochastic version of Leslie's
 model, 115–19
- exponential population, 22–3, 49, 63
- extinction probability, 65, 72, 81, 98, 101,
 102, 103, 106, 107, 109, 110, 111, 135,
 141
- US white population, 102
- factorial moment, 81, 101, 126, 127, 129
- family, surname of, 97
- Fellows of the Australian Academy of
 Science, 142–6
- fertility
 diminished, 97
 effect of overcrowding, 49–50

Subject Index

183

- fertility rate, age-specific, 38, 49, 51, 114, 119
- finite difference operators, 8
- Fisher's logarithmic series distribution, 68, 69
- fluctuations, random, 58, 129–30
- force of decrement, 12, 14, 21
- force of mortality
- constant, 19, 35, 36, 80, 95
 - definition of, 5
 - numerical evaluation of, 5
- fractional linear generating function, 110, 111
- France
- historical demography of, 1n
 - net reproduction rates in, 82
- functional equation, 71
- functional iterates
- multi-type branching process, 104–5, 111
 - simple branching process, 100, 109
- Gani-type model, 137–42
- Galton–Watson process, *see* branching process(es)
- Gaussian distribution, *see* normal distribution
- generation, 35, 96, 98, 99, 110, 111
- length of, 35
- genetics, 1n, 110–11
- geometric increase, *see* exponential population
- geometric-mean model, 85, 87, 88
- geometric series, 109, 111
- gestation, 73, 131
- Gompertz law of mortality, 17n, 19
- grade of employment, 136–40, 146
- graduation, 143, 161
- greatest common divisor, 40–2, 52
- gross maternity function, *see* maternity function, gross
- grouping, 37, 112, 131–3
- growth rate, *see* intrinsic rate of natural increase
- harmonic-mean model, 88–9, 91
- height of contour, 64, 167
- history, xii, 1, 97–9, 110
- homogeneous linear recurrence equation, 47, 94
- illegitimate births, 23, 82
- immigration, 11, 12, 50–1, 65–8, 69, 121, 136, 137, 147, 149, 168
- Kendall's model of, 65–8, 69, 168
- inconsistencies, 82, 83–4
- see also* two-sex problem
- independence
- of immigrants, 136
 - of random probabilities, 129–30
- independent decrement rate, 16, 17
- inequality for joint analysis, 94, 95
- infinite series, 27
- see also* Taylor expansion
- inhomogeneous differential equation, 61
- initial conditions
- for discrete stochastic model, 116, 128, 132
 - for Kendall's continuous model, 78, 131–2
 - for Kendall's immigration model, 65
 - for linear birth and death processes, 63
 - for Poisson processes, 61
 - for a two-type process, 135
 - for the Yule process, 62
- initial excess of one sex, 85, 86
- instantaneous growth rate, *see* intrinsic rate of natural increase
- integral equation
- for the joint analysis, 83, 84
 - for Kendall's continuous model, 79, 80
 - for the Sharpe and Lotka model, 24, 79
- integrating factor, 61
- integration, numerical, 19, 31, 160
- intermediary random variable, 125–6
- intrinsic rate of natural increase, 33, 37–8, 43, 57, 58, 59, 84, 95
- in Australia, 37–8
 - sensitivity of the, 48–9, 59
- inverse of Leslie matrix, 59, 166
- iterate, functional, *see* functional iterates
- iterative method for r_0 , 28
- joint analysis, 83–4, 92, 94–5
- intrinsic rate of natural increase, 84, 95
 - stochastic model corresponding to the, 92
- Kendall's birth, death and immigration model, 65–8, 69
- differential–difference equation for, 65
 - example of, 68
 - expectation of, 65, 69
 - logarithmic series distribution limit for, 68, 69
 - probability-generating function for, 65–8, 69
 - variance of, 65, 69
- Keyfitz momentum formula, 34, 36, 149
- Kronecker product, of matrices, 113–14
- Lagrangian differential equation, 66
- Laplace transform, 30, 31, 36, 164

184 *Subject Index*

- latent roots
 complex, 42
 discrete stochastic model, 117
 distinct, 56
 for hierarchical models, 137–8
 Leslie matrix, 42–4
 repeated, 56n, 117
 zero, 42, 137–8
- latent vector, for inverse of Leslie matrix, 59
 Leslie matrix, 43–4
 for the stochastic version of Leslie's model, 117
- law of mortality
 Gompertz, 17n, 19
 Makeham, 17n, 18
- learned society, 142–6
- Leslie population
 characteristic equation for, 42, 47, 48
 dominant latent root for, 42–4
 latent vectors for, 43–4
 matrix for, 38–9, 41, 42, 51, 93, 113–14, 115, 118, 128
 multiple roots and the, 47
 recurrence equation for, 38–9, 115–16
- Leslie techniques, application of, 50–1, 136
- life table, 3–21
 for Australian males (1961), 4, 5, 6–8, 175–7
 of John Graunt, 1, 3–4
 other functions of the, 6
- linear birth and death process, 62–5, 69
 differential–difference equation, 62
 expectation of, 63
 extinction probability for, 65, 69
 moments for, 64
 probability-generating function for, 63–4, 69
 variance of, 63, 69,
- linear transformation of random variables, 125–6
- logarithmic series distribution, 68–9
- logistic population, 23, 49
- Lotka's extinction example, 102–3, 111
- lumped matrices, 52
- lumped states, 112
see also grouping
- Makeham law of mortality, 17n, 18
- male population, 38, 114
- Malthus, essay of, 22
- Malthusian growth law, *see* exponential population
- Markov process, 112, 130
- marriage dominance, 86, 92, 93–4
- marriage function, 90, 91
- marriage models
 age-specific, 89
 arithmetic-mean, 88–90, 96
 behavioural, 90–1
 comparisons between, 89–90
 dominance in, 86, 92, 93–4
 geometric-mean, 87–8, 89–90, 96
 harmonic-mean, 88–9, 89–90, 96
 minimum, 86–7, 89–90
 product, 91
- marriage rate, 88, 89
- maternity function
 constant, 35, 36
 gross, 34, 36
 net, *see* net maternity function
 of Wicksell, 32
 skewness of, 32
- matrix
 diagonal, 56
 inverse of Leslie, 59, 166
 Leslie, 38–9, 41, 42, 51, 93, 113–14, 115, 118, 128
 non-singular, 50
- migration, 11, 149
see also immigration
- minimum models, 85–7, 89–90
- mode of decrement, *see* multiple-decrement table
- moment-generating function
 bivariate, 71
 for Sharpe and Lotka model, 27
 multi-variate, 73, 75
- moment-generating functional, 75–6
- moment vector, 121, 127–9, 137–8, 143
- moments
 asymptotic behaviour of, 116–19, 128
 for Bartlett's two-type process, 71, 133
 central, 116, 128, 130
 of discrete-time stochastic models, 115–20, 122, 124–30
 existence of, 27
 factorial, *see* factorial moment
 finiteness of, 27
 higher-order, 32, 124–30
 initial conditions for, 106, 116
 of multi-type branching processes, 105–6, 124–30
 of the net maternity function, 27, 32
 non-central, 116, 128, 130
 quadratic, 60, 112, 120, 128, 129
 recurrence equation for, 71, 115–16, 130, 133–5, 147
 simple branching process, 100–1, 109
- momentum of population growth, 33–4
- monotonic function, 25, 42, 102, 158, 162, 163
- Monte Carlo experiment, 120–4

Subject Index

185

- mortality
 age-specific rates of, 7–8, 51
 central rate of, 6, 161
 computations, 4
 force of, *see* force of mortality
 Gompertz law of, 17n, 19
 Makeham law of, 17n, 18
 rate of, 6, 11, 129
 standard table of, 20
 motor accidents, 8
 multinomial distribution
 conditional, 119, 125, 130, 141
 normal approximation to, 128
 multiple births, 119–20, 121, 133
 multiple-decrement table, 12–16, 17, 21
 mode of decrement in, 12
 related single-decrement tables of, 14–16, 165
 multiple roots, 26, 42, 47
 mutation, 110
 natural increase, *see* intrinsic rate of natural increase
 negative age axis, 28, 162
 net maternity function
 cumulants of, 27, 29, 31, 33, 35
 curve-fitting of, 28, 31–2
 Laplace transform of, 30
 moments of, 27, 32
 skewness of, 32
 US, 29
 net paternity function, 96
 net reproduction rate, 27, 28n, 49, 82, 165
 in France, 82
 normal distribution
 as approximation to the binomial, 121
 as net maternity function approximation, 27, 31
 multivariate, 128
 normal to surface, 66
 number theory, 40–2
 numerical differentiation, 159
 numerical integration, 19, 31, 160
 numerical value of A_0 , 30
 numerical value of r_0 , 27–9
 nuptiality, 149
 organization, 136–40, 146
 oscillating environment, 57–8, 59
 overcrowding, 23, 49
 parametric representation of a curve, 66
 parish registers, 1
 Pearson Type III curve, 32
 periodicity, 58
 Perron–Frobenius theorem, 39, 40, 59, 106, 114
 Poisson distribution, 110, 111, 138, 140–2, 144, 147
 probability-generating function of, 110
 Poisson process, 60
 Poisson recruitment, 138, 140–2, 144
 population
 animal, 19, 49, 59
 Australian, 121, 132
 of Australian Academy of Science, 142–6
 bacterial, 60
 of Bernardelli, 58
 closed, 11–12
 competing, 55–7
 decreasing, 82
 deterministic, *see* deterministic models
 explosion, 85, 96
 exponential, *see* exponential population
 female, 23, 38, 82, 92, 114
 finite, 130, 149
 geometrically increasing, *see* exponential population
 hierarchical, 136–47
 increasing, 82
 initial, 167, *see also* ancestor and initial conditions
 of Leslie, *see* Leslie population
 logistic, 23, 49
 male, 23, 38, 82, 114
 momentum of, 33–4
 natural, 34, 149
 non-increasing, 70
 oscillating, 165
 projection of, 149, 166
 rabbit, 50
 stable, 26, 33, 37, 46, 87, 91, 96, 116–19, 131, 149; *see also* age distribution, stable
 stationary, 11–12, 27, 33, 37, 136
 stochastic, *see* stochastic models
 stratified, 136–47
 of USA, 29, 34
 Wicksell, 32, 164–5
 youthful, 33
 zero growth, 11–12
 positive regularity, 39–42, 58, 59, 95, 106, 108, 109, 113, 165
 power series, *see* Taylor expansion
 predator–prey models, 50, 57, 59
 probability-generating function
 bivariate, 72
 fractional linear, 109–10
 for Kendall's migration model, 65–8, 69
 for linear birth and death process, 63–4, 69
 for multi-type branching process, 104–5
 for the Poisson distribution, 110
 for the simple branching process, 99–100

186 *Subject Index*

- product model, 85–96
 projection, 142–6, 148–9
 promotion, 137
 pseudo-random normal variables, 121
- radix, 4
- random branching probabilities, 129–30
 random fluctuations, 58, 129–30, 149
 random mating, 85, 110
 random variables
 computer generation of, 121, 134
 intermediary, 125–7, 129
- rate
 dependent, 13, 16, 17
 independent, 16, 17
 of natural increase, *see* intrinsic rate of natural increase
- rational points, 145
- recruitment, 136–47
 constant, 138, 140, 145
 Poisson, 138, 140–2
- recurrence equation
 for general branching process, 124–9
 for stochastic discrete-time model, 115–16
- regularity, *see* positive regularity
- replacement, 82n
- reproductive age, 39, 71, 81, 82
 reproductive value, 43, 49
- roots, multiple, *see* multiple roots
- secular change, 51, 148–9
- sensitivity of intrinsic growth rate, 48–9, 59
- series, infinite, 27
 see also Taylor expansion
- sex ratio, 84, 89, 95, 96
 at birth, 84, 95, 96
- simple branching process, *see* branching process, simple
- Simpson rule for numerical integration, 19, 160
- simulation, 55n
 see also Monte Carlo experiment
- singular branching process, 106, 146
- skewness, 32
- social processes, 148–9
- species, competing, *see* population, competing
- stable age distribution, *see* age distribution, stable
- staff, 136, 139–40
- state, of Markov chain, 41–2
- stationary population, *see* population, stationary
- Stieltjes integral, 36, 75
- Stirling numbers, 127
- stochastic models
 in continuous time 60–9, 75–81, 91–2, 130–3
 in discrete time, 70–4, 93–5, 97–147
 hierarchical, 136–47
 surface, normal to, 66
 surname, 97–9, 101
 see also extinction probability
- tangent, 66–7
- Taylor expansion, 5, 9, 29, 35, 102, 107, 110, 131, 132
 two-dimensional, 107
- transpose matrix, 106
- trial solution, 24, 47, 83, 87, 89, 91, 94
- two-sex problem, 82–96
- Type III curve, 32
- uniform distribution
 of deaths, 10
 of decrements, 15
 on unit interval, 134
- uniqueness theorem, 108
- unisexual model, 60
 see also two-sex problem
- USA, 29, 34, 49
 net maternity function cumulants for, 29
- university students, 50, 136
- variances
 for Bartlett's general model, 74
 for Bartlett's two-type example, 71
 for hierarchical models, 136–8
 for Kendall's continuous theory, 77, 79
 for Kendall's migration model, 69, 168
 for linear birth and death processes, 63, 69, 167
 for multi-type branching processes, 106, 124–30
 for simple branching processes, 101
 for the stochastic version of Leslie's model, 115–19
- variance/covariance densities, 77, 79
- vector random variable, 75, 125–6
- weak ergodicity, 51–5, 148n
- weather, 129
- Wicksell
 circle of, 36, 164
 net maternity function of, 32
- Young-and-Almond models, 146
- Yule process, 61–2, 69
 mean of, 69
 variance of, 69
- zero population growth, 11