

Cambridge University Press

978-0-521-29525-3 - Ecological Effects of Waste Water

E. B. Welch

Index

[More information](#)

INDEX

- acid mine waste, 82
acid rain, 297
aeration, 170
algal growth potential (AGP), 57, 126
alkalinity, significance of, 146, 153, 154, 169
allochthonous, 6, 175, 203, 230
alum, effects of, 169
antagonism, 289, 296
antibiotic factors, 115, 116, 157, 168
application factor, 287
autochthonous, 6, 230, 244
autolysis, 63, 74
autotrophic, 8, 207, 230
bacterial "plates," 82
bioassay, 173, 262, 286, 287
biomass, pyramid of, 14
biosphere, 5, 8
bioturbation, 169
blue-green algae, 78, 79, 93, 114, 117, 124, 125, 150–60, 165, 168, 172, 175, 200, 203
blooms, 125, 147
gas vacuoles, 157
toxicity, 115, 116

carbon
 alkalinity, significance of, 146, 153, 154, 169
 atmospheric input, 183, 146, 213
 CO₂: buffering effect on, 83, 155; system, 83
 cycling processes, 84
 decomposition of organic, 26, 136, 147, 246
 dissolved inorganic, 83

 limitation to algae, 59, 83, 85, 145–50
 organic nutrients, 145
 sewage, 136, 137, 147
 total, 84, 85, 155

CO₂
 diffusion, 148
 effects of, 83, 85, 145–50, 152–60, 213; on photosynthesis, 83–5, 192
chemolithotrophs, 8, 77
chemosynthesis, 8
coastal jet, 35, 40
compensation depth, 97, 100
continuous culture, 51
Coriolis force, 30, 31, 35
critical depth, 101
current velocity, 31, 33, 38–41, 187, 196, 198, 201

deforestation, effects of, 269, 270
denitrification, 78–80
density currents, 21, 26, 42
detritus food web, 6, 178
diatoms, 17, 112, 113, 117, 124, 125, 137, 138, 150, 151, 175
diffusion, 37–40, 42, 197
dilution equation, 51, 168
dimictic, 28, 35, 42, 43
dinoflagellates, 124, 125
diversion, sewage, 68, 126, 165, 172
drawdown, lake level, 226, 227
dredging, 68, 168, 228

ecosystem
 biosphere, 5, 8
 chemical cycle, 5, 7, 8, 9

330 *Index*

- ecosystem (*cont.*)
complexity, 9
efficiency, 9, 10, 11, 178, 230
energy flow, 5, 7, 14, 243
function, 5, 6, 173, 230
grazing food web, 6
instability, 209
laws of thermodynamics, 5, 7
management conflicts, 6, 11
maturity, 10
net productivity, 9, 10
organization, 9
production, 2
resistance to change, 12
stability, 9, 19, 210, 232, 243
steady state, 9, 10
structure, 2, 6, 9, 11, 15, 173, 233, 255
trophic levels, 6, 8, 13
waste assimilation, 11
watershed, 6
- Eckman drift, 35
Eckman spiral, 31
- energy
ATP, 7
content of organisms, 8
entropy, 7, 10
lake temperature, 22, 26, 27
solar, 5, 22
sources for ecosystems, 6
turbulence, exchange of water, 21, 24, 26
- epiphytes, effect of, 217
- erosion, effects of, 20, 234, 251
- estuaries
salinity, 20
stratification, 20, 43
tidal prism, 43
tides, effects of, 34, 43
- eutrophication
cultural, 118, 160, 222, 223, 249
fertilization, artificial, 71, 148, 156, 198
fish, effects on, 271, 272
food web, effects on, 178, 271
macroinvertebrates, effects on, 249, 250
natural aging, 118, 222, 223
N/P ratio, effect on, 141, 143
nutrients, controlling, 150, 160
rate of, factors affecting, 118
recovery from, 160, 177
zooplankton, role of, 173, 176, 177
- experiments
small container, 91, 219–21
stream, 196, 198, 201, 207
whole-lake, 91, 177
- extinction coefficient, 96, 99
- fertilization, artificial, 71, 148, 156, 198
- fish
activity and growth, 263, 271, 276, 287
concentrating capability, toxicants, 295
deforestation, effect of, 269
development, embryos and larvae, 263, 264, 294
fecundity, hatching, 287
food consumption and growth, 268, 272, 276, 287
intragravel flow, velocity, 208, 269
oxygen, effect of, 2, 11, 209, 262–9; on metabolism, 263, 276
pH, effect of, 209, 255, 292, 296, 297
reproduction, 208, 268, 272, 281, 283, 288, 295, 297
sedimentation, effects of, 41, 269
swimming performance, effect of oxygen, 265, 266
temperature, effect of, 271, 273–85; acclimation, 61, 274, 281; on metabolism, 263, 276
- tissue hypoxia, 290
urban runoff, effect of, 269, 290
warm versus cold water, 281, 282
winter kill, 271
- fixation, nitrogen, 77–80, 142, 152
flow, water, 16–21
- flushing, effects of, 51–3, 64, 106, 120, 123, 127–9, 133, 161, 167
- fungi, 202, 203, 207
- genetic capacity, 49, 61
- gravity wave, 18
- grazing, 53, 92, 156, 175
food web, 6
- green algae, 111, 112, 150, 151, 152–5
- growth equation, 50
- growth limitation, 50, 57
- growth rate, 57–9, 100, 106
- heated discharge, 117, 173, 180, 181, 191, 218, 241, 274
- heating, lakes, 23, 24, 26–8
- heterotrophic, 7, 196, 202, 207, 230

Index

331

- iron, oxidation-reduction effects, 65, 66, 70, 170, 221
- Kelvin waves, 35
- lake aging, 118, 213, 222, 223
- laws
 - of minimum and tolerance, 57, 61
 - of thermodynamics, 5, 7
- light
 - absorbance, chlorophyll, 93
 - adaptation, photosynthetic, 94, 100, 191
 - attenuation, water, 15, 96, 97, 215
 - compensation depth, 97, 100
 - controlling factor, 57, 61, 97, 223
 - "critical" depth, 101
 - extinction coefficient, 96, 99
 - inhibition, photosynthesis, 100
 - long-term effects, 117
 - nutrient interaction with, 192, 198, 223
 - penetration, visible, 23, 93, 98, 195
 - photic zone, 97, 189
 - productivity, 14, 190, 283
 - quality, 94
 - quantity, 94, 95
 - Secchi disk, 131, 132
 - self-absorption (shading), 103, 119, 122, 223
 - short-term effects, 117
 - sunlight, 96, 190
 - temperature, interaction with, 109, 117
 - luxury storage, nutrients, 144, 189
- macroinvertebrates
 - adaptation, 233, 236, 243
 - alum, effects of, 169
 - composition: insects, 231; marine versus fresh water, 231, 241, 243, 244
 - current velocity, effect of, 233, 238, 252
 - development, effects of urban, 251
 - emergence, 231, 236, 240, 243
 - erosion, effect of, 20, 234, 251
 - feeding types, 230, 243
 - food supply, effect of, 238, 243, 244, 247
 - habitat requirements, 208, 231, 232, 234
 - indexes, formulas, 256–9
 - lakes, 235
 - life history, 231
 - midges, 208
 - organic waste, effects of, 224–8, 255
 - oxygen tolerance of, 2, 236, 244, 247
 - recycling, effect on, 247
- repopulation rate, 253
- samplers, 232
- sampling: control, 235, 260; diversity, 260; frequency, 231, 260; interpretation, 235; qualitative, 233; quantitative, 232, 260
- sediment, effect of, 41, 233, 235, 237, 251, 252
- species: abundance (number) 246, 248, 252, 258; diversity, 203, 232, 234, 241, 244, 245, 257–9; dominance (shifts), 231, 239, 243, 247; evenness (equability), 257, 258; richness, 256, 258, 260
- statistical treatment, 255
- substrata, depositing, 20, 234, 235, 247, 251, 252, 270; eroding, 20, 233, 235, 251, 252; natural and artificial, 232, 233; stability, 235, 252
- succession, organic waste, 256
- taxonomy problem, 231, 255, 260
- temperature: interacting factors, 239; tolerance of, 238, 239–43
- macrophyte control
 - biological, 227
 - costs, 225, 228
 - "disease," 226
 - drawdown, 226, 227
 - dredging, 228
 - harvesting and herbicides, 225, 226
 - nutrient removal, harvesting, 225
 - sediment: blankets, 227; consolidation, 227; oxidation, 227, 228
- macrophytes
 - emergent, 212
 - epiphytes, effect of, 217
 - fish, significance to, 214
 - lake aging, 213
 - light: effect on growth, 214, 222; limitation, effect of eutrophication, 222
 - littoral distribution, 213, 222
 - milfoil problem, 214, 223, 224
 - nuisance growth, 214, 216
 - nutrient limitation, CO_2/HCO_3 , 224; critical tissue levels, 219
 - nutrient "pumping," 75, 226
 - nutrient sources, roots or leaves, 75, 166, 218, 219–22, 227
 - physical substrate, effect of, 212, 213, 222
 - reproduction, milfoil, 223
 - running water, effects of environmental factors, 212

332 *Index*

- macrophytes (*cont.*)
 shading effect, milfoil, 224
 standing water, 213
 submergent, 212
 temperature, effect of, 217
 wave action, 31
- median tolerance limit, 286
- meromictic, 28
- Michaelis-Menton kinetics, 50, 58, 63, 139, 160
- microorganisms
 autotrophic, 8, 207, 230
 bacterial "plates," 82
 chemolithotrophs, 8, 77
 denitrifiers, 78
 fungi, 202, 203, 207
 growth: equation, 50; limitation, 50, 57
 heterotrophic (decomposers), 7, 196, 202, 207, 230
 mercury toxicity, role in, 292
 mineralization (regeneration) of nutrients, 74, 75, 203
 nitrifiers, 77
 sulfur bacteria, 82
- midges, 208
- milfoil (Eurasian), 215, 223, 224
- mixing zone, 40
- models, 53, 58, 59, 73, 129, 130, 133, 134, 161
- monomictic, 28
- niche, 61, 230
- nitrification, 77, 292
- nitrogen
 atmospheric transfer, 77, 80
 budget, 79
 concentration range, 77
 cycling processes, 8, 76–8, 80, 81
 denitrification, 78–80
 fixation, 77–80, 142, 152; rate of, 79, 80
 foliar (macrophyte) uptake, 80, 170, 218, 219
 limiting factor, 55, 80, 81, 141, 142, 198
 loading, 126, 199
 nitrification, 77, 292
 NO_3^- "reserve," 143
 preference of forms by plants, 77
 sink, 77, 79
 solubility, relative, 80
 sources, 77–81
 turnover rate, 78
 waste treatment, removal by, 78
- nutrients
 adaptation, 141
 allochthonous, 6, 175, 203, 230
 autochthonous, 6, 230, 244
 cell content, 144
 concentration, effect of, 37, 51, 52, 57, 58, 125, 126, 137, 151, 152–60
 current velocity, interaction with, 197, 198
 demand:supply ratio, 60
 dilution equation, 51, 168
 growth rate limiting levels, 50, 144, 147, 197, 198, 200
 inhibition, 141
 limitation: algae, 1, 50, 55, 57–9, 63, 80, 83, 137, 139, 145–50, 192, 193; interaction of N and P, 58–60, 140, 159; long versus short term, 143, 148, 160; marine versus fresh waters, 60, 81, 141, 170; related to trophic state, 78; surface/volume of cell, 14, 156
 luxury storage, 144, 199
 manganese, 156
 multiple limitation, 58, 59
 organic factors, substrate, 145, 200–4, 208
 point versus nonpoint, 40, 161, 167, 172
 potassium, 198, 218, 220
 ratios, significance of, 59, 60, 81, 137, 139–41, 143, 145
 recycling, 55, 74, 92, 247
 requirements, 151, 152, 200
 silica, limitation by, 137, 157
 supply rate, effect of, 52, 54, 55, 58, 72, 115, 119, 126, 137, 147, 158, 197
 threshold effect, 138, 197
 trace elements, 59, 137, 145, 156
 uptake rate, 55, 58, 59, 139, 176
 vitamins, 145
 zooplankton biomass, effect on, 176, 177
- oligomictic, 28
- organic matter
 natural effect of, 203, 244
 pollution, 205, 248, 256, 259
 sewage, 147, 204, 205, 245, 256
 sources of ecosystems, 8
 stream purification, 204, 206, 230
 tolerance of groups (invertebrates), 247
 wastes, effect of, 204–7, 244–8, 256
- oxygen
 ammonia, effect on, 77
 BOD, secondary, 135, 136, 208

Index

333

- concentration versus percent saturation, 263
- consumption rate, macroinvertebrates, 238
- criteria, 262
- "critical" concentration, 238
- deficit rate (ODR), hypolimnetic, 123, 136, 176, 249, 271, 273
- minimum versus average daily, effect on fish, 266, 268, 271
- nitrogen cycle, effect on, 77, 79
- partial pressure, 263
- requirements for fish, 1, 262–73; for macroinvertebrates, 1, 236, 244
- sulfur cycle, effect on, 82

- periphyton**
 - accumulation (accrual) rate, 189, 196, 197
 - blue-green algae, 200, 203
 - current velocity, effect of, 187, 196–8, 201
 - enrichment, benefits versus detriments, 209
 - filamentous algae, 186, 195, 196, 208
 - filamentous bacteria, 186, 196, 200, 201, 206, 208
 - grazing, effect of, 207, 230, 244
 - habitat selection, 187
 - indicator organisms, 204, 205
 - light, effects of, 187, 190, 191, 194
 - measurement, 189, 190
 - nuisance: algae, 186, 189, 195; bacteria, 203, 204, 208
 - nutrients, effect on growth rate, 197, 198
 - organic nutrients, effect of, 200–4
 - productivity, relative contribution, 187–9, 223
 - scouring, effect of, 197
 - sewage, effects of, 204–7
 - slimes, bacterial, 200, 204, 207
 - species composition, 186, 191, 195, 207, 208
 - succession, species, 200, 201, 205
 - temperature, effects of, 190, 191, 195, 201, 204
 - toxicants, effects of, 207
 - turnover rate, 189, 196

- phosphorus**
 - autolysis, 63, 74
 - bioturbation, 169
 - control, point-source, 67, 81
 - cycling processes, 63, 64, 70, 71, 75, 76

- dangerous or critical limit, loading, 64, 129, 199
- dissolved, 60, 63, 71, 126, 148
- equilibrium concentration, 70, 130, 177
- fate in lakes, 73
- flushing, effect on loading, 64, 123, 127–9, 133, 161, 167
- internal loading, 135, 162, 166, 225; aerobic versus anaerobic, 66, 75, 76, 162, 164, 166, 171
- interstitial, 75
- iron, oxidation-reduction, effect of, 65, 66, 70, 170, 221
- littoral, source from, 70, 73, 75, 135
- loading, 64, 123, 126, 127, 161, 162, 172, 199, 271, 273
- mass balance, 133
- metal sorption, 67, 71, 80
- models, 73, 129, 130, 133, 134, 161
- organic, 63, 71
- particulate, 60, 63, 71
- polymixis, effect of, 67, 75
- precipitation: alum, 67, 73, 162, 166, 168, 169, 171; iron, 65, 66, 164, 170
- prediction, 76, 133, 134
- reactions, mud-water interface, 65–7
- refractory, 64
- regeneration, 74–6, 81
- residence time, water, effect on loading, 80, 127–9
- retention coefficient, 130, 133
- sedimentation, 64–7, 74, 80, 81, 133, 161; rate, 75, 133, 134, 161
- sediment release, 63, 65–8, 70, 75, 76, 147, 172, 225, 228
- sink, 70, 73, 119, 147
- sources, 63, 68, 73–6, 80, 81
- steady-state concentration, 119, 130, 133, 134, 162
- thermocline erosion, effect of, 27, 67, 73, 75, 195
- total, 126, 131, 132
- turnover time (rate), 71
- vertical transport, 27, 66, 67, 73

photic zone, 97, 189

photosynthesis

bacterial, 8, 82

CO₂ limitation, 83, 213

efficiency, 14, 98

energy for, 7, 93

equation for, 8, 135

glucose, 8

334 *Index*

- photosynthesis (cont.)**
- light saturation, 94, 96, 109, 191, 217
 - oxygen production, 8
 - pigments, 8, 94
 - quotient, 135
 - self-limitation, CO₂, 85
- phytoplankton**
- algal growth potential (AGP), 57, 126
 - antibiotic factors, effects of, 115, 116, 157, 168
 - biomass, 91, 122
 - bloom prediction, 99, 102, 108
 - blue-green algae, 78, 79, 93, 114, 117, 124, 125, 150–60, 165, 168, 172, 175; blooms, 115, 125, 147, 157; gas vacuoles, 157; toxicity of, 115, 116
 - chlorophyll *a*, 122, 131, 132, 164, 166, 167
 - diatoms, 17, 112, 113, 117, 124, 125, 137, 138, 150, 151, 175
 - dinoflagellates, 124, 125
 - flushing (retention), effects of, 51, 52, 53, 106, 120
 - grazing, 53, 92, 156, 175
 - green algae, succession of, 111, 112, 150, 151, 152–5
 - growth rate, 57–9, 100, 106
 - indicator species, trophic state, 123–5
 - loss rate, 51, 53, 55, 107
 - mixing, turbulence, effect of, 17, 92, 99, 102, 103, 106, 115, 158
 - outburst, spring diatom, 48, 55, 92, 100, 102, 112
 - pH, effect of, 83, 152–60
 - productivity, 51, 54, 91
 - seasonal succession, species, 59, 79, 83, 92, 108, 111, 116, 150–60, 180
 - sinking rate, effects of, 17, 53, 115, 158
 - species composition, 91, 124, 125, 153, 156
 - thermal bar, effect of, 37
 - thermal optima, 112–114
- polymictic**, 28, 67, 75, 168
- population**
- adaptation, 61
 - cell washout, effect on growth, 51, 120, 167, 188
 - niche, species, 61
 - productivity, 13, 14
 - standing crop, biomass, 13, 48, 50
 - steady state, 52, 53, 174
 - turnover rate, 13, 14
- population growth**
- age structure, effect of, 49
 - continuous culture, 51
 - dilution rate, biomass, 51
 - equation, first order, 50
 - exponential, 48
 - genetic capacity, 49, 61
 - law of minimum, 57
 - law of tolerance, 61
 - limiting substrate, 50
 - loss rate, biomass, 51, 53
 - maximum rate, 49, 57
 - Michaelis-Menton kinetics, 50
 - model, 53, 58, 59
 - multicellular, 49
 - optimum environment, 61
 - phases, 48
 - rate of increase, 48, 53
 - steady-state, application of, 51–3, 55
 - unicellular, 49
 - unlimited versus limited resources, 48
- predation**, fish, 176–8, 180
- primary consumers**, 14, 173, 175
- primary producers**, 14, 175, 187
- production**
- fish, 208, 268, 272
 - gross, 14
 - net, 14
 - primary, 14
 - zooplankton, 176
- productivity**
- biomass, in terms of, 13, 14
 - light inhibited, 100
 - measurement of, 190
- pyramid of biomass**, 14
- reproduction**
- cycle, zooplankton, 173, 174
 - insect, life stage, 231
 - milfoil, 223
 - oxygen requirement, fish, 262, 272
 - parthenogenetic, zooplankton, 173
 - rate of, tubificids, 236, 247
 - sexual, 174
 - temperature and photoperiod, 240, 281, 283
- residence time**, 80, 127, 129
- restoration**
- advanced waste treatment, 161, 162, 166
 - aeration, hypolimnetic, 170

- biological predator-prey effects, 169, 170, 177
- cost, 167, 168, 209
- dilution, 167
- diversion, sewage, 68, 126, 165, 172
- dredging, 68, 168
- fish, effects on, 171
- in-lake treatment, 172
- Olszewski, tube, 171
- phosphorus inactivation, 162, 168, 169
- streams, recovery, 209, 252, 253, 255, 270
- techniques, 160-72
- toxicity, recovery from, 292
- watershed improvement, 172
- withdrawal, hypolimnetic, 171
- retention coefficient, 130, 133
- Richardson number, 21, 22
- sampling macroinvertebrates, 231-5, 260
- Secchi disk, 131, 132
- secondary consumer, 14
- sedimentation, effects of, 41, 64-7, 74, 80, 81, 133, 161, 233, 235, 237, 251, 252, 269, 292
- seiche, 30, 32, 33, 35
- self-absorption (shading), 103, 119, 122, 223
- sewage, 147, 204-7, 245, 256
- slime bacteria, 200, 201, 205
- species
 - diversity, 2, 9, 11, 230, 232, 256-60
 - succession, 59, 79, 83, 92, 108, 111, 116, 150-60, 180, 200, 201, 205
- standing crop (biomass), 13, 48, 50
- substrata, macroinvertebrates, 20, 233-5, 247, 251, 252, 270
- sulfur
 - availability of, 81
 - bacteria, 82
 - cycling processes, 8, 81, 82, 294
 - sulfide, odor of, 81
- synergism, 289, 296
- taxonomy, invertebrates, 231, 255, 260
- temperature
 - acclimation, 61, 239, 274, 281
 - adaptation, 114
 - classification of lakes, 28
 - criteria, standards, 239, 276, 281-3
 - daily mean, significance of, 239, 240, 242, 275, 282
 - deforestation, 270
 - density, effect on, 20, 21, 23, 41, 104
 - entrainment, coolant water, 239
 - equilibrium loss, 276
 - feeding rate of zooplankton, 176
 - fish, tolerance of, 239, 262, 273-81
 - growth rate, effect on, 57, 110, 217, 243
 - heated discharge, effects of, 117, 173, 180, 181, 191, 218, 241, 274, 277, 279
 - lakes, factors determining, 22
 - lethal limits, fish, 274, 280; zooplankton, 180, 239
 - long-term effects, 117, 190, 275
 - longevity, effect on, 243
 - macroinvertebrates, tolerance, 238-43
 - maximum: daily, 241; significance of, 278
 - nutrient interaction, 115, 117, 151, 159, 195
 - optimized regime, 285
 - preferred temperature, 277, 279
 - productivity, effect on, 117, 180, 190
 - Q_{10} law, 109, 190, 217
 - reproduction, effects on, 240, 281, 283
 - scope for activity and growth, 276, 281, 282
 - seasonal cycle and standards, 284, 285;
 - requirements, fish, 281, 284
 - short-term effects, 117, 190, 275
 - stability, effect on, 37, 103, 158
 - stratification, 22, 24, 28, 103, 106, 158, 271
 - thermocline, barrier, 66, 73, 109, 195
 - zones of tolerance, resistance, 273, 274

thermal

 - bar, 35, 36, 40
 - stratification: negative effects of, 108, 271; positive effects of, 104, 106

thermodynamics, laws of, 5, 7

tides, effects of, 34, 46

toxicity

 - accumulation, 291, 295
 - acid mine waste, 82
 - acid rain, 297
 - additive model, 289, 290
 - alum, in lake restoration, 169
 - ammonia, 77, 209, 292, 296, 297
 - antagonism and synergism, 289, 296
 - application factor, 287
 - bioassay: fish, 262, 286, 287; zooplankton, 173
 - chemical form, importance of, 290
 - chlorine, 294, 296
 - chloroform, 296
 - copper, 207, 288, 296

336 *Index*

- toxicity (cont.)**
- cyanide, 294, 297
 - DDT, 207, 226
 - dioxin, 296
 - fly ash, 255
 - hardness, effect of, 296
 - heavy metals, 290
 - herbicides, 226, 295, 296
 - long-term, 286, 289, 290
 - macroinvertebrates, general effect, 248
 - median tolerance limit, 286
 - mercury, 292
 - mode of action (mechanism), metals, 290, 297
 - nonmetal (inorganic) compounds, 292
 - organics, 294–6
 - organochlorine insecticides, 294, 295
 - PCB, 295
 - residues, organic, 295
 - safe concentration, 290
 - sedimentation, effect of, 292
 - short-term, 286, 289, 290
 - solubility of substance, 291, 292
 - standards, criteria, 286
 - sublethal effects, 286, 288, 295
 - sulfide, 293, 294, 297
 - trace metals, 61
 - water quality, effect of, 288, 296
 - zinc, 207, 290, 296
- trace elements**, 59, 137, 145, 156
- trophic state**
- criteria, 121, 273
 - eutrophic, 65, 119, 121, 141, 175, 178, 189, 200, 235, 250, 272
 - hypereutrophic, 119, 121, 180, 250
 - indexes, 91, 121–32, 161, 250
 - mesotrophic, 119, 121, 178, 250, 271
 - oligotrophic, 65, 119, 121, 141, 180, 188, 235, 245, 248, 250
- turbidity**, 102, 187, 195, 212, 216, 217
- current, 22
- turnover time (rate)**, 13, 14, 71
- uptake rate**, 55, 58, 59, 139, 176
- urban runoff**, effects of, 251, 269, 290
- vitamins**, 145
- waste**
- assimilation, 11
 - treatment: advanced, 67, 78, 161, 162, 166, 170; secondary, 204, 258, 292, 294; stream recovery, 252, 253
- water layers**
- epilimnion, 24, 30, 33, 39
 - hypolimnion, 24, 30, 33, 64–7, 120, 271
 - ice cover, 27
 - metalimnion, 24
 - thermocline, 24, 26, 32, 35, 42
- water movement**
- amictic, 28
 - bottom flow, 43
 - boundary layers, 18, 19
 - circulation periods, 28, 30, 35, 64
 - coastal jet, 35, 40
 - coastal zones, 31, 34
 - Coriolis force, 30, 31, 35
 - current velocity, 31, 33, 38–41
 - density currents, 21, 26, 42
 - dispersion, 37, 40, 42; modeling, 42; plume, 40
 - eddy diffusion, 37–40, 42
 - Ekman drift, 35
 - Ekman spiral, 31
 - flow, laminar, 16–18, 20, 21; shooting and tranquil, 18; steady and unsteady, 17; turbulent, 16–21; uniform and non-uniform, 17
 - geostrophic, 36
 - gravity wave, 18
 - Kelvin waves, 35
 - large lakes, 39
 - mixing, 16, 24, 40, 42; zone, wastes, 40
 - molecular diffusion, 38, 197
 - Richardson number, 21, 22
 - seiche, 30, 32, 33, 35
 - surface waves, 22, 31, 33
 - thermal bar, 35, 36, 40
 - turbidity current, 22
 - turbulence, lakes, 17, 24, 37, 39, 40, 41, 65
 - upwelling, 26
 - velocity gradient, 19
 - viscosity, 17, 20
 - wind, effect of, 23, 24, 26, 29, 31, 32, 35
 - wind-driven current, 31, 32
- water quality**
- assessment, 255
 - BOD, 135, 204, 245
 - criteria, standards, 61, 262, 268, 282–4
 - diffusion, pollutants, 40
 - diffusors, waste water, 16
 - indicator organisms, 123–5, 173, 190, 205, 231, 232, 238, 250, 255, 256
 - management, 2, 11, 91, 131, 148, 150, 209, 252

Cambridge University Press

978-0-521-29525-3 - Ecological Effects of Waste Water

E. B. Welch

Index

[More information](#)

Index

337

- pollutant distribution, transport, 37, 40
- pollution guideline, 259
- sampling for, 41
- seiche, effect of, 33
- taste and odors, 208
- waste assimilation, 11
- water movement, effect of, 20, 33, 204
- wind, 23, 24, 26, 29, 31, 32, 35
- winter kill, fish, 271

- zooplankton
 - cladocerans, 173

- copepods, 173
- enrichment, effects of, 177, 178, 180
- feeding rate, 175
- filtering rate, 174, 175
- foods of, 173, 175
- grazing, 74, 156, 174, 175
- life cycle, 173, 174
- measurement of, 176
- predation by fish, 176–8, 180
- rotifers, 173
- selectivity of fish, 177
- temperature, tolerance of, 180, 239