

Index

- acetylcholine, *see* carbachol
ad libitum drinking, *see* spontaneous drinking
 adrenal glands, 19, 55, 79–80
 adrenaline, 131
 α -adrenergic receptors, 131–2, 136
 aldosterone, 19–20, 55, 146
 alliesthesia, 82
 amygdala, 124–7
 angiotensin
 actions of the hormone, 20–2
 interaction with sodium, 47, 58–9
 intracranial administration, 45–52, 54–9, 155, 157
 motivation produced by, 6–8, 45
 peripheral administration, 45–7, 49, 54
 plasma level, 52, 54–5, 132, 167
 role in clinical conditions, 139, 144–7, 151
 role in normal drinking, 52–5
 sites of action, 48–52, 56–60, 114–15, 126, 131
 sodium appetite, 55–6, 146
 species which respond, 46
 theories of action, 56–60, 128
 thirst stimulus, 44, 63–4, 168–9
 anteroventral region of the third ventricle (AV3V), 38, 41, 49–52, 112–15, 126
 anticipatory drinking, 6, 9, 120, 158–63, 166, 169
 antidiuretic hormone (ADH), 19–22, 29–30, 34, 36, 40, 42, 47, 60, 62, 83–4, 108, 114–15, 120, 126, 137–44, 149, 167
 atropine, 130–1, 143
 β -adrenergic drinking, 128, 131–2, 136, 143
 baroreceptors, 20, 42, 60–4, *see also* cardiac receptors for thirst
 beer potomania, 142
 blood–brain barrier, 48, 51, 59, 64, 126
 body fluid deficits, 4–6, 9, 28, 31, *see also* cellular dehydration, extracellular fluid depletion
 brain–stimulation reward, *see* electrical stimulation
 cannula, *see* fistula
 carbachol, 129–31
 cardiac receptors for thirst, 60–4, 115, 132, 146–7, 168, 170
 cellular dehydration, 15, 22, 28, 32–41, 64, 66–75, 91–7, 99–101, 108–14, 120, 124, 126, 144, 149, 155, 168–9
 cerebral isorenin-angiotensin system, 51, 58
 cerebrospinal fluid (CSF), 33–4, 48, 54, 59
 cholinceptive neurones, 54, 128–31, 136
 circadian rhythm of drinking, 9
 circumventricular organs, 49, 63–4, 114, *see also* anteroventral region of the third ventricle, organum vasculosum of the lamina terminalis, subfornical organ
 clinical problems of fluid intake, 24–5, 27–9, 55, 84, 137–51, 170
 colloids, 15, 43–4, 60, 64, 80, 101, 116, 124, 155
 compulsive water drinking, 137, 141–3
 congestive cardiac failure, 146–7, 151
 dehydration, 147–150, *see also* water deprivation
 diabetes insipidus, 21, 138–43, 148, 151
 diabetes mellitus, 138, 148
 dopamine, 117–19, 132–6, 143
 dryness of the mouth
 caused by speaking, smoking, panting, dry or spicy foods, 5, 24, 154
 classical cause of thirst, 23–8, 30
 lack of saliva, 5, 24, 116, 156
 pharmacologically induced, 5, 23–4
 subjective cause of thirst, 2–3, 27, 93
 duodenum, *see* intestine
 effort required to obtain water, 5–8, 153, 165
 electrical stimulation of brain, 116, 122–3, 127
 extracellular fluid compartment, 11–13, 16–17, 21–2

192 *Index*

- extracellular fluid depletion, 15, 41–4, 63–4, 66–75, 91–7, 99–100, 108–11, 114–15, 124, 126, 155, 168–70
- feeding and drinking interaction, 8–9, 110–11, 153–4, 158–60, 163–5
- fistula, 25–7, 76–9, 97–100, 103–8
- flavour, *see* taste
- gastric factors
 - role in maintenance of drinking, 76–8
 - role in termination of drinking, 88–9, 101–8, 110, 166, 168–9
 - site of osmoreceptors, 39
 - subjective sensation, 2–3, 104
- Goldblatt hypertension, 144–5
- gut, *see* intestine
- haematocrit, 17, 22, 67, 92, 167
- haemorrhage, 15, 42–3, 58, 144
- hepatic–portal system, 39–40, 88, 102, 105–8
- homeostasis, 4–6, 79, 86, 143, 152–6, 164–7
- hypernatraemia, 147–150
- hypertension, *see* renal hypertension
- hypertonic, definition, 14
- hypervolaemia, 71–3, 108–9, 146
- hyponatraemia, 84, 141–2
- hypothalamus, 29–31, 35–6, 39–40, 108, 112–124, 126–7, 129–32, 138–40, 149
- hypotonic, definition, 14
- hypovolaemia, 20, 22, 42, 44, 60, 63–4, 71, 74, 143–6, 155, 157, *see also* extracellular fluid depletion
- initiation of drinking, 32–75, 168–9
- interstitial fluid, 12, 41
- intestine, 9, 39, 76–8, 88, 102–8, 110, 156, 168–9
- intracellular fluid compartment, 11–13, 16–17, 21–2
- iontophoresis, 39, 135
- isoprenaline, *see* isoproterenol
- isoproterenol, 61, 124, 128, 132
- isotonic, definition, 14–15
- juxtaglomerular apparatus, 19–20, 63
- kidney
 - anatomy, 19
 - functions, 18–22, 83–4, 111, 139, 150, 155–6, 164
 - nephrectomy, 33, 52–3, 64, 109, 132, 139–40, 144
 - see also* angiotensin, antidiuretic hormone, renin
- lateral hypothalamus, *see* hypothalamus
- learned aversion, 79, 125, 143, 156–7
- learning and drinking, 78, 86, 98, 112, 125–7, 156–61, 165, 169
- limbic system, 117, 123–7, 130
- lithium carbonate, 142–4
- lithium chloride, 125, 143
- liver, *see* hepatic–portal system
- maintenance of drinking, 76–87
- manipulating fluid compartments, 15, 22
- measurement
 - of drinking, 6–8
 - of fluid compartments, 10–17
- membrane of cell, 12–14, 21–2
- models of drinking, 168, 170
- motivation for water, 5–8
- nephrectomy, *see* kidney
- nephron, 19–20, 143
- neural control of drinking, 29–31, 34–39, 112–36, 170
- neuronal activity, 39–40, 49, 57, 119–24, 127
- nigrostriatal system, 117–19, 128–9, 132–6
- non-homeostatic drinking, 5–6, 152–61, 164–6
- non-regulatory drinking, *see* non-homeostatic drinking
- noradrenaline, 118, 128, 131–2
- normal drinking, 152–66
- oedema, 138, 142, 146–7
- ontogeny of drinking behaviour, 64–6
- organum vasculosum of the lamina terminalis (OVLT), 49–52, 58–9, 63–4, 114–15, 126
- oropharynx, 76–87, 95–102, 104, 120, 126, 156, 165–6, 168–9
- osmolality, 14, 16, 22, 67, 92, 167
- osmoreceptors
 - for antidiuretic hormone, 29–30
 - in central nervous system, 29–31, 35, 57, 112, 149
 - definition, 34
 - peripheral, 34, 39–41, 105, 108
- osmotic pressure, 13–16
- palatability, 5, 7–8, 83–4, 111, 141, 154–6, 161, *see also* taste

- pathological thirst, *see* clinical problems of fluid intake
 pattern of drinking, 5, 8–9, 88–90, 97, 144–5, 162–4, 169
 peritoneal dialysis, *see* colloids
 pharmacology of drinking, 128–36
 pituitary gland, 19, 21, 138–40
 plasma
 for measurements, 11, 14, 16–17, 67, 92
 protein, 17, 22, 67, 92, 167
 volume, 12, 17, 22, 55–6, 60–4, 68, 71–4, 93, 97, 139, 145
 polydipsia, 83–86, 138–47, 152–6
 polyethylene glycol, *see* colloids
 potassium, 12–13
 prandial drinking, 5, 9, 116
 pre-absorptive factors, 9, 76–88, 92, 97–108, 110, 169
 preloads, *see* repletion of fluid deficits
 preoptic area (POA), 36–9, 48, 51–2, 63–4, 113–16, 123–4, 126
 propranolol, 132, 143
 prostaglandins, 58
 pyloric cuff, 102–4
- quinine, 5, 7–8, 117, 155
- redundancy of thirst mechanisms, 54
 renal artery constriction, 44, 144–6
 renal hypertension, 66, 144–7, 151
 renin, 19–21, 44, 54, 63–4, 128, 143–5, 151, 164, *see also* angiotensin
 renin–angiotensin system, 19–21, 44, 55, 60, 63–4, 132, 136, 143, 145, 170
 repletion of fluid deficits, 47–8, 67–75, 94–7, 99–100, 106–10, 154, 166
- saliva, role in thirst, *see* dryness of the mouth
 saralasin acetate (P113), 52–3, 57, 60–1, 131–2, 147
 satiety, 6–9, 81–2, 89–90, 93–4, 100–1, 104, 106, 110, 120, 139–40, 151, 169
 schedule-induced polydipsia (SIP), 5, 152–4, 165
 secondary drinking, *see* non-homeostatic drinking
 self-stimulation, *see* electrical stimulation of brain
 septal region, 126, 130
 sham drinking, 24–6, 76–9, 86, 95–8, 100
 sodium
 content in body, 12–16, 22, 92, 144, 148–9, 167
 in diet, 38, 160, 163
 effect on body fluid distribution, 32–3
 intracranial injection of, 34–7, 112–14, 116
 release of antidiuretic hormone, 29–30
 systemic injection of, 15, 32–3, 35, 37–41, 64, 109, 112, 116, 120, 157
 sodium appetite, 44, 55–6, 60, 63–4, 66, 145–6
 sodium depletion, 43, 55, 59, 65, 79–80, 144
 sodium sensitive receptors, 33–4, 58–9
 spontaneous drinking, 8, 62, 161–4, 166–7, 169
 stereotaxic instrument, 30
 stomach *see* gastric factors
 subfornical organ (SFO), 49–53, 57–9, 63–4, 114–15, 126, 131
 subjective sensations, *see* water deprivation
 sucrose, 33, 34, 36–7, 112
 systemic factors in drinking termination 88–97, 102, 106–11
- tail–pinch, 116
 taste, 76–87, 93, 95, 97–8, 117, 121–3, 154–9, 165
 temperature of water, 100, 156, 165
 termination of drinking, 6, 9, 88–111, 151, 161, 166, 168–9
 thirst, definition, 1–4
 thirst threshold, 47, 107, 163, 166
 tonicity, definition, 14
- urea, 32–3, 36–7, 148
 urine production, *see* kidney functions
- vagus nerve, 40, 62–3, 101, 108, 115, 156
 variety, 84–7, 161
 vascular receptors, *see* cardiac receptors for thirst
 vasopressin, *see* antidiuretic hormone
 vana cava, 44–5, 60–3, 146–7
 visual analogue scale, 2–3, 80–2, 93, 104
 volume receptors, *see* cardiac receptors for thirst
- water content of body, 10–11
 water deprivation
 effect on fluid compartments, 15, 66–75, 91–97, 99–100
 motivation produced by, 6–8

Cambridge University Press
978-0-521-29718-9 - Thirst
Barbara J. Rolls and Edmund T. Rolls
Index
[More information](#)

194 *Index*

- water deprivation (*cont.*)
 - rehydration, 3, 9
 - renin-angiotensin system, 52–4
 - subjective sensations, 1–3, 80–3, 86, 89, 93, 99–100, 104
 - as a thirst stimulus, 28, 58, 66–80, 90–108, 115–16, 157, 161, 166
- water intoxication, 89, 108–9
- zona incerta, 113–14