

Cambridge University Press

978-0-521-29750-9 - A Handbook of Numerical and Statistical Techniques: With Examples

Mainly from the Life Sciences

J. H. Pollard

Index

[More information](#)

Author Index

- Anscombe, F. J. 243, 244, 332
 Atiqullah, M. 196, 335

 Bailey, N. T. J. 101, 108, 134, 147,
 151, 198, 210, 212, 215, 218,
 221, 222, 332
 Balaam, L. N. 77, 79, 80, 81, 91,
 93, 95, 97, 101, 108, 112, 134,
 136, 139, 144, 147, 155, 157,
 158, 167, 170, 177, 178, 181,
 188, 191, 192, 193, 195, 198,
 206, 212, 221, 222, 226, 228,
 230, 231, 232, 256, 258, 262,
 332
 Bateson, W. 141, 146
 Bortkiewicz, L. von 107, 332
 Box, G. E. P. 196, 239, 332
 Bretherton, M. H. 115, 335
 Brownlee, K. A. 77, 84, 89, 93, 99,
 101, 103, 104, 105, 106, 107,
 113, 134, 139, 142, 147, 149,
 157, 161, 163, 170, 175, 181,
 183, 188, 191, 195, 196, 198,
 210, 212, 215, 222, 224, 226,
 241, 243, 256, 260, 270, 278,
 286, 292, 308, 332

 Campbell, R. C. 86, 89, 101, 256,
 274, 332
 Chakravarti, I. M. 81, 83, 98, 123,
 142, 144, 147, 151, 155, 157,
 161, 170, 188, 193, 195, 196,
 198, 201, 202, 206, 296, 332
 Clarke, R. D. 107, 218, 332

 Cochran, W. G. 106, 140, 142, 144,
 146, 150, 151, 208, 332
 Cohen, A. C. 247, 249, 332
 Colquhoun, D. 91, 95, 98, 108, 134,
 136, 151, 161, 167, 170, 173,
 177, 178, 181, 183, 188, 191,
 192, 278, 332
 Conte, S. D. 3, 4, 10, 11, 13, 14, 18,
 21, 22, 24, 38, 39, 41, 46, 332
 Corbet, A. S. 117, 333
 Craig, C. C. 20, 332

 Draper, N. R. 70, 256, 258, 260,
 262, 264, 265, 266, 267, 270,
 273, 279, 280, 283, 284, 285,
 286, 287, 289, 290, 296, 298,
 308, 310, 311, 320, 332

 Elderton, W. P. 123, 125, 128, 129,
 131, 132, 332

 Feller, W. 101, 103, 106, 108, 112,
 117, 120, 132, 333
 Ferguson, R. A. 249, 333
 Fisher, R. A. 117, 236, 294, 327,
 333
 Fraser, D. A. S. 77, 79, 84, 91, 93,
 97, 99, 101, 106, 108, 117, 120,
 210, 212, 239, 258, 333
 Freeman, H. 41, 46, 50, 51, 55, 57,
 333
 Friedman, M. 190
 Fröberg, C. 18, 21, 333
 Fryer, J. G. 249, 333

Author Index

338

- Galton, F. 256
 Gauss, K. F. 256, 333
 Glasser, G. J. 204, 333
 Graybill, F. A. 77, 79, 80, 91, 93, 95,
 97, 99, 101, 106, 108, 134, 147,
 151, 157, 161, 170, 188, 193,
 212, 215, 221, 224, 228, 334
 Greville, T. N. E. 29, 31, 35, 333
 Grossman, S. I. 3, 4, 5, 10, 11, 13,
 333
 Guenther, W. C. 134, 157, 161, 163,
 170, 177, 178, 188, 192, 193,
 195, 196, 228, 333

 Hammersley, J. M. 239, 240, 333
 Handscomb, D. C. 239, 240, 333
 Hartley, H. O. 107, 214, 218, 293,
 296, 298, 326, 328, 330, 334
 Hartree, D. R. 10, 13, 14, 16, 17, 18,
 21, 31, 46, 48, 50, 51, 333
 Henrici, P. 21, 24, 51, 333
 Hildebrand, F. B. 14, 16, 18, 19, 21,
 24, 28, 29, 31, 38, 39, 41, 46, 48,
 50, 51, 55, 57, 333
 Hocking, R. R. 311, 333
 Hodgman, C. D. (*C.R.C. Standard
 Mathematical Tables*) 127, 132,
 332
 Hoel, P. G. 77, 79, 89, 93, 95, 97,
 101, 103, 106, 107, 134, 139,
 144, 147, 157, 163, 170, 188,
 197, 198, 210, 212, 215, 221,
 222, 224, 228, 256, 278, 308,
 333
 Johnson, N. L. 91, 93, 95, 97, 98,
 99, 101, 103, 105, 106, 107, 108,
 112, 113, 114, 117, 118, 120,
 123, 125, 128, 129, 131, 132,
 134, 135, 136, 214, 215, 218,
 220, 233, 241, 243, 244, 245,
 247, 248, 249, 250, 252, 256,
 258, 274, 279, 308, 332, 333,
 334
 Kendall, M. G. 81, 83, 93, 95, 97,
 101, 103, 106, 108, 112, 117,
 118, 132, 136, 198, 206, 211,
 235, 239, 242, 243, 244, 264,
 265, 266, 267, 296, 334
 Kenney, J. F. 321
 Kotz, S. 91, 93, 95, 97, 98, 101, 103,
 105, 106, 107, 108, 112, 113,
 114, 117, 118, 120, 123, 214,
 215, 218, 220, 233, 241, 247,
 248, 249, 250, 252, 333, 334
 Kruskal, W. H. 172, 173, 334

 Laha, R. G. 81, 83, 98, 123, 142,
 144, 147, 151, 155, 157, 161,
 170, 188, 193, 195, 196, 198,
 201, 202, 206, 296, 332
 Lancaster, H. O. 107, 334
 Laplace, P. S. de 256
 Legendre, A. M. 256, 334
 Leone, F. C. 91, 93, 95, 97, 99,
 106, 120, 134, 135, 136, 241,
 243, 244, 245, 256, 258, 274,
 279, 308, 334
 Liebermann, G. J. 120, 334
 Lotka, A. J. 22, 23, 334
 Lyon, A. J. 14, 334

 McCornack, R. L. 182, 334
 McWhinney, I. A. 249, 333
 Massey, F. J. 155, 206, 208, 334
 Mather, K. 83, 91, 101, 108, 212,
 218, 221, 256, 258, 296, 298,
 308, 334
 Miller, M. D. 29, 31, 334
 Milton, R. C. 165, 334
 Molina, E. C. 107, 334
 Mood, A. M. 77, 79, 80, 91, 93, 95,
 97, 99, 101, 106, 108, 134, 147,
 151, 157, 161, 170, 188, 193,
 212, 215, 221, 224, 228, 334
 Müller, M. E. 239, 332

 National Bureau of Standards (US)
 100, 334
 Neave, H. R. 239, 334
 Nielsen, K. L. 5, 14, 18, 21, 23, 24,
 31, 39, 41, 46, 48, 55, 57, 334

 Olds, E. G. 204, 334
 Owen, D. B. 120, 334

 Parzen, E. 93, 97, 112, 334
 Pearson, E. S. 107, 214, 218, 293,
 296, 298, 326, 328, 330, 334
 Peters, J. A. 141, 146, 335
 Pielou, E. C. 112, 335

Author Index

339

- Plackett, R. L. 256, 335
 Pollard, A. H. 81, 89, 91, 101, 103, 134, 181, 206, 210, 221, 335
 Pollard, J. H. 23, 112, 335
 Punnett, R. C. 141, 146

 Ralston, A. 14, 16, 21, 22, 46, 48, 50, 55, 335
 Rand Corporation 236, 335
 Remington, R. D. 91, 101, 108, 134, 142, 147, 157, 161, 170, 181, 183, 188, 193, 195, 206, 208, 210, 258, 260, 264, 335
 Robinson, G. 19, 24, 38, 39, 41, 64, 256, 335
 Roy, J. 81, 83, 98, 123, 142, 144, 147, 151, 155, 157, 161, 170, 188, 193, 195, 196, 198, 201, 202, 206, 296, 332

 Samiuddin, M. 196, 335
 Scheffé, H. 170, 177, 188, 192, 224, 228, 335
 Scheid, F. 11, 13, 70, 335
 Schork, M. A. 91, 101, 108, 134, 142, 147, 157, 161, 170, 181, 183, 188, 193, 195, 206, 208, 210, 258, 260, 264, 335
 Skellam, J. G. 112, 238, 335
 Smith, H. 70, 256, 258, 260, 262, 264, 265, 266, 267, 270, 273, 279, 280, 283, 284, 285, 286, 287, 289, 290, 296, 298, 308, 310, 311, 320, 332
 Snedecor, G. W. 134, 147, 161, 163, 170, 177, 178, 188, 193, 195, 196, 198, 206, 278, 279, 335
 Sokolnikoff, E. S. 3, 5, 6, 10, 11, 18, 21, 41, 46, 50, 212, 258, 335
 Sokolnikoff, I. S. 3, 5, 6, 10, 11, 18, 21, 41, 46, 50, 212, 258, 335

 Spiegel, M. R. 77, 79, 81, 83, 108, 132, 134, 135, 210, 215, 221, 258, 335
 Stuart, A. 81, 83, 93, 95, 97, 101, 103, 106, 108, 112, 117, 118, 132, 136, 198, 211, 235, 239, 242, 243, 244, 264, 265, 266, 267, 296, 334
 ‘Student’ (W. S. Gosset). 236, 335

 Tetley, H. 31, 35, 63, 64, 66, 335
 Thompson, C. M. 326
 Thöni, H. 243, 245, 335
 Turner, J. E. 3, 4, 5, 10, 11, 13, 333

 US Army Material Command 100, 335

 Wallis, W. A. 172, 173, 334
 Weintraub, S. 100, 335
 Whittaker, E. 19, 24, 38, 39, 41, 64, 256, 335
 Wilks, S. S. 77, 79, 80, 83, 91, 99, 101, 106, 134, 215, 221, 222, 258, 278, 292, 335
 Williams, C. B. 98, 116, 117, 118, 119, 120, 333, 335
 Williamson, E. 115, 335
 Winter, R. F. 204, 333

 Yates, F. 236, 333

 Zar, J. H. 81, 86, 91, 139, 144, 147, 149, 151, 153, 155, 157, 161, 166, 167, 170, 171, 173, 176, 177, 178, 181, 188, 189, 191, 192, 193, 195, 196, 198, 201, 202, 206, 208, 216, 224, 226, 228, 232, 236, 239, 241, 242, 243, 244, 245, 262, 264, 265, 267, 270, 274, 279, 286, 292, 308, 311, 335

Cambridge University Press

978-0-521-29750-9 - A Handbook of Numerical and Statistical Techniques: With Examples

Mainly from the Life Sciences

J. H. Pollard

Index

[More information](#)

Subject Index

- abscissa 58
- alpha particles 107
- alternative hypothesis 134
- analysis of variance 96
 - curvilinear regression 280–3, 285–6
 - lack-of-fit 287–9
 - multiple regression 301, 302, 304, 307, 308, 311, 312
 - non-linear regression 313, 315–16, 319–20
 - one-way 160, 167–70, 209, 224, 230, 269*n*
 - orthogonal polynomial 296–9
 - regression 260–1, 268–9, 274
 - two-way 184–8, 209, 226
 - uncorrected 281, 283, 286, 287
 - variance estimator 231
 - see also* Kruskal–Wallis test *and* Friedman test
- angular transformation, *see under* transformations
- approximate integration, *see* numerical integration
- arcsine transform, *see under* transformations
- area under curve, *see* numerical integration
- association, *see* contingency table
- bacteria 79, 107, 109
- baker 107
- Bessel's interpolation formula 50–2
- bias 133, 211, 212, 236
- binomial coefficients 4, 48
- binomial distribution 100–5, 107, 120, 122
 - arcsine (angular) transformation 241, 252
 - confidence limits 214–16
 - critical points 104–5
 - estimator of difference between binomial parameters 215–16, 235
 - estimator of p 211, 214–15
 - mean 100
 - normal approximation 100, 101–3
 - power 135–6
 - relation to F -distribution 100, 104–5
 - table for $b(n, \frac{1}{2})$ 180
 - tables 100, 138, 180
 - tests 137–9, 142–4
 - truncated 214
 - variance 100
- binomial expansion 4
- bivariate distribution 75, 83, 88, 89
 - joint probability–density function 84, 98–9
 - moments 75, *see also* covariance matrix
- bivariate normal distribution 84, 98–9, 196, 199, 203, 273–4
- independence 85*n*, 98–9
- rank correlation 203
- z -transformation 196, 200, 202, 233

Subject Index

341

- blending function 65
- blood counts 107
- cake 107
- capture/recapture 20
- censored samples 245–6
 - maximum likelihood estimators 236, 246, 250, 251
 - normal distribution 22, 246–7
 - Poisson distribution 22, 249–50
- central limit theorem 90, 102, 112, 114, 239
- Chebyshev polynomials, *see* orthogonal polynomials
- cholesterol 161, 166–7, 234–5
- chi-square distribution 90, 91–3, 95, 99, 102, 106, 113
 - approximation to multinomial 140, 143
 - degrees of freedom 91
 - mean 92
 - normal approximation 93
 - probability-density function 92
 - random observations 240
 - relation to normal 91, 93, 240
 - table 325–6
 - variance 92
- cigarettes 312
- cofactor 10, 11, 13, 99
 - matrix 10
- concave curve 38
- conditional mean, *see under* mean
- confidence intervals 210–35
 - binomial 214–16
 - correlation 233
 - curvilinear regression 284–5, 286–7
 - distribution functions 234
 - log-normal distribution 232–3
 - means 220–8
 - multinomial 216–17
 - multiple regression 301, 303, 304
 - Poisson 217–18
 - simple linear regression 262–4, 266–7
 - variances 228–32
- confidence region 213, 216–17
- contingency table 93, 107, 133, 143, 145–9, 209
 - continuity correction 146
 - Fisher exact test 146, 147–9
- continuity correction 102–3, 112, 146
- continuous distributions 77–9, 80–1, 90
 - bivariate normal 98–9
 - chi-square 90, 91–3, 95, 99, 102, 106, 113
 - exponential 241
 - F*-distribution 95–7, 99, 104–5
 - log-normal 97–8
 - multivariate normal 99
 - Pearson 120, 122–32
 - rectangular 239
 - t*-distribution 93–5, 96
 - see also under* relevant distribution
- convergence 18, 68
- convex curve 38
- correlation 85, 273
 - coefficient 86–9
 - estimators 233, 235
 - hypotheses 133
 - rank correlation 202–6
 - regression 273–4
 - tests 196–206
- covariance 85, 98–9
 - sample 86
- covariance matrix 86, 99, 266, 284
 - inverse 99
- cows 100–1
- critical points, *see under* relevant distribution
- critical region 134
- curve of sines 65–6
- curve of squares 71
- curve fitting 122
- curvilinear regression 258, 275–99
 - additional sum of squares principle 285–6
 - analysis of variance 280–3, 285–6
 - ‘best’ regression equation 285
 - confidence limits 284–5, 286–7
 - correct model? 287
 - corrected analysis of variance 280–3, 285–6
 - covariance matrix 284
 - estimators 280, 283–5, 286
 - examples 275–9
 - expected value of *y* given *x* 286–7
 - exponential example 276–8

Subject Index

342

- curvilinear regression (*cont.*)
 general case 278–80
 lack-of-fit 287–9
 normal equations 277, 278, 283, 298, 299
 orthogonal polynomials 292–9
 polynomial 292–9, 320
 quadratic 275–7, 288–9
 statistical model 279–80
 tests 280–3, 285–6
 uncorrected analysis of variance 281, 283, 286
 weighted 290
- degrees of freedom 91, 94, 95, 106, 148
- derivative 3, 4, 21, 32, 33, 34 *see also under* numerical differentiation, partial differentiation *and* slope
- determinant 10, 11, 13, 99
- determination, coefficient of 309
- diagonal matrix, *see under* matrix
- diet 177, 181, 186
- differences 44–52, 53–5, 62n
 divided 44, 55–7, 58
- difference equation 122
- difference operator 48
- difference table 44–6, 48, 51, 52, 55, 59
 checking 46–8
- differential equation 3, 44, 122, 123, 124, 125, 128, 130
- differentiation, *see* derivative
 numerical, *see* numerical differentiation
- discrete distributions 77–9, 80, 81
 binomial 100–5
 geometric 100, 113–14, 115
 hypergeometric 100, 118–21, 122–3
 logarithmic series 100, 117–19
 multinomial 105–7
 negative binomial 100, 114–17
 over-dispersed 115
 Pascal 100, 113–14, 115
 Poisson 100, 107–13
 under-dispersed 115
 see also under relevant distributions
- dispersion test 207–8
- distortion 26, 28, 36, 64
- distribution
 bivariate, *see* bivariate distribution
 continuous, *see* continuous distribution
 discrete, *see* discrete distribution
 mean 79–80
 median 80–1
 mode 81
 moments 81–3
 unimodal 81, 97, 208
 variance 79–80
- distribution function 78
 confidence limits 234–5
- distribution-free test, *see* non-parametric test
- divided difference, *see under* differences
- double precision 13, 16, 141
- ecology 20
- elimination 11, 12
- empirical function 54, 55
- error analysis 14, 15
 maximum percentage error 15
 probabilistic approach 15
- estimate 210
- estimator 210
 binomial 211, 214–16
 consistent 210
 correlation coefficient 233, 235
 efficient 210
 logarithmic series 220
 log-normal 232–3
 maximum likelihood 211–12
 means 211–12, 220–8
 multinomial 216–17
 negative binomial 219–20
 Poisson 217–19
 unbiased 210
 variances 211–12, 228–32
- events 75
 exhaustive 76
 independent 76
 mutually exclusive 76
- examination marks 198–9, 205–6
- expected value 79, 92
 see also mean
- experiment 75
 bivariate 88
- exponential distribution 241
- exponential series 3

Subject Index

343

- extrapolation 34, 266
 eye colour 145, 147
 factorial n 126n
 Stirling's formula 126n, 132
 false position 18, 21, 24
 fatty acids 317–20
F-distribution 90, 95–7, 99, 104–5
 degrees of freedom 95
 left-hand tail 96–7, 328, 330
 mean 95
 probability-density 95–6
 random observations 240
 relation to chi-square 96
 relation to t 96
 tables 328–31
 variance 95
 finite differences 3, 44–57, 62–4
 divided 55–8
 Fisher exact test 146, 147–9
 Fisher z -transformation, *see z*-transformation
 flying bombs 107, 121, 218
 forest 109, 110–12
 Friedman test 188–91
 table 190
 fusing curves 64–6
 gamma function 92, 95, 126–7, 131
 table 127
 Gaussian distribution, *see normal* distribution
 genetics 141, 146–7
 geometric distribution 113–14
 confidence interval 218–19
 estimator 218
 mean 113
 relation to negative binomial 114
 variance 113
 goodness-of-fit 149, 151–2
 chi-square test 117, 118, 124, 149–51, 206, 207
 Kolmogorov–Smirnov test 117, 118, 124
 grouped data 60
 adjustments 83, 132
 re-grouping 60–1
 hair colour 145, 147
 hand-grenade 156–7, 193, 228
 Hardy's formula 60, 62–3
 heights 91, 99, 101, 200–1, 202
 heteroscedasticity 196n
 homoscedasticity 196n
 horse-kicks 107, 108–9
 hospital patients 144–5
 hypergeometric distribution 118–21,
 146, 148
 mean 119
 relation to Pearson system 122
 variance 119
 hypothesis testing 133–209 *see also*
 under test
 types of error 134–5
 identity matrix, *see under* matrix
 integration 3, 37
 see also under numerical integra-
 tion
 independence 76, 84, 85, 86, 89,
 90, 91, 93, 126, 129, 132, 137,
 199n
 interpolation 3, 32, 33, 34, 42, 44,
 166, 167
 Bessel's formula 50–2
 divided difference 55–7
 graphical 60
 linear 18, 57–8
 Newton's advancing-difference
 formula 48–50, 51, 54, 56,
 59
 Newton's divided-difference
 formula 56–7
 interval estimation, *see under* confi-
 dence intervals
 invariance 211
 inverse matrix, *see under* matrix
 iterative methods 18–25, 220,
 246–52, 313
 joint probability-density function
 84, 98–9
 knot 33, 35, 66
 Kolmogorov–Smirnov test 150,
 151–5, 206, 207, 208, 234–5
 table 153
 Kruskal–Wallis test 170–3
 table 172
 kurtosis 75, 81–3, 89, 122, 132, 198
 test 206
 lack-of-fit 255, 267–70, 274, 275,
 287–9, 301, 307–8

Subject Index

344

- latitude 5
- least squares xvi, 26, 212, 255–9
 curvilinear 275–9
 history 255–6
 matrix methods 258–9, 275
 non-linear 278n, 313–14
 normal equations 257, 259, 277, 279, 288, 302, 304, 305, 306, 308, 313, 314
 orthogonal polynomial 292–6
 residuals 267, 271, 302n
 unequal variances 271–3, 274, 290, 301, 306–7
 weighted 255, 271–3, 274, 275, 290, 301, 306–7
see also under regression
- light trap 117–19
- likelihood 211–12
see also under maximum likelihood
- linear congruential generators 237–8
 table 8
- linear equations 8
- linear interpolation, *see under interpolation*
- linear regression 256, 278, 299, 311
 analysis of variance, *see under analysis of variance*
 coefficient of determination 309
 coefficient of multiple correlation 309
 confidence intervals 262–3, 266–7, 284–5, 301, 303
 covariance matrix 266, 284
 estimators 262, 283, 301
 expected value of y given x 266–7, 286–7, 301
 hypothesis testing 264–5, 285–6, 301
 lack-of-fit 267–70, 287–9, 301, 307–8
 matrix methods 265–6, 300
 multiple correlation 300–12
 normal equations 257, 259, 277, 279, 288, 302, 304, 305, 306, 308
 orthogonal polynomials 292–9
 regression through origin 290–2
 regression through fixed point 291–2
 simple linear regression 255–74
 statistical model 259–60, 279–80, 301
 testing regression 260–2, 280–3, 301
 t -test for simple linear regression 261–2, 274
 weighted regression 255, 271–3, 274, 275, 290, 301, 306–7
 which model? 309–11
- linkage 141
- lizard 20
- logarithm (natural) 4
 expansion 4
- logarithmic series distribution 117–19, 209
 estimator 220
 mean 217
 relation to negative binomial 117
 truncated 220
 variance 117
- logarithmic transformation 244–5
- log-normal distribution 90, 97–8
 confidence intervals 232–4, 235
 critical points 97–8
 estimators 232–4, 235
 mean 97
 probability-density 97
 relation to normal 97
 skewness 97
 three-parameter distribution 97
 two-parameter distribution 97
 variance 97
- London 107, 121
- longitude 5
- lung size 312
- Mann-Whitney test 163–7, 209
 table 165
- matrix 3, 6
 cofactors 10, 11
 covariance, *see covariance matrix*
 diagonal 8, 13, 293, 296
 difference 6
 dimension 6
 equality 6
 identity 12
 identity (unit) matrix 7
 inverse 2, 3, 8, 12, 13
 inversion 9, 11, 13
 inversion by cofactors 13, 99
 inversion programs 11

Cambridge University Press

978-0-521-29750-9 - A Handbook of Numerical and Statistical Techniques: With Examples

Mainly from the Life Sciences

J. H. Pollard

Index

[More information](#)*Subject Index*

345

- matrix (*cont.*)
- least squares 258–9
 - multiplied by constant 6–7
 - near singular 13, 16, 311
 - principal diagonal 7
 - product 7
 - regression 265–6
 - singular 8, 13, 16, 311
 - sum 6
 - symmetric 8, 13, 86
 - transpose 8, 13
 - unit matrix 7
 - zero matrix 6
- maximum likelihood 210, 211–12
- invariance 211
- maximum point 5
- mean(s) 79, 87
- conditional 84, 89, 266–7, 286–7, 301
 - confidence intervals 220–6
 - estimators 211, 220–7
 - Mann–Whitney test 163–7
 - tests 156–67
 - see also* expected value
- median 80–1, 173–5
- test 157
- median test 173–5
- memory 70, 71, 320
- micrometer screw gauge 229
- minimum point 5
- misprints 109
- missing values 186–7, 209
- mistakes 14, 16, 17, 47
- mode 81
- moments 75, 81–3, 85, 122, 123, 124, 126, 132
- about mean 82
 - about origin 81
 - bivariate 85
 - central 82, 87
 - method of 123, 212, 219
 - non-central 81
 - see also* expected value
- Monte Carlo methods 236
- moths 117–19
- moving-average, *see under* running-average
- multinomial distribution 105–7
- chi-square approximation 106–7
 - confidence limits 216
 - confidence region 216–17
- correlation 106
- covariance 105
- estimators 216
- mean 105
- tests 133, 139–44
- variance 105
- multiple comparison methods 170, 171, 175–7, 186, 191–2
- Tukey’s method 176, 192
 - Student–Neuman–Keuls method 176, 192
 - Scheffé’s method 175–7, 191–2
- multiple correlation 262, 309
- multiple regression 258, 300–12
- analysis of variance, *see under* analysis of variance
 - backward elimination 310–11
 - ‘best’ regression equation 309
 - coefficient of determination 309
 - confidence intervals 301, 303, 304
 - covariance matrix 301
 - dependent variable 300, 301
 - estimators 301
 - expected value of y given x 301, 304
 - hypothesis testing 301, 305
 - independent variable 300, 301
 - lack-of-fit 301, 307–8
 - matrix methods 300–8
 - multiple correlation 262, 309
 - normal equations 301, 302
 - statistical model 301, 302, 304
 - testing regression 301, 302, 303, 304
 - weighted regression 301, 306–7
 - which model? 309, 311
- multiple roots 18
- multiple storage 70–1
- multi-variate normal distribution 99
- mutations 107
- navy 311
- nearest neighbour 110–12
- negative binomial distribution 114–17, 151, 155
- estimation 219
 - mean 114
 - normal approximation 114
 - relation to geometric distribution 114
 - tables 115

Subject Index

346

- negative binomial distribution (*cont.*)
 truncated 220
 variance 114
- Newton's advancing-difference
 formula 48–50, 51, 54, 56, 59
- Newton's divided-difference formula
 56–7
- Newton–Raphson method 18, 19,
 20, 21, 24
 multi-dimensional 313
 two-dimensional 23, 25
- non-linear equations 18–25
 false position method 18, 21, 24
 graphical methods 18
 iterative methods 18
 Newton–Raphson method 18, 19,
 21, 24
 secant method 21
 simple iterative methods 22, 246,
 248, 250, 251
- non-linear regression 313–20
 analysis of variance 313–14, 315,
 316, 319
 definition 313
 degrees of freedom 314, 320
 examples 314–20
 iterative methods 313
 least squares 313
 line pair 317–20
 linearisation 313n, 316–17
 Newton–Raphson method 313
 normal equations 313–14, 315
 statistical analysis 313
 steepest descent 313
- non-parametric test 136, 151, 157,
 163, 170, 181, 185, 188
- normal distribution 50–1, 82, 90–1,
 93, 97, 122
 approximation to binomial 101–3,
 104, 138
 approximation to Poisson 112,
 208, 218, 250, 251
 bivariate, *see* bivariate normal dis-
 tribution
 Box–Müller method 239
 censored samples 246–7
 confidence intervals 214, 228–9
 maximum likelihood estimators
 211–12, 220, 228
 multivariate 90, 98–9
 random numbers 239–40
 table 321–4
 truncated 22, 247–9
 unit normal distribution 91, 102
- normal equations, *see under* curvi-
 linear regression, multiple
 regression, least squares,
 linear regression *and* non-
 linear regression
- normality tests 193, 206–7
- null hypothesis 133, 134
- numerical differentiation 14, 44,
 52–5, 57, 67
 Hardy's formula 60, 62–3
 unequally-spaced ordinates 57
 warning 52
- numerical integration 14, 37–43,
 50–1, 62, 126, 129, 131
 Simpson's rule 38–9, 40, 41
 three-eighths rule 40–1, 42, 43
 trapezoidal rule 37–8, 39, 41, 43
 unequally-spaced ordinates 41–2
 Weddle's rule 41
- one-tail test 135–6
- optimal smoothing formulae, *see*
under running-average
- orthogonal polynomials
 analysis of variance 296–9
 definition 293, 299
 reduction in sum of squares
 296–9
 regression analysis 292–9
- outcome of experiment 75, 89
- paired observations
 confidence interval for mean
 difference 226
 confidence interval for variance
 230–1
 estimator for mean difference 226
 estimator for variance 230–1
t-test 177–9, 185
- parasites 120, 155
- partial differentiation 3, 5, 13, 59,
 66, 67, 68, 257
- Pascal distribution, *see* geometric
 distribution
- Pascal triangle 4
- Pearson system of probability-density
 curves 82, 120, 122–32
 criterion 123

Subject Index

347

- Pearson system (*cont.*)
 main types 123
 Type I 124–6
 Type IV 126–30
 Type VI 130–2
- percentage points, *see* critical points
- phosphorus 187–8, 190–1, 192, 209, 227, 231
- pig carcasses 245, 252
- pivotal value, *see* knot
- point estimation 210–35
- Poisson distribution 107–13, 115, 117, 120
 as limit of binomial 108–12
 censored 249–50
 confidence intervals 217–18, 235
 critical points 112–13
 estimators 217
 mean 107
 normal approximation 112, 208, 218, 250, 251
 random observations 240
 rare events 109
 relation to chi-square distribution 112–13, 217–18
 square root transformation 243
 tables 107
 test of Poisson 207–8
 tests 208
 truncated 22, 218, 250–2
 variance 107
- polynomial 14, 22, 31, 32, 33, 36, 37, 38, 39, 40, 42, 44, 46, 48, 50, 52, 53, 54, 56, 57, 58, 59, 60, 62, 64, 292–3
 orthogonal, *see* orthogonal polynomials
- pollen 141, 146–7
- population mathematics 22
- power of test 134–6, 158, 181, 183, 189
- probability 75
 axioms and operating rules 75–7
- probability-density function 78
 bivariate normal 98–9
 joint 84, 98–9
 multivariate normal 99
 Pearson system 122–32
- product moment 86
- pseudo-random numbers 237
- Prussian soldiers 107, 108–9
- quadratic equation 20, 22
 through three points 58, 64, 66
- quadratic minimum 67, 315
- raisin 107
- random fraction 237
- random numbers 236–41
 binomial 238–9, 240
 chi-square 240
 exponential 241
F-distribution 240
 general distribution 240–1
 linear congruential generators 237–8
 ‘mid-square’ method 237
 normal 239–40
 Poisson 240
 tables 236
t-distribution 252
 triangular distribution 252
- random points on plate 110
- random variable(s) 75, 78
 continuous 86
 discrete 85
 independent 84, 85, 86, 90, 91, 93
 standardised 90
- rank correlation 202–6
- rank tests 163–6, 170–2, 181–3, 188–90, 202–6
- rat weights 62–3, 71
- rational points 79
- reciprocal transformation 244–5
- rectangular distribution 239
- regression, *see under* curvilinear
 regression, linear regression,
 multiple regression *and* non-linear regression
- robustness 136, 137, 160, 162, 168, 185, 193, 196, 198, 200, 202, 220, 221, 222, 224, 225, 226, 227, 228, 229, 230, 231, 232
- round-off 14, 15, 16, 19
- probabilistic approach 15
- running average 26, 28, 33, 64
 distortion 28
 non-distorting 29
 non-symmetric 28
 optimal smoothing formulae 29, 30, 31, 36
 weighted 28

Subject Index

348

- sample 80
 central moments 88
 correlation 87–9
 covariance 86
 mean 80
 median 81
 moments 83
 product moment 86, 88
 sampling fluctuations 110
 standard deviation 80
 variance 80, 96, 212
- Scheffé's multiple comparisons 175–7, 191–2, 223
- scientific method 134
- Scotland 116, 155
- secant method 21
- sheep 116, 155
- Sheppard's corrections 132
- sign test 179–81
- significance level 133, 137
- significance test, *see under* test
- simple linear regression, *see under* linear regression
- Simpson's rule 38–9, 40, 41, 42, 43, 129
- simultaneous equations
 linear 9, 11, 12, 13, 23, 24
 non-linear 18, 23, 24, 25
- singular matrix, *see under* matrix
- skewness 75, 81–3, 89, 97, 122, 132, 198, 206
 test 206
- slope 3, 5, 33, 34, 44–6, 54, 55, 57
see also under derivative
- smoothing methods 26, 31, 36, 37
 graphical 26
- Spearman rank correlation 202–3
 bivariate normal 203
 table 204
 test 203–6
- spline function 26, 31–6, 42, 57, 60–1, 64, 71
 knot 33, 35, 66
- square root transformation 208, 243
- standard deviation 80, 86
- stationary point 5
- statistical model 133, 137, 213
see also under regression
- steepest descent 66–70, 313
- Stirling's formula 126n, 132
- straight line
 least squares 256–8
 through two points 57–8
- Student–Neuman–Keuls test 176, 192
- symmetric matrix, *see under* matrix
- Taylor series 3, 4, 19, 48, 53
 two-dimensional 6, 23
- t*-distribution 90, 93–5, 96, 99
 degrees of freedom 94
 mean 94
 normal approximation 94
 probability-density function 94
 table 327
 variance 94
- test(s) 133–7
 list, *see contents list for chapter* 12
 power 134–6, 158, 181, 183, 189
 regression, *see under* regression
 statistic 134
- three-eighths rule 40–1, 42, 43
- ties 166, 171, 183, 189, 205
- transformations 236, 241–5
 angular 241–3
 arcsine 241–3, 252
 Box–Müller 239
 logarithmic 244–5
 reciprocal 244–5
 square root 243–4
- transpose matrix, *see under* matrix
- trapezoidal rule 37–8, 39, 41, 43
- trees 109, 110–12
- trial and error 18, 315
- truncated distributions 245–6
 binomial 214
 logarithmic series distribution 220
 maximum likelihood estimators 236, 247
 negative binomial 220
 normal 22, 247–9
 Poisson 22, 218, 250–2
 unknown truncation points 248
- truncation errors 14
- Tukey's multiple-comparison method 176, 192
- turtles 161, 166–7, 234–5
- two-tail test 135–6
- Type I error 134–5
- Type II error 134–5, 151–2

Cambridge University Press

978-0-521-29750-9 - A Handbook of Numerical and Statistical Techniques: With Examples

Mainly from the Life Sciences

J. H. Pollard

Index

[More information](#)*Subject Index*

349

- unimodal distribution, *see under* distribution
- unit matrix, *see under* matrix
- unit normal distribution, *see under* normal distribution
- unmarried mothers 60–1
- valley 68
- variance 79–80, 87
 - Bartlett's test 195–6
 - confidence intervals 228–32
 - estimators 228–32
 - maximum likelihood estimator 211
 - of sample mean 271n
 - sample 80, 96, 212
 - tests 192–6
- variance ratio distribution, *see* *F*-distribution
- vector 8
- Weddle's rule 41
- weight 177, 181, 200–1, 202
- weighted least squares, *see under* least squares
- wheat 160, 163, 178–9, 181, 194–5, 221, 222, 226, 231
- Wilcoxon test 181–4
 - table 182
- worms 169–70, 172–3, 174–5, 176–7, 235
- χ^2 -distribution, *see* chi-square distribution
- Yates continuity correction 146
- z*-transformation 196, 200, 202, 233
 - table 197
- zero matrix, *see under* matrix