

SUBJECT INDEX

- absolutely continuous, 56
- additivity (of effects), 252
- alternative hypothesis, 59
- analysis of covariance, 262–5
- analysis of variance, 232–6, 245
 - between and within samples, 104–12, 119–21, 228, 250, 253, 265
 - orthogonality, 234–6, 245
 - regression, 210, 261–2
 - tables, 105–7, 110, 210, 233–4, 247, 256, 262, 265
 - two-way classification, 246–57
- ancillary statistic, 49, 57–8
 - contingency tables, 181–2
 - regression, 203, 205
- angle (Behrens's distribution), 91
- Bayesian, 15
- Bayes's theorem, 1–16, 47, 65–6, 116
- Behrens's distribution, 91–2
- Beta-distribution, 141, 143–4
 - F -distribution, 146
- Beta-integral, 39
- between degrees of freedom, 104 (*see also* analysis of variance)
- between sums of squares 104, 261 (*see also* analysis of variance)
- bias, 27
- binomial distribution, 6
 - F -distribution, 124
 - goodness-of-fit, 171
 - inferences, 141–53, 164, 182–3
 - maximum likelihood, 133–4
 - sufficiency, 49–50
- bivariate normal distribution, 214–21
- Cauchy distribution, 22, 38 (*see also* t -distribution)
- central limit theorem, 21, 28
- coefficient of dispersion, 166, 183
- combination of observations, 112–21
- comparative experiments, 78–9
- computation (*see under* numerical methods)
- conditional density, 19
- confidence coefficient, 15
- confidence interval, 15, 22–6
 - analysis of variance, 108, 254
 - binomial parameter, 146–50, 164, 184
 - correlation coefficient, 221
 - non-uniqueness, 24–5
 - non-Bayesian, 68
 - normal mean, 42
 - normal means, 80–1, 93
 - normal variance, 34–6, 43, 111
 - normal variances, 90–1
 - observation, 213
 - Poisson parameter, 155–7
 - regression, 209, 213, 246
 - shortest, 25, 35, 282–4
 - significance tests, 58–61
- confidence level, 15, 23
- confidence set, 25
 - linear hypotheses, 224
 - multinomial parameters, 164
 - normal means, 97
 - significance tests, 59
- conjugate family, 20–1, 55–6
 - binomial distribution, 145
 - Poisson distribution, 154
- contingency tables, 176–84, 213–14
- control, 79, 107–8
- correction factor, 106
- correlation coefficient, 214–21, 246
- Datum distribution, 9
 - confusion with posterior distribution, 9, 32–3, 67–8, 115, 231: maximum likelihood, 139
- decision theory, 62–7
- dependent variable, 206
- degrees of freedom, 81–3
 - analysis of covariance, 265
 - Behrens's distribution, 91
 - between and within samples, 78, 96, 103–4, 110, 118
 - binomial parameter, 141, 146
 - contingency table, 177
 - F -distribution, 86, 88
 - goodness-of-fit, 157, 168, 172–3
 - interaction, 249
 - linear hypothesis, 222, 224, 226, 233
 - Poisson parameter, 153
 - regression, 204, 208–9, 257, 259
 - t -distribution, 36
 - two-way classification, 247–9
- χ^2 -distribution, 26

Cambridge University Press

978-0-521-29866-7 - Introduction to Probability and Statistics: From a Bayesian Viewpoint, Part 2 - Inference

D. V. Lindley

Index

[More information](#)

288

SUBJECT INDEX

- design of experiments, 230, 270
 design matrix, 222, 230, 235, 242, 263
- effect, 247, 250–2
 estimation, 6, 23–4, 115
 contingency table, 180
 interval, 15 (*see also* confidence interval)
 least squares, 208 (*see also* least squares)
 maximum likelihood, 128 (*see also* maximum likelihood)
 point, 23, 131
 variance, 31, 41, 81–3
 expected utility, 65
 expected values, 160, 179
 exponential family, 5, 20–1, 49, 55–6
 binomial distribution, 51
 maximum likelihood, 134
 normal distribution, 51–2
 Poisson distribution, 154
- F*-distribution, 86–9
 beta distribution, 143, 146
 binomial distribution, 124
 logarithmic transformation, 142, 147–8
 odds, 141
 percentage points, 89
 Poisson parameters, 153–6
- F*-statistic, 108–9
- F*-test
 analysis of covariance, 262–5
 between and within samples, 105, 107, 109–11
 linear hypotheses, 222–36, 239, 244
 normal means, 95–100, 102–3
 normal variances, 86–7, 89–91
 regression, 257–62
t-test, 99–100
 two-way classification, 247–9, 256
- factor, 246
 factorial function (and derivatives), 136–7
 factorization theorem, 47, 50–1
 fair bet, 7
 family of distributions, 1, 5 (*see also* exponential family)
 fit of curve, 266
 fixed effects model, 230, 254–5
- gamma (Γ -) distribution
 logarithmic transformation, 156
 maximum likelihood, 136–7
 Poisson parameter, 153–5
- sum, 32
 χ^2 -distribution, 28
 goodness-of-fit, 157–76
 grouped data, 162, 173–6, 214
- Homoscedastic, 206, 266
- independence (test), 177
 independent variable, 206
 index of dispersion, 166, 183
 inference, 1, 4, 66–7, 121
 information, 131–2
 binomial parameter, 150
 correlation coefficient, 219–20
 Poisson parameter, 156
 sample, 19
 information matrix, 131–3
 interaction, 247, 249–52
 interval estimate, 15 (*see also* confidence interval)
 inverse hyperbolic tangent transformation, 216, 219–20
 inverse sine transformation, 148–50
- joint (*see under nouns*)
- large samples, 17–18, 21–2, 118, 132–3, 138–9, 148, 167
 Latin square, 272
 least squares, 207–8, 222, 269–70
 estimates, 208, 225, 236, 239
 equations, 226
 likelihood, 2, 4–6, 16, 21, 128 (*see also* maximum likelihood *and* sufficient statistic)
 likelihood principle, 59, 68–9, 139, 149
 line of best fit, 208
 linear function, 102, 107–8, 225–6, 231–2, 254
 linear hypothesis, 221–2, 226–9, 241
 location parameter, 33
 log-likelihood, 128–30, 157, 167
 log-odds, 142, 147–8
 logarithmic transformation, 85, 252
F-distribution, 142, 147–8
 gamma (Γ -) distribution, 156
- make-up, 237, 241
 main effect, 247, 250–2
 margins (contingency table), 179–82
 Markov chain, 54
 maximum likelihood estimate, 24, 128–40
 binomial distribution, 133–4

SUBJECT INDEX

289

- maximum likelihood estimate (*cont.*)
 exponential family, 134
 gamma (Γ -) distribution, 136–7
 goodness-of-fit, 170–1
 least squares, 208
 normal distribution, 132–3
 sampling distribution, 139
 maximum likelihood equation, 134–7
 mean (*see under* normal distribution)
 mean square, 78, 105
 minimal sufficient statistic, 52–3
 mistakes, 13
 mixed model, 254–5
 multinomial distribution, 161, 181
 Poisson distribution, 165–6
 multiple regression, 241–6
 on powers, 266–9
 multiple regression coefficient, 241, 245–6
 multiplication law of probabilities, 4
 multivariate normal distribution (*see also* bivariate)
 likelihood, 114–15, 118–21
 posterior distribution of means, 223, 225, 230–1, 245–6
 regression transformation, 223, 231, 237
 sufficient statistics, 74

 Newton's method, 134–6
 non-Bayesian methods, 25–6, 67–70, 94–5, 230 (*see also* datum distribution)
 non-orthogonal, 244, 267
 normal distribution (*see also* bivariate *and* multivariate)
 exponential family, 51–2
 maximum likelihood, 132–3
 mean, 1–23
 mean and variance, 36–46
 means, 76–86, 91–104, 227–8
 sufficient statistics, 51–2
 variance, 26–36, 101, 111–12
 variances, 86–91
 nuisance parameter, 38, 57–8, 232
 null hypothesis, 59, 67, 232
 numerical methods
 between and within samples, 106–7
 linear hypothesis, 236–46
 maximum likelihood, 134–6
 two-way classification, 253

 observed values, 160, 179
 odds, 7, 141, 146

 ordinates (regression), 259–61
 orthogonal design, 119, 234–5, 245, 270
 two-way classification, 252–3
 orthogonal polynomials, 267–9

 paired comparisons, 83–6
 parameter, 1, 5 (*see also* nuisance parameter)
 Pareto distribution, 73
 percentage points, 34
 F-distribution, 88–9
 t-distribution, 39
 χ^2 -distribution, 34–5
 point estimate (*see under* estimation)
 Poisson distribution, 153–7
 goodness-of-fit, 173
 means, 165–6
 multinomial distribution, 166
 Poisson process, 137
 polynomial regression, 266–9
 posterior distribution, 2, 21–2, 121 (*see also* datum distribution, *and* large samples)
 approximation by maximum likelihood, 129–32, 138
 binomial distribution, 141–8
 conjugate distribution, 55–6
 correlation coefficient, 214–15, 220–1
 decision theory, 65
 goodness-of-fit, 157–60
 linear function, 102, 107–8, 225–6, 231–2, 254
 linear hypothesis, 223–6, 230
 multivariate normal, 114–15
 normal mean, 2–3, 7–11, 13–16, 36–7, 41–2, 101
 normal mean and variance, 44–5, 133
 normal means, 76–83, 91–3, 95–9, 103, 112–14, 119–21
 normal variances, 86–7, 89–91
 Poisson distribution, 153–4
 prior to next sample, 116
 regression, 204–5, 207, 245–6:
 conditional expectation, 211 line, 211–12
 sufficiency, 46–7
 tabulation, 45–6, 83
 precision, 8, 10, 24, 30–1, 116–18
 prediction, 11–12, 66
 regression, 212–13
 principle of precise measurement, 12

- prior distribution, 2, 7, 16–17, 21, 132
(*see also* large samples)
between and within samples, 112, 119–21
binomial distribution, 141
conjugate distribution, 55–6
correlation coefficient, 218–20
decision theory, 65
goodness-of-fit, 163, 166–7, 176
linear hypothesis, 229
maximum likelihood, 132
normal mean, 2–3, 7
normal mean and variance, 40
normal variance, 26–33
Poisson distribution, 153
posterior of last sample, 116
regression, 205–6
sample information, 20–1, 151–3
significance test, 61–2
uniform, 18–19, 33, 145, 155, 220
vague prior, 9, 13–18, 31–3, 76, 132, 144–6, 155, 219–20
- probability distribution (derivation), 97–8, 103–4
probable error, 23
product (vectors), 236
- random effects model, 254–5
random sample, 1–4, 10
random sampling numbers, 53
random sequence of trials, 141–53, 157, 168, 176–8
range, 56
reduction of data, 10
reduction in sums of squares, 222–5, 232–6, 238, 245
analysis of covariance, 262–5
regression, 258–60
- regression, 203
analysis of covariance, 265
coefficient, 207, 241, 245–6
linear, 203–14, 217, 228–9, 257–62
multiple, 241–6
polynomial, 266–9
reduction, 264–5
- replication, 247, 255
- residual sum of squares, 222, 233–4, 238, 243–5
analysis of covariance, 262–3
regression, 209, 258, 260–2
two-way classification, 247–8, 253, 256
- robustness, 13
- sample beliefs, 11–12, 66
regression, 211–13
- sample correlation coefficient, 218
- sample information, 19–20
- sample mean, 41
- sample regression coefficient, 207, 245–6
- sample variance, 41
- sampling, 4, 270
- Sheppard's correction, 163, 175–6
- significance level, 59
exact, 60
- significance tests, 58–62, 111, 163 (*see also* F -, t - and χ^2 -tests)
non-Bayesian, 67–70, 94–5
- square root transformation, 156
- standard deviation, 8
- standard error, 23
- statistic, 46
- Stirling's formula, 137
- sufficiency, 10, 30, 41, 46–58
- sufficiency principle, 46
- sufficient statistic, 23, 46–58, 67
between and within samples, 103
binomial distribution, 49–51, 141
correlation coefficient, 218
linear hypothesis, 236
maximum likelihood, 134
normal distribution, 51–2
Poisson distribution, 153
regression, 210
- sum of squares, 78, 81–2 (*see also* mean square, reduction in sum of squares, residual, between, total and within sum of squares)
uncorrected, 82
- sum of squares due to regression, 209
- t -distribution, 36–9
Behrens's distribution, 93–4
 F -distribution, 88
normal distribution, 41–2
- t -test
 F -test, 99–100
linear functions, 102, 107–8, 225–6, 231–2, 254
normal mean, 42
normal means, 79–86, 99–101
regression, 203–5, 208–10
- tests of hypotheses, 24 (*see also* significance tests)
- total degrees of freedom, 104
- total sum of squares, 104, 232–6, 261

Cambridge University Press

978-0-521-29866-7 - Introduction to Probability and Statistics: From a Bayesian Viewpoint, Part 2 - Inference

D. V. Lindley

Index

[More information](#)

SUBJECT INDEX

291

- transformation to constant information
 binomial distribution, 149–50
 correlation coefficient, 219–20
 Poisson distribution, 156
triangular matrix, 237
two-way classification, 246–57
- uncorrected sum of squares, 106
uniform distribution (*see also* prior distribution)
 goodness-of-fit, 163
 maximum likelihood, 140
 sufficiency, 56
utility, 64
utility function, 64
- vague prior knowledge, 9, 13–18, 76
 binomial distribution, 31–3
 maximum likelihood, 132
 normal variance, 31–3
 Poisson distribution, 155
variance (*see also* normal distribution)
 assumption of equality, 80–2, 92, 99, 105, 112, 118, 227; homoscedastic, 206, 266
 ratio, 90
 weighing example, 119, 228
 weight, 113
 weighted least squares, 269–70
 weighted mean, 8, 31, 113
 within degrees of freedom, 78, 104 (*see also* analysis of variance)
 within sum of squares, 78, 82, 104, 117–18, 261 (*see also* analysis of variance)
- χ^2 -distribution, 26–30
 F-distribution, 88
 gamma (Γ -) distribution, 28
 percentage points, 34, 282–4
 χ^2 -statistic, 160
 χ'^2 -statistic, 167
 χ^2 -test
 binomial distribution, 164, 182–3
 contingency tables, 176, 178
 goodness-of-fit, 160, 168
 linear hypothesis, 225
 normal variance, 26–38, 43, 101, 111–12
 Poisson distribution, 153, 155, 165–6
 regression, 204, 209

INDEX OF NOTATIONS

(much of the notation is defined in Part I)

\mathbf{A} (design matrix), 222	β_i , 241
$B_0(a, b)$, 141	$\mathbf{\Gamma}$, 237
$\mathbf{C} = (\mathbf{A}'\mathbf{A})^{-1}$, 225	θ , 6
$\underline{F}_\alpha(v_1, v_2), \overline{F}_\alpha(v_1, v_2)$, 89	$\mathbf{\theta}$, 222
H , 1	$\hat{\theta}$, 128
$L(\mathbf{x} \theta)$, 128	λ_α , 60
$p(\cdot)$, 1	ν , 26, 36, 86
s^2 , 41	$\pi(x)$, 11
S^2 , 78, 96, 204, 222	$\pi(\theta)$, 1
S_r^2 , 222	$\pi(\theta \mathbf{x})$, 2
S_{xx}, S_{xy}, S_{yy} , 204	σ_n^{-2} , 129
S_{ij}^2 , 234	χ^2 , 26, 160, 168, 171
t , 36	χ'^2 , 167
$t_\alpha(\nu)$, 42	$\underline{\chi}^2(\nu), \overline{\chi}^2(\nu)$, 35, 284
\bar{x} , 41	$\underline{\chi}_\alpha^2(\nu), \overline{\chi}_\alpha^2(\nu)$, 34
\mathbf{x} , 1	$\tilde{\omega}$ (Behrens), 91
$\underline{x}_\alpha, \bar{x}_\alpha$, 34	$\tilde{\omega}$ (correlation), 215
α (probability), 34	
α (regression), 203, 241	'Dot' notation, 96, 177
β (probability), 15, 34	Vector notation, 114, 222
β (regression), 203	