

Index

- Acute diarrhea, death from, 157
- Acute lower respiratory tract infections (ALRTI), 133–136
 - etiology of, 134
 - frequency of, 134
 - mortality due to, 133–134
 - nomenclature of, 134
 - prevention of, 135–136
 - risk factors in, 134–135
 - socioeconomic status and, 135
 - treatment of, 134–136
- Acute respiratory infection (ARI), 133–136
- Age of mother at birth of child, 343
- Age-specific fertility, 152
- Age-specific mortality rates, 326, 376
- Amenorrhea
 - and breastfeeding, 104
 - equation converting mean duration of breastfeeding into mean duration of amenorrhea, 106
 - suckling patterns and, 104–106
- Amman (Jordan) study, 259–260
 - conceptual framework of, 260
 - diet in, 273–274
 - feeding practices in, 273–274
 - household income in, 263
 - housing in, 262
 - immunizations in, 272
 - intermediate mechanisms in, 269–276
 - maternal education in, 262, 277
 - maternal reproductive behavior in, 271
 - measure of child mortality in, 263–264
 - nutritional status in, 274–277
 - occupation of head of household in, 263, 277–278
 - personal hygiene in, 271–272
 - sickness care in, 272–273
 - socioeconomic determinants in, 260–267
 - statistical questions in, 267–269
 - upgrading project described, 258–259
- Amoebiasis, 142
- Analytical framework, for study of child survival, 25–40; *see also* Proximate determinants model
 - purpose of, 40
- Anovulation, suckling and, 104
- Anthropometry
 - disadvantage of, 51
 - as indicator of nutritional status, 51
 - and mild and moderate undernutrition, 130
 - mortality and, 58–63
- Arm circumference
 - as measure, 65
 - mortality and, 59, 61
- Ascaris*, 170, 174, 180
 - lactase activity and, 176
 - malnourishment and, 175
 - measurement of, 179
 - protein deficiency and, 177
- Beliefs about disease causation, 36
- Biological factors, in dietary intake, 85
- Biological reproduction function, for child survival, 231
- Biomedical research, 5–10
 - on infectious diseases, 5–8
 - on malnutrition, 9–10
 - on parasitic diseases, 8–10
- Birth intervals, 271
 - breastfeeding and, 108–109, 271
 - child's growth and, 297
 - child's survival risks and, 262
 - maternal education and, 262
 - mortality and, 335
- Birth order
 - effects of, 336

Birth order (continued)

as explanatory variable, 311

Birth spacing, *see* Birth intervals

Birth weight, as explanatory variable, 311

Bottlefeeding

breastfeeding and, 10, 98

contents of, 201

reasons for adopting, 203

Brass technique, 328–331

declining mortality and, 330–331

sources of error in, 330

value of, 330

Breastfeeding, 93–110

age-specific, 77

and birth intervals, 108–109, 271

bottlefeeding and, 10, 98

contraceptive effect of, 104–109

death of another child and, 344

differentials in practice of, 202–203

distinguishing between full and partial, 201

duration of, 95–96, 311

effects of modernization on impact of, 109–110

in El Progreso project, 297

enhanced maternal–infant bonding associated with, 93–94

equation converting mean duration of breastfeeding into mean duration of amenorrhea, 106

factors influencing impact of, 95–100

full or exclusive, definition of, 95

in infant mortality, 315–317

infection load in environment and, 99

local ecological context and, 110

in Malaysian Family Life Survey, 309–310, 315–317, 320–321

maternal education and, 102–103, 274

measuring impact of, 100–109

mechanisms of, in child survival, 93 and morbidity, 103

and mortality, 103, 202–203

mother's employment and abandonment of, 204–205

nutrient intake in, 100–102

parental education and, 87

postpartum abstinence and, 107–108

reasons for not breastfeeding or stopping, 318

respiratory illness and, 102

retrospective measurement of duration of, 202

sample selection bias in, 337–338

self-selection bias in, 103

socioeconomic status and, 109

suckling pattern in, 96–97

supplementing child's diet and, 97–99

water/sanitation availability and, 99

weaning-food contamination and, 98–99

Breastmilk

anti-infective properties of, 93, 94, 102–103

child growth as measurement of intake, 101–102

deuterium dilution technique as measurement of, 101

as food source, 273

mechanical measurement of production of, 100

nutrients available in, 94

weighing of, 101

Caloric availability, and mortality risks, 11

Campylobacter jejuni, in diarrhea, 145

Case-fatality rate, definition of, 150

“Cause of death,” redefinition of, 4

Cell-mediated immunity, 53, 54

Child care

economic activity and, 203–206

other preschoolers in household and, 298

and resources of mother, 261–262

and sex preference in care, 206–207

Child mortality, *see* Mortality

Child mortality model, 370

age groups in, 372–373

disease categories in, 373–374

health intervention programs in, 374–375

Clinic-based food-weighing studies, 76

Clinical trials, purpose of, 25

Cluster sampling method, 153

Community-level initiatives, 3

Community-level variables, 37–39

ecological setting, 37–38

health system variables, 38–40

political economy, 38

Computer software, in mortality estimates, 341

Controlled design research, effectiveness of, 20

Controlled studies, flaw in using, 16

Covariates in mortality, estimating, 332–336

Cross-disciplinary communication, barriers to, 4

Curative versus preventive care, 368–369

Index

393

- Data collection, operational strategies in, 15–17
- Death rate
 - definition of, 150
 - dependent variable in, 268
- Death ratio, definition of, 150
- Demand determinants, in economic variables, 225–228
- Demographic constraints, 379–380
- Demographic (census) data, estimating mortality from, 152
- Density models, 349
- Diarrheal disease, 141–158
 - anthropometric indicators and, 65
 - antibiotic therapy and, 158
 - bacterial agents associated with, 158
 - causes of, 5, 141–142
 - control of, 6
 - curative orientation to control of, 6
 - dehydration and, 144, 145, 157
 - enteric pathogens associated with, 143–144
 - etiologic agents of, 142–146
 - and height-for-age, 56–58
 - incidence of, 141
 - interventions in, 156–158
 - in malnutrition, 52, 374
 - mortality due to, 141
 - in Narwangel project, 292
 - in nutrient absorption, 52
 - nutritional status and, 56, 57
 - nutritional therapy and, 158
 - parasitic causes of, 142
 - physical growth and, 52
 - rehydration therapy in, 6
 - risk factors for, 5
 - rotavirus in, 144, 145
 - vaccines in, 157
 - weight-for-age as indicator of, 56–57
 - weight-for-height as indicator of, 56–58
 - withholding of foods and fluids during, 36
- Diarrheal morbidity and mortality, measuring, 149–156
- Diet
 - epidemiological studies of, 71
 - feeding practices and, 273–274
- Dietary data
 - interpretation of, 84–85
 - sources of variability in, 78–80
- Dietary history, 74, 81–83
- Dietary intake
 - classification of methods to measure, 72–73
 - cultural attitudes and, 87
 - determinants of, in infants and children, 85–87
 - direct measurement of, 7
 - food composition tables in, 84
 - geographic region and, 87
 - measurement of, 69–88
 - parents' occupations and, 87
 - prospective studies of, 72–73
 - retrospective studies of, 72–73
 - seasonal fluxes in food availability and, 87
 - self-selection of foods in, 86
 - sociocultural determinants of, 86–87
 - “talking a good diet” in, 81
- Dietary recall method, 74–75, 81, 83
 - advantage of, 74–75
 - drawback of, 75
- Dietary studies
 - objectives of, 70–72
 - planning and organizing of fieldwork in, 78
- Dietary study methods
 - comparisons of, 80–83
 - description of, 73–77
 - validation of, 80–83
- Disease, epidemiological studies of, 71
- Disease and death, social etiology of, 257
- “Drug resistance,” 358–359
- Duplicate diets, collection of, 76
- Economic variables in child mortality, 215–234
 - alternative strategies for statistical study of merged household and regional variables, 219
 - demand functions and, 224
 - endowments, 226–227
 - and general framework for estimating determinants of child health, 216–220
 - health inputs, 231
 - health production function and, 216, 218, 230
 - implementation of general framework and, 223–225
 - microeconomic model of family and, 220–221
 - parallel classifications of, 216
 - prices, 225–226
 - production functions, 224
 - purpose of, 215
 - reduced-form equations in, 218–219, 224, 231

- Economic variables in child mortality*
 (continued)
 reduced-form input demand function
 and, 217
 specification and measurement of,
 225–228
 study of US infant health determinants
 and, 228–230
- El Progreso project, 287–288, 295–298
 characteristics of, 285–286
 determinants of infant growth in, 296–
 298
 infant mortality rate in, 296
 mortality rates in, 289–291
 objectives of, 287
 socioeconomic scale use in, 295
- Entamoeba histolytica*, 144, 174
 in diarrhea, 142
 malnourishment and, 175
- Environment, as household demand
 determinant, 227
- Environmental contamination
 assessing, 32–33
 biological interactions among
 proximate determinants and, 42
 in proximate determinants framework,
 27, 30–31
- Epidemiologic constraints, 379–380
- Epidemiological studies, purpose of, 26, 215
- Escherichia coli*
 definition of, 146
 in diarrhea, 145
 plasmid-mediated enterotoxins
 produced by, 158
 transmission of, 146, 156, 157
- Ethnicity, as explanatory variable, 312
- Family, microeconomic model of, 220–221
- Family income, in mortality risks, 11
- Family planning programs
 effect of different types of fieldworkers
 in, 234
 maternal education and effect of, 233
- Fatality rates, 377
- Father's education, *see* Paternal education
- Father's occupation, 335
- Fertility surveys, as source of information on
 child mortality, 193
- Field intervention studies, 25–26
- Food-composition tables, 84
- Food diary, 76
- Food distribution programs, 51
- Food fortification programs, planning, 72
- Food preferences, 36
- Food supplements, effects of, 65
- Food-weighing techniques, 82–83
 problems of, 75–76
- Geohelminths, 170
- Giardia lamblia*, 144, 170, 174, 180
 in diarrhea, 142
 malnourishment and, 175
 transmission of, 157
- GOBI-FF strategy (growth monitoring, oral
 rehydration therapy for diarrhea,
 breastfeeding, immunization,
 food supplements, and family
 planning), 3
- Gross national product, and child survival,
 12
- Growth faltering, 30–32
- Hazard model, 320, 332–336
 in analyzing covariates of infant and
 child mortality, 338–339
 bias in, 337
 computer software in estimating, 341–
 342
 description of, 333
 randomization in, 338
- Health facilities in developing countries,
 underutilization of, 6
- Health heterogeneity, 230, 232
- Health inputs, economic variables and, 227–
 228
- Health intervention programs
 acceptance of, 7
 biosocial interrelationships of, 4
 demographic impact of, 7–8
 evaluation of, 336–338
 inference from study data of, 300–302
 mathematical models and, 17–18
 policy issues in, 368–370
 population target groups in, 369–370
 promotion versus services in, 369
 resource categories in, 382–384
 sample selection bias in, 301–302,
 337
 and socioeconomic determinants, 281–
 303; *see also* El Progreso
 project, Matlab project, and
 Narangwal project
 use-effectiveness of, 7

Index

395

- Health production function, 216
 - obtaining consistent estimates of, 218
- Health-system variables, 37–40
- Height-for-age
 - diarrhea and, 56–58
 - as indicator of stunting, 54
 - mortality and, 60
- Helminth infections, 163, 164, 180
 - controlling chronic parasitism due to, 168
 - detection of, 179
 - estimation of intensity of, 182
 - measurement of, 179, 181
- Holoendemic malaria, 171–173
 - residual insecticide control of, 173
- Hookworm
 - effects of, 167
 - and iron-deficiency anemia, 176
 - protein deficiency and, 177
- House density, as explanatory variable, 311–312
- Household composition, 312
- Household income, 312
 - in Amman study, 263
- Household-level research, in social science research, 13
- Household-level variables, 36–37
- Household surveys
 - contradictory results of, 209
 - design of, 207–210
 - elements of good survey, 209–210
 - medical beliefs and, 210
 - site of, 207–208
 - time budgets in, 208
- Housing, in Amman study, 263
- Illness, physical growth and, 52
- Immune system, 53
 - undernutrition and, 130
- Immunocompetence, malnutrition and, 53, 64, 65
- Incidence rate, definition of, 149
- Independent variables, in social science research, 13–14
- Individual-level variables, 34–36
- Infant deaths, mother's age and, 313–315
- Infant feeding, asking questions about, 201–202
- Infant mortality
 - breastfeeding in, 315–317
 - sanitation and, 315, 320
- Infection
 - biological synergy of malnutrition and, 9
 - in malnourished infants, frequency and severity of, 54–58
 - malnutrition and, 42
 - in nutrient metabolism, 52
 - nutritional intervention in, 64
 - nutritional status and risk of, 56–58
- Infectious diseases
 - biomedical research on, 5
 - mathematical models of, 17–18, 347–363
- Instrumental variables, 340
- Intermediate variable approach, *see* Proximate determinants framework
- Intervention projects, *see* Health intervention programs
- Intervention studies, purpose of, 26
- Intestinal parasites, fecal sample analysis of, 182–183
- Iron-deficiency anemia, hookworms and, 176
- Lagrange's method, 251
- Leishmania*, 169–170
- Life history matrix, 318
- Life table probabilities, 325–326
- Longitudinal observation, in population studies, 15–16
- Longitudinal studies, in diarrheal morbidity, 155–156
- Malaria
 - acquired immunity and, 171, 173
 - chemotherapy and, 167, 174
 - consequences of, for infant mortality, 172–173
 - control of, 166, 167
 - duration of, 164
 - on epidemic scale, 171–172
 - as explanatory variable, 13–14
 - immunosuppressive effect of, 178
 - insecticidal control of, 174
 - intensity of transmission of, 166
 - long-term control of, 8
 - low transmission areas of, 170–171
 - mechanisms of, 166
 - modeling history of, 349
 - mortality due to, 170–174

- Malaria (continued)*
 perinatal mortality from, 172
 prenatal effect of, 170
 prevention of effects of, on children,
 166–167
 Ross–Macdonald model of
 transmission of, 355
 stopping transmission of, 173–174
- Malarial parasites
 detection of, 179
 identification of, 181–182
- Malaysian Family Life Survey (MFLS),
 307–321
 breastfeeding and, 315–317, 320–321
 conceptual framework of, 310–313
 children “unwanted” in, 319
 children given away and, 309
 data used in mortality analysis of,
 308–309
 empirical model in, 310–313
 explanatory variables in, 310–312
 illustrative findings in, 313–317
 initial purpose of, 308
 mortality rates in, 307
 quality of data in, 309–310
 research strategy in, 312–313
- Male bias, in reporting on women’s roles,
 203
- Male infants, advantages given to, 206
- Malnutrition
 biomedical research on, 9–10
 diarrhea and, 52, 374
 estimating cumulative effect of, 50
 extent of, in developing countries, 174
 grade of, 30
 immune system and, 53
 infection and, 9, 42, 54–58
 mild and moderate, 52–63
 redefinition of, 10
 synergism between infection and, 8,
 174–175
- Market prices, shadow prices of
 commodities produced in home
 versus, 234
- Market wage opportunities of men and
 women, 220–221
- Maternal education, 193–203, 312, 335
 in Amman study, 277
 belief systems and, 194
 bias in, 337
 birth intervals and, 262
 breastfeeding and, 102–103, 274
 choice of measure for, 193
 cultural context and, 196, 210–211
 economic effects of, 221–222
 and educational level of society as a
 whole, 197
 family planning programs and, 233
 geographic access to medical facilities
 and, 200
 immunization and, 272
 income and, 194–195
 and increase in birth weight, 232
 and maternal nutrition, 198
 measuring, 193
 medical beliefs and practices and,
 200–201
 and mortality, 11–12, 262, 298, 336–
 337, 343
 and prospective education of children,
 195
 and public program interventions,
 222–223, 233
 and reduction in child mortality,
 testing hypothesis of, 194–198
 relative risk of death and, 335
 and shift of power away from
 patriarch, 194
 underestimation of women’s power in
 traditional societies and, 196–
 197
 and urban/rural residence, 332
 vital intermediate factors and, 199–
 200
- Maternal factors, in proximate determinants
 framework, 27, 30
- Maternal reproductive behavior, 271
- Mathematical models
 biological and epidemiological
 “acceptability” of direct
 parameter estimates in, 357–358
 goodness-of-fit criteria in, 357
 health programs and, 17–18
 of infectious diseases, 347–363
 models guiding intervention, 358–361
 monitoring and data collection designs,
 361–362
 in planning control programs, 360
 problem-dependent goodness-of-fit
 criteria in, 358
- Matlab project, 288, 298–300
 characteristics of, 285–286
 mortality rates in, 289–291, 298
 objectives of, 288
 sex differentials in, 299–300
- Measles, 128–133

- Measles (continued)*
 availability of medical care and, 132
 case-fatality rates in different
 geographic areas, 129
 complications from, 131
 infection and, 131
 mortality due to, 55–56, 128–130
 mortality risk factors and, 130–132
 nutritional status and, 130–131
 prevention of, 132
 vaccinations for, 132–133, 210
- Model life tables (Coale–Demeny), 326
- Modeling resource allocation, 367–387
 policy issues in, 368–370
 resource constraints in, 367–368
- Morbidity
 definition of, 26
 nutrition interventions and, 62–64
- Morbidity survey, 154–155
- Mortality
 anthropometric indicators and, 58–63
 arm circumference-to-height and, 59, 61
 birth intervals and, 335
 Brass-type estimates of, 328–331
 breastfeeding and, 103, 335
 growth faltering and, 30–32
 and height-for-age, 60
 maternal education and, 262, 298, 336–337, 343
 mathematical models and, 17
 measures of, in Amman study, 263–264
 and nutrition interventions, 62–64
 nutritional status and, 276–277
 obstacles to measuring, 191–193
 proximate determinants of, 5
 socioeconomic characteristics and, 25
 and weight-for-age status, 59–60
 and weight-for-height, 60
- Mortality analysis, problems posed by, 28–29
- Mortality rate
 and age composition, 325
 definition of, 150
- Mortality risks, 11–12
- Mortality survey, 153–154
- Mother's age at time of birth, 336
 as explanatory variable, 311
 infant mortality patterns and, 313–315
- Mother's education, *see* Maternal education
- Mother's employment
 and abandonment of breastfeeding, 204–205
 and children left at home, 204
 and illness of child, 205
 in modern formal sector, 205–206
- Mother's health and nutritional status, 34
- Multiple classification analysis (MCA), 265, 268, 270
- Multivariate statistical analysis, 339–340
- Multivariate techniques, and data from randomized samples, 343
- Narangwal project, 283–287
 anthropometric measurement and, 292–293
 caloric intake and economic resources in, 295
 characteristics of, 285–286
 differential growth in, 292, 293
 growth determinants using data from, 293–295
 mortality rates in, 288–289, 291
 objectives of, 283–287
 postneonatal mortality rates in, 292
 socioeconomic determinants and, 292–295
 socioeconomic status in, 293
- Neonatal tetanus, 119–125
 incidence per 1,000 live births by country, 120
 mortality from, 120–121
 mortality risk factors and, 121–123
 prevention of, 123–125
 prospective longitudinal studies in, 121
 TBA training and, 123
 tetanus toxoid immunization and, 123
- Nippostrongylus brasiliensis*
 and protein–energy malnutrition, 176–177
 reduction in food intake and, 175–176
- Nonlinear computer optimization program, 380–386
- Nutrient deficiency
 assessing, 33
 biological interactions among proximate determinants and, 42
 in proximate determinants framework, 27–28, 31
- Nutrient intake
 in breastfeeding, 100–102
 food-composition tables and, 84

- Nutrient requirements, 71–72
 - as affected by disease, 85–86
- Nutrients
 - bioavailability of, measuring, 70
 - recommended allowance of, 69
- Nutrition, and host resistance to infection, 53–54
- Nutrition interventions
 - effects of, 51
 - in infections, 64
 - morbidity and, 62–63
 - mortality and, 62–63
 - role of, 370
- Nutrition research, purpose of, 26
- Nutritional status
 - and acute lower respiratory tract infections, 134–135
 - definition of, 49, 69–70
 - as determinant of child mortality, 274–276
 - diarrhea and, 56, 57
 - input indicators in, 49
 - measles and, 130–131
 - measurement of, 9, 49–51
 - mortality and, 276–277
 - nutrient intakes in, 49
 - and risk of infection, 56–58
- Occupation of head of household, 263, 277–278
- Omitted variables bias, 339
- Oral rehydration therapy (ORT)
 - in diarrheal diseases, 6, 36
 - effectiveness of, 6
 - in Kenya, 14
 - studies on, 19–20
- Ordinary least squares (OLS), 313
- Parasites
 - as direct cause of mortality, 168
 - diversity of, 168–170
 - generation delayed effect on mortality, 169
 - as indirect cause of mortality, 169, 170
 - prenatal effect on mortality, 169
- Parasitic diseases, 163–183
 - anorexia associated with, 176
 - biomedical research on, 8–10
 - characteristics of, 164
 - general issues and policy on, 163–168
 - incidence rate in, 164
 - incomplete immunity in, 164–165
 - infections distinguished from diseases in, 164
 - intensity of infection in, 164
 - prevalence rate of, 164
 - sampling frequency in, 180
 - social dimensions of, 8
 - “social synergy” in control of, 8
- Parasitic infections
 - cross-sectional studies of, 180
 - detection of, 179
 - duration of, 164
 - in first 5 years of life, 178–179
 - in human growth, 177
 - indirect effects of, 174–178
 - intensity of pathogenic activity in, 180
 - longitudinal observations of, 180
 - measurement of, 165, 178–183
 - prevalence of, 174
 - reductions in food intake in, 175–176
 - synergism between malnutrition and, 174–175
 - techniques for measurement of, 181
- Paternal education, 20, 34, 335
- Personal hygiene, in Amman study, 271–272
- Personal injury control
 - measuring, 33–34
 - in proximate determinants framework, 28, 32
- Pertussis, 125–128
 - age-specific morbidity and, 126
 - complications from, 126–127
 - mortality due to, 126
 - mortality risk factors and, 126–127
 - prevention of, 127
 - vaccine effectiveness in, 127
- Physical growth of child
 - illness and, 52
 - mother’s weight and relationship to, 297
- Placental malaria, 172
- Plasmodium falciparum*, 169
 - infection histories of, 350–351
 - infection rates of, 171
- Political economy, 38
- Polygynous marriages, infant mortality in, 208–209
- Population at risk, definition of, 149
- Population studies, basic approaches to, 15
- Postpartum abstinence, and breastfeeding, 107–108

Index

399

- Postpartum amenorrhea, mean duration of
 - breastfeeding and, 107
- Prevalence models, 348–349
- Prior reproductive loss, as explanatory variable, 311
- Probability relationships, 377
- Proportional hazards model, 333
- Prospective studies
 - of diarrheal morbidity, 155–156
 - of dietary intake, 72–73
- Protein–energy malnutrition, 9
 - response to, 50
 - stages of development in, 50
- Protozoa, 163
 - controlling chronic parasitism due to, 168
 - measurements of, 181
- Proximate determinants, 32–34
 - biological interactions among, 42
- Proximate determinants framework, 26–28
 - categories of, 27
 - premises of, 26
- Proximate determinants model
 - advantages of, 40
 - cost subsidies in, 39
 - formal health system operation in, 38–40
 - institutionalized (imposed) actions in, 38–39
 - public information/education/ motivation in, 39
 - technology in, 40
- Public program interventions
 - and education interactions, 222–223
 - maternal education and effect of, 233
- “Recall lapse,” cultural factors and, 192
- Relative risk of death, 335
- Resource constraints, 367–368, 370, 378–379
- Respiratory illness
 - breastfeeding and, 102
 - weight-for-age and, 56–57
- Retrospective community data, 318
- Retrospective data on births and deaths,
 - accuracy of, 317–318
- Retrospective maternity histories, 327–328
- Retrospective studies of dietary intake, 72–73
- Rotavirus diarrhea, 144–148
 - immunologic protection from, 147
 - natural immunity to, 147
 - prevention of, 147
 - transmission of, 147, 157
- “Routine” surveillance data, in diarrheal morbidity and mortality rates, 150–151
- Rurality scale, as explanatory variable, 312
- Sanitary engineering (water supply and sanitation), 237–252
 - behavioral and cost relationships in, 245
 - behavioral determinants of water usage, 247
 - chlorination, 238
 - conceptual models available for problems of, 241–243
 - conventional design procedures in, 241–243
 - development of, 238
 - distance to source and quantity of water used in, 249–250
 - economics of, 241
 - epidemiological factors and, 247–248
 - as explanatory variable, 311
 - health services versus, 369
 - holistic conceptual framework of, 238
 - incorporating epidemiological considerations into design procedure, 247–250
 - incorporating household behavior into design process in, 244–247
 - in industrialized countries, 237–241
 - inefficiencies due to neglect of actual demand information in, 245
 - and infant mortality, 315, 320
 - interdisciplinary research in, 250
 - Lagrange’s method in, 251
 - level of service and, 243
 - mathematical model for design
 - capacity of system and distance to water, 244–245
 - price levied for water in, 240, 243
 - quantities of water used in, 243, 247–250
 - refinements in techniques of, 239–240
 - sewage treatment and, 239
 - slow-sand filtration in, 238
 - social aspects of health and disease and, 251
 - “standard water requirements” in, 244, 245
 - “targets” for water use in, 247

- Sanitary engineering (continued)*
 threshold values in, 247, 248
 typhoid death and, 238
 in underdeveloped countries, 241–252
 water quality standards and, 239
 water supply “design rules,” 240–241
- Schistosomiasis, 170
 morbidity due to, 361
- Sentinel surveillance, 152
- Sewage treatment, 239
- Shiga dysentery, 148
- Shigella*
 classifications of, 148
 in diarrhea, 144, 145
 prevention of, 148
 transmission of, 148, 157
- Shigellosis, 148
- Sickness care, as socioeconomic differential,
 272–273
- Single-round surveys, in population studies,
 15–16
- Smoking, effects of on birth weight, 230
- Social aspects of health and disease, 257
- Social determinants of child mortality, 257–
 279
- Social policy, health consequences of, 257
- Social science research, 10–15
 anthropological approach to, 14–15
 macro-level research strategies and
 policy implications in, 11–13
 micro-level research, 13–14
- Socioeconomic characteristics, mortality
 and, 25
- Socioeconomic determinants, 34–40
 in Amman study, 260–263
 child mortality rates for categories of,
 264–267
 community-level variables, 37–39
 dependent variables, 270
 household-level variables, 36–37
 independent variables, 270
 individual-level variables, 34–36
 intermediate mechanisms and, 269–
 276
 intervention projects and, 281–303
 research on, 291–300
- Socioeconomic status
 and acute lower respiratory tract
 infections, 135
 breastfeeding and, 109
 economic factors and, 298–299
- Squatter settlements in Jordan, *see* Amman
 study
- Structural equations, 375–377
- Suckling, measuring frequency of, 105–106
- Surveys, types of, 152–153
- Technology, in proximate determinants
 model, 40
- Technology-oriented health intervention, 4
- Techniques for estimating child mortality,
 325–344
 Brass-type estimates in, 328–331
 design effects in, 340–341
 endogeneity in, 339–340
 estimation of levels and trends, 327–
 331
 estimation of covariates, 332–336
 evaluation of intervention schemes,
 336–338
 independence of observations in, 340
 preliminary methodological
 considerations in, 325–327
 research priorities in, 338–341
 retrospective maternity histories in,
 327–328
 unobserved heterogeneity in, 339
- Tetanus, *see* Neonatal tetanus
- Time-dependent effects, 334
- Time-varying covariates, 333
- Toxoplasmosis, 170
- Transmission model of Dietz, Molineaux,
 and Thomas, 356
- Trichuris*, 170, 174
- Typhoid death rates, reductions due to
 advances in water treatment, 238
- Urban development and health, 259–260
- Urban/rural residence, maternal education
 and, 332
- Vaccine programs, acceptance of, 7
- Value of children, 35–36
- Vibrio cholerae*, in diarrhea, 144
- Viral diarrheas, as term, 142
- Vital records, in developing countries, 151
- Wage rate, paid to women relative to men,
 220–221
- Water and sanitation interventions, health
 services versus, 369
- Water quality standards, 239

Cambridge University Press
978-0-521-30193-0 - Child Survival: Strategies for Research
Edited by W. Henry Mosley and Lincoln C. Chen
Index
[More information](#)

Index	401
Water-related diseases, classifying, 242–243	
Weaning, 201–202	
food in, 311	
Weaning-food contamination, 98–99	
Weight, as indicator of stunting, 54	
Weight-for-age measurements, 42	
diarrhea and, 56–57	
as indicator of general health, 30	
and mortality, 59–60	
nutritional status and, 274–275	
respiratory infections and, 56–57	
Weight-for-height	
classifications of, 65	
diarrhea and, 56–58	
as indicator of malnutrition, 50	
and mortality, 60	
Women’s roles, 203–210	
Women’s work, equated with paid employment, 204	