

INDEX

- Admissible crack speeds, *see* crack propagation speeds, permissible
- Aftershocks, radiation characteristics of, 257–8
- Alaska (1964) earthquake, *see* earthquakes
- Amplitude spectra, 227–33
- Antiplane shear crack, definition of, 60
- Apparent stress, 149–50, 152, 157
- Asperity
 model, 164–7, 249–57
 radiation due to failure of single circular, 247–9
 spontaneous fracture on an infinite plane of circular, 209–14
 spontaneous fracture on infinite plane of elliptical, 214–21
- Barenblatt's fracture criterion, 61
- Barenblatt's model, 55
- Barrier model, 235–47
- Benioff plot, 7
- Body-force equivalent, 3, 95–7
- Body forces, definition of, 43–4
- Body waves, shapes of first arrivals of, 112–16
- Boundary conditions, 47
- Boundary conditions on fracture surface,
 general formulation, 47, 223–4
 for circular cracks, 183–4, 188–9
 for crack with dry (Coulomb) friction, 191–4
 for crack under linear slip-weakening law, 195
- Brittle fracture, *see* fracture
- Burgers vector, 4–6
- California (1906) earthquake, *see* earthquakes
- Chilean (1960) earthquake, *see* earthquakes
- Circular finite shear crack, solution for, 189–91
- Circular self-similar shear crack, solution for, 184–8
- Coherent radiation, definition of, 108
- Cohesive force, 55
- Cohesive stress, 61
- Cohesive zone, 54
- Cohesive zone models, 55
- Combined-mode crack growth, *see* mixed-mode fracture
- Constitutive laws, 48–52
- Continuous medium, concept of, 28–33
- Corner frequency
 for asperity model, 253–4
 for barrier model, 240–7
 due to P and S waves for finite circular fault, 233–4
- Coulomb's law of friction, expression for, 191–2
- Crack-driving force, definition of, 73
 for isotropic, elastic, ideally brittle medium, 78–81
 velocity dependence of, *see* γ_{eff}
- Crack with dry (Coulomb) friction, solution for, 193–4
- Crack edge, energetics at, 62–8
- Crack model of earthquakes, 251–4
- Crack opening displacement, 61
- Crack propagation, solution for
 spontaneous
 on infinite planes of constant strength, 199–203
 inplane slip-weakening case, 221–3

284 *Index*

- Crack propagation, solution for (*cont.*)
 preexisting crack on infinite plane of
 constant strength, 206–9
 rectangular crack, 203–6
 three-dimensional case, 199–221
 Crack propagation with prescribed velocity,
 119–21, 182–91
 Crack propagation speeds, permissible,
 78–81, 200–3
 Critical crack length, 200, 202, 221–3
 Critical slip-weakening displacement,
 194–5, 221–3
 Critical stress intensity factor, 60–1
 Critical stress level fracture criterion, *see*
 fracture criterion
- Deep-focus earthquakes, 18–19
 Dipole, *see* elastic dipole
 Directivity function
 for asperity model, *see* asperity, model
 for dislocation (crack) model, 166
 Discontinuity, concept of, 40–2
 Displacement discontinuity (jump),
 definition of, 41
 Double-couple source, *see* elastic dipole
 Ductile fracture, *see* fracture
 Dugdale model, 55
 Dynamic instability, *see* instability,
 earthquake
 Dynamic motion, 6
 Dynamic overshoot, 189–90
- Earthquake energy, *see* seismic energy
 Earthquakes
 1906 California, 3, 22–5
 1952 Kern County, California, 7, 9
 1960 Chile, 9
 1964 Alaska, 12
 1971 Kamchatka, USSR, 33–5
 1986 North Palm Springs, California, 34
 Earthquake source, definition of, 17, 21; *see*
also tectonic earthquake source,
 definition of
 Earthquake source mechanics, definition
 of, 22
 Effective stress, definition of, 148
 Elastic dipole, 96
 Elastic dipole moment tensor, 96
 Elliptical asperity, failure of, *see* asperity
 Energetics at crack edge, *see* crack edge,
 energetics at
 Energy balance, at crack edge, *see* crack
 edge, energetics at
 Energy conservation law, 62–5
 for body with fracture, 65–8
- Energy release rate, *see* crack-driving force,
 definition of
 Equations of motion for elastic medium,
 44, 46
 Equivalent point source model, 96–7
- Far-field displacement due to earthquake
 near first arrivals, 112–13
 for P waves in homogeneous medium,
 101–6
 for P waves in inhomogeneous medium,
 109–10
 for S waves in homogeneous medium,
 101–7
 for S waves in inhomogeneous medium,
 109–10
 Fault plane, determination of, 107–8,
 114–16, 122–3
 Fault-plane solution
 definition of, 113
 determination from body wave records,
 116, 122–3
 Final fault offset, *see* final slip on dynamic
 crack
 Final slip on dynamic crack, 189–91, 205–6
 Fracture
 brittle, 53–4
 definition of, 53
 ductile, 53–4
 ideally (or perfectly) brittle, 53–4
 model of, 54
 nonideally (or imperfectly) brittle, 53–4
 stable (quasi-static), 22
 unstable (dynamic), 22
 Fracture criterion
 of Barenblatt, *see* Barenblatt's fracture
 criterion
 for crack arrest, 75, 77, 80–1
 for crack initiation (dynamic), 75, 77,
 79–81
 for crack propagation, 73–4
 of Griffith, *see* Griffith's fracture criterion
 of Irwin, *see* Irwin's fracture criterion
 in numerical methods, 196–9
 slip weakening, 194–5
 Fracture mode
 I, *see* tensile crack, definition of
 II, *see* inplane shear crack, definition of
 III, *see* antiplane shear crack,
 definition of
 Fracture process zone, *see* cohesive zone
 Fracture velocity, *see* crack propagation
 speeds

- G , *see* crack-driving force, definition of,
 for earthquakes, 76
 for laboratory experiments, 76–7
 G_c , definition of, 74
 Γ integral, 71
 γ , *see* specific surface energy
 γ_{eff}
 definition of, 68
 expressions for, 68, 70–1
 velocity dependence of, 71–4
 Geodetic measurements, 32
 Green's tensor for elastic medium, 92
 Green–Volterra formula, 90–1
 Griffith–Irwin–Orowan theory of
 fracture, 59
 Griffith's fracture criterion, 59–60
 Griffith's theory of fracture, 58–9
 Haskell's earthquake model, 12
 Hooke's law in elastic medium, 46
 Incoherent radiation, definition of, 108
 Incremental stress in dynamic problems, *see*
 stress perturbation
 Infinitesimal strain tensor, 39
 Initial conditions, 47
 Initial crack, 81–2
 Initial defect, *see* initial crack
 Initial stress on fault in numerical methods,
 195–6, 206–7, 209–11, 215–6, 219
 Inplane shear crack, definition of, 60
 Instability, earthquake, 18, 19–20
 Instability theorem for inverse source
 problem, 9, 135
 Inverse problem for earthquake source
 formulation for far-field body waves,
 101–7
 general formulation, 99–101
 Irwin's fracture criterion, 60–1
 J integral, 71
 Joint, 48
 Joint stiffness tensor, 48
 Kamchatka, USSR, (1971) earthquake, *see*
 earthquakes
 Kern County, California, (1952) earthquake,
see earthquakes
 Kernels of integral representation
 for antiplane shear crack problem, 263,
 266–7
 for inplane shear crack problem, 263–7
 for three-dimensional shear crack
 problem, 259–63
 Kinematic description of fracture, 47–8
 Kinematic motion, 6
 Lamé constants, 46
 Leonov–Panasyuk fracture criterion, 61–2
 Leonov–Panasyuk model, 55, 57, 58
 Limiting crack speed, *see* crack propagation
 speeds, permissible
 Linear elastic theory of strain, *see* strain
 Macroscopicity of description of medium,
 55–9
 Macrostrain, 32
 Maurice Ewing Symposium, Fifth, 13
 Microstrain, 32
 Mixed-mode fracture, 199–203, 207–9
 Mode of fracture, *see* fracture mode
 Model of fracture, *see* fracture
 Modulus of cohesion, 61
 Moment, seismic, 145, 148
 for asperity model, 252–3
 for crack model, 251–3
 relation of cumulative regional moment
 to seismic slip rate, 160
 relation to tectonic deformation, 162
 Moment tensor, dipole,
 principal axes of point source, 98–9
 Moment tensor, seismic, 10
 definition of, 145
 determination of, 146–8
 in isotropic medium, 98
 long-wave approximation, 143
 Moment tensor density, 96
 Nodal planes, 3–4, 98, 113
 North Palm Springs, California, (1986)
 earthquake, *see* earthquakes
 Numerical methods, comparison of
 different, 173
 Opening mode, *see* tensile crack
 P axis, *see* pressure axis
 Physically infinitesimal particle, 29–31
 Plancherel (–Polya) theorem, 129
 Polarization of first arrival of body waves,
 112–13
 Precursory changes of travel times, 33–5
 Pressure axis, 98
 Prestress, *see* initial stress
 Principal axes of point source moment
 tensor, *see* moment tensor, dipole
 Process zone, *see* cohesive zone
 P–SV crack, *see* inplane shear crack,
 definition of
 Radiation pattern for asperity and
 dislocation (crack) models, *see*
 directivity function

286 *Index*

- Radiation pattern for P waves
 due to fracture at speed $> v_p$, 119
 due to fracture at speed $< v_p$, 119
 due to instantaneous fracture, 118
- Ramp-function slip function (for asperity model), 249–51
- Ray vector, 104
- Rayleigh equation, 78
- Rayleigh function, 78
- Reciprocity theorem, 91–2
- Reid's theory of elastic rebound, 22–6
- Representation relations
 approximation and stability criterion, 268–71
 in discrete form, 180–1
 for dynamic crack problems, 175–6
 efficiency of numerical forms, 182
- Rise time
 for asperity model, 214, 251
 for crack model, 189, 205, 251
- Rupture propagation, *see* fracture criterion, for crack propagation
- Rupture velocity, *see* crack propagation speeds
- San Francisco, California, (1906)
 earthquake, *see* earthquakes
- Seismic efficiency, 149–50
- Seismic energy, 149–58
- Seismic moment, *see* moment, seismic
- Seismic moment tensor, *see* moment tensor, seismic
- Seismic spectra, shape of, 227–33
- SH crack, *see* antiplane shear crack, definition of
- Single-couple source model, 3–4
- Slip function, *see* source time function
- Slip rate distribution,
 for elliptical crack, 121
 for self-similar circular crack, 119–20
- Slip-weakening fracture criterion, 62, 194–5
- Slip-weakening model, 62
- Slow (or weak or asperity) earthquakes, 251
 comparison of radiation with normal (crack) earthquakes, 250–1, 253–4
- Somigliana dislocation, 6
- Source time function, 10, 225–7
 due to asperity model, 249–51
 due to barrier model, 236–47
 due to finite circular shear crack, 227–33
 due to single isolated asperity, 247–9
- Specific fracture work, *see* crack-driving force
- Specific surface energy γ , 64
- Spontaneous fracture propagation, *see* crack propagation, solution for spontaneous
- Stable fracture, *see* fracture
- Stokes' solution, 101–2
- Strain
 definition of, *see* strain tensor, definition of
 elastic, 17–21
 linear elastic theory of, 39–40
 nonelastic, 17–21
 quantitative theory of, 35–40
- Strain energy density, 46
- Strain hardening, 20
- Strain tensor, definition of, 37–9
- Strain weakening, 20
- Stress, definition of, 42–3
- Stress drop
 comparison for smaller and larger earthquakes, 83–4
 definition of, 46–7
 relation to initial critical size, 81–4
- Stress intensity factor, 60
- Stress perturbation, 46
- Stress singularity at crack edge, order of, 78
- Stress tensor, definition of, 43
- Surface energy, *see* specific surface energy
- T* axis, *see* tension axis
- Tearing mode, *see* antiplane shear crack, definition of
- Tectonic earthquake source, definition of, 26–8
- Tensile crack, definition of, 60
- Tension axis, 98
- Tension crack, *see* tensile crack
- Theoretical material strength, 85
- Tilt, 32
- Traction
 continuity across fracture surface, 45
 definition of, 43
- Traction drop, 183; *see also* stress drop
- Uniqueness theorem for inverse source problem, 9, 131–2
- Unstable deformation, 20
- Unstable fracture, *see* fracture
- Unstable strain, 21
- Velocity singularity at crack edge, order of, 78
- Volterra dislocation, 5
- Weak earthquake, *see* slow (or weak or asperity) earthquake
- Work hardening, *see* strain hardening