

Index

- Acetabularia*, xvi, 7, 15, 19, 24, 62, 238, 299–309, 312, 325, 327–8, 334–7
 action at a distance, 31, 97
 activator (*see also* morphogen), 37–45, 268, 323
 Acton, A. B., xv
 adhesion: differential, 113, 118–28; heterophilic, 122–3; homophilic, 122–3
 aging, cell surface, 312–14
Ambystoma, *see* axolotl
 ammonia, as morphogen, 324–6
Amphioxus, 95
 amplifier, 24–7, 37, 134, 154–6, 167–9, 321–3
Anabaena, 68–71, 74, 281
Arabidopsis, 300
 Aristotle, 28, 89, 93, 146, 173
 asymmetry, 167–72
 atomic theory, 21–2; Dalton's, 298
 autocatalysis, 38, 58–9, 134, 169, 257, 296, 323–4
 automata, cellular, 28, 68–9, 153
 auxin, 296–7
 Avogadro's Law, 14
 axolotl, 115, 119, 124, 323, 328–31
Azolla, 72–80, 109
- Belousov–Zhabotinski reaction, xvii, 332
 Berthollet, 298
bicoid, 316, 318, 320
 bifurcation, 201–3, 207
 binaphthyl, xiii
 blastoderm, 15, 61, 83, 129, 281, 315–22
 blastula, 146–8
 Boltzmann, L., 8, 22–4, 299
 boundary conditions: Dirichlet, 62, 69, 78; no-flux (Neumann), 61–2, 78
 brusselator, 53, 82, 186–7, 191, 198, 234, 243–6, 248, 258–9, 265–83, 309, 312–14, 323, 328
 bubble raft, 133
- Caenorhabditis*, 94–5, 119
 calcite, 106–8
- calcium, 7, 96, 134–6, 254, 303–7, 325–6
 calculus, necessity for, 9, 173–5, 209
 cAMP, cyclic adenosine monophosphate, 324–5
 Cannizzaro, S., 14
cardiac-lethal, axolotl, mutant, 330–1
 catastrophe theory, 205–8
 causes, 155–6; efficient, 89, 93; etiology, 90, 93
 cell: division, 67–80, 108–11; as molecule, in theories, 21, 26, 110–19, 136, 141, 255
 cellular automata, *see* automata, cellular
Chaetomorpha, 69–71
 Chain reactions, balanced, 265–7
 chalones, 46–7
 chaos, 24–7, 148
 chemotaxis, 119
 Cheshire Cat, sine wave pattern fading by diffusion, 175–7, 181–2, 225–6
 chick: cells, embryonic, sorting, 112–13, 120–2; feather follicles (*see also* hexagonal patterns), 112
 chirality (*see also* hyperchirality; optical resolution), xiii, 154–72, 261–3, 283–91
 chlorotetracycline, 304, 307
 classifications: of developmental theories, 252–6; of reaction-diffusion models, 256–63
 collagen, 116, 149
 concanavalin A, 289, 306
 contractile processes, 96
Cosmarium, 311
 Cotton effect, 170
 counter-intuitive properties, 186, 229, 323–4
 Crick, F., 23
 crystal growth, 101–8, 210–11
 cubic equations, 206–8
Cymopolia, 308
 cytoskeleton (*see also* microtubules), 129, 306
- dead reckoning, in navigation and surveying, *see* traverse, open

352 Index

- “death dominates,” importance of removal processes, 197
 depletion models, *see also* brusselator, 258
 desmids, *see also* *Micrasterias*, 310–14
 dichotomous branching, 310–14
Dictyostelium, 15, 61, 113–14, 119, 238, 240, 262, 323–5, 334–7
 differential equations: introduction to, 175–83; partial, 178–9
 diffusion: in Belousov–Zhabotinski reaction, 332; of a boundary, 163; of cells, 113, 136; as communication, xviii, 40, 136, 318–22; diffusion-limited aggregation, 27; diffusivity, 94, 179; diffusivity ratio, 235–43; equations, Fick’s Law, 178–9, 212; first use in equations for pattern formation, 253; in nonlinear models, 264–97; in reaction-diffusion models, classification, 252–63; in reaction-diffusion models, introduction, 188–90; in Turing’s model, 223–9; and wavelength, 36, 50–3, 232–3, 302
 DIF-1, as morphogen, 324–6
 dislocations in crystals, 94–5, 133
 dissipative structure, 196, 332
 DNA, 117, 322
 double-abdomen deformity, 82–4
Drosophila: gene-classes, 315–17; imaginal discs, 238; segmentation, 11, 15, 19–20, 56, 262, 279, 281–2, 293, 302, 314–23, 334–7
 Echinoderms, 95, 106–8
 Einstein, A., 22, 156, 170
 electro-osmosis, 99–100
 enantiomers (*see also* optical resolution), 155, 158, 167, 285
 endoderm, 328–31
engrailed, 282, 317
 engulfment experiments, tissues *in vitro*, 118–23
 entities, esp. a pattern as an entity, 19, 181–3, 225, 229, 279, 301
 entropy, 23, 26, 94, 122, 148, 169, 198–201
 epithelia: axolotl embryo, 328–31; development, in classification of theories, 254; in glandular development, 116–17; mechanochemical model for deformation of, 134–7; vertebrate skin, 294–5
 equilibrium, 91–2, 118–23, 255; approach to *versus* departure from, 98, 101, 113, 118–23; shapes of crystals, 102–4
 errors, 152–3, 166
Euastrum, 311
even-skipped, 316–7
 exponential growth, 189–90, 209, 231–2, 241, 252
 feedback, esp. positive feedback loops, 37, 169, 257–8, 307–9, 312–14, 317, 323
 Fick’s Law, 179
 field: diversity of meaning, 96–7; physical, e.g., electrical, 74, 96–7; of science, xviii–xix; theory, 97, 206
 filamentary organisms, 67–74
 filopodium, 130, 133
 flatland, 288–9
 fluctuations, *see also* noise, 160–1, 225
 flux, autocatalytic, 296–7
 Flying Dutchman, opera, as an analogy, 30
 fractals, 27
 Frank, F. C., 104, 166
 free energy, 35–6, 92, 97, 103–4, 108–9, 121, 130, 255
fushi tarazu, 316–17
 gambling, 161–3
 gap junctions, 281
 gastrulation: echinoderms, 115, 119, 134–7; nematodes, 94–5, 112, 115, 119
 Gedanken experiment, 170–2
 genetic code, 167
 Gierer–Meinhardt model, 32, 38, 50, 58–9, 63, 67, 71, 80–8, 183, 259–60, 279–81, 291–4, 325, 330–1
 gland, mouse submandibular, salivary, 116–17, 119
 governor, on engine, analogy, 227–9
 gradients, 20, 33–7, 71, 81, 84–8, 115, 150, 272–5, 277, 315, 317–23; of adhesion, 115, 123–8
 Green, B. R., xvi
 Green, P. B., xvi, 8, 11
 hairy, 317, 321
 Harvey, W., 17
 heart formation, axolotl, 328–31
 Heisenberg, W., 23, 25
 hexagonal patterns, 56–7, 149, 279–81
 hierarchies, 118–21, 307–9, 314–20
 homeosis, 317
 homunculus, 37
 hormone, 33, 46
 Hoyle, F., 6
hunchback, 316, 319–20
Hydra, 15, 58, 71, 84–8, 292, 323
 hyperchirality, 55, 261–3, 283–91, 312, 322
 IAA, indole-3-yl acetic acid, *see* auxin
 induction: endoderm-to-mesoderm, 328–31; homeogenetic, 262
 inhibitor (*see also* morphogen; nonlinearity; Turing, A. M.), 46–55, 256, 268, 292, 330
 int-1, 317
 invagination, 254
 Joule, J. P., 14
 Kepler, J., essay on the snowflake, 102
 kinase, protein, 307

- kinetic theory of pattern: advances in, 323;
 in classification of developmental theories, 254; definition, 92–3, 100–1; opposition to, 315; scope, 252–5
- knirps*, 316, 321
- Krüppel*, 316, 319–21
- Lacalli, T. C., xiii–xv, 9–10
- Lachner, F., conductor, in musical analogy, 30
- Lavoisier, A. L., 18–19
- Liebig, J. von, first to recognize proteins, 322
- linearization, 184–6, 258, 270–1
- liverwort, 152–3
- localization of pattern-forming region, 272–5
- Lophocolea*, 153
- Mach, Ernst, 8, 22
- macroscopics, 1, 8
- Malthus, J., 90
- mathematics in biology, 3–4, 247–9
- Maxwell distribution, 25
- Mayer, J. R., 14
- measuring *versus* counting, 56–7, 334–7
- mechanical force, 92, 94–6, 114, 128, 133–7, 314
- mechanochemistry, 94–6, 115, 133–7, 254, 331
- mesenchyme, 96, 108, 112, 116–19, 136, 138
- mesoderm, 328–31
- Michaelis–Menten equation, 295, 306
- Micrasterias*, xiii, xv, 15, 62, 149–50, 287, 310–14
- microfilaments, 129
- microtubules, 72–3, 110–11, 129, 333
- Mills, W. H., mechanism for optical resolution, 39, 85, 155, 157–8, 166, 191, 264
- model, meaning of the word, 247–9
- Moelwyn-Hughes, E. A., 13
- Moore, Walter J., 14, 22
- morphogen, 31–55, 189, 305–7; precursors, 268–9, 275–8, 305–7, 334; type I (Wolpert), 32–7, 315, 318; type II (Turing), 32, 47–55, 188–9, 214, 223–46, 315, 318; variables A, H, U, V, X, Y, 58–9, 223–4, 268–9
- moss, 109
- motion, as ultimate reality, 28–30, 89, 172
- Murray, J. D., 294–5
- nanos*, 318
- Needham, J., 9
- noise (*see also* fluctuations), 43–4, 320–1
- nonlinearity, 50, 58, 63–4, 185–6, 248, 252–6, 259, 264–97
- Ockham, William of (and Ockham's razor), 31, 38, 90, 276
- ocular dominance, 290–1
- optical resolution, xiii, 38–45, 143, 154–72, 187–8, 192–203, 254
- oregonator, 254, 332
- oscillations, *see* waves
- oskar*, 318
- paradigms (*see also* preconceptions), xiv, 7, 12–13, 15, 17–18, 21, 28–30; paradigm shift, xvi
- Paramecium*, 284
- parameter space, 213–14, 235–45, 273–5
- parity, 155
- Pasteur, L., 155, 169
- Perrin, 22
- phase plane, 213–14
- philogiston theory, 18–19
- phosphorylation, 307
- phylogeny, 308
- Pincock, R. E., xiii–xiv
- polar furrow, 109, 130
- polarity, 37, 61, 69–70, 168–9
- Polysphondylium*, 15, 325–7
- positional information, 15, 32–7, 212, 254, 315
- positivism, 8, 22, 299
- preconceptions (*see also* paradigms), xiv, 7, 12–13, 15, 17–18, 21, 107, 248, 298
- prediction, in scientific method, 302–5, 337
- preprophase band, 72–4, 110–11
- range of activation, 83
- receptors, 286, 306
- regulation, 334–7
- retinotectal specificity, 37, 125–8, 169
- Rhabdoporella*, 308
- Rhodnius*, 317
- root development, 72–80
- Rumford, Count, 14
- runt*, 317
- saturation, 295
- scales of distance (*see also* wavelength), 36–7, 46–7
- Schrödinger equation, 16
- scientific method, xiv–xv, 3–7, 12–18, 28, 89–90, 247–51, 322
- sea urchin (*see also* Echinoderms), 106–8
- segmentation, *see Drosophila*
- self-assembly, 26, 91, 106–8, 143
- self-electrophoresis, 98–101
- self-enhancement (*see also* autocatalysis), 101, 169
- self-organization, 91, 101, 118–19, 143, 148, 154
- sequences of patterns, 275–8, 307–9, 315–22
- simulation, 162
- sine waves, 41–5, 60–2, 65–6, 175–8, 225–6, 229–33, 325–6

354 Index

- Smittia*, 83, 318
 Snider, R. F., 8
 snowflake, 27, 93, 101–2, 104–6
 sorting-out of cells, 112–36
 source, localized (Saunders), 33–7, 318
 species-specific shapes, 153
 spicule, echinoderm, 106–8
 spline, 146–54, 289
 steady-state approximation, in kinetics, 266–7
 Stokes' Law, 29
 stripes, 20–1, 55, 260–1, 290–1, 294–5, 315–16, 318, 320–2, 332–3
 structural: stability (dynamic equations), 10, 203–4, 214; theory of morphogenesis (*see also* self-assembly), 90–1, 254
 surface tension, 121–3
 switching, 281–2
 symmetry, 1, 145–72; bilateral, 145–6, 284; breaking and making, 41, 136, 143, 145–72, 284; elements, 101; of kinetics, 261–3, 285–7; spherical, 146–7
Taricha, 330–1
 tectum, optic, *see* retinotectal specificity
 teratogenesis, 80–4, 281, 292
 termolecular step, 191
Tetrahymena, 284
 thermodynamic driving force, 194
 Thompson, Benjamin, 14
 threshold, 192–201, 268–9
 tip growth, 62, 276, 300–14
 transitive property, 118, 120
 traverse, open (surveying), 151, 166
 Turing, A. M., and Turing's model (*see also* morphogen), xiii, xix, 32, 38, 47–9, 71, 84, 115, 146, 148, 167, 206, 214, 223–46, 293, 323
 Turing's conditions (*see also* parameter space), 233–46, 274
 Turing's constants *versus* rate constants of mechanism, 270–2, 293
Ulothrix, 69, 71
 uncertainty principle, 23, 25
 vesicles, intracellular, 134, 312, 325–6
 visco-elasticity, 128
 Wagner, R., in musical analogy to biological dynamics, 30
 Watson, J. D., 23
 Watt, James, 197
 wavelength, 43–5, 49–53, 62–6, 81–3, 86, 188–90, 224–7, 256, 278–82, 326–8
 waves, travelling or stationary, xvii, 237–40, 332
 whorls, xvi, 15, 19, 238, 448–61
wingless, 317
 Wolpert signaller, *see* morphogen, type I
 Wulff's theorem, 102–4, 210
Xanthidium, 311
Xenopus, 168, 330