

Cambridge University Press

978-0-521-31081-9 - Community Ecology and Salamander Guilds

Nelson G. Hairston

Index

[More information](#)

Name index

- Abbott, I., 28
 Abrams, P., 13
 Adams, J., 33
 Allee, W. C., 31
 Altig, R., 98
 Anderson, J. D., 97–8
 Andrewartha, H. G., 3
 Arnason, A. N., 2
 Arnold, S. J., 84, 128, 195
 Avery, R. A., 97, 107, 192
 Ayala, F. J., 15
 Bailey, J. R., 120, 151
 Baltensweiler, W., 59
 Barnard, D. E., 128
 Beaver, R. A., 19
 Bell, G., 52, 53, 55, 75–81, 83
 Bellis, E. D., 165, 166
 Berven, K. A., 49
 Bishop, S. C., 84–5
 Birch, L. C., 3
 Bizer, J. R., 84
 Bobka, M. S., 38
 Boecklen, W., 26–8
 Bowman, R. I., 28
 Brady, M. K., 128, 195
 Branch, L. C., 98
 Brandon, R. A., 151, 155, 163, 166
 Brenchley, G. A., 11
 Brodie, E. D., Jr., 116
 Brophy, T. E., 98
 Brown, J. H., 6, 11
 Bruce, R. C., 83–4, 85–7, 148
 Burton, T. M., 198, 199–201
 Bush, A. O., 2
 Byers, G. W., 2
 Carr, D. E., 165
 Case, T. J., 33, 175
 Clements, F. E., 30
 Cobey, A. E., 73
 Cohen, J. E., 4, 17–18
 Cole, L. C., 84
 Collins, J. P., 84
 Connell, J. H., 7, 10, 12, 27, 40, 41, 59–65,
 145, 167, 201
 Connor, E. F., 28–30
 Corbet, A. S., 2
 Crossley, D. A., 200
 Culver, D. C., 11
 Curtis, J. T., 32
 Dalrymple, G. H., 97
 Danstedt, R. T., 52
 Darwin, C. S., 23
 Dawkins, R., 175
 Dayton, P. K., 14
 DeBach, P., 16
 Deevey, E. S., 93
 De Jongh, H. J., 84
 Diamond, J. M., 28–30, 63
 Dice, L. R., 31
 Dobson, A., 64
 Dodson, S. I., 108–9
 Dodson, V. E., 108
 Dumas, P. C., 126, 139, 140
 Dunham, A. E., 7
 Dunn, E. R., 88, 119, 149
 Edwards, J. L., 85
 Efford, I. E., 116
 Ehrenfeld, J. G., 15
 Elton, C., 21
 Enders, F., 11
 Feldman, M. W., 13, 17
 Fisher, R. A., 2, 21, 31
 Formanowicz, D. R., 116
 Fraser, D. F., 126, 133, 139, 143
 Frazer, D., 81
 Fuentes, E. R., 11
 Gause, G. F., 16
 Gergits, W. F., 128, 134, 135, 195
 Gibbons, J. W., 71
 Gill, D. E., 49–51, 53, 71, 81, 86, 101–2,
 177
 Gilpin, M. E., 15, 29, 177

222 *Name index*

- Glass, B. P., 84
 Goh, B. S., 84
 Goin, C. J., 56
 Goin, O. B., 56
 Golley, F. B., 199
 Gould, S. J., 84
 Gower, J. C., 16
 Graham, R. E., 97–8
 Grant, P. R., 28, 63
 Grant, W. C., 134
 Griffiths, R. A., 97, 107, 192
 Guthrie, D. J., 85
 Guttman, S. I., 165
- Hairston, N. G., 2, 4, 8–10, 16, 20, 22–6, 29, 39–46, 53, 55, 66, 73, 88–91, 119, 120–9, 126, 128, 139, 148, 150, 153–68, 176–82, 183, 186, 191, 193, 198, 201, 202
 Hall, D. J., 7
 Hall, R. J., 168
 Hallett, J. G., 4–6, 11
 Hamilton, W. J., 108
 Hardisty, M. W., 57
 Harris, M. P., 28
 Harris, R. N., 114
 Hassinger, D. D., 97
 Hay, O. P., 108t
 Healy, W. R., 52, 82, 85
 Hecht, M. K., 85
 Heck, K. L., Jr., 13
 Heckel, D., 11
 Henry, S. A., 121
 Heyer, W. R., 97, 98–9
 Highton, R., 121, 123, 129, 193
 Holmes, J. C., 2
 Holomuzki, J. R., 165
 Horn, H. S., 98
 Houck, L. D., 92
 Huffaker, C. B., 16
 Huheey, J. E., 151, 155, 163, 166
 Humphrey, R. R., 51, 93
 Hurlbert, S. H., 104, 111
 Husting, E. L., 52, 53, 69–71
 Hutchinson, G. E., 19, 26, 33, 139
- Jaeger, R. G., 38, 119, 128–37, 146, 184, 195, 198
 Jasic, F. M., 33
 Jenkins, D., 63, 65
 Just, J. J., 84
- Kaplan, D. L., 133
 Karlin, A. A., 165
 Keen, W. H., 163, 165
 Keezer, J., 83
 Keller, W. F., 148
- King, C. E., 2
 King, W., 149
 Kleeberger, S. R., 166–7, 169
 Klomp, H., 59, 61
 Kneidel, K. A., 19
 Kohn, A. J., 11, 32
 Kraus-Just, R., 84
 Krebs, J. R., 175
 Krzysik, A. J., 27, 126, 151, 162
- Lack, D., 28, 63
 Larsen, J. H., 85
 Larson, A., 193, 194
 Lawlor, L. R., 151, 173–5
 Lawton, J. H., 75–9
 Leslie, P. H., 16
 Levin, B. R., 175
 Levin, S., 191
 Levins, R., 2, 4, 5, 10, 13, 17, 19, 26, 32, 33, 98, 151
 Lewontin, R. C., 84
 Lieberman, G. A., 11
 Lindeman, R. L., 31
 Likens, G. E., 198, 199–201
 Littleford, R. A., 148
 Luckinbill, L. S., 16
 Lynch, J. F., 126, 142–5,
- MacArthur, R. H., 2, 4, 10, 11, 13–15, 17, 26, 28, 31, 33, 63, 139, 143, 151
 McGavin, M., 128
 McIntosh, R. P., 32
 McMurtie, R., 13
 McNaught, D. C., 38
 Madison, D. M., 134
 Maiorana, V. C., 143, 166
 Maple, W. T., 166
 Martof, B. S., 85, 86–7
 Mathias, J. A., 116
 May, R. M., 2, 13, 139, 143, 151
 Maynard Smith, J., 151, 173–5
 Means, D. B., 151
 Merchant, H., 123, 197, 198
 Miller, G. R., 63
 Minshall, G. W., 58
 Mock, B. A., 49
 Moreau, R. E., 21–2
 Morin, P. J., 37, 106–7, 114–16
 Moss, R., 63
 Munger, J. C., 6
- Newell, R. L., 58
 Nishikawa, K. C., 39, 126, 128, 180–3, 195–6
 Noble, G. K., 91, 128, 149, 195
 Nussbaum, R. A., 84

Name index

223

- Organ, J. A., 51–2, 54–5, 92–5, 128, 150–1, 163, 168, 195
- Orr, L. P., 166
- Pacala, S., 11
- Paine, R. T., 16, 191
- Parr, R., 63
- Patterson, K. K., 70, 71, 82
- Pearl, R., 3
- Petraska, J. W., 117
- Phillips, N. E., 148
- Pianka, E. R., 11
- Pielou, D. P., 28
- Pielou, E. C., 2, 28
- Pimentel, D., 175
- Pimm, S. L., 2, 4, 5–6, 11, 17–19
- Pomeranz, M. J., 11
- Pope, C. H., 120
- Porter, W. P., 11
- Powders, V. N., 126
- Preston, F. W., 2, 31
- Pulliam, H. R., 11
- Rathbun, S. L., 165
- Root, R. B., 32, 161
- Rosenzweig, M. L., 4, 6, 145, 162
- Rotenberry, J. T., 191
- Roth, V. L., 27
- Rothery, P., 64
- Roughgarden, J., 2, 11–12, 13, 17, 151, 173–5
- Rubin, D. C., 126
- Schoener, T. W., 4–6, 7, 9, 11, 12, 15–16, 20, 27, 40–1, 59, 175–6, 191, 196, 201, 202
- Schmidt, K. P., 120, 140–3
- Selvin, H. C., 27
- Semlitsch, R. D., 37, 49, 52, 53, 55, 71–4, 82, 192
- Sexton, O. J., 84
- Sharp, S., 163
- Shealey, R. M., 165
- Shelford, V. E., 30
- Shoop, C. R., 49, 52, 71, 73
- Simberloff, D., 26–30
- Slobodkin, L. B., 3, 16, 54
- Smith, D. C., 7
- Smith, F. E., 3, 16
- Snyder, R. C., 85
- Sousa, W. P., 40, 41, 59, 62–3
- Southerland, M. T., 151, 163–9
- Southwood, T. R. E., 126
- Stenhouse, S. L., 52, 69, 72–5, 99, 100, 102–3, 105, 111–14, 126–8, 196
- Steward, J. W., 81, 97
- Stewart, G. D., 165–6
- Stewart, M. M., 99
- Strong, D. R., Jr., 33, 59, 201
- Stuart, A., 27
- Sugihara, G., 2
- Szymura, J. M., 96–7
- Tansley, A. G., 31
- Taper, M. L., 33
- Taylor, D. H., 165
- Taylor, E. H., 141
- Termen, C. R., 63
- Thomas, W. R., 11
- Thurow, G., 134
- Tietjen, W. L., 126
- Tilley, S. G., 42–6, 51–2, 54, 55, 68, 95, 151, 194
- Tinkle, D. W., 8, 59, 62
- Tristram, D. A., 134
- Turelli, M., 13
- Twitty, V., 53
- Van Horne, B., 191
- Vandermeer, J. H., 2, 10–11
- Varley, G. C., 59, 61
- Vial, J. L., 92
- Vinegar, A., 71, 74
- Wake, D. B., 140–3
- Walters, B., 108, 116
- Wassersug, R. J., 84
- Watson, A., 63–4
- Werner, E. E., 7
- Whitaker, J. O., 126
- Whitford, W. G., 71, 74
- Whittaker, R. H., 2, 32
- Wiens, J. A., 191
- Wilbur, H. M., 11, 84, 100, 103–6, 110, 114–16, 192
- Williams, C. B., 2, 21–6
- Wilson, E. O., 28, 186–7
- Wise, D. H., 8
- Worthington, R. D., 97–9, 129
- Wrobel, D. J., 134
- Zug, G. R., 56

Subject index

- abundance of species, 2
- activity
 - nocturnal, 165
 - seasonal, 38–9, 42, 48–9, 139, 165
- Africa, 21
- age distribution, 43–9
- age structure, 41–9, 62, 78, 83, 88–91
- aggression, 128, 134–7, 163, 171, 176, 180–3, 195–7
- Alabama, 187
- Allee effect, 19
- alpha (see competition coefficient)
- Ambystoma*, 52, 66, 68, 69–75, 97, 192, 197
 - gracile*, 85, 116
 - jeffersonianum*, 49, 69, 97–8, 108
 - laterale*, 69, 100–1, 103–5, 110
 - mabeei*, 69
 - maculatum*, 49, 52, 53, 56, 66, 69, 71, 72, 74, 98–106, 110–14
 - opacum*, 52, 69, 70, 73, 97–101, 102, 103, 105–6, 108, 111–14, 197
 - talpoideum*, 49, 52, 53, 55, 66, 69, 70, 71–4, 98
 - texanum*, 105, 108, 117
 - stream breeding, 117
 - tigrinum*, 37, 52, 56, 69, 73, 84–5, 97, 98, 105, 106–7, 109, 110, 113, 114, 188, 197
 - tremblayi*, 100–101, 103–5, 110
- Ambystomatidae, 69–75
- Amphiumidae, 69, 82
- Andrias japonicus*, 56
- Aneides*, 88, 119, 140, 143–5
 - flavipunctatus*, 144
 - lugubris*, 143–5
- anemone, 14
- Anolis*, 11
 - bimaculatus*, 11–12
 - gingivinus*, 11–12
 - wattsi*, 11–12
- Anthopleura xanthogrammica*, 14
- antibiotic, 176
- Appalachia, 88, 184
- Appalachians, southern, 8, 22, 82, 119, 140, 149, 153, 189, 193, 194, 195, 199
- Arizona, 7
- arthropod, cave, 11
- “Assembly Rules,” 29
- assimilation efficiency, 38
- assumptions, 1, 3, 4, 5, 6, 7, 8, 10, 13, 15, 20, 21, 22, 24, 25, 26, 34, 35, 36, 37, 40, 49, 117, 173–5, 193, 196
- atmosphere, saturated, 132
- axolotl, 68
- bacteria, 19, 200, 202
- Bahamas, 11
- Balsam Mountains, 8, 9, 39–44, 120–9, 176–83, 193, 194
- baseline period, 153–4
- Batrachoseps*, 140, 143–5
 - attenuatus*, 143–5
- bats, 29
- beetle, 20
 - carabid, 200
 - coccinellid, 200
 - darkling, 8
 - dytiscid, 116
 - hispine, 33
- behavior
 - aggressive, 128, 134–7, 180–4
 - mating, 197
- behavioral ecology, 195–7
- Big Bend National Park, 7
- biogeographic relationships, 28–9
- biomass, 8, 198–200
- bird, 11, 18, 21, 22, 27, 29, 30, 31, 32, 35, 59, 63–5, 67, 191
 - beaks, 28
- Bismarck Archipelago, 29
- biting, 135–7, 146
- Black Mountains, 119, 120, 149, 150, 176, 193
- blackberry bush, 31
- Blue Ridge, 120, 164
- blue tit, 63–4
- body weight, 101, 103–5
- Bolitoglossa*
 - engelhardti*, 141–3
 - franklini*, 141–3
 - occidentalis*, 142–3
 - resplendens*, 142–3

Subject index

225

- rostrata*, 142–3
- rufescens*, 141–3
- subpalmata*, 92
- Bolitoglossini, 88, 140, 185
- Branchinecta coloradensis*, 109
- Brazil, 140
- breeding
 - annual, 95
 - biennial, 86, 94
- bromeliad, 141
- brook lamprey, 57
- Bufo*
 - americanus*, 113
 - terrestris* 114
- Bupalus*, 59
- burrow, 127, 166, 171
- caddis fly, 81
- California, 143–5, 193, 196
- Canada, 69
- cannibalism, 161, 163, 185
- Cape Cod, 85
- carrying capacity, 5, 59, 102, 125, 175
- caterpillar, 200
- Central America, 88, 185
- Chioglossa*, 75
- Chiropterotriton*
 - bromeliacea*, 141–3
- circularity, 123
- cladistics, 185
- climbing, 46, 127, 150, 161, 186–7
- coalition, 10, 105
- cohort, 75, 78
- color pattern, 52, 67
- Colorado, 85, 108
- community
 - animal, 2
 - intertidal, 14, 123
 - major, 31
 - terrestrial, 19, 192–7
- community composition, 10
- community definition, 30–2, 35
- community identification, 30–2
- community matrix, 10–11, 13, 19, 32
- community organization, 3, 30
- community theory, 1, 2, 8, 30, 34, 36, 59, 65, 67, 110, 118, 151, 191, 194, 196, 201
- competitive ability, 177
- competition
 - asymmetric, 129–32
 - coefficient of, 4–7, 10–11, 13, 15, 20, 125, 126, 174, 175, 180
 - exploitative, 19
 - for food, 134
 - guildwide, 7
 - interspecific, 1, 2–10, 16, 21–6, 98, 103–7, 120–5, 168, 176
 - versus predation, 151–60
- preemptive, 176
- for space, 134, 146
- confamilial species, 22, 85
- congeneric species, 21–6, 28, 163–9, 171, 182, 193,
- constancy, 48
- Corixidae, 114
- Costa Rica, 92
- cover object, 139, 166, 169, 171, 186
- Coweta, 161
 - Hydrologic Laboratory, N.C., 153, 198, 200
- crowding
 - interspecific, 7
 - intraspecific, 11–12, 100, 169
- Cryptobranchidae*, 69, 82
- Cryptobranchus allaganiensis*, 199

- Daphnia*
 - pulex*, 109
 - rosea*, 109
- data dredging, 27
- dear enemy, 135–7
- decomposition, 19, 200–1, 202
- density, 1, 4–6, 11–12, 36, 37, 47, 73, 99–107, 111–13, 144, 161, 168, 169, 173, 192, 197–9
 - experimental, 73, 101, 103, 112–13
- density-dependence, 15, 59, 73, 84, 96, 99–103, 105, 107, 117, 173
- density-independence, 1, 15, 201
- density-vague population, 59, 201
- desiccation, 148, 152
- Desmognathinae*, 23–5, 88, 148, 149, 185, 194–5
- Desmognathus*, 23–5, 33, 42–8, 51, 54, 66, 86, 92–5, 126, 148–53, 171, 184, 194–5, 197, 198, 199, 200
 - aeneus*, 23, 153, 160–2, 186–7, 194, 198
 - auriculatus*, 23, 151
 - brimleyorum*, 23
 - chermocki*, 187
- experiments
 - on behavior, 162–6
 - manipulation of populations, 153–62
 - on physiology, 166–7
- fuscus*, 23, 51, 54, 92–5, 148, 150, 151, 163–9, 194, 199
- imitator*, 23, 194
- monticola*, 23–5, 47, 48, 51, 54, 92–5, 148, 149–69, 185–6, 194, 198
- ochrophaeus*, 23–5, 44–7, 51, 54, 92–5, 148, 149–69, 185–6, 194, 198
- quadramaculatus*, 23–5, 47, 48, 51, 54, 92–5, 148, 149–69, 185–6, 194, 198
- santeetlah*, 23, 194
- welteri*, 23

226 *Subject index*

- wrighti*, 23–5, 51, 54, 92–5, 148, 149, 185, 186, 194
 detritus, 19
Diaptomus
coloradensis, 109
shoshone, 109
Dicamptodon ensatus, 84
Dicamptodontidae, 69
Didinium, 16
Dipodomys, 6
 distribution
 altitudinal, 25, 120–2, 140–3, 149, 176, 193
 evolution of, 165
 experimental effect on, 154, 158–60, 165–6
 within forest, 23
 within plots, 12
 within ponds, 97–9
 beside streams, 149–51, 164–6
 within terraria, 133
 disturbance(s), 37
 diversity, 31
 generic, 26
Drosophila, 11, 15
 melanogaster, 133
 Dry Falls, N.C., 45
 ecological efficiency, 18
 ecosystem, importance of salamanders in, 197–201
 ecosystem analysis, 32
 East Africa, 83
 Edwards Plateau, 83
 eft, 81, 85, 106–7
 egg volume, 12
 eigenvalue, 13
 electrophoretic characters, 121
Eleodes obscurus, 8
 energy
 available, 15
 biomass, 199–201
 radiant, 31
 shared, 15
 energy budget, 39
 England, 97
Ensatina, 140
 eschscholtzii, 144
 enzyme polymorphism, 121, 193
 equilibrium, 4, 11, 15, 28, 35, 36, 37, 40, 42, 59, 64, 65, 192
Euproctis, 75
 Europe, 185
Eurycea, 199
 bislineata, 82, 84, 134, 148, 199
 longicauda, 82
 neotenes, 83–4
 evolution, 173–90
 of neoteny, 188
 of terrestrialism, 152–3, 184–5
 under competition, 177–84
 evolutionary ecology, 173–90
 experiment
 field, 1, 6–10, 11–12, 20, 34, 35, 99–103
 on interspecific competition, 103–7, 123–5, 153–62, 164, 165–9, 177–180
 on predation, 109–16, 153–62
 laboratory, 103, 112
 seminatural, 106, 114–16
 fat, 136
 loss of, 166, 167
 storage of, 143, 166, 167, 171
 fecundity, 49, 73, 79, 84, 91, 144
 feedback, 20
 fence, 6, 12, 53, 70–1
 fish predation, 72, 111, 116–17
 Florida, 151
 fluctuation
 environmental, 13, 55, 64
 population, 36, 49, 55, 58, 71–5, 174
 fluorescent dye, 39
 food partitioning, 126
 food web, 17–19, 34, 199
 compartment, 18
 foraging, 126, 127, 150
 forest
 deciduous, 23
 spruce-fir, 23
 French Broad River, 193, 198
 frequency distribution, 2
 freshwater species (not salamanders), 57–9
Fringillidae, 18
 fruit pigeon, 27
 fungi, 19, 200, 202
 Galapagos Islands, 28, 35
 genotype
 generalist, 175
 specialist, 175
 genus, monotypic, 22–5
Geospizidae, 28, 35
 Germany, 59, 97
 ghost of competition past, 145, 162, 187
 ghost of predation past, 187
 gradient, environmental, 32, 93, 148, 174
 streambank, 149
 granivore, 6, 11
 Graubunden, 59
 Great Smoky Mountains, 8, 39–44, 120–8, 176–83, 194, 198
 great tit, 63
 growth, 7, 10, 73, 87, 100, 102, 105, 171
 growth rate, 3–4, 68, 197

- Guatemala, 120, 140–3
 guild, 6–10, 29, 30–3, 35
 desert rodent, 6
 fruit pigeon, 27
 identification of, 30–3
 pond salamander, 103–17
 streamside salamander, 161–9
 terrestrial salamander, 8
Gyrinophilus porphyriticus, 82, 148, 199
- habitat partitioning, 96–9, 117, 175, 189
 habitat selection, 5–7
 habitat shift, 7, 8
 habitat use, 11
 head width, 139, 196
Heliconia, 33
Hemidactylum scutatum, 134
Hemidactylini, 188
 herbivore, 17, 19, 199, 200
 Highlands, N.C., 166
 home range, 128, 167
 Hubbard Brook Experimental Forest, N.H.,
 198, 199
 humidity, 127, 139
Hydromantes, 88
 genei, 91
Hyla
 chrysocelis, 114
 crucifer, 114
 gratiosa, 114
Hynobiidae, 69
 hypothesis, 14, 21, 26–9, 123–9, 153–5,
 170, 176–80, 186, 187, 192, 202
- Icteridae, 173
 inference, weak, 173
 insect, 8, 18, 21
 forest, 59
 forest floor, 8, 126
 parasitoid, 18, 32, 33
 terrestrial, 67
 insect population, 58
 interaction, 1, 4, 10, 11, 12, 18–20, 26, 31,
 69
 behavioral, 185, 195–7
 complexity of, 155, 161–2
 higher-order, 10–11, 104–5
 mechanisms of, 162–9
 interference
 interspecific, 4, 15, 19, 146, 175
 evolution of, 175
 intraspecific, 15, 175
 intergradation, 120
 interval graph, 17
 intruder, 182–3
 invertebrate
 forest floor, 8, 126
- marine, 11
 planktonic, 108–9
 pond, 96
 isocline, curved, 9, 15, 20
 Israel, 6
 Jamaica, 11
 Kentucky, 117
- Lampetra planeri*, 57
 larval period, 47, 81, 87, 92, 95, 101, 103–5
 leafhopper, 200
Lepomis
 cyanellus, 7
 gibbosus, 7
 macrochirus, 7, 72
Leurognathus, 23–5, 85–7, 189, 194
 marmoratus, 85–7
 life history, 37, 51, 68–95
 amphibious, 46
 pond, 37, 69–75
 streamside, 37, 92–5, 148
 terrestrial, 37, 48, 76, 87–92
 life table, 49, 54, 55, 74, 79, 91, 93–5
 light trap, 31
 limiting similarity, 4, 5, 13, 26
 lizard, 7, 8, 11, 12, 20, 59, 67, 191
 logarithmic series, 21
 logistic model, 3–4
 longevity, 36, 51–6, 71
 loop analysis, 17, 19–20, 34
 Lotka–Volterra, 3–7, 10, 14–15, 34, 125,
 174, 180
 Louisiana, 72
 lunglessness, 87–8, 152, 184
- macrolepidoptera, 31
 mammal jaws, 26
 marking (see substrate)
 mark–release–recapture, 39, 42, 51, 52, 71,
 74, 198
 Maryland, 52, 98
 Massachusetts, 71
 mayfly, 58, 67
 mean generation time, 54–5, 66, 84
 metabolism, 199
 metamorphosis, 41, 50, 53, 72–5, 75–81,
 82, 85–7, 92, 96, 101, 103, 106, 110,
 111, 113, 115, 117, 148, 185
 metapopulation, 49, 52
 Mexico, 88, 140, 143
 Michigan, 69, 192
 microclimate, 11
 microhabitat, 98, 119, 127, 128, 143, 151,
 165, 176,
 microtine rodents, 62

228 *Subject index*

- migration
 breeding, 49, 65, 69–75
 vertical, 98
- Mississippi, 98
- model
 broken-stick, 2, 36
 derived, 26–30
 descriptive, 2
 mathematical, 1, 2–6, 31, 64, 173–5
 mechanistic, 1, 2–6
 niche-preemption, 2
 null, 1, 3, 20–26, 27
 quantitative, 2, 30
 stochastic, 34
- mortality, 51, 72, 100, 113, 171, 200, 201
- Myriophyllum pinnatum*, 114
- Nantahala Mountains, 187, 194, 197
- nasolabial grooves, 134, 136, 146
- Necturus*, 85, 188
lewisi, 85
maculosus, 85
punctatus, 85
- neoteny, 82–5, 116, 188
 correlates of, 82
- neotropical region, 140
- nest site, 127, 129
- net energy, 5
- net reproductive rate, 49, 54, 74, 79, 91
- Netherlands, 59
- New Guinea, 29, 35
- New Hampshire, 198–9
- New Jersey, 98
- newt, 55, 75–82, 97, 101, 106, 107, 114–16
 eastern, 49–51
 European smooth, 53
 red-bellied, 52
- niche
 breadth, 98, 192
 dimension, 97
 overlap, 17, 151, 162
 partitioning, 1, 7, 11, 14, 33, 97, 119, 126, 140, 151–3, 173, 186, 189
 position, 175
 preemption, 2
 separation, 17
- noncompetitive species, 137–40
- North America, 69, 81, 82, 116, 129, 140, 184, 185, 188
- North Carolina, 39, 69, 72, 99, 106, 108, 120, 149, 163, 169, 176, 187
- nose-tapping, 134–5
- Notophthalmus viridescens*, 49–51, 52, 53, 66, 71, 81, 85, 86, 97–9, 101, 106, 108, 113, 116, 188, 199
- occurrence, common, 7
- Oedipina ignea*, 142–3
- Oedipus*, 140–1
engelhardti, 140–1
flavimembris, 140–1
- Ohio, 163, 165, 166
- omnivore, 6, 8, 18
- Oncorhynchus nerka*, 116
- Oregon, 139
- overcrowding, 11–12
- overlap, 4–7, 13, 14, 15, 17, 18, 21, 97, 98, 126, 139, 145, 149, 155, 162
 altitudinal, 25, 120–2, 146, 176, 193
 index of, 126
- oviposition, 90, 106
- ovoviviparous, 75, 85, 91
- Oxfordshire, 75
- paedomorphosis, 82
- Paleozoic Era, 88, 184
- Paramecium*, 16, 59
- pattern, 17, 18, 34, 35, 75, 120
- Pennsylvania, 151, 163, 165, 168
- Peroganthus penicillatus*, 6
- Peromyscus*, 6, 63
eremicus, 6
maniculatus, 6
- Phaeognathus*, 23
- pheromone, 134–7
- phylogenetic tree, 193
- physiology, comparative, 132, 148, 166–7
- piedmont, 105, 111, 163, 164
- pitfall, 12, 13, 68
- Pisaster ochraceus*, 14
- Plethodon*, 8–10, 25–6, 38–42, 66, 86, 88–92, 93, 119, 140, 192, 195–8
cineraceus, 38, 39, 129–37, 184, 192, 198
dunni, 139
glutinosus, 8–9, 25–6, 38–42, 55, 120–8, 143, 146, 176–83, 191–4, 195–6, 197
hoffmani, 133, 139, 143
jordani, 8–9, 25–6, 38–42, 53–5, 88–91, 120–8, 134, 143, 146, 176–83, 191–4, 195–6, 197, 201
metcalfi, 120–1
punctatus, 139, 143
serratus, 9, 38, 191, 198, 202
shenandoah, 129–34, 184, 192, 195
vehiculum, 139
yonahlossee, 120, 193
- plethodonts,
 large, 119, 176–83, 184, 198
 small, 119, 184
 western, 119, 139
- Plethodontidae, 8, 68, 69, 82, 87, 95, 119, 140, 149, 184, 189
 origin of, 184
- Plethodontini, 88, 185
- Pleurodeles*, 75

Subject index

229

- plot, 11–12
 - control, 42, 44, 123–5, 153–8, 171
 - experimental, 44, 123–5, 153–8, 171, 177–80, 186
- plot search, 123, 153, 160, 186
 - day, 160–1
 - night, 153, 160–1
- pond, 48–51, 69–81, 85, 96, 202
- pond-breeding species, 48–51, 65, 86, 96–118, 192
- population, stationary, 36, 74, 91, 94, 116
- population constancy, 40
- population counts, 38–40
 - influence of weather on, 38, 47
- population dynamics, 15, 118
- population growth, 3, 4
- population history, 10, 36, 64
 - Desmognathus*, 42–8
 - Plethodon*, 38–42
 - pond-breeding species, 48–51
- population stability, 36, 40–51, 66
- population structure, 41, 41–9
- population turnover, 41
- posture
 - submissive, 135
 - threatening, 135
- Potamogeton*, 113
- predation, 4, 5, 16–19, 29, 34, 87, 99, 105, 106, 107–17, 119, 151, 153, 161–2, 163, 168, 171, 172, 185, 186, 192, 194, 195, 196–7, 201
 - size-selective, 109
 - versus competition, 153–60, 170, 171
- predator, 14, 16–19, 49, 70, 71, 81, 96, 105, 139, 158, 175, 194, 199, 200
- predator–prey, 17, 64, 161
- prey community, 110–17
- producer, 19
- Proteidae, 69, 85
- Proteus anguinus*, 85, 188
- Protozoa, ciliate, 10
- protozoan, 67
- Pseudacris triseriata*, 113
- Pseudoeurycea*, 143
 - brunnata*, 143
 - goebeli*, 143
- pseudoreplication, 104
- Pseudotriton ruber*, 148, 199
- Pycnopodia helianthoides*, 14
- radiation, adaptive, 140, 149
- Rainbow Bay, S.C., 72–4
- Rana*
 - sphenocephala*, 114
 - sylvatica*, 105, 110
- rabbit, 31
- rate of increase, 1, 3, 5, 84
- red grouse, 63, 65
- refuge, 8, 111, 113, 137, 166, 167, 171, 184
- regression, 6, 11, 73, 100
- replication, 7
- reproduction, 78, 123, 167
- resident, 163, 182–3
- resource, 27, 128, 189
 - common, 7, 33
 - consumable, 3, 4, 15, 176
 - critical, 4
 - defendable, 196
 - environmental, 32
 - fixed, 4
 - limited, 132–4
 - limiting, 2, 5, 126, 128, 143, 146
 - population dynamics of, 15
 - renewable, 3, 5, 14–16, 173–4, 176
 - shared, 33
 - single, 4
- resource partitioning, 11–12, 117, 126, 127, 173–6
- respiration, 184
 - buccopharyngeal, 119
 - cutaneous, 119, 152
- Rhode Island, 71
- rock face, 44–6, 52, 65, 151
- Rocky Mountains, 85
- salamander
 - pond, 96–118, 192, 196, 202
 - streamside, 46, 148–72, 185, 194, 202
 - terrestrial, 8, 33, 38, 75, 87–92, 119–47, 192–4, 197–8, 201
- salamander larvae, 42, 54, 66, 70, 72, 76, 86–7, 92, 117, 148
 - competition among, 103–7
 - density dependence among, 99–103
 - habitat partitioning by, 97–99
 - permanent, 82–5
- Salamandra*
 - atra*, 75, 87
 - salamandra*, 75
- Salamandridae, 69, 75–81
- Salamandrina*, 75
- St. Eustatius, 11–12
- St. Maarten, 11–12
- Salmo gairdneri*, 116
- Sand Hills region, N.C., 106
- Sardinia, 88
- Savannah River Ecology Lab., S.C., 71
- Scaphiopus holbrookii*, 114
- scavenger, 18
- secretion, 135, 182
- sex ratio, 42, 93
- sexual maturity, 68, 84
- Sirenidae, 69, 82, 188
- size, 105, 107, 111, 139, 143–5, 163
 - class, 11, 62, 76, 88, 92
 - frequency, 76, 88

230 *Subject index*

- size (*cont.*)
 - ratio, 26–8, 35, 196
 - relationship, 26–8, 119, 152, 196
- Smokies (see Great Smoky Mountains)
- snake, 49, 71
- South America, 185
- South Carolina, 37, 70–4, 120, 192
- space, 146
 - defense of, 128, 196
- spermatic cord, 51, 68
- stable age distribution, 3
- stability, 18, 19–20, 36, 40, 49, 56, 65
- starfish, 14
- Stereochilus marginatus*, 85–6
- stomach contents, 97, 107–9, 126, 144–5, 149, 200
- stream, 23–5
- streambank, 23–5, 92, 166
- stream breeder, 75
- substrate, 129, 134–7, 149, 164–6
- substrate marking, 134–7
- subterranean, 82, 85
- Sun Bay, S.C., 71–4
- sunfish, 7
- surface–volume ratio, 152
- surrogate salamanders, 135
- survival, 7, 12, 41, 49, 51–4, 66–7, 101, 103, 132
 - Ambystomatidae, 72–5, 110–14
 - captivity, 55–6
 - Desmognathus*, 92–5, 168–9
 - Plethodontidae, 82–92
 - Salamandridae, 75–81
 - survivorship curve, 94
- Switzerland, 59
- tadpole, 37, 105, 118
 - community, 114–16
- talus, 129–32
- Taricha*
 - granulosa*, 116
 - rivularis*, 53, 55, 66
- Tajumulco (volcano), 140–43
- Tenebrionidae, 8
- termite, 133
- terrestrialism, 87–8, 149, 152, 188
 - evolution of, 151–3, 185–6
- territoriality, 128, 134–7, 146, 175, 184, 196
- testis lobes, 51, 68, 84, 93
- Texas, 7, 83
- threshold, 10
- time lag, 4
- toe clipping, 52
- transect, 120–2, 140–3
- trespassing, 53, 71
- Trichostomylus tenuis*, 64
- Tricorythodes minutus*, 58
- Triturus*, 75–81, 192
 - alpestris*, 97
 - cristatus*, 97
 - helveticus*, 97
 - montandoni*, 97
 - vulgaris*, 52, 53, 55, 75–81, 97
- trophic level, 16–19 32, 34, 118, 201, 202
- tubificid, 112
- turnover period, 59
- United States, 69, 82, 96, 97, 105, 108, 119, 140, 146, 170, 193
 - Forest Service, 153
- Uta stansburiana*, 59
- variation
 - stochastic, 13, 34
 - geographic, 120
 - temporal, 36
- Virginia, 49, 129, 150, 163, 198
- viviparity, 91
- volcano, 140–3
- Wales, 97
- Washington (state), 85, 139
- watershed, 153
- weight, 101, 103–5, 132, 167, 198
- West Indies, 11
- West Virginia, 139
- Whiteside Mountain, N.C., 44, 45
- Whitetop Mountain, Va. 150
- yeast, 3
- Zeiraphera griseana*, 59
- zonation, vegetational, 120, 140
- zooplankton, 108–9, 116–17, 118