

## Index

- acetylcholine, 72  
 activity, 63; and  
   ambient temperature, 25, 26;  
   carbohydrate intake, 115; hunger  
   symptom, 20, 21; *see also* exercise  
 adipocytes: fat mobilization, 107;  
   hypertrophy in obesity, 74, 107;  
   responsiveness to insulin, 106;  
   triglycerides, 68  
 adipose tissue: manipulation of, 12; *see*  
   *also* brown adipose tissue *and* white  
   adipose tissue  
 adiposity, 108  
 adipsia and lateral hypothalamus lesion,  
   86  
 adrenal medulla, 68, 87; adrenergic  
   control by medial hypothalamus, 84  
 adrenalectomy, 11, 38; sodium  
   deficiency, 114  
 adrenaline and feeding pattern, 39, 71  
 alliesthesia, 55  
 alloxan, 38, 90  
 amino-acidaemia and food intake, 29  
 amino acids: in duodenum, vagal  
   responses, 119; essential, and  
   preference, 119; and food intake, 29,  
   39; imbalance in diet, and aversion,  
   117, 120  
 amygdala: aversion to amino acid  
   imbalanced diet, 126; neural  
   connections, 83, 84; palatability, 90,  
   93–4  
 analgesia, post-prandial: brain opioid  
   release, 92  
 animal models, 3; housing conditions, 6  
 anorectic drugs and protein intake, 117  
 anorexia: heat production, 77;  
   hibernation, 25; vitamin deficiencies,  
   118  
 aphagia, 73, 74; lateral hypothalamus  
   lesion, 80, 86, 87  
 aphagia–adipsia syndrome and lateral  
   hypothalamus lesion, 86  
 appetite: anticipatory, in schedule  
   feeding, 20; caloric, 28, 49–50, *see also*  
   calorie intake; definition, 28;  
   sensory-specific, 28, 49  
 appetite, nutrient-specific, 9, 28;  
   adaptation to metabolic requirements,  
   113; carbohydrates, 114–16; high-fat  
   diet, 116, 118–19; minerals, 114, 118;  
   oligo-elements, 114; protein intake,  
   116–17, 119–20; sodium, 114;  
   vitamins, 113–14, 118  
 area postrema: food aversion, 90, 93;  
   insulin receptors, 111  
 aversions, *see* food aversions *and* *under*  
   tastes  
 BAT, *see* brown adipose tissue  
 BGL, *see* blood glucose level  
 blood: oxygen and fuel dispensation, 15  
 blood glucose level (BGL): fall after  
   insulin injection, 37; measurement  
   techniques, 7, 8; prandial fall, 31;  
   regulation of, 32; relation to meal  
   onset trigger, 31–2; rise in, and satiety  
   onset, 58  
 body energy balance: buffering of  
   imbalances, 60–1, 68; changing energy  
   output, 63; changing food intake,  
   63–7, (caloric adjustment) 64–5,  
   (overstimulation of intake) 65–7;  
   measurement, 6, 8; steady-state  
   condition, 60–2; thermogenesis, 60  
 body fat mass: body energy balance, 60;  
   body weight, 69; circadian cycles,  
   69–70; storage, and survival during  
   starvation, 15; *see also* brown adipose  
   tissue; liporegulation *and* white  
   adipose tissue  
 brown adipose tissue (BAT): excision of,  
   12, 66; medial hypothalamus  
   connections, 84; thermogenesis in cold  
   ambient temperature, 26;  
   thermogenesis under cafeteria regimen,  
   66–7; thermogenesis and ventromedial  
   nuclei, 109  
 cafeteria regimen, 5, 65–7; obesity and its  
   reversibility, 73–4  
 calorie intake: adjustment to caloric  
   density of diet, 64–5; fat diets, 9;  
   food-specific palatability, 49–50;

152 *Index*

- calorie intake (*cont.*)  
 gastrointestinal satiation, 57–8; onset ratio, 18; ventromedial nuclei lesion, 116–17
- calorimetry, 6, 8, 14
- carbohydrate intake: and exposure to cold, 26; intravenous feeding, 40; regulation, 115–16
- catecholamine: activity on re-feeding after fasting, 76; measurement techniques, 7; release from adrenals, 68, 105
- catheters: cardiac, 7, 11; femoral, 7; gastric, 11, 55–6; intrajugular, 30, 37, 40; intraportal, 7; intravenous, 74; nasopharyngeal, 11, 54; sus-hepatic venous, 7
- CCK, *see* cholecystokinin
- cephalic phase of insulin release, 58–9; in pups, 80
- chemosensors: brain, 89, 118; intestinal, 12, 99; stomach, 12; *see also* glucose-sensitive sites
- chewing-swallowing patterns: meal microstructure, 43–5, 47; palatability indices, 55; recording techniques, 7–8, 21
- cholecystokinin (CCK): intestines and satiation process, 56–7
- chorda tympani nerve, 10
- circadian periodicity: *ad libitum* feeding, 16, 17; energy intake, 60–1, 62; feeding by pups, 80; food deprivation, 22–4; food intake under insulin infusion, 36–7; lateral hypothalamus lesion, 98; liporegulatory mechanisms, 69–71; metabolic rate, 19; post-prandial correlation, 18–19; ventromedial nuclei lesion, 98, 103–4; *see also* prandial periodicity
- conditioning: hunger, insulin release and hypoglycaemia, 34–5; of meal initiation by feeding-associated stimuli, 35; of palatability, 49–50, 118; protein intake, 119; rate of intake, 51; taste aversion, 49, 65, 93, 120
- cortex: frontal, 83, 84; orbitofrontal, 84, 86; pyriform, 83
- 2-deoxy-glucose (2-DG), 13; action on brain sites, 38; feeding responses, 38; lateral hypothalamus, 85; tissue glucopenia, 38
- diabetes: food intake, 11, 115; induced, 38–9; starvation diabetes, 76
- diets: experimental manipulations, 9–10
- diets, high-fat, 9; choice of, 24, 66, 76; excessive intake mechanism, 118–19; hyperphagia and obesity, 116
- dopamine, 84, 86; food reward, 91
- drinking: lateral hypothalamus electrical stimulation, 84–5; sham-feeding, 53–4; stomach distention and satiety, 56; *see also* adipsia
- drinkometer, 5, 6
- duodenum, 56; chemosensors, 99; vagal responses to specific amino acids, 119
- eating monitor, 7
- eatometer, 4
- encephalin, 91, 92
- endorphin, 91, 92
- energy expenditure, 14; exercise, 27; inconsistencies with food intake, 62; non-obligatory, 63; obligatory, 63
- energy intake, 14–15, 60; cafeteria regimen, 66; circadian periodicity, 60–1; exercise, 27; at meals and energy imbalance, 60–1
- energy retention, 60
- energy utilization, 60
- entero-insular axis, 99
- ethanol: aversion reversal, 51; naloxone effect, 91
- evolution: survival value of feeding, 1–2
- exercise: thermogenesis-induced feeding, 12, 26–7, 63
- fasting: food intake after, 24; hunger symptoms, 21; oxygen consumption, 30; re-feeding responses, 76; state of central nervous system and hunger, 25; weight loss responses, 75–6
- fatty acids, *see* free fatty acids; plasma free fatty acids *and* triglycerides
- feeding: enteral and parental and oral intake, 39–40; metabolic demand, 14; self-intragastric, 54–5; ventromedial nuclei electrical stimulation, 96–7; *see also* cafeteria regimen; meal initiation; schedule feeding *and* sham-feeding
- feeding *ad libitum*, 4; feeding pattern, 16–19; hunger signal detection, 29–34
- feeding behaviour: food seeking in the wild, 14; moment-to-moment measurement, 4; periodic nature, 3; sociocultural factors, 2
- feeding and lateral hypothalamus stimulation: chemical, 85; electrical, 84–5; electrical self-stimulation, 85–6
- feeding patterns: *ad libitum* feeding, 16–19; dark-light cycle, 6; humans, 20–1

- fistulae: duodenal, 56; gastric, 11, 55; sham-feeding, 10–11
- food, labelled, 69–71
- food addiction and opioid release, 93
- food aversions, 41; amino acid imbalance in diet, 117, 120; brain sites, 90, 93; conditioned, 49, 65, 93, 120; facial expressions, 8–9, 80–1, 90; high protein toxicity, 120; humans, 52–3; reversal of, 51; *see also under* tastes
- food deprivation, 21–5; circadian periodicity, 22–4; food intake rate after, 17; hunger symptoms, 20, 21; hypoglycaemia and eating rate, 32, 33; hypoglycaemia and meal size, 34; meal-to-meal intervals, 22; meal sizes, 22; palatability, 43, 46–7; of pups and milk intake, 79; schedule feeding, 20; weight loss and readiness to eat, 22; *see also* fasting and starvation
- food intake: after fasting, 24; after food deprivation, 17, 32, 33; and ambient temperatures, 25–6; and body energy balance, 63–7; cafeteria regimen, 65–6; central nervous system, 12–13; circadian periodicity, 17; dietary manipulations, 9–10; enteral and parenteral feeding, 39–40; gastrointestinal negative feedback, 10–11, 43; insulin infusions, 36–7; intestinal food load, 56; lactation, 27; oestrous cycle, 17; peripheral nervous system manipulations, 12; schedule feeding, 20; sensory-specific stimulation of eating, 42–3; stomach food load, 55–6; systemic alterations, 11–12; *see also* hyperphagia and hypophagia
- food intake measurements: blood glucoregulatory hormone measurements, 7, 8; body energy balance, 6; body weight, 6; calorimetry, 8; chewing–swallowing patterns, 7–8; of feeding patterns, 4–5; in humans, 7–9; psychophysical methods, 8; self-intra-gastric feeding, 5, 6; self-intravenous feeding, 5; weight of food remaining, 4–5
- food pleasantness: appraisal, 8, 53; shift to unpleasantness, 55
- food preferences, 41; humans, 52–3; learning of, in young rats, 80; reinforcement by drive reductions, 52; transmission from lactating mother to pups, 81
- food rewards, 52; brain opioids, 91–2; brain rewarding systems, 91–2
- food storage, 15; *see also* body fat mass
- food unpleasantness, 55; evaluation, 8
- food withdrawal, 22–3; blood glucose level fall, 32
- free fatty acids, 39, 68; and hunger signal, 89; long-chain, 118–19; *see also* plasma free fatty acids
- gavage: obesity induction, 74, 103
- glucagon: hyperglucagonaemia, 105; meal onset retardation, 35, 39; measurement techniques, 7, 8
- glucopenia, tissue: induction by 2-deoxy-glucose, 38; lateral hypothalamus, 85; stimulus to eat, 37, 40; ventromedial nuclei insulin receptors, 111–12
- glucose: injection of, and meal onset, 39; tissue uptake of, and latency to eat, 37; tissue uptake of, and meal initiation, 32, 34, 37; *see also* blood glucose level and hepatic glucose production
- glucose analogues and tissue glucopenia, 38
- glucose-sensitive sites: lateral hypothalamus, 88–9; ventromedial nuclei 13, (and insulin dependency) 109–11, 111–12
- glycaemia, *see* blood glucose levels; hyperglycaemia; hypoglycaemia and normoglycaemia
- glycogen: concentrations in liver, 32; storage of, 15
- gold-thiogluco (GTG), 13; evidence for lateral hypothalamus glucose-sensitive sites, 89; evidence for ventromedial nuclei glucose-sensitive sites, 110
- heat increment of food, 14; measurement, 8; modulation, 77
- hepatic gluco-receptor theory, 88
- hepatic glucose production, 38, 105
- hibernation and fat utilization, 25
- human evolution: food production development, 2
- humans: adjustment to caloric dilution of food, 64–5; cephalic phase of insulin release, 59; energy intake and expenditure, 61–2; food deprivation and circadian periodicity, 24; food intake measurement, 7–9; forced feeding and weight changes, 76–7; infant feeding patterns and sociocultural factors, 81–2;

154 *Index*

- humans (*cont.*)  
 liporegulatory mechanisms, 73; normal feeding, 20–1; post-prandial correlation, 20; satiation process, 43; self-intra-gastric feeding, 55; thermogenesis, 67
- humans, hunger: food deprivation, 24–5; hypoglycaemia, 36; increase at start of meal, 59; insulin induced, 37; intensity evaluation, 8; and palatability after deprivation, 43–7
- humans, preferences and aversions: infants, 82; neonates, 8–9; and sociocultural factors, 52–3
- hunger arousal, 28
- hunger signal: abolition of, 58; blood glucose levels, 30–1; hepatic gluco-receptor theory, 88; and hypoglycaemia, 31, 32, 33, 34; lateral hypothalamus target of, 88–90; *see also* glucopenia, tissue *and* glucose sensitive sites
- hunger signal identification methods: systemic signal manipulations, 36–40; temporal correlations in feeding conditions, 26–36
- hyperglycaemia: enteral and parenteral feeding, 39; glucose analogue injection, 38; lateral hypothalamus electrical stimulation, 85; pre-prandial, 30; ventromedial nuclei electrical stimulation, 105
- hyperinsulinism, ventromedial nuclei lesion induced: and hyperphagia, 108; liporegulation, 106–7; sympathetic–parasympathetic imbalance, 107–8
- hyperphagia: brain stimulation, 84; cafeteria regimen, 65–6; gold-thioglucose induction, 13; and hyperinsulinism, 108; induced diabetes, 38–9; insulin induced, 36–7; nocturnal, and body fat mass, 70; pregnancy, 27
- hypoglycaemia: food deprivation and meal size, 34; in humans after food deprivation, 36; pre-meal, and hunger, 34–6; relationship to hunger signal, 31, 32, 33, 34
- hypophagia: diurnal, and body fat mass, 70; exercise, 27; induced diabetes, 38–9; lateral hypothalamic lesion, 102–3
- hypophysis, 11, 110
- hypothalamus, *see* lateral hypothalamus; ventromedial hypothalamus *and* ventromedial nuclei
- ICSS, *see* intracranial self-stimulation
- insulin, endogenous. hypoinsulinaemia and ventromedial nuclei electrical stimulation, 105; liporegulation, 71; measurement techniques, 7, 8; pre-prandial levels, 30; *see also* hyperinsulinism
- insulin, exogenous, 36–8; activation of lateral hypothalamus neurones, 89; blood glucose level fall, 37; feeding response, 36–7; obesity induction and later reversal, 74–5
- insulin receptors, brain: down- and up-regulation, 111; liporegulation, 111–12; locations, 111
- insulin release: cephalic phase, 58–9; food change, 43; and meal size, 59; oral mediation, 59; palatability dependent, 59; pre-meal, and hunger, 34–6; satiety onset, 58; ventromedial nuclei lesion, 107
- insulin resistance, 106–7
- intestine: chemo- and mechano-sensors, 12; satiation process, 56–8; short-term food intake, 10–11; *see also* duodenum *and* stomach
- intracranial self-stimulation (ICSS): brain rewarding systems, 91; and feeding, 85–6; palatability learning, 93; suppression by satiation, 86
- lactation: food intake, 27; suckling period, 79
- lateral hypothalamus (LH): chemical stimulation and feeding, 85; glucopenia and insulin-induced feeding, 85; meal patterns in young rats, 80; neural connections, 83–4; neurone activation by insulin, 89; palatability learning, 94; relationship with ventromedial nuclei, 106; satiation process, 97–101; sensitivity to energy metabolites, 89; target of hunger signal, 88–90; *see also* glucose-sensitive sites
- lateral hypothalamus electrical self-stimulation: brain rewarding systems, 91; and feeding, 85–6; suppression by satiation, 86
- lateral hypothalamus electrical stimulation, 13; and hunger, 41; hyperphagia and obesity, 74
- lateral hypothalamus lesion, 13; aphagia–adipsia syndrome, 86; aphagia in pups, 80; defended body weight, 87; extent of, and effects, 88;

- meal pattern, 97, 98; sensorimotor disturbances, 87–8
- lean body mass, 63, 68, 69
- leanness, 68
- lever-pressing: food intake measurement, 4; food reward, 52; lateral hypothalamus electrical stimulation, 85; lateral hypothalamus lesion, 87–8; self-feeding techniques, 5, 54
- LH, *see* lateral hypothalamus
- limbic structures, 84, 97, 101
- lipogenesis: adrenaline effects, 71; gravidic, 27; insulin dependence, 68; nocturnal, 69–70; positive energy balance, 68
- lipolysis: dependent factors, 68; diurnal, 69–70; induced diabetes, 39; insulin effects, 71; negative energy balance, 68; ventromedial nuclei electrical stimulation, 105–6; ventromedial nuclei lesion, 103–5, 107
- lipoprotein lipase (LPL), activity after ventromedial nuclei lesion, 106
- liporegulation, 69–73, 102; autonomy, 71, 73, 102; brain insulin receptors, 111–12; correction of experimentally induced obesity, 74–5; diurnal cycles, 69–71; neuroendocrine effects, 70–2; neuronal mediation of hormones, 72–3; respiratory quotient, 69, 70; ventromedial nuclei lesion, 102–5, 106–7; ventromedial nuclei regulation of, 109
- liver: experimental manipulations, 11, 12; gluco-receptor theory, 88; glucose production, 38, 105; glycogen concentrations, 32; medial hypothalamus connections, 84
- LPL, *see* lipoprotein lipase
- mannitol, satiety period extension, 57
- mannoheptulose, 58
- mastication, 55
- masticatory movement recording, 8
- meal initiation: blood glucose level fall, 31; feeding associated stimuli, 35; insulin release and induced hypoglycaemia, 34–5; oxygen consumption, 30; tissue uptake of glucose, 32, 34, 37; underlying mechanisms, 18–19, 29; *see also* feeding and hunger signal
- meal-to-meal intervals, 5, 17; food deprivation, 22; meal size, 18–19; post-prandial interval, 18; pre-prandial interval, 18
- meal patterns: lateral hypothalamus lesion, 97, 98; of pups and lateral hypothalamus, 80; ventromedial nuclei lesion, 103–4
- meal size: circadian periodicity, 17; determinants of, 48–59, 100–1; food deprivation 22, 34; and insulin release, 59; palatability, 58; post-prandial correlation, 61; post-prandial interval, 18–19; underlying mechanisms, 18–19
- meals: definition, 5; sociocultural factors, 2
- metabolic rate, 14; circadian periodicity, 19; lateral hypothalamus electrical stimulation, 85; onset ratio, 18, 19; ventromedial hypothalamus lesion, 103, 104
- 3-methyl-glucose, 38
- mineral-specific appetite, 114, 118
- minerals in diets, 9
- mitral cells, 94, 98, 100
- mouth: satiation process, 53–5; sham-feeding, 53–4
- naloxone, 91, 92, 93
- nausea and food aversion, 41, 90
- neophobia, 49; amygdala lesion effect, 90
- neurochemistry, 84; substrates of brain rewarding systems, 91
- nibbling after lateral hypothalamus lesion, 97
- nipples, attachment of pups to, 78–9
- noradrenaline, 66, 72
- normoglycaemia, 72
- NTS, *see under next entry*
- nuclei, central nervous system: arcuate, 105, 111; dorsomedial, 105; nucleus tractus solitarius (NTS) 13, 83, 94–5, 98, 110; periventricular, 83, 102–3; suprabrachial, 83; *see also* ventromedial nuclei
- obesity, 7; brain stimulation and feeding, 84; cafeteria regimen, 66, 74; dynamic and static phases, 103; genetic, 3, 108; gold-thioglucoase induction, 13; hyperinsulinaemia, 107–8; insulin, exogenous, 74–5; lateral hypothalamus electrical stimulation, 74; metabolic rate, 67; possible causes, 77; protamine-zinc insulin, 36–7; tube-feeding, 74; ventromedial nuclei lesion, 102–3
- odour: conditioned stimulus for insulin release and food palatability, 35; diet

156 *Index*

- odour (*cont.*)  
 labelling, 10; sensory-specific stimulation of eating, 41–3
- oestrus cycle and food intake, 17
- olfaction: food intake evaluation, 10;  
 pup attachment to nipple, 78
- olfactory bulb: experimental manipulations, 10, 13; mitral cell layer, 94, 98, 100; neural connections, 83; and satiety, 98, 100
- oligo-element-specific appetite, 114
- onset ratio, 18; circadian periodicity, 19; and metabolic rate, 18, 19
- ontogenesis: meal pattern, 80–2; suckling, 78–9, 80
- opiates, brain: food palatability, 91–3; release of, with stress, 92–3
- opioreceptors, 91
- oropharyngeal satiation, 53, 54
- oropharyngeal sensory receptors, 28
- oxygen consumption: body energy balance, 61; fasting, 30; meal initiation, 30; *see also* metabolic rate and respiratory quotient
- oxygen regulation, 15
- palatability, 8; amygdala, 90, 93–4; brain mechanisms, 90–5; brain opiates, 91–3; change of, and temporary change in intake, 65; definition, 28; development of, in young rats, 80; differential, a continuum, 40–1; elevation and hunger, 47; enhancement by odour conditioning, 35; enhancement at start of meal, 59; food deprivation, 43–7; food-specific, origin, 48–53; greasy texture, 116; indices of, 55; and insulin release, 59; meal size, 58; sensory food rewards, 91
- palatability learning: brain mechanisms, 93–5; electrophysiology, 94–5; post-ingestive nutritional content of food, 10, 49–50, 118
- pancreas: alpha- and beta-cell activity, 71, 72; lateral hypothalamus control of, 84, 90; pancreatectomy, 11; response to ventromedial nuclei manipulation, 105, 107; *see also* insulin release
- parabiosis, 11, 57
- parasympathetic system: and hypothalamus, 84; satiation process, 97
- peripheral nervous system and food intake, 12
- plasma free fatty acids (PFFA): and hunger signal, 29; in liporegulation 70, 104; *see also* fatty acids
- post-prandial correlation, 18; circadian periodicity, 18–19; humans, 20; meal size, 61; in pups, 80
- prandial periodicity: *ad libitum* feeding, 16–17; lateral hypothalamus lesion, 98; ventromedial nuclei lesion, 98, 103–4; *see also* circadian periodicity
- pre-prandial correlation in pups, 80
- pregnancy, hyperphagia during, 27
- protamine-zinc-insulin (PZI), 103, 111; hyperphagia, 36–7; obesity induction, 74–5
- protein intake: aversion to amino acid imbalance, 117, 120; conditioning, 119; mechanisms for regulation of, 116–17, 119–20
- proteins in diets, 9
- pups: aphagia after lateral hypothalamus lesion, 80; attachment to nipple, 78–9; cephalic phase of insulin release, 80; food deprivation effects, 79; sucking pattern, 79
- PZI, *see* protamine-zinc-insulin
- quinine, 10, 41, 65; blockage of stimulus-bound feeding, 84; naloxone effect, 91
- reinforcement, of palatability and rewarding systems, 91
- reinforcement, post-ingestive, 51; drive reductions, 52; food reward, 52; primary and secondary, 52; source of, 51–2
- respiration, role of blood, 15
- respiratory quotient (RQ), 6; liporegulation, 69, 70; ventromedial hypothalamus lesion, 103, 104
- saccharin: intake of, compared to sucrose, 10, 51
- salivation and ventromedial nuclei lesion, 107
- salt: appetite for, 114; intake compared to lithium chloride, 10; salty taste, 82, 114
- satiation process, 48; amino acid content of intestine, 119; intestine, 56–8; lateral hypothalamus, 86, 97–101; mouth, 53–5; non-involvement of ventromedial nuclei, 96–7; oro-gastrointestinal, 53–8; sensory-specific, 42; stomach, 55–6
- satiety: definition of, 48; filling of gastrointestinal store, 58; intensity evaluation, 8

- satiety onset, 48; blood glucose and plasma insulin, 58  
 satiety ratio, 18  
 SBF, *see* stimulus-bound feeding  
 schedule feeding, 3, 19–20; and hunger signal detection, 34–5; responses to, 20  
 sensorimotor disturbances and lateral hypothalamus lesion, 87–8  
 sensory-specific stimulation of eating, 40–7  
 serotonin, 120  
 sham-feeding: inhibition of, 54; oral, 53–4; techniques, 10–11  
 sociocultural factors, 2; food preferences and aversions, 52–3; infant feeding patterns, 81, 82  
 sodium-specific appetite, 114  
 starvation: carbohydrate intake, 115; choice of fats after, 24; survival on body fat store, 15  
 starvation diabetes, 76  
 stimulus-bound feeding (SBF), 84, 85  
 stomach, 55–6; balloon inflation inside, 6, 59, 98; caloric content sensing, 55, 56; chemo- and mechano-sensors, 12; distention and satiation, 55, 56; emptying, 6, 56; post-ingestive reinforcement of preference, 52; pre-load, 58, 117; of pups, loading of, and intake regulation, 79; self-administration of tube-feeding, 54; short-term food intake, 10–11  
 streptozotocin, 11, 38, 59  
 stress, and brain opioid release, 92–3  
 substancia innominata, 83  
 suckling: pup attachment to nipple, 78–9; sucking pattern, 79, 80  
 sucrose: intake of, compared to saccharin, 10, 51  
 sucrose octoacetate, 10, 65, 92  
 swallowing, *see* chewing–swallowing patterns  
 sympathetic system: and hypothalamus, 84; satiation process, 97  
 sympathetic–parasympathetic balance: glycaemia, 72  
 sympathetic–parasympathetic imbalance: hyperinsulinism, 107–8  
 taste: dietary manipulations, 9–10; ‘intestinal’, 119  
 taste, salty, 82, 114  
 tastes, sweet and bitter: brain mechanisms, 90, 93; palatability, 40, 41, 49; preferences and aversions, 8–9, 90, 114–15, (unlearned) 80, 81, 82  
 temperature, cold, 25–6; brown adipose tissue increase, 67; thermogenesis-induced feeding, 12, 63  
 temperature, warm: food intake, 26  
 thermogenesis, 14; body energy balance, 60; brown adipose tissue and cold exposure, 26; brown adipose tissue under cafeteria regimen, 66–7; dietary induced, 12; exercise, 12, 26–7, 63  
 5-thio-glucose, 38  
 thirst, 85, 86  
 toxicosis, 93, 95  
 triglycerides, 68, 118–19; long-chain, 119; medium-chain, 118–19; short-chain, 119  
 tube-feeding, 39–40, 51–2; obesity induction, 74; self-administration, 54; techniques, 11  
 vagotomy, 25, 72, 107; techniques, 12  
 vagus nerve: insulin release and liporegulation, 72; meal pattern, 100; response to amino acids in intestine, 119; satiation process, 99–100  
 ventricle, fourth: insulin receptors, 111  
 ventromedial hypothalamus (VMH), 13, 110  
 ventromedial nuclei (VMN): body fat mass regulation, 102–3; glucose sensitive sites and insulin, 109–11; insulin receptors and liporegulation, 111–12; liporegulatory mechanism, 109; non-involvement in satiety, 96–7; relationship with lateral hypothalamus, 106; sympathetic–parasympathetic imbalance and hyperinsulinism, 107–8  
 ventromedial nuclei electrical stimulation: and feeding, 96–7; hyperglycaemic–hypoinsulinic pattern, 105; lipolysis, 105–6  
 ventromedial nuclei lesion, 13; adrenergic tone and obesity, 108; hyperinsulinism, 106–7; hyperphagia and obesity, 102–3; lipogenesis, 106; lipolysis impairment, 107; meal patterns, 98, 103–4  
 vitamin-specific appetite, 113–14, 118  
 vitamins, 49; in diets, 9  
 VMH, *see* ventromedial hypothalamus  
 VMN, *see* ventromedial nuclei  
 vomiting and food aversion, 41, 90  
 weaning, 79  
 white adipose tissue (WAT), 67; energy storage, 68; medial hypothalamus connections, 84