

Index

- aberration 35, 81
 - measurement 192–206
 - tolerances 38, 150–2
- addition interferometer 75, 163
- aerial smoothing 273
- Airy function 144–8, 243
- alignment 213
- alternative interferogram, 10, 104, 110
- amplitude, complex 32
- amplitude transmission factors 31
- analytic signal 23, 74–5
- aperture 28, 90
 - dilute or unfilled 162, 274
- aperture synthesis 275
- apodization 23, 234, 248, 249
 - in Fourier spectroscopy 250, 252
- applications table 2
- arrays
 - circular 163, 275
 - cross 163, 274
 - linear 9, 274
- autostigmatising mirror 193–5
- beam splitters 4, 126
 - coatings 126
 - compensating plate 129
 - diffracting 5, 137, 200, 205, 208
 - in convergent light 128
 - polarizing 5, 131, 168, 200–2
 - prism 131
- Bessel functions 18
- birefringent filter 239, 246
- birefringent materials 133
- Brewster angle 41
- Brewster's fringes 160
- cat's eyes 27, 113, 265
- cavities for lasers 55, 155
- channelled spectrum 11, 102, 262
 - applications 179–80, 192
- chirping 259
- Christiansen cross 9, 274
- coatings 42
 - beam splitters 126
- Fabry–Perot interferometer 149
- coherence 72
 - and interference 3
 - and polarization 85
 - degree of 75
 - diffuse reflexion 83
 - higher-order 85
 - spatial 73, 78, 96
 - temporal 72, 76
- coherence length 73
- coherence time 73
- coherent background 50
- coherent radiation 32
 - imagery 36
 - interference 43
- common-path interferometers 51, 197–206
 - for microscopy 210
 - with lasers 204
- comparators, interference 173
- compensating plate 129
- compensation 96, 116
 - delay 116
 - polarization 106–7, 264–5
 - shift 116, 193
 - see also* field-widened interferometers
 - tilt 121, 264
- complementary interferogram 10, 115
- contouring 229
- control, interferometric 176, 263
- convolution 15, 236, 258
- correlation 15–6, 85
- correlation interferometry 6, 270, 279
- cube corner 27, 105
- cyclic interferometer 8, 125, 182–4, 202
 - as a microscope 213
- delay 47, 91, 103
 - compensation 102, 116, 282
 - group, 77, 95
 - modulated 167, 255
- diffracting beam splitters 5, 200, 205, 208, 266
- diffraction 2, 32
 - correction for 138, 153, 172
- diffraction grating 2, 39, 142, 161, 241–2
- diffraction interferometers
 - see* diffracting beam splitters

Index

- diffraction limited 38
- dilatometer 178
- dilute aperture 162, 274
- Dirac δ -function 16
- Dirac comb 17, 141, 160
- displacement
 - in plane 223, 227
 - normal 224, 227
 - vector 219
- division of amplitude 4
 - see also* beam splitter
- division of wavefront 4, 107, 161, 267
- double-focus interferometer 199, 212
- double-passed interferometers 6, 192
- Dowell interferometer 176
- echelon 242
- Edser-Butler bands 102
 - see also* channelled spectrum
- effective source 81
- end standards 173–4
- étendue 30
 - of spectrometers 238, 265, 267, 268
- étendue advantage 238
- exact fractions, method of 169, 179
- excess fraction 164
 - measurement 165
- Fabry-Perot étalon 148
- Fabry-Perot filter 152, 239, 246
 - efficiency 146, 159
- Fabry-Perot fringes 149
- Fabry-Perot interferometer 148
 - cavity 55, 155
 - coatings for 149
 - confocal 154
 - in series 157, 245
 - in spectroscopy 243
 - microwave 150, 155, 181
 - scanning 153, 245
 - source size 152, 245
 - spherical 154, 246
 - surface tolerances 150
 - theory 143
- field-widened interferometers 116
 - Fabry-Perot 154
 - Michelson 116, 265
 - polarization 134, 247
- filter
 - birefringent 239, 246
 - Fabry-Perot 152, 239, 246
 - spatial 58
- finesse 142, 146, 243
- Fizeau fringes 10, 149
- Fizeau interferometer 175, 186, 193
- flatness
 - measurement 186
 - standard of 188
- focusing 286
- Fourier imagery 271
- Fourier series 21
- Fourier spectroscopy 232, 238, 250–69
 - computation 259
 - interferometers for 262
- Fourier transform 12, 19
 - fast computation 262
 - in optics 12, 36, 83, 96, 250, 271
 - table 20
- frequency 30
 - changers 57
 - doubling 198
 - of lasers 171
- fringe counting 169, 179
- fringes
 - alternative 10, 104
 - Brewster's
 - see* superposition
 - complementary 10, 115
 - equal chromatic order 11, 102
 - see also* channelled spectrum
 - equal inclination 10
 - equal thickness 10
 - Fabry-Perot 149
 - Fizeau 10, 149
 - frozen 7, 216
 - Haidinger 10
 - live 7, 215
 - localization 97
 - moiré 5, 177, 231, 263, 286
 - source 11, 104
 - spread-out 10, 46, 101, 166
 - superposition 160, 169, 179
 - test 11, 94
 - time-averaged 7, 216
 - visibility of 46, 76, 269, 277
 - white-light 102
- Gibbs phenomenon 22, 163
- grating response 163
- gratings 2, 39, 142, 161, 241
 - holographic 69
 - lamellar 267
 - moiré 177
 - ruling 176
- grazing-incidence interferometers 189
- group delay 77, 95
- group refractive index 95, 257
- guided-wave interferometers 139
- Hadamard spectroscopy 238, 250, 267
- Haidinger fringes 10
- Hankel transform 14
- Hansen's criterion for source size 104, 110
- heterodyne interferometry 53, 57, 223
 - in imagery 284
 - in spectroscopy 254
- Hilbert transform 24, 87, 258
- holodiagram 224

Index

- hologram interferometry 7, 215
 - fringe localization 223
 - rough objects 219
 - smooth surfaces 218
 - theory 219
 - transmitting objects 217
- holograms 60
 - classification 65
 - computed 68
 - contouring by 229
 - Gabor 60
 - rainbow 67
 - reconstruction 65
 - theory 53
- holographic gratings 69
- holographic optical elements 68
- homologous rays 83
- hook method 180
- image, pseudoscopic 65, 67
- imagery
 - and coherence 81
 - diffraction theory 36–8
 - Fourier 271
 - interference 271
 - optical systems 28
- impulse response 15
- incoherent source 78, 81
- incoherent imagery 37
- instrumental profile 232
 - see also* scanning function
- intensity
 - optical 31, 37
 - mutual 77
- intensity interferometer 6, 279
 - see also* correlation interferometer
- integral order 164
 - measurement 168
- interference 1
 - multiple beam 141
 - order of 45, 91, 164
 - plane waves 43–7
 - spherical waves 47–50
 - two-beam 4, 43, 89
- interference microscopes 89, 209
- interferometers
 - see particular titles*
 - basic types 7–8
 - classification 3–7
- interferogram 44, 75, 232
 - alternative 10, 104, 110
 - complementary 10, 115
 - general formula 95, 104, 251
- isolator, optical 58
- Jamin interferometer 180
- Jones calculus 39, 105
- Kösters interferometer 175
- Kösters prism 131
- lambda meter 172
- lamellar grating 267
- laser 54
 - frequency measurement 171
 - ring 183
- laser cavity 55, 155
- laser Doppler 54
- laser interferometers 43, 196, 204, 215
- laser modes 55, 246
- laser sources 54, 103
 - see also* laser interferometers
- laser stabilization 56
- lateral shear 52, 91
- lateral-shearing interferometer 5, 51–2, 135
 - applications 198, 208, 271
 - use in microscopes 211
- lead 48, 91
- length standard 170, 173
- length measurement 176, 178
- linear systems 14, 36, 232
- line-diffraction interferometer 206
- line profiles 171, 269
- line standards 173–4
- Linnik interferometer 205
- Linnik microscope 89, 210
- Lloyd's mirror 7, 274
- localization of fringes 97
 - in hologram interferometry 223
- Lommel functions 38, 99–100
- long-path interferometry 169, 177
- Lummer–Gehrke plate 242
- Lyot filter 247
- Mach–Zehnder interferometer 8–9, 123
 - application 206–8
- metre 170–1
- Michelson interferometer 8–11, 108–23, 210
 - field-widened 116, 265
 - for optical testing 192
 - for spectroscopy 249, 262
 - microwave 138, 181
 - tilt-compensated 121, 264
 - with retroreflectors 113, 264
 - without collimation 111
- Michelson stellar interferometer 278
 - modern versions 281
- microscope, interference 89, 209
- microtopography 190
- microwave interferometers 137, 150, 181
- Mills cross 274
- mirror
 - autostigmatizing 193–5
 - plane 26
 - roof 28
 - triangular 27
- mock interferometer 266
- mode selector 56

Index

- modulated delay 167
 - in spectroscopy 255
- moiré, shadow 231
- moiré fringes 5, 177, 263, 286
- multiple-beam interferometers 4, 141
 - applications 187, 190, 242, 274
 - see also* Fabry–Perot
 - multiplex advantage 240
 - multiplication interferometer 76, 163, 274
 - mutual coherence function 75, 83
 - mutual intensity 77
- noise 25
 - in spectroscopy 237, 240, 255
- obliquity effects 174
 - see also* source size
- optical coatings
 - see* coatings
- optical-fibre interferometers 140
- optical multiplication 169, 179
- optical path difference 47, 91
- optical surfaces 151
 - testing 186
 - tolerances for interferometers 81, 150
- optical transfer function 37, 163
 - measurement 284
- order of interference 45, 91, 164
- parallelism control 154, 246, 263
- parameters describing
 - interferometer 91, 141
- phase 32
 - changing 223
 - correction 257
 - measurement 185, 256
 - retrieval 86
- phase conjugation 28, 65
- phase contrast 2, 206
- phase dispersion 176
- phase spectra 256
- photo-electric methods 166–8, 185, 223
- plane
 - of observation *or* interference 51, 89
 - source 90
- plasma diagnostics 181
- point-diffraction interferometer 205
- point-reference interferometer
 - see* double-focus interferometer
- polarimeter 166–7
- polarization 39
 - and coherence 85
 - calculus 39, 105
 - compensation in interferometers 106, 264
 - measurement 275
- polarization interferometers 5, 133
 - applications 201–4, 211, 246, 266
- polarization vector 39
- polarizing beam splitter 5, 131, 168, 201–4
- precision of interferometry 165, 172, 185
- Q-factor 147
- quasi-monochromatic radiation 32, 76, 94
- radial-shear interferometer 52, 91, 201, 204
- radio astronomy 7, 161, 272
- random functions 24
- Rayleigh interferometer 7, 180, 208
- reception pattern 272
- reference planes of an interferometer 90
- reflex interferometer 6
- reflexion
 - at plane mirrors 26
 - Fresnel formulae 40–1
 - total 42
- refractive index
 - group 95, 257
 - measurement 178, 206, 256
 - of air 173
- resolution, limit of 233
- resolving power of a spectrometer 233, 238
- resolving power and solid angle 239, 244, 249, 253
- retarder
 - circular 166
 - linear 39, 133, 247
- retroreflectors 27
 - in interferometers 113, 264
- ring laser 183
- rough surfaces, testing 189, 195, 219
- Sagnac experiment 183
- Sagnac, interferometer
 - see* cyclic interferometer
- sampling 22, 235
- Savart polariscope 136
- scanning Fabry–Perot interferometer 153, 245
- scanning Michelson interferometer 263
- scanning function 15, 233, 243, 246
 - in Fourier spectroscopy 252, 258
- scatter-fringe interferometer 200
- scintillation 240, 255, 276
- second-harmonic interferometers 190, 198
- servo-controlled interferometer 154, 246, 263
- shadow moiré 231
- shear 51, 91, 103
 - folding 203
 - in Michelson interferometer 109, 112, 113
 - inverting 52
 - lateral 52, 92, 161
 - see also* shearing interferometer
 - radial 91, 201
 - rotational 203

Index

- shearing interferometer 5, 51, 198, 208, 211, 277, 285
- shift 53, 91
 - applications 199, 212
 - compensation 118, 193
 - in Michelson interferometer 108, 112, 114
- side lobes 23, 275
- signal-to-noise ratio 25, 237, 240, 250
- simac* 245
- sims* 268
- sinc function 19
- single-pass interferometers 6, 204–6, 207
- sisam* 249
- Smartt interferometer 205
- Solc filter 247
- source 90
 - circular 99, 111
 - effective 81
 - incoherent 78, 81
 - laser 54, 103, 196, 204
- source fringes 11, 104
- source plane 90
- source size 209
 - and resolving power 239, 252
 - Fabry–Perot interferometer 152, 245
 - Hansen’s criterion 104, 110
 - Michelson interferometer 111, 116, 253
- speckle 69, 225, 283
 - speckle holography 283
 - speckle imagery 283
 - speckle interferometry 225, 231
 - electronic 226
 - photographic 226
 - shearing 228
 - stellar 283
 - visual 225
 - speckle metrology 215
 - speckle photography 228
 - white-light 229
- spectral elements, number of 235
- spectroheliograph 239
- spectrometers, étendue 238, 265, 268
- spectroscopy 232
 - correlation 270
 - Fourier transform 232–41, 250–69
 - general theory 232
 - Hadamard 238, 250, 267
 - interference 232
 - sampling 235, 259
 - transfer function 232
- speed of light 30, 170, 182
- spread function 15, 36–7
- standards
 - end 174
 - flatness 188
 - length 170, 173
 - line 174
- standing waves 43, 66
- stellar interferometer 276
 - heterodyne 284
 - intensity 279
 - Michelson 277
 - modern versions 281
 - speckle 283
- superposition fringes 160, 169, 179
- thermal expansion measurement 178
- tilt 44, 45, 91
 - compensation 121, 264
 - in Michelson interferometer 110, 112, 114
- transfer function 15
 - optical 37
 - spectroscopic 232
- transform
 - Fourier 12
 - Hankel 14
 - Hilbert 24, 87, 258
- two-beam interferometers 4, 89–103
- tube-length lens 193
- Twyman–Green interferometer 108, 192, 262
- uncertainty relation 20, 185
- unfilled aperture 274
- van Cittert–Zernike theorem 78, 96
- vector
 - displacement 219
 - polarization 39
 - ray 26
 - sensitivity 220
- velocity of light 30, 170, 182
- vibration measurement 216, 226
- visibility of fringes 44, 76, 269, 277
 - range 99
- visual methods 165, 185, 215
- wave aberration
 - see* aberration
- wave-shearing interferometer
 - see* shearing interferometer
- wavelengths 30
 - standard 171
 - measurement 172
- white-light fringe 102
- white-light speckle 229
- Wiener–Khinchin theorem 16, 24
- Williams interferometer 196
- Wollaston prism 5, 135, 211, 285
- Young’s fringes 7, 43, 73