

Cambridge University Press

978-0-521-31173-1 - The Origins of Angiosperms and their Biological Consequences

Edited by Else Marie Friis, William G. Chaloner and Peter R. Crane

Index

[More information](#)

Index

Bold type indicates a main text reference; italics refer to figures.

- Abbey Wood fauna 263, 274–5, 278, 280, 286–7, **290–5**
- Abelia* 270, 308
- Acaciaephylum* 11, 309
- Aceraceae 95, 308
- Acotherulum* 295, 312
 campichii 295
- Acrostichum* 264, 267, 269, 270, 278, 287, 305
- Actinocalyx* 169, 308
 bohrii 157, **159**
- actinomorphy 4
 in fossil flowers 154, 155, 158, 160, 161, **167, 168**
- aculeate vespid wasps 189, 310
- Adapinae 291
‘*Adapisorex*’ 311
 anglicus 290
- aestivation 168
- Africa
 angiosperm radiation 116
 fauna 229, 243, **248–51**, 270, 274–5
 fossil reproductive organs 160
 palaeoclimate 56–7, 58
 palaeogeography 62, **63–5**
- African–S. American province 108
- Afropollis* 98, 309
- Ailuravinae 279, 280, 312
- Ailurus* 276, 312
 michauchi 292
 stehlinschaubi 272, 276, 292
- Alabama, fossil wood 213
- Alaska
 fossil wood 90
 megafossil floras 83, 90, 122, 130, 132
 palaeogeography 61
- Alberta
 dinosaurs 228, 232, 233, 251
 fossil reproductive organs 150
- fossil wood 90
megafossil floras 90
palynofloras 119
- Albian 315
 flowers 150–1
 megafossil floras 78, **79–83**, 114, 115, 130, 132
 palaeoclimate 56
 palaeoecology 79, 81
 palaeotemperatures 85, 91
 palynofloras 81, **113–14**, 115, 235
 reproductive organs 147–51
 vegetation 79–83, **112–17**
- Alidabra, turtle fauna 245, 249
- Aldrovanda* 269, 308
- Algeria, palaeoclimate 57
- Allosaurus* 243, 244, 245, 246, 247, 311
- Almargem flora 130, **132**
- Alnus* 98, 308
- Alum Bay flora 259, 267, 286
- Amboseli Basin fauna 244
 browse profile 232, 233
 consumption 233
 number of individuals 248
 population density 247, 249
- Amentiferae 7, 17, 18–19
- ‘*Amphicoelias*’ 244, 247, 311
- Amphidozotheriinae 290, 311
- Amphiperatherium* 290, 311
 fontense 290
 aff. *goethei* 290
 cf. *maximum* 290
- Amphiragatherium* 295, 312
 fronstettense 295
- Anacardiaceae 97, 267, 269, 308
- Anchiophus* 280, 312
 dumasii 294
 radegondensis 294

- androecia
 Cretaceous, Early 150, 169
 Cretaceous, Late 152, 154, 155, 169–70
 Tertiary, Early 162, 170
- Anemia* 305
poolensis 265, 267
- anemophilous flowers 4–5, 6
 fossil 159, 162
- anemophily, *see* pollination, by wind
- Aneurophyton* 24, 26, 29, 30, 44, 306
- angiosperm
 chemical characteristics 3
 defining characters 1–6, 25, 41, 44
 diversification 9–11, 37, 96–100, 218
 earliest record 8, 9, 10, 112, 183
 early ecology 36, 38, 112, 125, 215
 early reproduction 185
 ecological breakthrough 123
 floral features 4–6
 fossil flowers, *see* flowers
 gametophytes 4, 20
 hypothetical early flower 187
 leaves 2–3, 27
 life cycle 36, 38, 40
 modernization 97, 120, 121, 128, 195
 pollen features 3–4; *see also* pollen
 primitive features 2, 6–7
 productivity 215, 217, 218
 radiation 9–11, 37, 41, 78, 85, 87, 88,
 115–17
 relationship 6–9, 17–21, 22, 29–37, 38
 reproductive biology 1, 188–9
 vegetative features 2–3
 wood anatomy 2, 3, 19, 77
- angiosperm-like fossils 37, 146
- Angola Basin, palaeoclimate 56
- ankylosaurs 207, 227, 233, 311
- Annonaceae 94, 162, 184, 267, 269, 307
- Anoplotheriidae* 273, 313
- Anoplotherium* 295, 313
- Antarctica, palaeogeography 65, 66
- antelopes 230, 313
- Antevsia* 24, 306
- ‘anthocorm’ system 19
- Anthophoridae* 186, 193, 196
- anthophyte clade 29–33
 convergence 41
 floral evolution 32–33
 genetic advances 36
 palaeoecology 36, 40
 phylogenetic position 34–42
 synapomorphies 29, 31
- Anthostrobilus* (Euanthial) Theory 6, 10
- Anthracotherium* 313
alsaticum 295
- Antiquocarya* 159, 308
verruculosa 157
- Apatemys* 293, 312
- Apatosaurus* 229, 244, 245, 246, 247, 250,
 251, 311
- Apatotheria* 271, 312
- Apidae* 187, 310
- apocarpy
 in Early Cretaceous flowers 148, 149,
 150, 151, 170–1
 in Late Cretaceous flowers 151, 152,
 154, 155, 157, 170
- Apoidea* 187, 191, 192–4, 195, 196,
 310
- Aptian 315
 megafossil floras 114, 130, 132, 235
 palaeoclimate 56
 palaeoecology 79, 81
 palaeotemperatures 85
 palynofloras 81, 113–14
 vegetation 79–83, 112–14, 116, 126
- Apulia
 palaeoclimate 58
 palaeogeography 62
- Aquilapollenites* 119, 308
- Aquilapollenites* province 108, 119, 121
 vegetation 121
- Aralia* 118, 308
- Aralia-Debeya* group 118
- Araliaecarpum* 309
kolymensis 148, 149, 150
- Araucariaceae* 111, 120, 123, 127, 306
- Araucariacites* 115, 306
- Arcellites* 109, 305
- Archaeanthus* 307
linnembergeri 152, 166
- Archaeopteris* 23, 24, 29, 30, 44, 306
- Arcius* 311
fuscus 291
- Arctictis* 273, 312
- Arctocyonidae* 293, 312
- Arcto-Tertiary Geoflora 128
- Arecaceae* (Palmae, palms) 309
 Cretaceous 90, 120, 121, 161–2
 Tertiary 122, 265, 266, 267, 277
- Arecidae* 161, 309
- Argentina, palynofloras 112
- aril 171–2
- Arizona, fossil wood 213
- armadillos 230
- Arne flora 286
- Artiodactyla (even-toed ungulates) 273,
 312
- Ascarina* 9, 307
- Asia
 fossil reproductive organs 155, 160
 palaeogeography 61–2
- Aspen Shale, fossil flora 151, 315
- Asteridae* 3, 113, 120, 161, 308

- Astrocelastrus* 309
cretaceous 154
Atane flora 130, 133
Atanikerdluk flora 131, 133
 Atlantic Coastal Plain
 fossil floras 79–83
 pollen zonation 80
 Atlantic equatorial basins 64
 Atlantic Basin, North 52
 palaeoclimate 57
 Atlantic Basin, South 52
 palaeoclimate 56–7, 58
 palaeogeography 63
 Australia, palaeogeography 65, 66
 autapomorphies 22, 26, 28
 aye-aye (*Daubentonia*) 271, 312
- Baiera* 24, 111, 129, 306
 Baltic Amber, fossil flowers 165–6, 169, 170
Barosaurus 244, 245, 246, 247, 250, 251, 311
 Barremian 315
 palaeoclimate 56
 palaeogeography 52
 palynofloras 112
 reproductive organs 146–7
 vegetation 112, 116
 Barton Clay Formation 260, 286, 314
 Barton
 fossil fauna 280
 fossil flora 286
 bats, *see* Chiroptera
Beania 110, 306
 Becton Sand Formation 260, 286, 314
 bee pollination 192–4
 beeflies, *see* Bombyliidae
 bees, *see* Apoidea
 beetle pollination 182, 184, 185, 189, 190, 195
 beetles, *see* Coleoptera
 Belgium, plant fossils 266
Belomys 276, 312
 pearsoni 272, 276
 Bembridge Limestone Formation 260, 263, 286, 314
 fossil fauna 274–5, 280, 286–7, 290–5
 Bembridge Marls 263, 286
 fossil fauna 274–5, 280, 286–7, 290–5
Bennettitales 8, 24, 44, 306
 autapomorphies 39
 Cretaceous, Early 110–11, 117
 Cretaceous, Late 119
 extinction 124
 growth habit 110, 111
 Jurassic 110–11
 leaves 27
 palaeoecology 36, 110
 pollination 181–3
 relationships 6, 7, 18, 19, 20, 29–33, 34, 36–7, 38, 39
 reproductive biology 36, 110–11
 reproductive organs 39, 181–2
 seeds 7, 18, 110
- Berendtia* 308
 primuloides 165
 Bering route 61
 Bering Strait 61
Betula 98, 308
 Betulaceae 94, 97, 99, 118, 120, 121, 122, 265, 308
 Betulales 156, 308
Betulites 118, 307
 binary characters 26
 Bingen flora 130, 132
 birds 210, 216
 bisexual flowers, *see* hermaphroditic flowers
 Black Creek flora 130, 133
 Blackhawk Formation 226, 315
 Blackheath Beds/Oldhaven beds 261, 286, 314
 Blairmore Group 315
 fossil floras 130, 132, 150
 Bombyliidae 186, 310
 Boroldaisky flora 129, 131
 Borolsaisky flora 129, 131
 Boscombe Sands 260, 269
Bothriodon 294, 313
 Bottom Beds 261
 Bouldnor Formation 260, 270, 314
 Bournemouth beds 260–1, 267
Brachiosaurus 227, 229, 244, 245, 246, 247, 250, 251, 311
 Brachycera 185, 310
 Bracklesham Bay flora 266, 286
 Bracklesham Group 268
Bransatoglis 312
 bahloii 293
 Brazil
 palaeoclimate 56, 57
 palaeogeography 63
 broadleaved deciduous vegetation 84, 93, 94, 95, 96, 97–8
 broadleaved evergreen vegetation 84, 90, 92, 94, 95
 browse line (profile) 231–4, 243–52
 browsing 214, 217, 231, 271, 276, 278, 279, 281–2, 283, 285, 287
 bryophytes 119
 Buarcos flora 130, 132
 buffalo 248, 251, 313
 Bullhead flora 130, 132
 Burge Fauna 207, 314
Buriadia 204, 307

Cambridge University Press

978-0-521-31173-1 - The Origins of Angiosperms and their Biological Consequences

Edited by Else Marie Friis, William G. Chaloner and Peter R. Crane

Index

[More information](#)

342

Index

- Burseraceae 265, 267, 269, 308
Butelia 311
biveri 290
 butterflies, *see* Lepidoptera
- Caesalpinoideae 162, 191
 Cainotheriidae 295, 313
 California
fossil reproductive organs 147
fossil wood 89, 213
Callistophyton 24, 27, 29, 30, 35, 44, 306
Calycanthus 184, 307
Calycites 309
parvus 153
Camarasaurus 244, 245, 246, 247, 250, 251, 311
 Campanian 314
faunas 207, 208, 214, 215–16
flowers 155–60
megafossil floras 86–90, 119
mesothermal regions 90
palaeotemperatures 91
palynofloras 119
reproductive organs 155–60
vegetation 116, 118–20, 126
wood 213
 camptosaurs 239
Campitosaurus 244, 245, 246, 247, 250, 251, 311
 Canada
fossil insects 187
megafossil floras 130, 131, 132, 234, 235
canopy vegetation 84, 87, 96, 97, 100, 125, 127
Cantia 125, 309
Cantius 312
eppsi 291
 Cape Basin, palaeoclimate 56
 Caprifoliaceae 270, 308
 capybaras 230
Caricopsis 309
compacta 150
laxa 150
 carnivore 271, 277
consumption 246–7, 250
dinosaurs 246–7
 carpel, homologies 7, 18, 20, 21, 39
Carpolithus
conjugatus 149, 150, 309
sp. 146, 309
Caryanthus 159, 308
 Caryophyllidae 3, 113, 156, 308
Casholdia 265, 308
Casiocarpus 307
paniculiger 149
Castanea 166, 308
- Castoridae 280, 312
 Casuarinales 7, 307
 cataphylls 27, 29
Catodontherium 295, 313
 cattle 248, 251, 313
Caytonanthus 24, 306
Caytonia 24, 44, 111, 120, 306, *see also* Caytoniales
 Caytoniales (Caytoniaceae) 306
growth habit 111
relationships 7, 20, 30, 31, 34, 35, 38–9
reproductive biology 36, 111–12
 Cebichoeridae 271, 312
Cebichoerus 295, 312
aff. fontensis 295
robiacensis 295
Cecropia 215, 229, 307
 Cedar Mountain Formation 315
fossil wood 212
Celastrophyllum 309
obovatum 82
 Cenomanian 315
arctic vegetation 84–5
flowers 151, 154
megafossil floras 78, 83–5, 117, 118, 130, 132, 236
palaeoclimate 57
palaeoecology 84
palaeogeography 57
palaeotemperature 83, 85, 91
palynofloras 117–18, 236
precipitation 57
reproductive organs 151–5
vegetation 116, 117–18, 126, 83–5
wood 90, 213
 Central America, fossil fauna 240
Centris 193, 310
 Cephalotaxaceae 111, 306
Cephalotaxus 127, 306
Ceratocarpus 309
fendrychii 154
 ceratopsians 209, 227, 230, 233, 240, 251, 311
Ceratosaurus 244, 245, 246, 247, 310
 Cercal flora 130, 132
 Cercidiphyllaceae 265, 307
Cercidiphyllum 121, 122, 307
Cercidiphyllum-like plant 265, 267, 268, 269
Cerocebus 312
albigena 273
 Cercopithecidae (monkeys) 273, 312
Ceriops 264, 266, 267, 308
Cervus 239, 313
elaphus 239
 Chadronian Flagstaff Rim 206
fossil fauna 206

- champsosaurs 94, 310
 charophytes 269
Cheirolepidiaceae 111, 112, 123, 306
 chemical defenses 231, 236, 238, 240–1
 chevrotains 229, 313
Cheyenne Sandstone 81, 315
 fossil flora 130, 132
 China, palaeoclimate 58
Chiroptera 210, 270, 283, 311
Chitaleyapushpam 161, 308
Chloranthaceae (chloranthoid) 307
 Cretaceous 113, 114, 149, 150–1,
 169, 172, 183, 184, 187
 pollen 7, 9–10
 pollination 10, 187
 relationships 7, 39, 40
Choeropotamus 295, 312
deperi 295
parisiensis 295
Cinnamomum 307
prototypum 165, 166
Citrophyllum 82, 83, 84
 cladistic analysis 21–8
 choice of characters 25–8, 42–4
 choice of taxa 23–5
 coding of characters 25–8, 44
 cladograms, most parsimonious 28, 30, 33–5,
 37–40
Cladoxyales 26, 305
Classopolis 111, 113, 114, 115, 117, 306
Clavatipollenites 9, 115, 307
Clematis 270, 307
 Clementsian ecology 128
 climatic analysis 52–8, 76–8
Coccophyllum 118, 307
 Cocobeach sequence 112
Coelurus 244, 245, 246, 247, 310
Coleoptera 182, 183, 185, 186, 187, 194,
 310
Colletidae 187, 310
 Colorado, plant fossils 92
 Colorado–Californian region 87
Complexiopollis 118, 309
Condylartha 210, 312
Coniacian 315
 palaeotemperatures 91
 palynofloras 119
 reproductive organs 155
 vegetation 116, 118–20
Coniferopsida 8, 306–7
 leaves 27
 relationships 22, 29, 34–5
 conifers (Coniferales) 24, 44, 306
 Cretaceous, Early 111, 113, 114, 116,
 117, 132, 235
 Cretaceous, Late 116, 117, 120, 132–3
 Jurassic 109, 111, 116, 131, 234
 relationships 19, 22, 30
 Tertiary, Early 116, 122, 133
Conospermites 84, 309
 convergent selection 229–31
 coprolites 226–7
Cordaianthus 24, 306
Cordaitales (cordaites) 24, 30, 44, 306
 Angaran 24
 relationships 19
Cordaites 19, 24, 306
Cordaitopsida 8, 306
Cornaceae 265, 267, 269, 308
Coryphodon 312
ecaenius 293
Corystospermaceae 7, 24, 44, 306
 relationships 20, 30, 35
Corystospermales, *see* *Corystospermaceae*
 crane flies, *see* *Tipulidae*
Credneria 118
 Creechbarrow fauna 274–5, 278, 280,
 286–7, 290–5
 Creechbarrow Limestone Formation 260,
 263, 286, 314
 Creechbarrow Sands and Clays 260
Creodontia 293, 312
 Cretaceous, *see also* C., Early and C., Late
 community composition 122–5
 community structure 125–8, 214,
 215–16
 palaeoclimate 51, 54
 palaeotemperatures 53–5, 91
 precipitation 55–6, 57, 58
 sea level 64
 Cretaceous, Early, *see also individual ages*
 faunas 205, 209
 floristic provinces 107, 108, 112–13
 leaf physiognomy 81, 82, 115
 megafossil floras 109–12, 115, 130, 132,
 235
 palaeoclimate 57
 palaeoecology 79, 81, 85
 palaeogeography 52
 palaeotemperatures 85, 91
 palynofloras 80, 81, 109, 112, 113–14,
 115, 235
 reproductive organs 146–51
 vegetation 79–83, 107–17
 wood 125, 212
 Cretaceous, Late, *see also individual ages*
 arctic vegetation 84–5
 dinosaurs 209, 226, 227, 228, 232, 233,
 234, 240, 251
 faunas 206, 207, 214, 215–16, 226, 232
 floristic provinces 108, 117, 118–19,
 120
 flowers 151, 154, 155–61
 herbivore communities 209, 215–16

- Cretaceous, Late, (*cont.*)
 high-middle palaeolatitude floras 86,
 88–9
 high palaeolatitude floras 86, 89–90
 latitudinal zones 86
 leaf physiognomy 84–5, 87, 88–9, 90–1
 low-middle palaeolatitude floras 86–8,
 160
 mammals 210
 megafossil floras 75, 83–5, 117, 118,
 119, 120–1, 130–1, 132–3, 236
 megathermal vegetations 87, 89, 96
 mesothermal vegetations 89, 90
 microthermal vegetations 90
 palaeoclimate 57, 87, 88–9
 palaeoecology 84, 85
 palaeogeography 57, 58
 palaeotemperature 83, 85, 87, 88–9, 91
 palynofloras 117–18, 119, 120, 236
 precipitation 56, 57, 58, 87–8, 89, 90
 reproductive organs 151–60
 sea level 59, 64
 temperature maxima 91
 vegetation 83–90, 116–21
 wood 87–8, 89, 90, 125, 190, 213
- Cretaceous–Tertiary (K/T) boundary 96,
 207, 242
 extinctions 92, 94, 218
 megafossil floras 92
- Cretovarium* 309
japonicum 160
- Cricetidae* 279, 280, 312
- Crocodilia* 94, 310
- Cryptopithecus* 290, 311
major 290
- Ctenozamites* 111, 306
- Cupressaceae* 95, 111, 306
- cupule, homologies 20, 22, 31, 35–6
- Curcurbitaceae* 265, 308
- Curvospermum* 309
markertense 171
- Cycadeoidales*, *see* Bennettitales
- Cycadeoidea* 110, 126, 182, 195, 306
- Cycadophyta* 306
 Cretaceous, Early 109–11, 113, 116,
 132, 235
 Cretaceous, Late 116, 117, 119–20,
 124, 132–3
 growth habit 126
 Jurassic 109–11, 116, 131, 234
 relationships 19, 22, 24
 Tertiary, Early 116, 122, 133
- Cycadopsida*, *see* Cycadophyta
- cycads (Cycadales) 8, 24, 44, 116, 119,
 120, 129, 306
 growth habit 110
 leaves 27
- Mesozoic cycads 109–10
 relationships 29, 30, 33, 35
 reproductive biology 110
 seed symmetry 29
 true cycads 109
- Cycas* 6, 306
- Cymbalophorus* 312
cuniculus 294
?Cynodictis 293, 312
- Cyperaceae* 150, 266, 269, 309
- Cyperacites* 146
- Czechoslovakia, plant fossils 83, 117,
 154–5, 159
- Czekanowskia* 107, 111, 129, 306
- Czekanowskiales* 25, 306
 Jurassic 109
 relationships 25, 34
- Dacrytherium* 313
elegans 273, 295
ovinum 295
- Dactylopsila* 271, 311
- Dakota Formation
 fossil reproductive organs 152, 153, 154
 megafossil floras 80, 84, 130, 132, 236
 palynofloras 80
- Dakota Sandstone flora 118, 315
- Daubentonia* (aye-aye) 271, 312
- Dawson Arkose flora 131, 133
- Debeya* 118, 120, 307
- Decananthus* 161, 309
- Deccan Intertrappean Beds 161, 314
 fossil flowers 161–2, 169, 191
- deciduous vegetation 98
 Cretaceous 78, 97
 Tertiary 79, 92, 94, 95, 96, 97
- Decodon* 265, 269, 308
- Denkania* 21, 36, 306
- Dennstaedtia* 122, 305
- dentition, *see* mammalian dentition and
 under dinosaur
- Dermoptera 210, 285, 311
- Dewalquea* 82, 83, 84, 120, 307
- Diacodexis* 294, 312
- diaspore size 210–12, 214; *see also* under
 seed
- Dichobune* 312
leporinum 294
- Dichodon* 313
cerinus 295
cuspidatus 295
- Dicksoniaceae* 109, 305
- Dicotyledones* 8, 307–8
 early differentiation 9
- Dicotylophyllum* 129, 309
- Dicroidium* 24, 306
- Didelphidae (opossums) 290, 311

Index

345

- Didelphodus* 293, 312
Dilleniidae 3, 113, 156, 308
 Dinosaur Provincial Park, fauna 228, 232, 314
 biomass 251
 browse profile 233, 234
 consumption 233, 251
 feeding strategy 251
 herbivores 251
 dinosaur
 biomass 246–7, 251
 body shapes 230, 238–9
 body size 205–7, 214, 239
 body weight 232, 239, 243–4
 browse 231, 252
 competition 230
 consumption 246–7, 251
 crania 227
 dentition 209, 239–40
 digestion 240, 241
 diversification 236–8
 extinctions 207, 216, 241–3
 feeding strategy 231, 251
 locomotion 228–9
 metabolic rates 226, 240, 247, 249
 population density 247
 predator–prey relationships 246
 productivity 247
 radiation 238
 stomach stones 226
 surface–volume proportions 240
 dioecy 5
Diplodocus 227, 243, 244, 245, 246, 247, 250, 251, 311
Diplopodus 313
 aymardi 295
Diptera 182, 183, 185, 186, 187
Dipteridaceae 109
 dispersal 211, 212, 214, 216, 217–18, 228, 238, 242
 disseminules 262, *see also* diaspores and seeds
Docodon 205, 311
Docodonta 209, 311
 donkey 248, 251
 dormice, *see* Gliridae
 Dorset coast 259
 Dorset Pipe Clay 260, 266
Drosaceae 269, 308
Dryophyllum 267, 308
‘*Dryophyllum*’ 89
Dryosaurus 244, 245, 246, 247, 250, 251, 311
 duikers 229, 230, 313
 Dunvegan flora 130, 132
Dyspterna 311
 hopwoodi 290
 woodi 290
 early successional plants 85, 215, 216, 238
Earnley Formation 260, 268, 269, 286, 314
 ecological diversity spectra (EDS) 270
 fossil assemblages 274–5, 276–7, 278, 279, 283–4
 modern communities 274–5, 276
Ectopomys 312
 exiguus 292
Ectypodus 311
 childei 290
Edmonton floras 131, 133
Edmontosaurus 226, 227, 230, 311
 regalis 239
 Egypt
 fossil plants 87, 99
 fossil wood 213
 eland 248, 251, 313
Elaphrosaurus 244, 245, 246, 247, 311
Elateridae 183, 310
Elaterosporites 113, 307
 elephants 248, 251, 312
 effect on vegetation 243
 Elmore fauna 280, 286–7
Elomeryx 313
 porcinus 294
Empididae 185, 186, 195, 310
 endothermy 240
Engelhardia 270, 308
 England
 disseminule floras 265–70
 fossil insects 187
 fossil mammals 270–7, 279–84, 286–7, 290–5
 fossil wood 212
 megafossil floras 109, 235
 palynofloras 9, 112
Enigmocarpone 308
 parijai 161
Entelodon 313
 magnus 295
 entomophilous flowers 4–5
 fossil 158, 162
 entomophily, *see* pollination, by insects
 Eocene
 community structure 266–70
 disseminule floras 260–1, 262, 266–70, 286–7, 288–9
 faunas 210, 216–17
 mammalian faunas 260–1, 262, 274–5, 277–8, 286–7, 290–5
 megafossil floras 94
 megathermal vegetation 92, 94
 palaeoclimate 58, 95–6
 palaeoecology 266–70, 277–9
 palaeotemperatures 91
 precipitation 95
 vegetation 95, 266–70, 277, 287

- Eomyidae* 279, 280, 312
Eomys 293, 312
Eospermatites 24, 306
Eotalpa 311
 anglica 290
Ephedra, relationships 17, 19, 23, 24, 27, 30, 44, 307
Ephedra-like (ephedroid) pollen 112, 113, 114, 115, 116, 117, 119
epigyny 167, 169
 in Cretaceous flowers 152, 154, 156, 167, 169, 190
Equisetum 109, 305
Erenia 309
 stenoptera 146
Ericaceae 266, 308
Esthonyx 293, 312
Euanthial (Anthostrobilus) Theory 6, 10
Eucrictodon 312
 atavus 293
Euoplocephalus 227, 251, 311
Euphorbiaceae 121, 122, 163, 164, 165, 190, 193–4, 264, 308
Europe
 palaeoclimate 57–8
 palaeogeography 59–61, 62
Europolemus 312
 collinsonae 291
Euro-Sinean province 107, 108, 113
Eutaw flora 131, 133
evergreen vegetation
 Cretaceous 84, 86, 87, 88, 90
 Tertiary 79, 92, 95, 128
Exesipollenites 115, 306
exine 3
Exospermum 184, 307
- Fabaceae*, *see* Leguminosae
fabrosaurs (Fabrosauridae) 207, 311
Fagaceae 120, 166, 267, 308
Fagales 7, 156, 308
Fagus 166, 308
faithful pollinators 163, 188, 191, 194
Fall River Formation 81, 315
Felpham flora 265, 286
fern prairies 235, 236
ferns (Filicopsida, Pteridophyta) 8, 26
 Cretaceous, Early 109, 113, 114, 116, 123, 132, 235
 Cretaceous, Late 116, 117, 119, 120, 123, 124, 132–3, 235, 236
 Jurassic 109, 116, 131, 234
 Tertiary, Early 92, 116, 133, 265
fern savanna 109, 124, 236
Ficophyllum 81, 82, 83, 309
 tenuinerve 81
Filicopsida, *see* ferns
- flies, *see* Diptera
floral evolution 32–3, 166–72
floral parts
 number of 166–8
 position of 167, 169
floral symmetry 4, 155, 167, 168
floristic provinces 108
flowers 4–6
 Albian 150–1
 Cenomanian 151, 154
 derived features 18
 Early Tertiary 162–6
 homologies in 19, 33, 34
 innovations in 162
 Maastrichtian 161
 origin of 40
 Santonian–Campanian 155–60
fly pollination 184, 189, 190, 194, 195
foliar physiognomy, *see* leaf physiognomy
foliovore 207, 242, 287
Forskohleanthium 307
 nudum 165
Fort Harker 80, 84, 85
Fort Union Formation, 314
 fossil fauna 206
 fossil flora 131, 133
Fox Hills Formation, 314
 megafossil floras 121, 236
France, fossil reproductive organs 146, 169
freshwater marshes 278
Frontier flora 131, 133
frugivores 271
 dentition 207, 210, 272, 273, 276, 285
 diaspore dispersers 214, 215–16, 217
 in Cretaceous faunas 207
 in Tertiary faunas 207, 210, 272, 273, 276, 285
Fruitland and Kirtland floras 131, 133
fungus gnats, *see* Mycetophilidae
Fuson flora 130, 132
- Gabiro, fauna 275
Gabon
 palynofloras 112
 fauna 208
Galago 312
 demidovii 273
Galeacornea 113, 116, 307
gametophytic competition 190, 194, 195
gamoheterotropy 39
Geiseltal, fossil fauna and flora 278
Gelinden province 128
Genesee flora 131, 133
Gentianaceae 192, 308
geoflora concept 128
gerenuk 230, 313

- Germany, fossil plants 159, 266
Gesneropithex 311
figularis 291
aff. grisollensis 291
 Ghana, palaeogeography 63
Ginkgo 24, 27, 111, 129, 306, *see also*
 Ginkgoales
biloba 111, 228
 Ginkgoales (ginkgos) 24, 44, 306
 Jurassic 109, 234
 relationships 19, 21, 22, 30, 34
Ginkgopsida 8, 306
 giraffe 230, 248, 251, 313
 glades 278
Glasius 210, 311
Gleicheniaceae 109, 113, 124, 305
Gliravus 312
daamsi 292
devoogdi 292
fordi 292
minor 292
priscus 292
Gliridae 278, 280, 312
Glossopteridales 24, 44, 306
 relationships 21, 30, 31, 34, 36
Glyptostrobus 112, 306
Gnetales 4, 7, 8, 307
 characteristics 17, 31–2
 Cretaceous 111, 112, **113–14**
 growth habit 114, 126
 Jurassic 111, 112
 palaeoecology 36, 124
 relationships 17–19, **29–33**, 34, 36–7,
 38, 40
 wood anatomy 17, 18, 19
Gnetopsida 8, 307
Gnetum, relationships 4, 17, 19, 23, 24,
 30, 32, 44, 307
 golden moles 230, 311
Gondwana 52, 108, *see also* G., Northern
 and G., Southern
 palaeoclimate 57
 palaeogeography 62
Gondwana, Northern 108, 112, 113, 115,
 117, 121
Gondwana, Southern 108, 112
Gordo Formation 315
 fossil wood 213
Gosport flora 266
granivore 214, 217, 279
Grant's gazelle 248, 251, 313
 grasses 217
 grazers 207, 214, 271, 276, 283, 284
Great Plains, fossil floras 94, 97
Greenland
 fossil floras 89, 130, 131, 132, 133, 156
 palaeogeography 59
 Greenland province 128
Greenland–Svalbard landbridge 60, 61
Green River Formation 165
 growth habit (stature)
 in fossil angiosperms 81, 88, 96–7, 114,
 122, **125–7**, 212–13, 214
 in Bennettitales 110, 111, **126**
 in fossil Gnetales 114, 126
Gulf of Guinea, palaeogeography 64
Curvanella 146, 309
dictyoptera 146
gynoecium, evolution 170–2
hadrosaurs 209, 227, 230, 233, 240, 251,
 311
 migration 63, 64
Halyserites 82, 83, 84, 309
Hamamelidaceae 267, 269, 307
Hamamelidales 156, 188, 307
Hamamelididae (hamamelidids) 3, 7,
 308–9
 Cretaceous 10, 113, 115, 118, 120, 124,
 148, 150, 156, 162
Hampshire Basin 259, 260–1, 284
Hampstead
 fossil fauna 263, 274–5, 280, 286–7,
290–5
 fossil flora 286
Hampstead Ledge flora 286
Hampstead Member 270
Haplوبوندون 312
lydekeri 295
venatorum 295
Haplocanthosaurus 244, 245, 246, 247,
 250, 251, 311
Haplomeryx 313
zitteli 295
Hatherwood Limestone fauna 263,
 274–5, 279, 280, 286–7, **290–5**
Hauterivian, 315
 reproductive organs 146
Hazelton flora 130, 132
Headon Hill
 fossil fauna 280
 fossil flora 286
Headon Hill Formation 260, 280, 286, 314
Healaetidae 281, 282, 312
Hell Creek Formation 314
 plant fossils 236
hemiangiosperms, hypothetical 6
Hengistbury beds 269
Hengistbury
 fossil fauna 280
 fossil flora 286
herbivores, *see also* dinosaur, mammalian
 h. and reptiles, h.
 arboreal 209, 210, 214

- herbivores, (*cont.*)
 body size 205–7, 208, 214
 diet 205, 207–10, 214, 284
 locomotion 207–10, 214
 metabolic rates 205, 226
 selective pressure 204, 215, 243, 284
 terrestrial 214, 229
 tooth morphology 207–10
 vegetational disturbance 215, 216
 volant 209, 214
- herbivory 203–4, 214, 217
- herbs, spread of 217
- hermaphroditic flowers 4–5, 6
 Cretaceous, Early 148, 149
 Cretaceous, Late 152
- Herne Bay flora 286
- Heterangium* 24, 306
- heterochrony 27
- Heterohyrax* 281, 312
 brucei 282
- Heterohyus* 293, 312
 morinionensis 293
 nanus 293
 sudrei 293
- hippopotamus 248, 249, 251, 313
- Hirmellaceae 111, 306
- Hokkaido, fossil reproductive organs 160
- homoplasy 21, 33
- honeybees, *see* Meliponinae
- Hordle
 fossil fauna 263, 269, 274–5, 280, 286, 290–5
 fossil flora 286
- Horsetown Group 315
 fossil floras 130, 132, 147
- hoverflies, *see* Syrphidae
- Hyaenodon* 293, 312
 brachyrhynchus 293
 minor 293
- Hydrocharitaceae 265, 309
- Hymenoptera 183, 185, 186, 194, 195, 310
 diversification 189
- Hyopsodus* 312
 wardi 293
- Hyperdichobune* 294, 312
- hypogyny 169
- Hypsilophodon* 227, 230, 311
- hypsilophodonts 207, 239
- Hypsiprymnodon* 273, 311
 moschatus 272
- Hyracichys* 280, 281, 282, 312
 stehlini 282, 294
- hyracoids 282, 312
- Hyracotherium* 279, 280, 294, 312
 aff. *vulpiceps* 294
- Hyrcantha* 307
 karatcheensis 148–9
- Hythia* 125, 309
- Iacinaeae 308
 Cretaceous 147, 162
 Tertiary 94, 97, 264, 265, 267, 269
- Icacinoxylon* 212, 309
- Iceland–Faeroe Ridge 60
- Iguanodon* 227, 311
- Illiciales 114, 121, 183, 307
- Ilicium* 185, 307
- Illinois, fossil wood 213
- impala 248, 251, 313
- India
 dinosaurs 161, 240
 fossil reproductive organs 160, 161–2
- Indian Ocean basin, opening 52
- Indo-European province 107
- Indri* 273, 312
- Indriidae 273, 312
- inferior ovaries, *see* epigyny
- insectivore 271, 272, 273, 275, 276, 277
 Tertiary 278, 283, 287
- Insect Limestone 270
- insect pollination, *see* pollination, by insects
- insect pollinators, *see* pollinators, insects
- insects, fossil record 185–7, 191
- integuments, homologies 22, 31, 35
- Iomys* 273, 312
 horsfieldi 272
- Irangi, fauna 275
- Ischnophyton* 110, 306
- Isle of Wight 249
- Isoetes* 109, 305
- Isoptychus* 312
 pseudosiderolithicus 292
- Israel, palynofloras 10, 112
- Issyktasky flora 129, 131
- Isthmus of Panama 63
- Ivory Coast, palynofloras 113
- Japan
 fossil reproductive organs 160
 fossil wood 212
- Jebel Mara, fauna 274–5
- Jenkinsella* 267, 307
- Joffreia* 121, 122, 307
- Judith River Formation 314
 fossil fauna 206
 fossil flora 131, 133
- Juglandaceae 308, *see also* Juglandales
 Cretaceous 99, 120, 121
 Tertiary 94, 97, 122, 265, 269
- Juglandales 7, 308
 Cretaceous 118, 120, 156

Index

349

- Jurassic
 angiosperm-like leaves 37
 dinosaurs 232, 239, 240
 floristic provinces 107
 herbivore faunas 205, 209, 232, *see also*
 Morrison fauna
 mammals 209
 megafossil floras 109–12, 129–30, 131,
 234
 palynofloras 112, 234
 vegetation 107–12, 116
- Kakamega, fauna 275
Kalinaia 309
 decatepala 153, 154
 Kaltag flora 130, 132
 kangaroos, *see* Macropodidae
 Kansas, plant fossils 80, 84, 118, 152,
 153
 Karabastausky flora 130, 131
Karkenia 24, 306
 Kazakhstan, plant fossils 83, 148–9, 160
Kenella 309
 harrisiae 150
 Kenya, fauna 232, 244
 Kingsvale flora 130, 132
 Knoxville flora 130, 132
 Kolyma Basin, plant fossils 149–50
 Kome flora 130, 132
 kongoni 248, 251
 Kootenay floras 130, 132
 K-selected angiosperms 214, 216, 218
 kudu 230, 313
- Laceys Farm Quarry fauna 280, 281
 Lactuaceae 183, 307
 lagenostome 29
 Lake flora 286
 Lance Formation 314
 fossil fauna 206, 207, 226
 fossil flora 121, 131, 133
Landenodon 293, 312
 Laramie flora 131, 133
 late successional communities 85, 216
 Lauraceae 94, 128, 166, 265, 267, 269,
 307
 Laurales 83, 97, 121, 122, 123, 124, 307
 Laurasia, *see also* L., Northern and L.,
 Southern
 palaeoclimate 57–8
 palaeogeography 52, 62
 Laurasia, Northern 108, 112, 114, 119,
 121
 Laurasia, Southern 108, 112, 113, 115, 121
 palaeoclimate 52, 57, 58
 leaf, homologies 27
 leaf margin analysis 53, 55, 76, 77–8, 91
 leaf physiognomy 76–7
 Cretaceous, Early 79–81, 114, 115
 Cretaceous, Late 80, 84, 87, 90–1
 Tertiary 93
Lebachiaceae 24, 306
 Lee fauna 266, 280, 286–7
Leguminosae (Fabaceae) 79, 94, 95, 122,
 164, 165, 192, 196, 265, 308
Lerema, fauna 274–5
Lepidoptera 186, 189, 191, 192, 193, 195
Lepidopteris 24, 306
Leptacodon 290, 311
Leptadapis 312
 aff. *magnus* 291
 stintoni 291
Leptoceratops 239, 311
 gracilis 239
Leptospermites 309
 arcticus 156
‘*Leptospermum*’ *macrocarpum* 153, 154, 309
Lesqueria 307
 elocata 150, 152, 166
Lessnessina 312
 packmani 293
 Libya, palaeoclimate 57
Liliidae 156, 309
Limnacarpus 266, 268, 269, 287, 309
 Linnenberger shale 236, 315
‘*Liriodendron*’ 84, 307
 snowii 82, 83
Liriodendropsis 82, 83, 307
Liriophyllum 82, 83, 84, 307
 London Basin 259, 260–1, 284
 London Clay
 fauna 280, 287
 flora 129, 212, 265, 266–7
 Formation 261, 286, 314
Lophiodon 280, 282, 312
Lophiodontidae 281, 312
Lophiotherium 280, 281, 312
 siderolithicum 294
 Lower Medicine Bow flora 121, 131, 133,
 314
 Luscar flora 130, 132
 Lutetian
 sea level 60
 palaeogeography 59
 precipitation 59
 lycopods (*Lycopsida*) 8, 305
 Cretaceous, Early 109, 126
 Cretaceous, Late 119, 126
 Tertiary, Early 112, 264, 287
Lyginopteridales 24, 44, 306
 relationships 29, 30, 31
Lyginopteris 24, 306
Lygodium 122, 267, 305
Lythraceae 265, 308

- Maastrichtian 314
 faunas 206, 207, 210, 214, 215–16
 flowers 161
 low palaeolatitude floras 91
 megafossil floras 120–1, 131, 133, 236
 palaeoclimate 58
 palaeogeography 58
 palaeotemperatures 91
 palynofloras 120, 236
 precipitation 58
 reproductive organs 160–2
 vegetation 86–90, 116, 120–1
 wood 89, 90, 213
- Macrocranion* 291, 311
- Macropodidae (kangaroos) 273, 311
- Madagascar, fossil wood 212
- Magnolia* 18, 307
grandiflora 182
- Magnoliaceae 188, 267, 307
 floral features 6, 184
- Magnoliaestrobis* 307
gilmourii 156
- Magnoliales 10, 114, 153, 172, 195
- Magnoliidae (magnoliids) 3, 307
 Cretaceous, Early 7, 114, 115, 123, 148, 150, 183
 Cretaceous, Late 120, 151, 152, 154, 156
 floral structure 184
 ovules 39
 pollen features 3
 pollination 6, 184–5, 187, 195
 primitive features 2, 18, 20
- Magothy flora 131, 133
- Malpighiaceae 192–3, 196, 308
- mammalian dentition 210, 239, 262, 272, 273, 282, 284
 analogues 272–3, 276, 281, 282, 285
 bilophodont 281, 282
 bunodont 273
 selenodont 273
 selenolophodont 279, 281, 282
 semi-hypsodont 279, 281
- mammalian herbivores, *see also* herbivores
 aerial 271
 arboreal 271, 276
 aquatic 271, 277
 biomass 248, 249–50
 body size 230, 274, 276
 body weight 248
 consumption 233, 248
 diet 275, 276
 feeding range 251
 ground mammals 271, 276
 height 228
 locomotion 275
 muzzle shape 230
- population density 248
 scansorial 271, 276, 277
- mammalian palaeoecology 270–7
- mammals, Cretaceous 207, 210
- mammals, Jurassic 205, 209
- mammals, Tertiary
 arboreal 210, 277, 278, 283
 body size 270–1, 274, 276, 290–5
 cursorial 278, 282
 diet 271–6, 279–85, 287, 290–5
 gliding 285
 ground mammals 277, 278, 283, 287
 locomotion 210, 271, 274, 276, 290–5
 scansorial 278
 stomach content 272
 radiation 207, 243, 284
- Mammuthus* 239, 312
primigenius 239
- mangroves 266–7
- Manicaria* 162, 309
- Manitshinae 280, 292, 312
- Manningia* 159, 308
- Marattiaceae 109, 305
- Mariscus* 270, 309
- Marsh Farm Formation 261, 267, 286, 314
- Marshosaurus* 244, 245, 246, 247, 310
- marsupial mole 230
- marsupials 207, 210, 272, 273, 311
- Martha's Vineyard flora 159
- Maryland, plant fossils 150
- Massachusetts, plant fossils 159, 211
- Mastixioidean floras 128
- Matoniaceae 109, 305
- Mäule reaction 31
- Medullosa* 24, 29, 30, 34, 35, 44, 306
- Meldrimys* 292, 312
- Meliaceae 162, 308
- Meliponinae 186, 194, 310
- Melozi* flora 130, 132
- Menat flora 131, 133
- Menispermaceae 94, 97, 122, 265, 267, 269, 307
- Mesoxylon* 24, 306
- Messel
 fossil faunas 271, 272, 278, 279, 283
 fossil floras 266
- metabolic rates 205, 207, 226, 240, 247, 249
- Metasequoia* 122
- Mexico
 palaeogeography 62
 plant fossils 160, 162
- Mgachi flora 119–20
- Miacidae 293, 312
- Miacis* 293, 312
- Michigan, faunas 208

- Microchoerus* 276, 312
creechbarrowensis 291
edwardsi 291
erinaceus 291
wardi 272, 291
- Microhyus* 312
musculus 293
- Microparamyinae* 280, 312
- Microparamys* 291, 312
cf. russelli 291
- Microphyllous Broadleaved Evergreen Forest 89
- Micropterigidae (micropterigid moth) 184, 185, 186, 187, 195, 310
- Milk River flora 131, 133
- Mimosoideae (mimosoid) 163, 164, 192
- Miopithecus* 312
talapoin 273
- mixed coniferous forest 95
- mixed mesophytic forests 128, 268
- Mixed Method Parsimony algorithm 28
- Mixtotherium* 295, 312
aff. gresslyi 295
- Mohgoan-kalan, fossil reproductive organs 161–2
- Monanthesia* 110, 306
- Mongolia, fossil reproductive organs 146
- monkeys, *see* Cercopithecidae
- Monocotyledones 3, 8, 90, 113, 115, 160, 161, 309
 early differentiation 9, 10–11
- monoecy 5
- Morrison fauna 205–7, 226, 232
 body weight 206, 243–4
 browse line 231–4
 browse profile 232, 233, 243–52
 consumption 232, 233, 246–7
 number of individuals 245
 population density 247, 249
 relative abundance 232, 243, 245
- Morrison Formation 206, 232, 233, 315
- moths, *see* Lepidoptera
- Mt Kenya, fauna 275
- multistate characters 26, 27
- multituberculates 207, 209, 210
- Musaceae 191, 309
- Musa-like fossils 160
- Musanga* 307
cecropioides 229
- Mycetophilidae 183, 186, 194, 310
- Myricaceae 118, 120, 154, 265, 267, 308
- Myricales 7, 156, 308
- Myrsinopsis* 308
succinea 165
- Myrtaceae 190, 308
- Myrales 161, 191, 308
- Myrtanae 161
- Myrtophyllum* 118, 307
- Nanaino flora 119, 131, 133, 315
- Nannopithex* 291, 312
quaylei 291
- Nanosaurus* 244, 245, 246, 247, 250, 251, 311
- Natherstiana* 109, 305
- Nazaré flora 130, 132
- Nebraska, fossil plants 84, 154
- nectaries, in fossil flowers 154, 158, 172, 189
- Nelumbites* 82, 83, 309
- Nemegtosaurus* 227, 240, 311
- Neocomian
 megafossil floras 109–12
 palynofloras 109, 112
 vegetation 107–12, 116, 126
- Neomatronella* 311
cf. lucianae 291
- neoteny 21
- Neotropical Geoflora 128
- Neuse River flora 159, 315
- Newbury flora 265, 286
- New Jersey, plant fossils 152–3, 159
- New Mexico
 fossil wood 213
 megafossil floras 92
- New Zealand, fossil floras 122
- Niger, fossil wood 213
- Nigeria, fossil reproductive organs 100, 162
- Nikanassin flora 130, 132
- Nilssonia* 114, 306
- Nilssoniales 24, 306
- Nipa* 129, 161, 266, 267, 268, 277, 309
- Nitidulidae 183, 186, 310
- Noctuidae 186, 310
- nodal anatomy 29, 39
- nodosaurs 244, 245, 246, 250, 311
- Nordenskioldia* 121, 307
- Normapolles group 99, 118, 120, 159
 pollination 99, 118, 190
- Normapolles province 86, 108, 118–19, 121
 palaeoclimate 99
 vegetation 87, 99, 121
- North Africa, megafossil floras 93
- North America, *see also individual states*
 floristic provinces 86–7, 108
 fossil floras 78, 79, 130–1, 132–3
 palaeoclimate 57, 58
 palaeogeography 57–63, 66
- North Atlantic–European province 108, 121
- North Borneo, fauna 275

- North Carolina, fossil flora 159
 Notophyllous Broadleaved Evergreen Forest 86, 89, 95
 Nulato, fossil flora 130, 132
 Nursling, fossil flora 286
Nyctitheriidae 271, 273, 311
Nyctitheriinae 290
Nymphaeaceae 184, 188, 307
 Tertiary 265, 269
Nyssa 147, 308
Nyssaceae 267, 308
Nyssidium 121, 122, 309
orientale 147
 sp. 147
 Ockendon, fossil flora 286
 Oklahoma, palynoflora 235
 Oldman Formation 119, 233, 314
 Oligocene 314
 community structure 269–70
 disseminate floras 260–1, 262, **269–70**,
 286–7, 289
 mammalian faunas 260–1, 262, 274–5,
 286–7, **290–5**
 palaeoecology 269–70
 sea level 60
 vegetation **269–70**, 286–7
 Olmos Formation 162, 314
 omnivore 207, 217, 272
Omomyidae 272, 312
Onoana 309
californica 147
Onoclea 122, 305
 Oregon, fossil flora 130, 131
Ornithischia 228, 232, 237, 240, 311
Ornitholestes 244, 245, 246, 247, 310
 ornithopods 207, 209, 215, 227, 230, 233,
 239, 311
 Oroville, fossil flora 130, 131
 oryx 248, 251, 313
Osmunda 267, 305
Osmundaceae 109, 114, 305
 ostrich 248, 251
Othnielia 244, 245, 246, 247, 250, 251,
 311
Ottokaria 36, 306
 outgroup analysis 21, **26–7**
 ovule, homologies 22, **35–6**, 38
Oxyaena 293, 312
 oxygen isotope data 53, 91, 92, 268
Pachycephalosauridae 207, 311
 paedomorphosis 20–1, 36, 40
Paeoniaceae 149, 308
Palaeocarpinus 265, 308
 palaeoclimatology 52–8
 palaeogeography 57, 58, 59–66
?Palaeonictis 293, 312
?Palaeosinopa 290, 311
 palaeotemperatures
 Cretaceous **53–5**, 83, 85, 91
 Tertiary **53–5**, 91, 93–4
Palaeotheriidae 282, 312
Palaeotherium 278, 280, 281, 282, 312
curtum 294
duvali 294
magnum 294
medium 294
muehbergi 294
Palaeotropical Geoflora 128
 Paleocene 314
 community structure 265–6
 disseminate floras **260–1**, 262 **265–6**,
 286–7, 288
 faunas 94
 herbivore communities 216
 mammalian faunas 210, 216, **260–1**,
 262, 274–5, 277, 286–7, **290–5**
 megafossil floras **92–4**, 121–2, 131, 133
 palaeoclimate 93, 94, 95
 palaeoecology 265–6, 277
 palaeotemperatures 91
 palynofloras 121
 precipitation 93, 95
 vegetation 93, 95, 116, 121–2, **265–6**,
 287
 wood 213
Paleogene, *see* Tertiary, Early
Palmocarpon 162, 309
 palms, *see* Arecaceae
 Panama, faunas 208
Pangaea 52
 pangolins 230, 312
 panoplosaurs 233
Panoplosaurus 251, 311
 Pantodontia 210, 284, 312
Pantolestidae 290, 311
Papaver 270, 307
Papaveraceae 270, 307
Papilionidae 186, 192, 310
Papilioideae **163**, 164, 165, 167,
 192
Paradelomys 292, 312
quercyi 292
Paramyinae 280, 292, 312
Paramys 291, 312
Paraphyllanthoxylon 212–13
Parataxodium 122, 306
 paratropical forests 86, 92, 93, 95, 267
 parsimony analysis 21
 Pasayten, fossil flora 130, 132
Paschatherium 311
dolloi 291
 Paskapoo flora 131, 133

- Passifloraceae 162, 308
Patapsco Formation 315
 reproductive organs 148
Patoot flora 89, 131, 133
Peltaspermum, relationships 24, 29, 30,
 35, 44, 306
Pentoxylales 8, 306
Pentoxylon, relationships 22, 23, 24,
 29–31, 34, 39, 44, 306
Peratherium 311
 cf. *matronense* 290
perianth, in fossil flowers 167, 168
 Albian 149, 151
 Cenomanian 151, 152, 154
 Turonian–Campanian 155, 158, 159
Perissodactyla (odd-toed ungulates) 270,
 278, 279–81, 282, 283, 287, 312
Phalangeridae 273, 285, 311
Phascolarctos 273, 311
 cinereus 273
Phenocodus 294, 312
phloem 2
Phyllites 37, 309
phyllotaxy, fossil flowers 166–7
physiognomic analyses 76–8
phytophagous insects 240
Pinaceae 95, 111, 113, 117, 123
Pinus 270, 306
Piperales 7, 10, 19, 39, 307
Pistillipollenites 192, 308
Plagiolophus 278, 280, 281, 282, 312
 annectens 282, 294
 curtisi 294
 fraasi 294
 minor 294
Platanaceae (platanoid) 307
 Cretaceous, Early 10, 81, 82, 83, 117,
 149, 151, 172, 187, 188
 Cretaceous, Late 85, 87, 89, 90, 118,
 120, 154, 158
 Tertiary, Early 122, 265
Platanus 114, 156, 158, 215, 307
Platanus–Credneria group 118
Platanus-like plant 265
Platycarya 129, 308
platyspermic group (clade) 29, 35
platyspermic seeds 19, 23, 27, 29
Plesiadapis 311
 aff. *remensis* 291
 aff. *tricuspidens* 291
Plesiarctomyia 312
 curranti 292
 hurzeleri 291
Plicapollis 120, 308
Podocarpaceae 24, 111, 113, 117, 120,
 123, 306
Podozamitaceae 111, 306
Polar Broadleaved Deciduous Forest 86,
 90, 95
polarity decisions 21, 22, 26–28
pollen, angiosperm 3–4
 earliest record 9–10, 19, 79, 112, 183
 exine structure 3
 in fossil flowers 151, 154, 155, 158,
 159, 190, 192
pollenkitt 155, 158, 159, 190
pollination in angiosperms 4–6, *see also*
 pollination, by insects and
 pollination, by wind
Cretaceous, Early 10–11, 18, 183–9, 195
Cretaceous, Late 189–91
Tertiary 162, 163, 192–4
pollination, in Bennettitales 181–3
pollination, by insects (entomophily) 4, 6,
 145, *see also specific insects*
 advanced 163, 193–4, 196
 evolutionary steps 194–6
 in early angiosperms 10, 38, 40, 41,
 183–7
 origin of 182–3
pollination, by wind 4–5, 6, 98–9
 in Cretaceous angiosperms 10, 159
 in Tertiary angiosperms 98–9, 162
pollinators, insects 183, 185, 186, 188
 advanced 190, 191, 194, 195, 196
 early forms 194–6
 stratigraphic range 186
Poltavian Province 128
Polypodiaceae 124, 305
Pontifactor 290, 311
Populophyllum 309
 reniforme 82, 83
‘*Populus*’ 309
 potomacensis 81, 82, 83
Portugal, megafossil floras 130, 132
Potamogeton 270, 309
 pygmaeus 268, 309
Potamogetonaceae 264, 309
Potamogeton-like spikes 146
Potomac Group, 315
 megafossil floras 80, 81, 114, 115, 117,
 130, 132, 212
 palaeoecology 125
 palynofloras 80, 81, 115
 reproductive organs 150
Potorous 273, 311
precipitation 55–6
 Cretaceous, Late 56, 57, 58, 87–8, 89,
 90
 Tertiary, Early 56, 59, 92, 93, 95
primates 210, 273, 311–12
Primory, fossil reproductive organs 147
Prisca 309
 reynoldsii 153

- Problematospermum* 146, 309
progenesis 21, 36, 40
Progymnospermopsida 8, 27,
 306
 relationships 22, 26, 29, 30
Prominatherium 313
 dalmatinum 295
Propalaeotherium 279, 280, 312
 aff. *parvulum* 294
Propithecus (sifakas) 273, 312
 diadema 273
 prospecting 262, 263
 protandry 5, 185
Proteaceae 191
Proteacidites 119
Proteaphyllum 309
 reniforme 81, 82
 protogyny 5, 185
Protomimosoidea 308
 buchananensis 164, 165
Protophyllum 81, 309
‘*Prototomus*’ 293, 312
Pseudamphimeryx 313
 hantoniensis 295
pseudanthia 18, 34
 in fossil angiosperms 163, 164, 165,
 193
Pseudanthial Theory 6–7, 32
Pseudocheirus 273, 311
 occidentalis 273
Pseudoloris 312
 cf. *crusafonti* 291
 aff. *parvulus* 291
Pseudolitomys 292, 312
 gaillardi 292
Pseudoparamys 291, 312
Pseudosciuridae 272, 278, 280, 287,
 312
Pseudowintera 184, 307
pteridophytes, *see* ferns
Pteridospermopsida (seed ferns) 8, 27,
 111, 306
 Cretaceous 119, 120
 relationships 9, 20–1, 22, 24
Pterodon 312
 dasyrooides 293
Pteruchus 24, 306
Ptilophyllum 110, 306
Puerca Composite 206, 314
 fossil fauna 206
Quaestora 24, 306
Quercus 166, 308
 meyeriana 165
 taeniatopilosa 165
Quercygale 312
 angustidens 293
radiospermic seeds 19, 23, 29
rainforests
 Cretaceous 99–100
 Tertiary, Early 92, 93, 94, 95, 96,
 267–8
Ranunculaceae 149, 270, 307
Ranunculacearpus 307
 quinquecarpellatus 149–50
Ranunculales 149, 307
Ranunculus 270, 307
Raoanthus 161, 168, 191, 309
 intertrappea 160
Raritan Formation 87, 315
 fossil floras 130, 132
Raton Basin 92
 fossil floras 92, 131, 133
Ratufa 273, 312
Ravenscrag floras 131, 133
Reading Beds 261, 286, 314
reedmarshes, Tertiary 269, 277, 278, 279,
 287
reptiles, herbivores 226, 241, 245, 249,
 284
Rhagatherium 295, 312
Rhamnaceae 189, 308
Rhexoxylon 24, 306
Rhinocerotidae 248, 251, 278, 312
Rhizocarpus decapetalus 154
Rhizophoraceae 264, 266, 308
Rhododendron 265, 308
Rocky Mountains, fossil floras 86, 94,
 97
Rodentia 210, 270, 272, 273, 278, 279,
 280, 283, 287, 312
Rogersia 82, 83, 309
Ronzotherium 278, 280, 294, 312
Rosaceae 95, 270, 308
Rose Creek, plant fossils 84, 154
Rosidae (rosids) 3, 308
 Cretaceous, Early 10, 113, 115, 148,
 150
 Cretaceous, Late 120, 124, 156, 195,
 196
 Tertiary, Early 162
r-selected plants 21, 214, 265, 277
Rubiaceae 162, 192, 308
Rubus 270, 308
Ruffordia subcretacea 267
Rukwa, fauna 274–5
Rutaceae 97, 265, 267, 269, 308
Rutaecarpus 309
 quadrilobus 154
Rwenzori, fauna 274–5
Sabatinca 184, 310
Sabiaceae 269, 308
Sagenopteris 24, 120, 306

- Sahnianthus* 161, 172, 308
dinectrianum 161
parijai 161
Sahnipushpam 308
glandulosum 161
Sakhalin, plant fossils 119
Sambucus 308
succinea 165
Santalales 119, 308
Santonian 315
 megafossil floras 90, 130–1, 133
 palaeotemperatures 91
 reproductive organs 155, 160
 vegetation 118–20
Sapindaceae 190, 264, 308
Sapindopsis 10, 81, 82, 83, 117, 308
Sarysua 309
pomona 160
Sassafras 307
‘*Sassafras*’ 118, 307
Sassafras-like plant 265
Saturninia 290, 311
gracilis 273, 290
Saurischia 237, 310–11
Sauropoda 209, 227, 238, 244, 245, 246, 250, 311
 body shape 230, 239
 browse 209, 233, 240
 dentition 209
 diet 209
 metabolic rates 249
sawflies, *see* Symphyta
Saxifragales 156, 308
Scandianthus 308
costatus 157, 158
major 158
Scania (Sweden), fossil flora 156–9, 211
Schizaeaceae 109, 113, 115, 124, 265, 305
Scirpus 266, 309
‘*Scirpus*’ *lakensis* 266, 268, 269, 277, 287, 309
Sciuridae (squirrels) 273, 276, 285, 312
Sciuroidea 312
rissonei 292
Scraeva 311
hatherwoodensis 290
woodi 290
secondary metabolites 3, 240–1, 284
seed, fossil angiosperm, *see also* diaspore
 and disseminule
 dispersal 211–12, 231, 238, 242
 organization 148, 149, 152, 156, 171
 size 96, 148, 161, 210–12
seed ferns, *see* Pteridospermopsida
seed plants
 characteristics 26, 29
 relationships 30
Selaginella 109, 305
Selsey division 260, 269, 286, 314
semideciduous forest 94
Semliki, fauna 275
Sénégal
 fossil reproductive organs 100, 162
 palynofloras 98, 112
Sequoia 270, 306
Sequoiadendron 270, 306
Seredou, fauna 275
Serengeti Plain fauna 207, 208
Sezannella 169, 170, 308
Sheppey, fossil flora 266, 267, 286
Siberia, plant fossils 89, 149–50
Siberian–Canadian province 107, 108, 113
Siberian–Pacific province 108, 121
sieving (screenwashing) 262, 263
shoat 248, 251
Solenites 111, 306
Sokoke-Gedi, fauna 274–5
South Africa, fossil wood 89
South America
 angiosperm radiation 116
 dinosaurs 240
 faunas 229
 palaeogeography 62–5, 66
Soviet Union
 fossil reproductive organs 147, 148–50
 megafossil floras 81, 129–30, 131
 palaeoclimate 58, 91
 palaeogeography 61
Spain
 dinosaur footprints 228
 palaeoclimate 58
‘*Sparganium*’ *aspensis* 149, 151, 307
Sparganium-like heads 146
speciation rate 41
Sphecidae (sphecid wasps) 186, 187, 194, 195, 310
Sphenopsida (sphenopsids) 8, 26, 305
 Cretaceous 109
Spinizonocolpites 269, 309
Spirematospermum 159, 171, 309
Spitzbergen, fossil flora 131, 133
squirrels, *see* Sciuridae
St Mary River flora, 131, 133
St Pancras, fossil flora 286
Staphyleaceae 267, 308
stegosaurs 209, 227, 232, 233, 239, 311
Stegosaurus 227, 244, 245, 246, 247, 311
 stenops 251
 ungulatus 251
Steneofiber 293, 312
Sterculiaceae 162, 308
Stokesosaurus 244, 245, 246, 247, 310
stomach content, in fossils 272, 276, 279

Cambridge University Press

978-0-521-31173-1 - The Origins of Angiosperms and their Biological Consequences

Edited by Else Marie Friis, William G. Chaloner and Peter R. Crane

Index

[More information](#)

356

Index

- Straelenipteris* 265, 305
Stratiotes 265, 268, 269, 309
 striped possum, *see Dactylopsila*
Studley Wood, fossil flora 286
Styracosaurus 239, 311
albertensis 239
Suchan, fossil reproductive organs 147
Suevoscirus 292, 312
authodon 272, 292
Suffolk Pebble Beds 261
 fossil fauna 263, 274–5, 277, 280,
 286–7, 290–5
Sutcliffia 24, 304
Svalbardia 24, 306
 swamp communities 265, 278
Swaythling, fossil flora 266, 286
Sweden, fossil flora 156–9, 211
 sympetaly 190
 in Cretaceous flowers 155, 157, 159, 167
Sympyta 183, 185, 186, 187, 195, 310
Symplocaceae 267, 269, 308
 synapomorphies 21
 syncarpy
 in Early Cretaceous flowers 148, 170
 in Late Cretaceous flowers 151, 154,
 155, 158, 170, 171, 190
Syrphidae (hoverflies) 186, 191, 310
- Taeniodonta* 210, 311
Taeniopteris, taeniopterids 29, 306
Taldysaja 309
medusa 160
Talpidae 291, 311
Tapirulus 313
hyracinus 295
Tapirus 281, 282, 312
indicus 282
Taverende flora 130, 132
Taxaceae 24, 111, 306
Taxodiaceae 117, 120, 122, 123, 126, 127,
 269, 287, 306
Teilhardina 312
cf. belgica 291
Tempskyia 109, 305
Tennessee
 fauna 208
 fossil flowers 163–5
Tertiary, Early, *see also individual ages*
 disseminate floras 260–1, 262, 264,
 265–70, 286–7, 288
 environmental changes 277–85
 faunal changes 280, 286–7
 faunas 94, 210
 floristic provinces 108, 121, 128–9
 flowers 162–6
 herbivore communities 216–17
 high-middle palaeolatitude floras 92
 lithostratigraphy, England 260–1,
 286–7
 leaf physiognomy 93–4
 low palaeolatitudes 92
 mammalian faunas 260–1, 262, 263,
 272, 274–5, 286–7, 290–5
 megafossil floras 121–2, 131, 133, 235
 megathermal vegetation 92, 93, 94,
 95
 mesothermal vegetation 94
 microthermal vegetation 95, 96
 middle palaeolatitude floras 92
 monsoonal circulation 53
 palaeoclimate 51, 55, 58, 93–4
 palaeoequator 93
 palaeogeography 59–66
 palaeotemperatures 53–5, 91, 93–4
 palynofloras 21
 precipitation 56, 59, 92, 93, 95
 reproductive organs 162–6
 sea level 60, 61
 vegetation 92–6, 116, 121–2
 vegetational changes 286–7
 wood 213
- Tertiary, Late
 herbivore communities 214
- Tethyan
 palaeoclimate 57
 palaeogeography 52, 62
- Tetracentron* 121, 307
- Tetracrus* 291, 311
- Texas, plant fossils 152
- Thalerimys* 312
fordi 292
headorenensis 273, 292
- Thanet Formation 261, 286, 314
- Theaceae 265, 267, 269, 308
- Theridomyidae* 273, 278, 279, 280, 312
- Thompson's gazelle 248, 251, 313
- Thryonomys* 312
swinderianus 273
- Thysanoptera* 184, 310
- Tilehurst Member 261
- Tiliaceae 122, 308
- Tipulidae* 183, 186, 194, 310
- Todites* 305
princeps 109
- Torreya* 127, 306
- tortoises 241, 249
- Treposciurus* 312
helveticus 272, 292
intermedius 292
mutabilis 292
- Triceratops* 227, 311
- Tricoccites* 162, 309
- Tricolpites minutus* 151, 307
- Triloboxylon* 24, 306

- trimerophytes 26
Triplcarpus 307
purkynei 153, 154
Triprocteus 119, 308
 Trochodendraceae (trochodendroid) 81, 85, 89, 90, 307
 Trochodendrales 121, 307
Trochodendron 121, 307
Tropopterus 276, 312
xanthipes 272
 tropical forests 268
 Cretaceous 86
 Tertiary 93, 95, 267, 277
Trudopolis 120, 308
 Turgiaian province 128
 Turonian 315
 megafossil floras 119
 palaeotemperatures 91
 palynofloras 119
 reproductive organs 155, 159
 vegetation 116, 118–20
 Turonian–Campanian, megafossil floras 130–1, 133
 turtles 245
 Tuscaloosa Formation 315
 fossil flora 130, 132
 fossil flowers 159
Typha 269, 270, 278, 287, 309
 Typhaceae 264, 269, 309
Typhaera 309
 fusiformis 146

Umkomasia 24, 306
 ungulates, even-toed, *see* Artiodactyla
 ungulates, odd-toed, *see* Perissodactyla
 unisexual flowers 5, 7
 Cretaceous, Early 148, 151
 Cretaceous, Late 151
 Tertiary, Early 162, 163, 166
‘*Ultrasaurus*’ 244, 247, 311
 USSR, *see* Soviet Union
 Utah
 fossil faunas 226
 fossil wood 212

Valanginian 315
 reproductive organs 146
 Valentine Formation 206, 314
 fauna 206
 Vancouver Island, fossil floras 119
Vardekloefzia 147, 306
 Vermejo flora 131, 133
 Vespoidea (wasps) 186, 187, 189, 191, 195, 310
 vessels
 derivation of 18
 in angiosperms 2, 3
 in Gnetales 2, 18, 19
 origin of 41
Viburnum 118, 308
‘*Viburnum*’ 82, 83, 89, 90, 307
Viracarpon 162, 309
 Virginia, plant fossils 150
 Virginia Water Formation 261
 Vitaceae 97, 122, 265, 267, 269, 308
Vitiphyllum 81, 309
multifidum 82
 Viverridae 273, 312
 Viverridae 297, 312
Vulpavoides 312
cooperi 294
 Wagner Parsimony algorithm 28
 Walton flora 286
 wasp pollination 190
 wasps, *see* Vespoidea
 water ferns (Marsileales, Salvinales) 109, 119, 265, 269, 287, 305
 Weald clay 109
 Wealden 315
 coprolites 228
 faunas 206, 228
 floras 109, 130, 132, 235
Weichselia 109, 305
Welwitschia, relationships 4, 17, 18, 19, 23, 24, 27, 30, 32, 37, 44, 307
 West Africa, palynofloras 112
 West Brothers locality 115
 Western Interior, fossil floras 81, 83, 92, 152
 Western Interior Seaway 86
Wetherellia 264, 266, 308
 Whitecliff Bay 259
 fauna 280, 281
 Whitemud flora 131, 133
Wielandiella 110, 182
 wildebeest 230, 248, 251
‘*Williamsonia recentior*’ 150, 307
Williamsoniella 182–3, 194, 306
 Willwood Formation 206, 314
 fauna 206
 wind pollination (anemophily), *see* pollination, by w.
 Winteraceae 18, 187, 188
 Cretaceous 10, 113, 183
 pollination 184, 185
 wood 2
 Wittering/base Earnley fauna 263, 274–5, 277, 280, 286, 290–5
 Wittering Division 261, 267, 286, 314
Wodehouseia 119, 308
 Woodbine flora 130, 132
 Woodbridge member 87

Cambridge University Press

978-0-521-31173-1 - The Origins of Angiosperms and their Biological Consequences

Edited by Else Marie Friis, William G. Chaloner and Peter R. Crane

Index

[More information](#)

358

Index

- Woolwich Beds 261, 263, 286, 314
fossil fauna 263, 290–5
- Wyoming
fossil faunas 226
fossil plants 151
fossil wood 213
- Xiphodon* 313
gracile 295
- Xyelidae 183, 185, 310
- Yorkshire flora 107, 130, 131
- Zamites* 306
gigas 110
zebra 248, 251
- Zingiberaceae 155, 159, 163, 190, 191,
309
- Zingiberales 90, 160, 309
'*Zizyphus*' 89, 309
- Zygogynum* 184, 185, 307
- zygomorphy 4
in fossil flowers 155, 160, 167, **168**,
191, 195