

INDEX

- affiliated series, 121, 239
 algebra
 finite -, 16, 296
 Lie -, 298
 Weyl -, 27
 annihilator, 6
 - right ideal, 6
 AR property, 81ff., 140 ff.
 AR ring, 84, 140ff., 225
 AR separated ring, 224
 Artin radical, 131
 Artinian quotient module, 217
 Artinian quotient ring, 33, 211ff.
 assassinator, 98
 assassinator prime ideal, 98
 associated prime ideal, 68

 bimodule, 18
 affiliated series of -, 121, 239
 cellular series of -, 122
 irreducible -, 248
 Noetherian -, 120ff.
 bimodules
 subdirect product of -, 132
 bond, 123ff.
 degenerate internal -, 140
 density condition for -, 176
 girth of -, 178
 internal -, 139
 bonded rings, 124
 bounded uniform dimension, 167, 199

 cell, 122
 cellular series, 122
 centrally separated ring, 225, 263ff.
 chain, 286
 clan, 204
 classical
 - clique, 193ff.
 - Krull dimension, 230, 238
 - localization, 78, 188
 - order, 35
 - primary decomposition, 243ff.
 - subset of spec R , 187
 - semi-local ring, 78
 classically
 - fully semi-primary ring, 244
 - localizable semi-prime ideal, 78, 83, 188, 203ff.
 - primary ideal, 244
 clique, 136, 140ff., 171, 172, 193, 227
 classical -, 193ff.
 incomparability condition for -, 151, 156, 185, 191, 193, 226ff., 238, 243
 intersection condition for -, 190, 191, 194ff., 200
 closed submodule, 10, 39
 cogenerated torsion class, 10, 67
 common multiple property, 3
 completely prime ideal, 14, 162, 195, 300
 compressible module, 45ff., 59, 270
 condition
 density -, 176, 183
 incomparability -, 151, 156, 185, 191, 193, 226ff., 238, 243
 intersection -, 190, 191, 194ff., 200
 Ore -, 3, 7
 second layer -, 187, 188, 202, 219, 226, 251, 285
 strong second layer -, 220, 226, 251
 convention, 39, 59
 cotame simple module, 280
 countable set, xii
 critical module, 270
 cycle, 286

 decomposition of injectives, 92ff.
 Dedekind ring, 289
 degenerate internal bond, 140
 degenerate strongest link, 181
 dense submodule, 10, 39
 density condition, 176, 183
 derivation, 20, 299
 deviation, 233, 234
 dimension
 classical Krull -, 230, 238
 GK -, 238
 global -, 134
 Krull -, 157, 234ff., 269ff.
 semi-simple -, 24, 41
 uniform -, 42, 96
 directed graph; see, link graph
 discrete poset, 233
 dimain, 7
 Ore -, 7, 37

 enough clans, 205
 enough invertibles, 289
 equivalent
 - prime ideals, 135; see, clique
 - prime rings, 124ff.
 essential subdirect sum, 42, 96
 weakly -, 102, 105
 essentially compatible, 43
 extension, 16
 finite -, 16
 ρ -perfect -, 88
 trivial -, 19

- faithful ideal, 306
- FBN ring, 162, 171, 199, 236ff., 268ff.
- FC-subgroup, 306
- finite
 - algebra, 16, 296
 - dimensional module, 36
 - dimensional ring, 36, 37
 - extension, 16
- first layer, 111, 117, 252
- fractional right ideal, 276
- fully
 - bounded Noetherian ring; see FBN ring
 - classical ring, 205, 245
 - semi-primary ring, 241ff., 247
- fundamental
 - prime ideals, 252, 256ff., 266
 - series, 251, 252, 270ff.
- generalized matrix ring, 17, 61, 122, 212, 249
- generic regularity; see, sparsity
- girth, 178, 183
- GK dimension, 238
- global dimension, 134
- Goldie ideal, 66ff., 71
- Goldie rank; see, uniform dimension
- Goldie ring, 37
 - semi-prime -, 57
- Goldie's Theorem, 32, 57
- graph
 - of a ring, 136
 - directed -; see, link graph
 - link -; see, link graph
 - locally finite -, 171
- group
 - orbitally sound -, 306
 - p-nilpotent -, 309
 - polycyclic -, 305
 - polycyclic-by-finite -, 305
 - ring, 305ff.
- heart of a ring, 133
- hereditary ring, 275
- hereditary subset of $\text{spec } R$, 144
- HNP ring, 275ff.
 - with enough invertibles, 289
- α -homogeneous module, 269
- ideal
 - classically localizable semi-prime -, 78, 83, 188, 203ff.
 - classically primary -, 244
 - completely prime -, 14, 162, 195, 300
 - faithful -, 306
 - fractional -, 276
 - Goldie -, 66ff., 71
 - idempotent -, 14
 - invertible -, 85, 207, 279, 287ff.
 - irreducible -, 242
 - localizable semi-prime -, 71ff.
 - minimal prime -, 38, 155, 212ff.
 - polycentral -, 86, 141, 207
 - polynormal -, 86, 141, 206ff.
 - prime -; see, prime ideal
 - prime radical of -, 69
 - primary -, 241, 244
 - reflexive -, 210
 - semi-prime -; see, semi-prime ideal
 - singular -, 56
- idealizer, 29
- idempotent ideal, 14
- incomparable prime ideals, 105, 156
- incomparability condition, 151, 156, 185, 191, 193, 226ff., 238, 243
- indecomposable module, 42
- injective bull, xi
- injective module, 15, 92, 290
 - decomposition of -, 92ff.
 - first layer of -, 111, 117, 252
 - fundamental series of -, 251, 270ff.
 - nth layer of -, 252ff.
 - pleasant -, 284, 287
 - second layer of -; see, second layer
 - stem of -, 284, 290ff.
 - tame -, 115, 151, 251ff.
 - unpleasant -, 284, 287
 - wild -, 115, 151, 251ff.
- internal bond, 139
- intersection condition, 190, 191, 194ff. 200
- interval, 233
- invertible ideal, 85, 207, 279, 287ff.
- irreducible
 - bimodule, 248
 - ideal, 242
 - ring, 242
- Jacobson radical, 72
- Jacobson's conjecture, 79, 120, 246ff., 272
- Krull dimension, 157, 234ff., 269ff.
 - classical -, 230, 238
- layer, 116ff.
 - first -, 111, 117, 252
 - nth -, 252ff.
 - second -; see, second layer
- Levitzki's Theorem, 62
- Lie algebra, 298
- link, 119, 135ff., 139ff., 145, 151ff., 157, 169, 175, 183; see, bond, clique density condition for -, 183

- girth of -, 183
 incomparability condition for -,
 151, 156, 185, 191, 193, 226ff.,
 238, 243
 right -, 135
 second layer -, 135, 154
 strongest -, 181ff., 184
 trivial -, 135, 141, 206, 244
 link graph, 136, 140ff., 145, 171;
 see, clique, link
 locally finite -, 159, 167ff., 171,
 172, 224
 local ring, 72; see, semi-local ring
 localizable semi-prime ideal, 71ff.
 classically -, 78, 83, 188, 203ff.
 localizability criterion, 108, 116,
 228
 localization, 2, 71ff., 187; see,
 Preface
 classical -, 78, 188
 Ore -, 2, 88
 Partial -, 217, 229
 right -, 2, 71ff., 187
 - at torsion class, 12, 88ff.
 locally finite
 - link graph, 159, 167ff., 171, 172,
 224
 - subset of $\text{spec } R$, 171
 main lemma, 151ff., 190, 203, 239, 253
 matrix ring, 16
 generalized -, 17, 61, 122, 212, 249
 maximal order, 210
 minimal prime ideal, 38, 155, 212ff.
 module
 annihilator of -, 6
 Artinian quotient -, 217
 assassinator of -, 98
 compressible -, 45ff., 59, 270
 cotame simple -, 280
 critical -, 270
 finite dimensional -, 36
 first layer of -, 111, 117, 252
 fundamental primes of -, 252, 256ff.,
 266
 fundamental series of -, 251, 252,
 270ff.
 α -homogeneous -, 269
 indecomposable -, 42
 injective -; see, injective module
 injective hull of -, xi
 Jacobson radical of -, 72
 Krull dimension of -, 234ff., 269ff.
 localization of -, 8
 monoform -, 163, 270
 n th layer of -, 252ff.
 P-primary -, 100, 183, 257
 primary -, 100, 105, 183, 257
 primary decomposition of -, 68,
 97ff., 101, 104, 115, 241
 P-tame -, 115
 P-torsionfree top of -, 165
 P-wild -, 115
 quotient -, 8
 S-primary -, 105
 S-torsion -, 67
 S-torsionfree -, 67
 second layer of -; see, second layer
 semi-simple -, 41
 semi-simple dimension of -, 41
 serial -, 285
 socle series of -, 77, 271
 tame -, 115, 151, 251ff.
 torsion -, 10, 39, 59, 67
 torsionfree -, 10, 39, 59, 67
 torsionless -, 48ff.
 totally unfaithful -, 223
 uniform -, 42, 104
 uniform dimension of -, 42, 96
 uniserial -, 282
 wild -, 115, 151, 251ff.
 modules
 essential subdirect sum of -, 42, 96
 similar -, 43, 118
 subdirect sum of -, 42
 subisomorphic -, 45
 weakly essential subdirect sum of -,
 102, 105
 monoform module, 163, 270
 multiplicative set, 2
 torsion class defined by -, 11,
 39, 67
 multiplicity, 112, 118, 175ff.
 nil radical, 62, 212ff.
 Noetherian bimodule, 120ff.
 Noetherian ring, xi
 examples of -, 16ff.
 nil radical of -, 62, 212ff.
 normal element, 84
 normalization, 155
 normally separated ring, 225
 n th layer, 252ff.
 p-nilpotent group, 309
 orbitally sound group, 306
 order, 33
 classical -, 35
 maximal -, 210
 right -, 33
 - in Artinian ring, 33, 211ff.
 - in semi-simple ring, 33, 37, 39ff,
 53ff.
 - in skew field, 33
 Ore
 - condition, 3, 7

- domain, 7, 37
- localization, 2, 88
- set, 3, 11, 146
- Ore's Theorem, 3, 7

- Partial localization, 217, 229
- ρ -perfect extension, 88
- period, 285
- P.I. rings, 268, 296
- pleasant injective, 284, 287
- p-nilpotent group, 309
- polycentral ideal, 86, 141, 207
- polycentral ring, 87ff., 226, 300ff., 308ff.
- polycyclic group, 305
- polycyclic-by-finite group, 305
- polynormal ideal, 86, 141, 206ff.
- polynormal ring, 87ff., 226, 301, 308
- poset, 233
 - deviation of -, 233, 234
- P-primary module, 100, 183, 257
- S-primary module, 105
- primary
 - decomposition, 68, 97ff., 101, 104, 115, 241, 244
 - ideal, 241, 244
 - module, 100, 105, 183, 257
 - ring, 241
 - submodule, 101
- prime ideal, xi
 - assassinator -, 98
 - associated -, 68
 - completely-, 14, 162, 195, 300
 - fundamental -, 252, 256ff., 266
 - minimal -, 38, 155, 212ff.
 - second layer condition for -, 188
 - strong second layer condition for -, 220
- prime ideals
 - equivalent -, 135; see, clique
 - fundamental -, 252, 256ff., 266
 - incomparable -, 105, 156
- prime radical, 62, 69
 - of an ideal, 69
- prime ring, xi
- prime rings
 - equivalent -, 124ff.
- prime spectrum, xi
- principal ideal ring, 21, 50
- Property
 - AR -, 81ff., 140ff.
 - common multiple -, 3
- pseudo-Dedekind ring, 289, 296

- quasi-local ring, 72
- quotient module, 8
- quotient ring, 2, 33

- Artinian -, 33, 211ff.
 - total -, 33
 - universal property of -, 5
- quotient skew field, 7

- radical
 - Artin -, 131
 - Jacobson -, 72
 - nil -, 62, 212ff.
 - prime -, 62, 69
- reflexive ideal, 210
- regular element, 3
- regular set, 3
- reversible set, 3, 6
- right ideal
 - annihilator -, 6
 - bounded -, 293
 - fractional -, 276
 - semi-maximal -, 293
- ring, xi
 - AR -, 84, 140ff., 225
 - AR separated -, 224
 - Artin radical of -, 131
 - Artin quotient -, 33, 211ff.
 - centrally separated -, 225, 263ff.
 - classical Krull dimension of -, 230, 238
 - classical localization of -, 78, 188
 - classical semi-local -, 78
 - classically fully semi-primary -, 244
 - cliques in -; see, clique
 - Dedekind -, 289
 - density condition for -, 183
 - directed graph of -; see, link graph
 - extension of -, 16
 - FBN -, 162, 171, 199; 236ff., 268ff.
 - finite dimensional -, 36, 37
 - finite extension of -, 16
 - fully bounded Noetherian -; see, FBN
 - fully classical -, 205, 245
 - fully semi-primary -, 241ff., 247
 - generalized matrix -, 17, 61, 122, 212, 249
 - Goldie -, 37
 - graph of -, 136
 - heart of -, 133
 - hereditary -, 275
 - HNP -, 275ff.
 - irreducible -, 242
 - Jacobson radical of -, 72
 - Krull dimension of -, 234ff., 269ff.
 - link graph of -; see, link graph
 - local -, 72; see, semi-local ring
 - localization of -; see, localization
 - matrix -, 16
 - nil radical of -, 62, 212ff.
 - Noetherian -, xi
 - normally separated -, 225

- P.I. -, 268, 296
 ρ -perfect extension of -, 88
 polycentral -, 87ff., 226, 300ff., 308ff.
 polynormal -, 87ff., 226, 301, 308
 prime radical of -, 62
 prime spectrum of -, xi
 primary -, 241
 principal ideal -, 21, 50
 pseudo-Dedekind -, 289, 296
 quasi-local -, 72
 quotient -, 2, 33
 second layer condition for -; see, second layer condition
 semi-local -, 72, 73, 132
 semi-prime -, xi
 semi-prime Goldie -, 57
 semi-primitive -, 133
 semi-simple -, 22
 serial -, 285
 simple -, 22
 simple Artinian -, 22
 singular ideal of -, 56
 skew Laurent polynormal -, 20ff., 305
 skew polynomial -, 20ff., 299
 sparse -, 160-172, 198-201
 strong second layer condition for -, 220, 226, 251
 subdirectly irreducible -, 133, 227, 247, 273
 total quotient -, 33
 - of bounded uniform dimension, 167, 199
 - with enough clans, 205
 - with enough invertibles, 289
 rings
 bonded -, 124
 equivalent -, 124ff.
 subdirect product of -, 132
 second layer, 91, 112ff., 116, 119, 150ff., 188, 252
 second layer condition, 187, 188, 202, 219, 226, 251, 285
 rings satisfying -, 219ff.
 strong -, 220, 226, 251
 second layer link, 135, 154; see link
 semi-local ring, 72, 73, 132
 classical -, 78
 semi-maximal right ideal, 293
 bounded -, 293
 semi-prime ideal, xi
 classically localizable -, 78, 83, 188, 203ff.
 localizable -, 71ff.
 stable -, 136, 146, 203, 206, 208, 212, 215, 227
 symbolic powers of -, 216
 unmixed -, 207
 semi-prime Goldie ring, 57
 semi-prime ring, xi
 semi-primitive ring, 133
 semi-simple dimension, 24, 41
 semi-simple module, 41
 semi-simple ring, 22
 order in -, 33, 37, 39ff., 53ff.
 serial module, 285
 serial ring, 285
 series
 affiliated -, 121, 239
 cellular -, 122
 fundamental -, 251, 252, 270ff.
 socle -, 77, 271
 α -socle -, 271
 set
 multiplicative -, 2
 Ore -, 3, 11, 146
 regular -, 3
 reversible -, 3, 6
 similar modules, 43, 118
 simple ring, 22
 simple Artinian ring, 22
 singular ideal, 56
 skew field, 7
 skew Laurent polynomial ring, 20ff., 305
 skew polynomial ring, 20ff., 299
 socle series, 77, 271
 sparse ring, 160-172, 198-201
 sparse subset of spec R, 160, 198
 sparsity, 160-172, 198-201
 stability theorem, 146, 186
 stable semi-prime ideal, 136, 146, 203, 206, 208, 212, 215, 227
 stable subset of spec R, 136, 144ff., 190-193
 stem, 284, 290ff.
 strictly increasing function, 233
 strong second layer condition, 220, 226, 251
 rings satisfying -, 220ff.
 strongest link, 181ff., 184
 degenerate -, 181
 subdirect product, 132
 subdirect sum, 42
 essential -, 42, 96
 weakly essential -, 102, 105
 subdirectly irreducible ring, 133, 227, 247, 273
 subisomorphic modules, 45
 submodule
 closed -, 10, 39
 dense -, 10, 39
 primary -, 101
 ρ -torsion -, 10

- torsion -, 10, 39, 59, 67
- subset of $\text{spec } R$
 - classical -, 187ff.
 - density condition for -, 176, 183
 - hereditary -, 144
 - incomparability condition for -;
 see, incomparability condition
 - intersection condition for -, 190,
 191, 194ff., 200
 - locally finite -, 171
 - partially localizable -, 217, 229
 - second layer condition for -; see,
 second layer condition
 - sparse -, 160, 198
 - stable -, 136, 144ff., 190-193
 - strong second layer condition
 for -, 220, 226, 251
 - weakly sparse -, 197ff.
 - of bounded uniform dimension,
 167, 199
- symbolic powers, 216

- tame module, 115, 151, 251ff.
- trivial extension, 19
- trivial link, 135, 141, 206, 244
- torsion class, 9ff.
 - localization at -, 12, 88ff.
 - cogenerated; 10, 67
 - defined, 11, 39, 67
 - generated, 11
- torsion (sub)module, 10, 39, 59, 67
- torsionfree module, 10, 39, 59, 67
- torsionfree top, 165
- total quotient ring, 33
- totally unfaithful module, 223

- uniform dimension, 42, 96
 - bounded -, 167, 199
- uniform module, 42, 104
- uniserial module, 282
- universal property of quotient
 ring, 5
- unmixed semi-prime ideal, 207
- unpleasant injective, 284, 287

- weakly essential subdirect sum,
 102, 105
- weakly sparse, 197ff.
- wild module, 115, 151, 251ff.