

SUBJECT INDEXA

Absolutely summing operator	VII.3.2
Abundant	VII.3.8
- in the strict sense	VII.3.8
Adapted net	VI
- sequence	I.2.1
- - of vector measures	I.3.6.1
AL-space	III.1.1
Amart	V.2.1, V.2.18, IX.3.8.1
- in probability	VII.2.2
l-amart	VI.2.11
ANP	II.4.7.2
Asplund operator	V.3.10
Asymptotic martingale	V.2.1
- norming property	II.4.7.2
Asymptotically normed	II.4.7.2
Average range	II.2.3.2

B

Banach limit	V.5.7
Bochner integrable	I.1.2
- integral	I.1.2
Bounded stopping time	I.2.1
- variation (for martingales)	II.3.2.1
- - (for vectormeasures)	II.2.1.1
Bush, ε -bush	II.2.3.6
- domain	II.2.3.6

C

c.a.s.	III.6.1
Characteristic function	I.1.1
Class (B)	I.2.1
Compact range property	V.2.20

Conditional expectation	I.2.2.1
Cone absolutely summing	III.6.1
Continuity w.r.t. a measure	II.2.1.1
Convergence in probability	I.3.4
- - - in stopping time sense	I.3.5
Countable topological orthogonal system	V.3.19.2
CRP	V.2.20
<u>D</u>	
Dense	VII.3.8
Density	V.3.18
Dentability	II.2.3.1
σ -dentability	II.2.3.4
Difference sequence	II.3.2.1
Doob decomposition	III.3.2, V.2.15
Doob potential	V.3.18
<u>E</u>	
Essential convergence	VI.1.1
- infimum	VI.1.1
- limit	VI.1.1
- lower limit	VI.1.1
- supremum	VI.1.1
- upper limit	VI.1.1
Essentially separably valued	I.1.1.1
<u>F</u>	
Finite representability	VII.1.2
- stopping time	VII.3.8
- tree ($-\varepsilon$ -tree)	IV.2.1
Finitely additive	II.4.3
<u>G</u>	
Game which becomes better with time	VIII.1.3
- - - fairer with time	VII.2.6
- - - worse with time	VIII.1.3
Gaussian process	II.4.6

GBT	VIII.1.3
GFT	VII.2.6
GWT	VIII.1.3
<u>H</u>	
Haar function	V.3.11
- operator	V.3.12
<u>I</u>	
Integrable	I.1.2
Integral	I.1.2
<u>J</u>	
Jensen inequality	I.2.2.1
<u>K</u>	
Kadec-Klee renorming	II.2.4.4, III.2.3
Krickeberg decomposition	III.6.4
<u>L</u>	
$L \log L$ - bounded	VI.2.1.1
Localization property	I.2.1, VII.3.8
<u>M</u>	
Martingale	II.1, VI.1, IX.3.4
1-martingale	VI.2.1.1
2-martingale	VI.2.1.1
Martingale in the limit	VII.2.2
Martingales indexed by a directed set	II.2.2.1
Maximal lemma	II.1.5
Mean convergence	I.3.2
- - in the order p	I.3.2
Measurable	I.1.1
Mil	VII.2.2

N

Neighborly tree property	IV.2.2
Norming	II.4.7.2
NTP	IV.2.2

O

Optimal stopping theorem	V.1.9, V.2.12, VII.2.8, VII.2.9
Optional sampling theorem	V.1.7, V.2.11, VII.2.8, VII.2.9
Orderamart	V.2.31
Ordercontinuous	III.1.1
Ordered Vitali condition	VI.3.3
Ordered stopping time	VI.3.3
Orderpotential	V.2.31
Orlicz space	II.4.3

P

Pettis Cauchy	I.3.3
- convergence	I.3.3
- integrable	IX.3.1
- integral	IX.3.1
- norm	I.1.2.6
- uniform integrability	IX.3.8.1
Potential	V.2.4
Pramart	VII.2.2
Predictable	III.3.1

Q

Quasi interior point	V.3.18
Quasi martingale	V.1.2(4)

R

Radon-Nikodym operator	V.3.9
Radon-Nikodym property	II.2.1.1
Riesz-decomposition theorem	V.1.4, V.2.4, V.5.9, VII.2.11
RNP	II.2.1.1

<u>S</u>	
S-convergence	I.3.6.2
Scalar convergence a.e.	I.3.1, IX.1
- convergence in probability	IX.1
Scalarly adapted sequence	IX.3.4
Scalarly measurable	I.1.1
Scalarly integrable	IX.3.1
Schur space	V.4.8
Semiamart	V.5.1
Semipotential	V.5.9
Separation constant	II.2.3.6, IV.2.1
Simple 1-stopping time	VI.2.1.1
Simple 2-stopping time	VI.2.1.1
Stepfunction	I.1.1
Stochastic basis	I.2.1, VI
- convergence	VI.1.1
- limit	VI.1.1
- process	I.2.1, VI
- upper limit	VI.1.1
Stopping time	I.2.1, VI.1.4
Strong convergence a.e.	I.3.1
- Doob potential	V.3.18
- martingale	VI.3.2
Strongly measurable	I.1.1
Submartingale	III.2.1
Submil	VIII.1.2
Subpramart	VIII.1.1
Supermartingale	III.2.1
Supermil	VIII.1.2
Superpramart	VIII.1.1
<u>T</u>	
Tree, ε -tree	II.2.3.8

U

Uniform amart	V.1.1
- asymptotic martingale	V.1.1
- potential	V.1.4
- sequence of subpramarts	VIII.1.14
- semiamart	V.5.1
- weak amart	V.3.5
Uniformly integrable	I.1.2.3

V

Variation (of a vectormeasure)	II.2.1.1
Vitali condition	VI.1.2

W

W mil	VII.2.26
W pramart	VII.3.7.1
Weak convergence a.e.	I.3.1
- mil	VII.2.26
- pramart	VII.3.7.1
- Radon-Nikodym property	IX.3.5
- sequential amart	V.3.1
- - potential	V.3.7
WS amart	V.3.1
WS potential	V.3.7