

---

## INDEX

---

- acyclic digraph, 335, 340, 343
- adjacency matrix, 25, 48–52, 53, 179, 317
  - formal, 317–23, 324
  - regular, 157, 160
  - isomorphic, 157
  - tree, 343
- adjugate, 301
- admittance matrix (*see also* Laplacian matrix), 30
- affine plane, 278–80
  - order of, 280
- Amitsur–Levitzki theorem, 331–4
- arc, 53
  - back arc, 98
  - capacity of, 164
  - cross arc, 98
  - dominant, 89–90
  - forest arc, 98
  - forward arc, 98
  - weight of, 291–2
- bipartite graph, 44, 107–44, 178, 317
  - adjacency matrix of, 44
  - bipartition of, 44, 107
  - complete, 108, 135, 147, 148, 162:
    - line graph of, 153
  - elementary, 124
- Birkhoff’s theorem, 9
- blocks, 278
- branch, 62, 63
- Cayley–Hamilton theorem, 327–9, 333
- Cayley table, 250–1, 254–5, 258, 262, 268, 271
- chain, 25, 210
  - directed, 54
  - length of, 210
  - weight of, 211, 212
- characteristic polynomial, 26, 28, 36, 76–7, 88, 328–9
- chromatic index, 51
- circuit, 54
- circulant matrix, 158–62, 233
- circulation, 168–9
- cocktail party graph, 36–7
- column-linear set, 139
- complete digraph, 291
- complete graph, 23, 26, 39, 318
  - line graph of, 152
  - spectrum of, 28
- completely reducible matrix, 76
- complete mapping, 251
- complexity (of a graph), 38–40, 324
- composition, 191, 196
- conference graph, 151, 155
- conference matrix, 154
- configuration, 3, 20, 293, 306, 307–8
  - complementary, 305
  - dual, 4, 12
  - isomorphic, 4
- conjugate partition, 193, 340
- connectivity
  - algebraic, 40–3
  - edge, 41
  - vertex, 41
- contraction, 62, 242
- convex closure, 193–5
- convex sequence, 192, 340
- cospectral graphs, 26–7, 155
- co-term rank, 125–6, 134
- cover (of digraph), 134
- covering sequence, 190–6
  - cut, 166
  - capacity of, 166
- cycle, 25
  - directed, 54
- cycle graph, 28

364

cycle hypergraph, 144  
 cyclic components, 71  
   computation of, 103–5  
 cyclic matrix, 77

decision problem, 245–8  
   polynomial reducible, 246  
   size of, 245

decomposition, 251  
 decomposition theorems, 108, 125–36,  
   184–8

degree of vertex, 24

demand, 169

depth-first number, 97

depth-first search, 97

derangement number  $D_k$ , 17, 222–3,  
   233

derangements, 201–2, 285

determinant, 8, 15, 16, 17, 21–2, 76, 89,  
   90, 92, 93, 94, 95, 134, 209–14,  
   235–48, 291–3, 294, 295, 296–7,  
   298–9, 301, 309–10, 311, 313–14,  
   314–16, 319, 323, 325–6

determinantal divisor, 337

diagonal, 112

diagonal structure (hypergraph),  
   136–44  
   isomorphism of, 136–7: permutation,  
   140; partial transposition,  
   142–3; transposition, 140

difference sequence, 191, 195–6, 338,  
   339–40

digraph (directed graph), 53, 243  
   adjacency matrix of, 53  
   capacity function, 164  
   condensation, 56  
   characteristic polynomial, 88  
   cyclically  $r$ -partite, 70  
   general, 53  
   girth of, 93  
   imprimitive, 68–9  
   indegree sequence, 173, 176  
   minimally strong, 61–8  
   outdegree sequence, 173, 176  
   primitive, 68  
   regular, 53  
   spanning subdigraph, 97  
   spectrum, 88  
   splitting of, 244  
   strongly connected, 54, 55–61  
   vertex-weighted, 89–90

directed cycle  
   dominant, 90  
   weight of, 243

directed forest, 96–9  
   spanning, 97

Index

divisor sequence, 337–8, 339–40

doubly stochastic matrix, 9, 11, 117

edge, 23  
   endpoints, 23

edge coloring, 50

eigenvalues, 16, 26, 27, 76–7, 88–96,  
   130–2, 145, 146

eigenvalue inclusion regions, 89–95

elementary divisors, 337

elementary similarity, 341

$e_n$ , 145

essential column, 110

essential line, 110

essential row, 110

Euler conjecture, 275, 282–3

Eulerian matrix, 31

Eulerian trail, 332

Euler  $\phi$ -function, 21–2

Evans conjecture, 263–7

even digraph, 243–4

exponent, 78–87, 83–5, 117  
   gaps, 84

factor, 48

Ferrers matrix, 206–7, 208, 217

flow (network), 164–71  
   supply–demand, 169–71  
   value of, 165

forest, 178

friendship theorem, 151

Frobenius normal form, 58, 96–102  
   computation of, 96–106

fundamental trace identity, 327, 329–31

fully indecomposable matrix, 110–18, 119,  
   124, 228–33, 296–7, 299, 303  
   inductive structure, 116

fully indecomposable components, 115,  
   140–1, 297

Frobenius–Schur index, 72, 81

Gale–Ryser theorem, 176

Galois affine plane, 279, 280

general digraph, 53

generalized matrix function, 295

generic matrix, 294–7

generic nilpotent matrix, 335–43

generic skew-symmetric matrix, 317

Geršgorin’s theorem, 88

graph (general), 23, 24  
   complement, 23  
   complete, 23, 26  
   complete multipartite, 147, 155  
   connected 27  
   connected components, 27  
   cospectral, 26–7, 155  
   cubic, 24, 37

- decomposition of, 108, 109
- degree sequence, 179, 183
- diameter, 27
- disconnected, 27
- distance, 27
- edge, 23: multiplicity of, 24
- isomorphic, 23, 25, 26
- order, 23
- regular, 24, 37, 43
- spectrum of, 28
- simple, 23
- subgraph, 23
- induced, 23: spanning, 23, 30
- vertices, 23: adjacent, 23; isolated, 23
- Hadamard's determinant inequality, 214
- Hadamard product, 294, 317
- Hall's theorem, 299–301
- Hamilton cycle problem, 245–6, 247
- Helly type theorem, 19–20
- Hoffman polynomial, 147, 157, 162
- Hoffman–Singleton graph, 154
- horizontal line, 277
- imprimitive matrix, 70
- incidence matrix, 3, 29, 35, 230, 304, 306
  - formal 293–303
  - oriented, 29, 38
  - weighted, 210–14
- Index, 103–5
- index of imprimitivity, 68–78
  - computation of, 103–5
- integer sequences, 191–5
- intersection matrix, 11–12
  - formal, 304–10: symmetric, 305, 306, 309
- invariant factors, 337
- irreducible matrix, 55–61, 113, 145, 297–300
  - inductive structure, 67–8
- irreducible components, 58
  - computation of, 96–106
- Jacobi's identity, 321–2, 301
- join, 192
- Jordan block, 336, 340–3
- Jordan canonical form, 335–7, 340–3
- Jordan partition, 336, 338, 339–40, 343
  - length of, 336
- $K$ -decomposition, 187
- König's theorem, 6, 9, 44, 47, 125, 128, 196, 300, 301–3
- $k$ -path, 336–7, 338
- $k$ -path number, 336–7
- $k$ -subset, 203
- Laplacian matrix, 30, 38, 41, 325
  - formal, 324–7
- latin rectangle, 250–3
  - completion of, 260–2, 68
- latin square, 250–90
  - completion of, 259–62
  - embedding of, 262–3
  - enlargement of, 265–7
  - equivalent, 253
  - horizontal line of, 270
  - idempotent, 281–3, 283–4
  - latin line of, 270, 277
  - mutually orthogonal, 272–5, 286–7
  - normalized, 250
  - number of, 284–5
  - partial, 259–69
  - partitioning of, 262–3
  - self-orthogonal, 287–8, 289
  - symmetric, 251, 268, 269, 283
  - vertical line of, 270
- lattice graph, 153
- line, 1, 252, 277, 278
- linearizable set, 143, 144
- linear set, 139
- line cover, 6, 110–12
- line graph, 35–7
  - spectrum of, 35
- $l_2$ -norm, 213–14
- Lowlink, 100–1
- MacMahon's master theorem, 310–16
- MacNeish's conjecture, 275, 282–3
- majorization, 175
- matching, 44–52, 112, 189
  - in digraph, 134
  - perfect, 48
- matching sequence, 189–96
- matrix, 1
  - back diagonal of, 263
  - column sum vector, 172
  - complement of, 3, 12
  - cover of, 6
  - cyclic, 70
  - cyclic components, 71
  - diagonally dominant, 89
  - elementwise product, 236
  - existence theorems for, 172–84
  - line of, 1
  - number of 1's, 123
  - permutation, 1
  - proper cover of, 6
  - row sum vector, 172

366

matrix (*cont.*)  
 submatrix of, 17; principal, 17  
 sum of elements of, 185  
 triangle of, 18  
 upper triangular, 338–9  
 matrix-tree theorem, 325–6  
 matroid  
 regular, 31–4  
 unimodular, 31–4  
 max flow–mincut theorem, 166–8  
 meet, 192  
 ménage numbers, 202–3, 204–5, 233,  
 234, 285  
 minimax theorem, 6  
 mixed matrix, 303  
 Moore graph, 153  
 generalized, 154  
 multicolored graph, 131–2  
 multiedge, 24  
 multigraph, 23  
 nearly decomposable matrix, 118–24,  
 228  
 inductive structure, 120–1  
 number of 1's of, 122  
 nearly reducible matrix, 61–8, 118, 124  
 inductive structure, 64  
 number of 1's of, 66  
 net, 277–80  
 network, 164  
 capacity-constrained, 164  
 supply-demand, 169  
 network matrix, 32, 33  
 Newton's formula, 334  
 nilpotent index, 335–7  
 nilpotent matrix, 335–43  
 nonzero diagonal, 112, 136  
 no-parallels postulate, 280  
 NP, 245–8  
 NP-complete problem, 246–7, 268  
 $n$ -set, 3  
 nullity, 336, 338, 340  
 orthogonal latin squares (MOLS),  
 269–84  
 orthogonal mate, 271, 272  
 P, 245–8  
 pairwise balanced design, 278–83  
 Paley graph, 151  
 parallel class of lines, 277  
 parallel lines, 279  
 parallel postulate, 278  
 partial transposition, 142  
 partial transversal, 251–2, 254–8  
 partition, 192, 336

Index

partition closure, 196  
 partly decomposable matrix, 112  
 path, 54  
 path-number sequence, 337, 338,  
 339–40  
 perfect matching, 247, 251, 258,  
 318–19, 321–2  
 random algorithm for, 322  
 permanent, 8, 15, 18, 68, 117, 136,  
 198–249, 292, 295, 313, 314–16  
 conversion of, 236–45  
 evaluation of, 199–200, 235–48  
 inequalities for, 214–34  
 permanental minor, 203–4  
 permutation  
 sign of, 291  
 simultaneous, 25  
 permutation digraph, 292  
 permutation matrix, 1  
 Frobenius normal form, 60  
 3-dimensional, 252–3  
 Petersen graph, 37, 148, 154  
 complexity of, 43  
 Petrie matrix, 19  
 pfaffian, 318–23  
 Playfair's axiom, 278  
 Poincaré's theorem, 31  
 points, 270, 278  
 polynomial algorithm, 245–8  
 polynomial digraph, 157–63  
 polynomial identity, 327–34  
 primitive matrix, 70, 73–4, 78–87,  
 117, 158  
 exponent of, 74, 78–87  
 problem of the 36 officers, 271–2  
 projective plane, 15–17, 20–1, 280–1,  
 282, 283  
 order of, 281  
 quasigroup, 251  
 reduced adjacency matrix, 107, 178  
 reducible matrix, 55  
 regular graph, 145–7, 155  
 rook numbers, 205–6  
 rook polynomial, 205–6  
 rook vector, 205–6, 206–8  
 row-linear set, 139  
 Ryser's permanent formula, 199–200  
 satisfiability problem (SAT), 246–7  
 Search, 97  
 SearchComp, 101  
 set differences, 307  
 set difference matrix  
 formal, 305, 309

- set intersections, 11
- sets of imprimitivity, 70
- sharp **P**-complete problem, 247
- skew-symmetric matrix, 317, 319–20
- sign of number, 238
- sign-nonsingular matrix, 238–44, 248
  - maximal, 248
- sign pattern, 238
- singularity, 321–2
- sink, 164
- Smith's matrix, 21–2
- Smith's theorem, 21–2
- source, 164
- spanning arborescence, 324–7
  - root of, 324
- spanning directed tree, 324
- spectrum, 26, 27
- splitting of arc, 243–4
- splitting of vertex, 243–4
- standard polynomial, 317, 329, 331–4
- star, 28
  - algebraic connectivity, 43
  - spectrum, 28
- Stirling number, second kind, 208
- strong components, 54
- strongly connected digraph, 157
- strongly regular graph, 148–55
  - complement, 149
  - eigenvalues, 150
- strongly stable hypergraph, 137
- strongly stable set, 137, 138–9, 143
- subdivision, 643–4
- subpermutation matrix, 49–51, 125, 128, 135, 184–8, 188–96, 267–8
- supply, 169
- symbolic direct product, 274
- symmetric matrix, 129–30
  - existence theorems for, 179–84
  - exponent, 80, 85
  - index of imprimitivity, 78
- system of distinct representatives (SDR), 7, 10, 201, 227, 247
  - Hall's theorem, 7
- term rank, 7, 10, 110, 111, 114, 189, 214, 294, 303, 338
- total support matrix, 115, 116, 232
- totally unimodular matrix, 31–4
- Touchard's formula, 205
- tournament matrix, 54, 55, 109
  - Frobenius normal form of, 60
- trail, 25
  - directed, 54
- transversal, 227, 251–2, 253, 258, 268, 281
  - common, 227
  - weak, 255–6
- tree, 32, 37, 38, 39, 230, 343
  - adjacency matrix of, 184
  - algebraic connectivity, 43
  - directed, 65–6, 96–9: spanning, 97
  - incidence matrix of, 37
  - oriented, 32
  - spanning, 38
- triangular graph, 152
- tridiagonal matrix, 393
- trivial trace identities, 329
- Tutte's theorem, 45–8, 320–2
- valency, 24
- Valiant's hypothesis, 247–8
- vector, 11
  - column sum vector, 172
  - conjugate, 175: diagonally restricted, 177–8
  - majorized by, 11, 175
  - monotone, 172
  - row sum vector, 172
- vertical line, 277
- Vizing's theorem, 49–51, 125
- walk, 25, 26
  - closed, 25
  - directed, 54
  - endpoints, 25
  - open, 25
- wedge product, 322–3
- weighted digraph, 243, 291–2
  - weight of arc, 325, 335
  - weight of directed cycle, 291–2
  - weight of digraph, 325
- width, 337, 338