

Index

- Absolute entropy, experimental determination of, 401–3
- Acentric factor, 155
- Activity
 coefficient
 based on molalities, 183
 based on molarities, 188
 definition, 176
 dependence on pressure, 192–3
 dependence on temperature, 191–2
 strong electrolytes, 201–4
 weak electrolytes, 205
 definition, 176
 dependence on pressure, 192–3
 dependence on temperature, 191–2
 strong electrolytes, 201–4
- Adiabatic wall, 7
 ideal, 7
- Amagat volume, 136–7
- Amagat's law, 136
- Anode, defined, 338
- Apparent molar quantities, defined, 129
- Association in condensed phases, 312–22
- Boiling point
 dependence on pressure, 235–6
 elevation, 255, 269–70
- Boundary, defined, 3
- Boyle temperature, 137–8
- Calorie, definition, 8
- Calorimeters, 210
- Calorimetry, basic concepts, 210–12
- Carbon dioxide–water system, 302–5
- Carnot cycle, 30–2
- Carnot's function, 33
- Carnot's theorem, 38–40
- Cathode, defined, 338
- Cells
 with liquid junction, 351–5
 with transference, 351–5
 without liquid junction, 337, 349–51
- Centrifugal potential, 376–7
- Chain association, 315
- Change
 of chemical potential on mixing, 173
 of entropy on mixing, 174
 of Gibbs energy on mixing, 173–4
 of state of the system, defined, 4
- Changes of state, representation, 22–3
- Chemical equilibrium, basic considerations, 292–5
- Chemical potential, 75–6
 calculation of phase equilibria, 278–80
 defined, 51–2
 electrochemical systems, 331
 equality of for a component and corresponding species, 198
 of a component in a small drop, 374
 strong electrolytes, 201–4
 weak electrolytes, 204–5
- Clapeyron equation, 82, 165, 233
- Clausius–Clapeyron equation, 234–5
- Clausius statement of the second law, 38, 45
- Closed system, defined, 3
- Coefficient of performance, 37
- Combinations of coefficients, 140–3
- Complex formation in condensed phases, 312–22
- Composition, dependence on gravitational potential, 382–4
- Compressibility factor, 137
- Condensed phases, association and complex formation in, 312–22
- Condenser
 in a dielectric medium, 387–8
 in empty space, 387
- Condition equation, 23

432 *Index*

- Conditions
 of equilibrium
 chemical reactions, 70–3
 electrochemical, 331
 gravitational potential, 380–1
 heterogenous systems, 67–70
 other, 74–5
 with various restrictions, 73–4
 of stability, 89–98
 Conjugate generalized forces, 16
 Critical phase, 100
 Critical phenomena, 98–105
 binary solutions, 102
 gas–liquid binary system, 104
 pure fluid, 99
 ternary systems, 103
 Curved surfaces, 373–5
- Dalton pressure, 136
 Dalton's law, 136
 Dependent variable, defined, 4
 Derived surface, 109–10
 Deviation functions, 128
 Diamagnetic substance, thermodynamics of, 397–8
 Diathermic wall, 7
 Dielectric constant, 388
 Dielectric medium, thermodynamics of, 391–4
 Differential change of enthalpy
 on dilution, 222
 on solution, 223
 Distribution
 between immiscible liquids, 323
 coefficient, 290–1
 Donnan equilibrium, 355
 Duhem's theorem, 80
- Efficiency of a heat engine, 32–3
 reversible engines, 36
 Ehrenfest's equations, 238–9
 Electric
 field strength, 387
 susceptibility, 388
 Electrical potentials, differences in, 331–4
 Electrochemical cell, 334–7
 representation of, 334
 Electrochemical potential, 331
 Electrode potential, 347–8
 Electromotive force (emf) of a cell, 336
 pressure dependence, 346
 standard, 339–40
 temperature dependence, 340–6
 Electrostatic field
 systems in, 387–94
 thermodynamics of total system, 389–91
 work associated with, 388
 Electrostriction, 391
 Energy
 defined, 17
 function, defined, 17
 Enthalpy
 change for a chemical reaction,
 dependence on temperature and
 pressure, 227–31
 changes for changes of state involving
 chemical reactions, 223–5
 changes for solutions, 217–23
 defined, 19
 formation, 225–7
 function, defined, 19
 ions, 227
 mixing, 174
 standard changes of formation, 225–7
 Entropy
 absolute, experimental determination of,
 401–3
 change for change of state of aggregation,
 46
 change for mixing, 174
 defined, 40–1
 function, defined, 40–1
 Envelope, defined, 3
 Equilibria between pure solids and liquids,
 327–8
 Equilibrium
 basic considerations, chemical, 292–5
 pressure, 153
 Equilibrium constant, 293–5
 effect of pressure on, 299
 effect of temperature on, 297–9
 experimental determination of, 296–7
 Euler's theorem, 76
 partial molar properties, 122
 Exact differential, 8
 Excess change of the chemical potential on
 mixing, 175
 Extensive variable, defined, 4

- First law of thermodynamics, 16–19
 First-order transition, defined, 52
 Force, 9
 Formation
 standard enthalpy changes of, 225–7
 standard Gibbs energy of, 300–1
 standard Gibbs energy of ions in solution, 301–2
 Freezing point lowering and solubility, 257, 271–4
 Fugacity
 coefficient, defined, 155
 defined, 153
 Fused salts, solutions of, 263
- Galvanic cell
 sign conventions, 337–8
 with liquid junction, 351–5
 without liquid junction, 349–51
 Generalized coordinates, 16
 Gibbs–Duhem equation, 76–7
 applications of, 263–8
 Gibbs phase rule and, 82–4
 indifferent systems and, 276–7
 limited uses in phase equilibria, 246–50
 liquid–solution solid–solution equilibria, 274–6
 phase equilibria, 325–7
 phase rule for gravitational potentials, 384
 three-component systems, 287–9
 Gibbs energy
 change for a chemical change of state under arbitrary conditions, 329
 defined, 49–50
 formation, 300–1
 formation of ions in solution, 301–2
 mixing, 173–4
 Gibbs–Helmholtz equation, 56–7, 341
 Gibbs–Kononow theorems, 88–9
 Gibbs phase rule, 78–9
 Graphical representation, 105–18
 energy–entropy–volume surface, 105
 Gibbs energy–mole fraction diagrams, 116
 Gibbs energy–temperature–pressure surface, 112
 Gravitational potential, 376–7
 conditions of equilibrium, 380–1
 dependence of composition on, 382–4
 dependence of pressure on, 381–2
 Gravitational potential (cont.)
 fundamental equations, 377–80
 Gibbs–Duhem equation and, 384
- Half-cell
 potentials, 347–9
 reactions, 347
 Heat
 capacity, 7, 9
 constant pressure, 9, 20
 constant volume, 9, 19
 multiphase, closed systems, 214–7
 saturated phases, 212–4
 defined, 7
 engine, 25
 reservoir, 24
 sign of, 8
 Helmholtz energy
 defined, 47–9
 function, 47–9
 Henry’s law, 244–6, 268–9
 Henry’s law constant, 244
 strong electrolytes, 262
 Hydrogen
 half-cell, 347
 ion and hydronium ion, 306–7
 Hydronium ion and hydrogen ion, 306–7
- Ideal gas, defined, 20
 thermodynamic functions, 146
 Ideal mixture of real gases, 143, 152
 Ideal solubility, 257
 Ideal solution, 173–5
 Identity of Kelvin and ideal gas temperature scales, 34–6
 Independent variable, defined, 4
 Indifferent states, 81, 85–8
 at the triple point, 109
 Indifferent systems, 276–7
 Inequality of Clausius, 44
 Inexact differential, 8
 Integral heat of solution, 217
 Integration constant, $g_k(T)$, 156
 Intensive variable, defined, 4
 Interfacial tension, defined, 360
 Inversion temperature, 144–5
 Ionization constants of weak acids, 308–9

434 *Index*

- Ions, standard enthalpy of formation of, 227
 Irreversible process, 25, 29
 Isenthalpic process, 144
 Isolated system, defined, 3
 natural cyclic process in, 29
 Isothermal Joule–Thomson
 coefficient, 146
 experiment, 146
- Joule coefficient, 22, 143
 Joule effect, 21, 143
 Joule experiment, 21, 44
 Joule–Kelvin experiment, 143
 Joule–Thomson coefficient, 144
 Joule–Thomson effect, 143–6
 Joule–Thomson experiment, 143–4
- Kelvin–Planck statement of the second law,
 37
- Lambda points, 239
 Liquid–liquid equilibria
 constant pressure, 258–9
 distribution coefficient, 290–1
 three-component systems, 289–91
 Liquid–liquid solution equilibria at constant
 pressure, 257–8
 Liquid–pure solid equilibria at constant
 pressure, 255–7
 Liquid solution–solid solution equilibria,
 274–6
 Liquid–vapor equilibria
 constant pressure, 250–5
 constant temperature, 240–3
- Magnetic field
 strength, 395
 systems in, 394–8
 thermodynamics of, 396–8
 work associated with, 396
 Magnetic induction, 394
 Magnetic moment, 395
 per unit volume, 395
- Magnetic strength, 395
 Magnetic susceptibility, 395
 Maxwell relations, 57
 Mean activity, strong electrolytes, 204
 Membrane equilibrium, 355–8
 Mixing of ideal gases, thermodynamic
 functions, 148–9
 Mixtures
 molten salts, 205–8
 real gases, 140
 Molalities, reference and standard states
 based on, 182–90
 Molarities, reference and standard states
 based on, 188–90
 Mole fractions, reference and standard
 states based on, 178–82
 Molten salts
 mixtures, 205–8
 reference states, 205–8
 standard states, 205–8
 Multiphase closed systems, heat capacities
 of, 214–17
- Natural process, irreversible nature of, 29
 Negative-ion fraction, 206
 Nernst heat theorem, 400
 Nonstoichiometric solid solutions or
 compounds, 311–12
 Notation, xvi–xix
 Number
 of degrees of freedom, 78
 of variances, 78
- One-component systems, phase transitions,
 233–4
 Open systems, 50–2
 defined, 3
 Osmotic coefficient, 190–1
 Osmotic pressure, 259–61
 Oxidation potential, 348
- Paramagnetic substance, thermodynamics of,
 397–8
 Partial molar property
 algebraic determination, 122–9
 defined, 119

- Partial molar property (cont.)
 graphical determination, 131–2
- Partial pressure, 136
- Passive resistance, 66
- Path, defined, 4
- Permeability, 395
 relative, 395
 vacuum, 394
- Permittivity
 empty space, 387
 fluid, 387
- Perpetual motion machines
 of the first kind, 18
 of the second kind, 37
- Phase
 definition, 377
 equilibria, 232–91
 Gibbs–Duhem equation and, 325–7
 in terms of species, 322–5
 rule, 78–9
 and gravitational fields, 384
 transitions, one-component systems, 233–4
- Planck statement of the second law, 45
- Polarization of the medium per unit volume, 388
- Positive-ion fraction, 206
- Pressure dependence
 activity, 192–3
 activity coefficient, 192–3
 boiling point, 235–6
 emf of a cell, 346
 enthalpy change, 227–30
 equilibrium constant, 299
 gravitational potential, 381–2
- Primitive surface, 107
- Process, defined, 4
- Pseudobinary systems, 280–1
- Quasi-ideal solutions, 314
- Quasistatic process, 14
- Quaternary systems, 287
- Raoult's law, 243, 268
- Real gases
 combinations of coefficients, 140
 mixtures of, 140
- Real solutions, reference and standard states, 175–8
- Reduction potential, 348
- Reference state, 160, 176, 177
 based on molalities, 182–8
 based on molarities, 188–90
 based on mole fractions, 178–82
 conversion from one to another, 193–7
 for species, 197–201
 molten salts, 206–7
 strong electrolytes, 201–4
- Refrigeration cycle, 37
- Relative permeability, 395
- Retrograde solubility, 273
- Reversibility of cells, 338–9
- Reversible process, 29
- Reversible transfer of heat, 30
- Saturated phases, molar heat capacities of, 212–14
- Second law of thermodynamics
 Clausius statement, 38, 45
 Kelvin–Planck statement, 37
 one statement of, 29
 Planck statement, 45
- Second-order transition, defined, 52
 one-component systems, 238–9
- Sign conventions for a galvanic cell, 337–8
- Single-phase, one-component systems, 160–4
- Solenoid
 empty space, 394–5
 filled with isotropic matter, 395–6
- Solid solutions, nonstoichiometric, 311–12
- Solubility
 freezing point lowering, 257
 ideal solution, 257
- Solutions, 171–2
 fused salts, 263
 strong electrolytes, 201–4, 261–3
- Solvated species, 302–7
- Species, reference and standard states for, 197–201
- Specific heat capacity, 8
- Standard electrode potential, 348
- Standard electromotive force of a cell, 339–40
- Standard Gibbs energy
 formation, 300–1
 ions in solution, 301–2

436 *Index*

- Standard oxidation potential, 348
 Standard state, 160, 176
 based on molalities, 182–8
 based on molarities, 188–9
 based on mole fractions, 178–82
 hydrogen half-cell, 347
 ions, 301
 molten salts, 206–7
 strong electrolytes, 201–4
 three-phase, one-component systems, 170
 two-phase, one-component systems, 168
 State of aggregation, changes in one-component system, 164–5
 State of an isolated system, variables required to define, 79–81
 State of the system
 defined, 3
 in a potential field, 384–7
 Stoichiometric coefficient, defined, 71
 Strong electrolytes
 phase equilibria, 201–4
 reference states, 201–4
 solutions of, 261–3
 standard states, 201–4
 Sulfuric acid, aqueous solutions, 309–10
 Surface
 concentration, 365
 determination of, 369
 phenomena
 related to a defined surface, 363–8
 related to the system, 359–62
 tension, defined, 360
 surface concentrations, 368–73
 Surroundings, defined, 2
 System
 defined, 2
 electrostatic field, 387–94
 magnetic field, 394–8
- Ternary systems
 Gibbs–Duhem equation, 287–9
 liquid–liquid equilibria, 289–91
 Thermochemistry, 209
 Thermodynamic distribution coefficient, 290–1
 Thermodynamic functions
 based on the third law, 410–12
 mixing ideal gases, 148
 mixing real gases, 152
 real gases, 149
 Thermodynamic temperature scale, 32–4
 Thermodynamics of the dielectric medium, 391–4
 Third law of thermodynamics, 399–414
 definition, 409
 Planck statement, 401
 preliminary concepts, 400–1
 thermodynamic functions based on, 410–12
 Three-component systems, 280–91
 determination of excess chemical potentials of, 281–7
 liquid–liquid equilibria, 289–91
 pseudobinary systems, 280–1
 use of the Gibbs–Duhem equations, 287–9
 Three-phase, one-component systems, 170–1
 Three-phase systems, 277–8
 Total magnetic moment, 397
 Total polarization, 391
 Transference number, 353
 Two-component systems, 239–80
 liquid–vapor equilibria at constant temperature, 240–3
 Two-phase, one-component systems, 165–70
- Vapor pressure of a condensed phase, dependence on total pressure, 236–8
 Virial equation of state, 139
 Virtual variations, 66
 Volume change on mixing, 174
- Weak acids, ionization constants, 308–9
 Weak electrolytes, 204–5
 chemical potential of, 204–5
- Temperature
 defined, 6
 scale, operational requirements, 6
 Temperature dependence
 activity, 191–2
 activity coefficient, 191–2
 emf of a cell, 340–6
 enthalpy change, 227–30
 equilibrium constant, 297–9

Cambridge University Press
0521330416 - Thermodynamics of Chemical Systems
Scott E. Wood and Ruben Battino
Index
[More information](#)

Index

437

Work

defined, 9
electrostatic fields, 388
frictional effects, 13
measurement, 13
reservoir, 24

Work (cont.)

sign, 14

Zeroth law of thermodynamics, 7