

## Index

---

- Acinonyx jubatus* (cheetah)  
 metapopulation structure, 132  
 adaptation, definition, 2  
 autocorrelated random environmental  
 variable, 30, 31
- Bessel function of zeroth order, 110  
 Biosphere Reserves, 166  
 body mass  
 extinction models, 38, 39, 45–8  
 persistence, 76, 77  
 population density, 40  
 population growth, 41  
 bottleneck  
 definition, 178  
 and extinction, 178  
 size and MVP, 178, 179  
 bottlenecks  
 and effective population size, 112–13,  
 132–3, 178–9  
 and inbreeding depression, 178–9
- Canis lupus* (timber wolf), optimum  
 population, 4  
 captive breeding, 151–6, 166, 177  
 and animal culture, 181  
 costs, 152  
 rhinos, 151, 152  
 carnivores, conservation networks, 171,  
 172  
 catastrophe  
 demographic models, 64–7  
 genetic models, 60–4  
 and management, 76  
 mathematics, 65  
 minimum viable population size, 59–67;  
 genetic, 62–4, 93–4  
 models, 35, 59–67  
 natural, 71  
 population size, 66  
 population viability, 71–3  
 and time scale, 134–5
- Ceratotherium simum cottoni* (white  
 rhino), 143  
 captive breeding, 152  
*Cervus elaphus nannodes* (tule elk),  
 interagency conservation, 165  
 chance events and population persistence,  
 69–84  
 chromosomal polymorphisms, managed  
 populations, 116  
 competition, 37–8  
 conservation education, 154  
 conservation efforts  
 cooperation, 167  
 goals, 82, 83  
 integration, 82, 83  
 issues, 70, 84  
 systematic, 83  
 conservation networks, 82, 166–72  
 census size, 171, 172  
 large carnivore protection, 171  
 maps, US, 170  
 US potential and areas, 168, 169  
 conservation planning time, 75  
 conservation programs, organizations, 161  
*Cynomys leucurus* (prairie dog), islands  
 and host population, 127, 128
- decision analysis, 141–4, 154–7  
*Delphinium barbeyi*, 6  
 demographic drag, 26, 33  
 demographic stochasticity, population  
 vulnerability, 133, 134  
 demographic uncertainty, population  
 viability, 71–3  
*Dicerorhinus sumatrensis* (Sumatran  
 rhino), 141–57  
 captive breeding, 151–5; evaluation, 153  
 current status, 144, 147, 148

- Dicerorhinus sumatrensis* (continued)  
 disease and management, 150  
 goals, 156  
 management, 148–56; costs, 149–51;  
 decision tree, 148; strategy evaluation,  
 153–5  
 numbers, 145, 146  
 poaching, 147, 149; costs of control, 149,  
 150  
 political areas, 147  
 probability of extinction, 147  
 program implementation, 156  
 reserves, 147, 150  
 translocations of subpopulations, 151,  
 152, 155
- Diceros bicornis* (black rhino), captive  
 breeding, 152  
 diffusion approximation, 65, 66  
 disease, 133, 143, 147, 150–1
- Drosophila* sp.  
 inbreeding depression, 96  
 lethal mutations, 97
- effective population size, 61–4, 87–9  
 and cooperation, 177–8  
 and fluctuation in population size, 101  
 and gaps, 138, 177  
 and maintenance of variation, 98  
 and population turnover, 132–3, 138  
 and overlapping generations, 103–6  
 and sex ratio, 94–100  
 and variance in progeny number, 99–100  
 estimation, 99–106
- electrophoresis, 114  
 electrophoresis and heterozygosity, 118
- endangered species  
 identification, 142–4  
 management of critical, 141–57  
 management interventions, 149
- Endangered Species Act, 161, 165
- endangerment, defining, 81
- energy levels and population size, 39
- environmental change  
 computation, 41  
 population size and persistence, 48, 49
- environmental stochasticity and population  
 vulnerability, 134, 135
- environmental uncertainty and population  
 viability, 71–3, 76–8
- ephemeral populations, long-term  
 persistence, 112, 113
- epidemic  
 and probability of extinction, 147, 148  
 rhinoceros management, 148
- evolution, Wright's shifting balance, 111
- extinction  
 analysis, 53, 54  
 animal size, 38, 45–6  
 autocorrelated randomized  
 environmental variable, 29–31  
 body size dependence, 38, 45–6  
 chance: circumstances, 12; concern,  
 69–71; demography, 11–34  
 dynamics, 79–81, 135, 136; chance  
 incorporation, 80; probability  
 determination, 80  
 fragmented forest, 50  
 hazards, 69, 70  
 latitude dependence, 45–6  
 mean time, simulation, 28  
 median time in catastrophe, 66, 67  
 model effectiveness, 43–9  
 models and mammals, 35–50  
 population size, 176, 180  
 probabilistic, 70  
 probabilities, 38–41; estimation, 141,  
 142; event impact, 143; Sumatran  
 rhino, 143  
 runs, decreasing, 29  
 species, 69  
 time to, simulated birth-and-death  
 process, 13, 24, 25, 37  
 trophic dependence, 45–6
- fairness doctrine, 177
- Falco peregrinus* (peregrine falcon), 6
- food, usable and extinction model, 39, 40
- gap prevention, 177
- Gaussian random variable, 30
- gene flow  
 artificial promotion, 113  
 intercolony, 108–10
- gene frequencies, stochastic behaviour, 60
- genetic differentiation between colonies,  
 110, 111
- genetic drift, 63
- genetic uncertainty, population viability,  
 71–4
- genetic variation  
 deleterious, 95–7; expression, 96;  
 recovery rate, 98  
 depletion, 87; population vulnerability,  
 133  
 measurements, 114–18; quantitative,  
 115, 116, 119; single-locus, 114  
 mutation, 93; source and population  
 size, 98, 99  
 neutral genes, 91, 92; recovery rate, 95  
 random genetic drift, 92, 93  
 rate of loss, 64  
 recovery rate, 94  
 total, compartments, 91  
 types and long-term survival, 89, 90
- Global 2000 Report to the President, 69

- growth rates  
   autocorrelation, 31  
   density dependence, 15  
   and genetics, 181  
   and population size, 14, 15, 27, 28;  
     individual and environmental  
     variance, 27; variance patterns, 16, 17,  
     22, 23, 77, 78  
   serial correlation, 29  
*Gymnogyps californianus* (California  
   condor), 84, 181
- heterozygosity, 61  
   and viability, 74  
   in catastrophe model, 62–4  
*Haliaeetus leucocephalus* (bald eagle), 144  
 heritability monitoring, 115, 116
- inbreeding, 74  
   coefficient, 107  
   depression, 96, 97; and bottlenecks,  
     178–9, 180; managed populations,  
     116–18; severity, 117  
   pedigree, 117  
   population vulnerability, 132, 133  
 Interagency Grizzly Bear Task Force, 164,  
   172  
 intrinsic value, 9  
 island biogeography, 49–50
- karyology, 118
- Leslie matrix, 27  
 Liebig's Law of the Minimum, 8
- mammalian persistence  
   boreal forest, 41, 42; body mass, 45–8;  
   prediction of mode, 44  
   extinction models, 35–50  
   *K* selection, 47, 48  
   mountain top, 42  
   *r* selection, 47, 48
- mammals  
   carnivores, 44–7  
   general extinction analysis, 41–3, 53, 54  
   herbivores, 46, 47  
   species persistence, predator, 175  
   temperate environments, 47  
   tropical environments, 47
- Man and the Biosphere Programme, 162,  
   166
- managed populations  
   genetic monitoring, 113–18; techniques,  
     118  
   zoological gardens, 116
- management  
   animal ranges, 160  
   critically endangered species, 141–57  
   intervention, 33  
   mathematical theory, limitations, 67  
   metapopulation, 33, 106–13, 127  
     dynamics, 78–9, 136, 182  
     genetic variation, 133  
     patch size and turnover, 136, 137  
     strategy and species persistence, 78, 79  
   migration, effect on genetic variation, 64  
   minimum area requirements (MAR), 8,  
     33, 45, 72  
   and body size, 76  
   minimum conditions, 1  
   minimum viable population (MVP), 35  
   bottleneck size, 178, 179  
   calculation, 62  
   catastrophes, 59–67  
   conservation efforts, 50  
   demographic concept, 11, 59; definition,  
     62  
   determining, 75–9  
   estimates and management, 177  
   factors affecting, 60  
   genetic components, 179  
   genetic concept definition, 60–2  
   lowest, vertebrate, 175  
   problem, 11  
   risk levels, 175  
   security levels, 78  
   term, 45  
   uncertainty, coping, 69–84
- model  
   analysis and biological reality, 67  
   birth and death process, 11, 12, 14, 32,  
     38; biological adequacy, 26–8; birth  
     and death rates, variance in, 16–17;  
     demographic drag, 26; environmental,  
     16; individual, 16; metapopulations,  
     33; parameters, 14–18; revised  
     formulation, 18; serial correlation,  
     28–32; time to extinction, 24–6  
   continuous population density, 108  
   demography of catastrophe, 64–7  
   dynamics of patches, 136  
   effectiveness, 179  
   extinction and mammals, 35–50; body  
     mass dependence, 38–41, 45–7;  
     catastrophe, 35; effectiveness, 43–9;  
     environmental variance, 40, 41, 48;  
     Goodman's, 36, 37, 54–7, 72; minimal  
     data, 36; random walk, 35; support,  
     41–3; test, 49  
   Goodman's, 11–34, 54–7, 72; Belovsky's  
     test, 77, 78  
   island, 110–12; Wright, 62  
   isolation-by-distance, 106–8;  
     neighborhoods, 107  
   probabilities of extinction, 142, 143  
   small population demography, 12–14

- model (*continued*)  
 spatial extension, 126, 127  
 stepping stones, 108–10; colonies, 109, 110  
 stochastic, predator/prey, 48  
 Wright–Fisher, 61  
 mountaintops, boreal forest mammals, 42, 43  
 multi-institutional cooperation, 162–6  
 administration, 163  
 routes, 162  
 tule elk, 165, 166  
 multiobjective programming, 155  
*Mustela nigripes* (black footed ferret), 127, 181  
 mutation, 91  
 deleterious, 95–7  
 genetic variation source, 98  
 lethal, equilibrium frequency, 97  
 rates, 179  
 MVP *see* minimum viable population  
 narrow sense heritability, 115  
 management, 116  
 Natural Wilderness Preservation System, 171  
 nature reserves  
 inadequacy, 84  
 multiple, 81, 82  
 species survey, 81  
 systems and reserves, 82  
 US, 82  
 worldwide, 81  
 neutral genes, long-term survival, 90–2  
 offspring–parent regression, 118  
 patch populations, 128–38, 177  
 persistence time, 13, 33 *see also*  
 mammalian persistence  
 body mass, 76, 77  
 density dependence, 21, 22  
 distribution, 23–6; exponential, 26  
 maximum population size, 18–23  
 mean growth rate, 21, 23  
 plot of mean, 19  
 population and 95% probability, 44  
 predicted and observed, 43  
 uncertainty classes, 71, 72; catastrophe, 72–4; demographic, 72, 73;  
 environmental, 72, 73; genetic, 75  
 vanishingly sparse population, 20  
*Physeter catodon* (sperm whales), 5  
*Pinus torreyana*, 178  
 poaching, 147, 150, 177  
 population  
 ceiling, 13–14  
 definition and factors affecting, 5, 6  
 effective sizes, 87, 88  
 turnover, 7, 129–31  
 population dynamics, 3, 12  
 factors, 3, 4  
 and genetics, 180, 181  
 population genetics, threatened species  
 management, 87  
 population growth *see also* growth  
 variability, 77, 78  
 population management strategies, 34  
*see also* management  
 population size  
 conservation networks, 171–2  
 effective and long-term survival, 88, 89;  
 estimates, 113, 114; per unit time, 105  
 ephemeral populations, 112, 113  
 estimation, 99  
 fluctuations, 101; formula, 102  
 generation time, 104  
 genetic load, 179  
 minimum effective, 93  
 overlapping generations, 103–5  
 persistence time, 18–23; effective, 61;  
 energy levels, 39  
 progeny number and variance, 99–103  
 sex ratio, 99–103  
 stable populations and models, 106–13  
 subdivided populations, 106, 111;  
 genetic variation, 111  
 population structure, isolation-by-distance,  
 107  
 population survival, long-term threats, 76  
 effective population size, 88, 89  
 equilibrium approach, 90  
 genetic considerations, 88–99  
 genetic variations, 89, 90  
 population viability *see also* MVP, viable  
 population  
 catastrophes, 71–3  
 conservation networks, 166–72  
 demographic uncertainty, 71–3  
 environmental uncertainty, 71–3  
 genetic uncertainty, 71, 72, 74  
 limits, 71–5; implications, 79  
 spatial structure, 125–38  
 population vulnerability analysis (PVA), 5,  
 127  
 catastrophes, 134, 135  
 components, scheme, 130, 131  
 demographic stochasticity, 133, 134  
 environmental stochasticity, 134, 135  
 extinction dynamics, 135, 136  
 inbreeding, 132  
 local population extinction, 129, 130  
 multiple patch systems, 131  
 process interactions, 130  
 recolonization dynamics, 135, 136

- populations, linking, 6  
 preservation, defining, 81, 84  
 progeny number, effective population size, 99–103  
 Programme on Man and the Biosphere, 162  
 random walk, 35  
 recolonization dynamics, 135, 136  
 research needed, 182  
*Rhinoceros sondaicus* (Javan rhino), probabilities of extinction, 143  
*R. unicornus* (Indian rhino), captive breeding, 152  
 Sabah, map, 145, 146  
 scale phenomena, 5  
 selection, long-term survival, 90  
*Sequoia* sp. turnover, 7  
 serial correlation effects, 28–32  
 sex ratio  
   demographic parameters, 103  
   progeny and population size, 99–103  
 single-locus variation, measurement, 114, 115  
 spatial extension  
   population biology models, 126  
   problems, 125  
 spatial structure  
   definitions, 128  
   patterns, 128  
   and vulnerability, 125–38  
 species, long-term persistence, 1;  
   definition, 2  
 Species Survival Commission (SSC), 156  
*Speyeria nokomis* (Nokomis fritillary butterfly), endangered, 143, 144  
 Spotted Owl Management Agencies (SOMA), 127, 128  
   management, 136  
 stochasticity, 21, 133–5  
*Strix occidentalis* (spotted owl)  
   and Douglas fir, 127  
   population genetics, 108  
   subdivided population, 106–13  
   subpopulation, 106–13  
   Sumatra *see also Dicerorhinus*  
     map, 145  
 translocation, 151  
 turnover, *see* population turnover  
 uncertainty, 71  
*Ursus americanus* (black bear), 5  
*Ursus arctos horribilis* (grizzly bear) *see also* multi-institution  
   Committees, 161  
   habitat, 161  
   population dynamics, 12, 127, 161  
   protection, 161  
   US and Canada, 6  
 US, conservation efforts, 83  
   invertebrates, 143, 144  
 utility function, 153, 154  
   factors affecting, 154  
 viability  
   analysis, 8, 9; candidates, 9; results, 177  
   genetic variation, 90–9  
   single locus polymorphisms, 94  
   system, 3  
 viable population  
   concept, history, 2–4  
   description, 1  
   management agency cooperation, 159–72  
   minimum, 3–5 *see also* minimum viable population  
   scale, 5  
 virus disease, 133  
 wildlife refuge design, 49  
 Wright–Fisher model, 60–4  
 World Wildlife Fund’s Minimum Critical Size of Ecosystems Program, 77