

## NAME INDEX

*Page numbers in italics indicate material in tables.*

- Adamson, L.B. 105–6  
 Agresti, A., 218  
 Aigner, D.J. 243  
 Allison, P.D., 25–6, 28, 29, 95–6, 149,  
     232, 244, 245  
 Als, H., 15  
 Altham, P.M. 234  
 Altmann, S., 12  
   Anderson, T.W., 11, 16, 43  
 Arundale, R.B., 77  
 Attneave, F., 10, 11, 48, 52  
  
 Bakeman, R., 18, 20–1, 32, 95, 100, 105–  
     6, 109–10, 231, 250  
 Baker, F.B., 242  
 Baker, R.J. 227  
 Bartholomew, D.J., 31  
 Bartlett, M.S., 11, 52  
 Bateson, G., 3, 10–11  
 Bernoulli, J., 86  
 Bendetti, J.K., 151, 227  
 Berk, R.A. 121  
 Berkson, J., 190, 202, 226  
 Bhapkar, V.P., 226  
 Billings, A., 153, 221  
 Billingsley, P., 12  
 Birch, M.W., 135, 137, 226  
 Bishop, Y.M.M., 13, 28, 92, 127, 174,  
     177, 191, 220, 226, 245  
 Bliss, C.I., 190  
 Bock, R.D., 190–1, 226, 227, 245  
 Brazelton, T.B., 15  
 Brent, E.E., 139–43  
 Bresnahan, J.L., 45  
 Bricker, W., 13  
  
 Brown, J.V., 20–1, 32  
 Brown, M.B., 46, 130, 135, 136, 151,  
     227  
 Budescu, D.V., 244–5  
 Bugental, D., 6  
 Bush, R.R., 12  
  
 Cairns, R.B., 14  
 Campbell, A., 153  
 Capella, J.N., 72, 83  
 Castellan, N.J., Jr., 45  
 Cerreto, M., 7  
 Chatfield, C., 14, 41, 51–2  
 Cline, T.R., 73–5  
 Clogg, C.C., 243  
 Cohen, J., 99  
 Colgan, P.W., 14  
 Converse, P.E., 153  
 Cousins, P.C., 99, 108–9  
 Cox, D.R., 206, 226  
 Cronbach, L.J., 60, 66  
  
 Darroch, J.N., 123, 226  
 Delius, J.D., 14  
 Deming, W.E., 123, 226  
 Dillon, W.R., 243, 244  
 Dindia, K., 6  
 Dixon, W.J., 151, 227  
 Domencich, T., 206  
 Dorfman, D., 244  
 Dorval, B., 109–10  
 Draper, N.R., 138  
 Duncan, D.B., 190  
 Duncan, O.D., 243  
 Dyke, G.V., 191

- Ekman, P., 15, 37, 61  
 Ellis, D.G., 61
- Fagan, R.M., 14, 45, 46  
 Faraone, S., 244  
 Fay, R.E., 123, 227  
 Feick, L.F., 243–4, 245  
 Feldstein, S., 19, 21–2, 83  
 Fienberg, S., 13, 29, 91, 191, 220, 225, 241  
 Fisher, B.A., 72–3  
 Fisher, R.A., 190  
 Foley, J.M., 75–6  
 Frick, F.C., 11  
 Friesen, W., 15, 37, 61
- Gardner, W., 234  
 Ginsburg, D., 6  
 Gokhale, D.V., 226  
 Goldberger, A.S., 243  
 Goodman, L.A., 11, 16, 27, 43, 123, 130, 131, 152, 215, 218, 220, 226, 227, 243  
 Gottman, J.M., 4, 5, 6, 7, 13, 14, 20–21, 23, 25, 29, 30, 32, 60, 63–65, 77, 78–80, 96, 100, 103, 149, 150, 151, 153, 170, 221, 229, 234, 234–6, 238, 240, 244  
 Granziano, W.G., 241–2  
 Grizzle, J.E., 226, 245
- Haberman, S.J., 190–1, 220, 226, 227  
 Hanushek, E.A., 197  
 Hartmann, D.P., 234  
 Hawes, L.C., 75–6  
 Henry, N.W., 243  
 Hewes, D.E., 23, 61  
 Hirokawa, R.Y., 68  
 Hocking, R.R., 130  
 Hoel, P.G., 11, 52  
 Holland, P.W., 13, 241  
 Howard, R., 23, 31  
 Hubert, L.J., 242  
 Hummel, T.J., 76
- Iacobucci, D., 241–2, 247  
 Ingraham, L.J., 242
- Jacklin, C.N., 241–2  
 Jackson, D.D., 7  
 Jackson, J.E., 197  
 Jackson, S.A., 23, 61  
 Jaffe, J., 19, 21–2, 983  
 Jenkins, G.M., 229, 236  
 Jennings, K.M., 244  
 Joreskog, K.G., 243
- Kedem, B., 103, 236, 239  
 Kenny, D.A., 242  
 Koch, G.G., 226, 245  
 Kraemer, H.C., 241, 2  
 Krokoff, L.J., 32, 77, 80–2, 151  
 Ku, H.H., 11–12, 135, 226  
 Kullback, S., 11–12, 135, 226  
 Kumar, A., 243  
 Kupperman, M., 11–12  
 Kutner, K.H., 138
- Lamb, M.E., 14  
 Landis, J.R., 227  
 LaVoie, L., 242  
 Lazarfeld, P.F., 243  
 Lederer, W.J., 7  
 Leinhardt, S., 241  
 Lemon, R.E., 51–2  
 Lewis, M., 14  
 Lichtenberg, J.W., 76  
 Liker, J.K., 25–6, 28, 29, 95–06, 149, 232, 244, 245  
 Littman, R.A., 13
- MacDonald, M.G., 7  
 McFadden, D., 191, 206, 208  
 Madden, T.J., 243  
 Magidson, J., 121, 149, 150  
 Makovich, N.J., 45, 446  
 Margolin, G., 26, 96, 97–9, 106–8, 153, 221, 242  
 Mendoza, J.L., 241–2  
 Mettelal, G., 7  
 Meyer, M.M., 241  
 Miller, G.A., 9, 11  
 Mitchell, C., 234  
 Mosteller, F., 12  
 Murstein, B.I., 7

Cambridge University Press

0521346657 - Sequential Analysis: A Guide for Behavioral Researchers - John Mordechai

Gottman and Anup Kumar Roy

Index

[More information](#)*Name Index*

267

- Nelder, J.A., 226, 227  
 Nerlove, M., 191  
 Neter, J., 138  
 Neyman, J. 226  
 Niemi, R.G., 244  
 Norusis, M.J., 227  
 Notarius, C, 14, 23, 149  
 Novak, J.A., 243–4, 245  
  
 O'Keefe, B.J., 23, 61  
  
 Pascal, 86  
 Patterson, G.R., 13  
 Patterson, H.D., 191  
 Pellegrini, D.S., 149  
 Plackett, R.L., 130–1  
 Press, S.J., 191  
  
 Quastler, H., 10  
  
 Radcliff, D., 123  
 Raush, H.L., 13, 70  
 Revenstorf, D., 109  
 Ringland, J.T., 162–5, 229, 234, 235, 240  
 Rodgers, W.L., 153  
 Rosenblum, L.A., 14  
 Roy, A.K., 32, 77  
  
 Sackett, G.P., 6, 13, 14, 25, 95, 100, 101, 103, 104, 229, 230, 239, 244  
 SAS Institute, 227  
 Schaap, C., 153, 221  
 Schultz, J.V., 242  
 Shannon, C., 9, 10, 35–77  
 Shannon, C.E., 11, 75–6  
 Shapiro, M.M., 45  
 Sillars, A.L., 68–71  
 Simons, R., 61  
 Sloane, D., 149, 150  
 Smith, H., 138  
  
 Sorbom, D., 243  
 Soumi, S.J., 14  
 SPSS Inc., 227  
 Starmer, C.F., 226, 245  
 Stephan, F.F., 123, 226  
 Stephenson, G.R., 14  
 Strodbeck, F.L., 184  
 Stuart, R.B., 7  
 Swan, J.H., 121  
 Sykes, R.E., 139, 43  
  
 Tavare, S., 234, 235  
 Theil, H., 190–1, 202, 208  
 Ting-Toomey, S., 103–5  
 Tronick, E.D., 15  
  
 Upton, G.J.G., 120, 121, 130, 152, 153, 220  
  
 Valentine, K.B., 72–3  
 Vincent, J.P., 108–9  
 Vuchinich, S., 143–6, 147, 148–9  
  
 Wald, A., 226  
 Walker, S.H., 190  
 Wampold, B.E., 26, 96, 97–9, 106–8, 153, 221, 242  
 Wasserman, S., 241–2, 247  
 Wasserman, W., 138  
 Watts, D.G., 229, 236  
 Weaver, W., 75–6  
 Wedderburn, R.W., 226  
 Wiener, N., 9–10  
 Williams, E.A., 235–6  
 Wold, H., 243  
 Wright, T.L., 242  
  
 Yates, G.R., 227  
 Young, D.Y., 14

## SUBJECT INDEX

*Page numbers in italics indicate material in tables.*

- absorbing state, 26–7
- Anderson–Goodman test for homogeneity, 68, 70
- Anderson–Goodman test for order, 68
- Anderson–Goodman test statistic, 67, 69
- ANOVA, 227, 241
  - cell means in, 225
- Arundale programs for marker analysis, 77–8, 82
- asymmetries
  - analyses concerned with, 38
  - in frequencies of symbols, 36
  - in frequency of different codes, 51
  - search for (in model selection), 146–7
- asymptotic statistics, basis for, 11
- autocontingency
  - approaches to problem of, 230–9
  - binary time series solution, 235
  - crosslag dependencies and, 229
  - Garner–Hartmann correction and, 234–5
  - of more than one time lag (controlling for), 236
  - Sackett computational solution to the autocontingency problem, 230–2, 239
- autocovariance function, *z*-score and, 103
- autodependence, logit linear solution for the problem of, 232–4
- backward elimination, 130
- Bakeman and Adamson study, lag sequential analysis and, 105–6
- base models, 135, 136–7
- base rate problem, 17–18
- beta statistic, 28
- z*-statistic and, 29
- binary time-series analysis solution to auto contingency problem 235
- binomial distribution, 85–7, 95–6, 98–9
- binomial distribution assumption in lag sequence analysis, 95–6
- binomial sampling distribution, 85–7, 98–9
- binomial test for significance of uncertainty reduction, 25–6
- bit, 49
- BIVAR program, 235–6
- BMDP4F program, 249
- BMDP program, 137, 227
- brackets, writing a model using, 128
- categorical data, display of, 15
- CATMOD program, 227
- cells
  - comparing (in a table), 131
  - dealing with empty, 67
  - entries in, 113
  - grouping data across subjects within each, 201–12
  - inefficiency of small, 211
  - removing outlier, 169
  - timetables in, 113
- cellwise examination of contingency tables, 44–6
- change
  - characterization of, 9
  - and dependent data, 9–10
- channel inconsistency, 6
- Chapman–Kolmogorov equations, 22–3, 169
- chi square

*Subject Index*

269

- analysis of residuals by use of components of, 131
- difference, 208
- model that produces nonsignificant, 127–8
- nonsignificant, 127–8, 168
  - see also* likelihood ratio chi square ( $LRX^2$ ); Pearson chi square
- chi-squared tests, 232
  - asymptotic, 52
  - for contingency tables, 11
  - of cross-contingency, 235
  - difference, 209
  - for significance of reduction of uncertainty, 26–7
- coalitions within groups, 103
- code breaking, 35
- codes, 115
  - antecedent (given) and consequent (target), 100
  - of an observational system as dependent variable, 191
  - time-dependence among, 117
- coding categories, 15
- coding systems, dependent variable in observational, 189, 191
- coefficient of determination ( $R^2$ ) statistic, 207
- coercive processes, 13
- computer programs
  - choice of model to use with algorithms and, 122
  - for data analysis, 226–8
  - for finding expected counts, 123
  - see also names of specific programs*
- conditional independence, 122
- conditional logit model, 191
- conditional logits, 218–19
- conditional nested models, 212–2
- conditional probability transition matrix, one-step, 22
- conflict resolution in families, 143–9
- contextual design, 113
  - issues in analyzing, 32
- contingency-style tables, 40, 117
- contingency tables
  - and categorical or discrete variables, 222
  - cellwise examination of, 44–6
  - chi-squared tests for, 11
  - empty cells in, 220
  - incomplete, 220
  - likelihood ratios for, 11 sub
  - measures of association in, 28
- continuous variable, 189
- Cousins and Vincent study, lag sequential analysis and, 108–9
- cross classification, 222
- cross contingencies, 229
  - chi square tests of, 235
- cross correlation, control for autocorrelation to infer, 230
- cross dependence, 244
- cumulative logisitic probability function, 196–201
- cumulative probability function, values of, 197
- cybernetics, 10–11
- cyclicality, detection of, 103
- data
  - analytic options available for observations, 14
  - cyclic, 103
  - dependent, 9–10
  - event sequence, 18
  - grouping across subjects within each cell, 201–12
  - problems with ordinary least squares estimation with grouped, 205–6
  - reason for dividing into segments, 63–6
  - stationarity as an opportunity to understand, 60
  - stationary, 61
  - see also* event sequence data; multiple event sequence data
- data analysis, computer programs for, 226–8
- degrees of freedom
  - adjusted, 174
  - computation of, 127
- dependence between two factors, 122
- dependent counts, 16
- dependent data, 9–10

- dependent variables, 189, 191  
 deviates, Freeman–Tukey, 45, 131, 1878  
 diagram structure, 40  
     between two symbols, 36  
 difference  $X^2$  test, 209  
 dominance, tests for, 242  
 double–bind messages, 3
- ECTA *see* Everyman’s Contingency  
     Table Analysis (ECTA)  
 ELAG program, 95, 231, 250  
 English (language), Shannon’s approxima-  
     tions to, 35–7  
 error, fundamental attribution, 68  
 error terms, fundamental attribution, 68  
 error terms, heteroskedastic, 205–6, 207  
 estimation technique, generalized least  
     squares (GLS), 207, 219  
 event sequence data, 18  
 Everyman’s Contingency Table Analysis  
     (ECTA), 145, 174–5, 227  
 expected counts  
     finding, 123, 124–6  
     model as procedure for obtaining, 122  
 expected frequencies, 38  
 experimental design  
     models for three–way, 128, 129  
     specific sequential pattern variation  
         and, 113  
     timetable changes as a function of, 31–2
- forward selection, 130  
 Freeman–Tukey deviates, 45, 131, 187–8  
 frequencies  
     comparison of observed to expected,  
         38–9  
     estimated variance of logarithm of Pois-  
         son, 130  
 frequency state transition matrix, 19  
 frequency tables, two–dimensional, 40, 41  
 fudge factors, 118, 119  
 FUNCAT program, 227  
 fundamental attribution error, 68
- Gardner–Hartmann correction, autocontin-  
     gency problem and, 234–5  
 GENCAT program, 227
- generalized least squares (GLS) estima-  
     tion technique, 207, 219  
 GLIM program, 227  
 goodness of fit, 246  
     associated with grouped regression  
         model, 207  
     ML results to obtain, 216  
 grouped regression model, goodness of fit  
     and, 207  
 grouping data across subjects within  
     each cell, 201–12  
 groups  
     coalitions within, 104  
     comparison of, 68  
     effective and ineffective, 68–70  
 GSK procedure, 246–7  
 $G^2$  statistic, *see* likelihood ratio statistic  
     ( $G^2$ )
- heteroskedasticity, correction for, 206  
 hierarchical models, 115, 121–2, 128, 133  
     all significant effects in, 134  
     testing, 126  
 HILOG program, 249  
 HILOGLINEAR program, 227  
 holding time, 31  
 homogeneity, 60, 131–2  
     Anderson–Goodman test for, 68, 70  
     Capella study and, 72  
     Cline study and, 73–5  
     computations for, 80  
     Hawes and Foley studies and, 75–6  
     Hirokawa study and, 68  
     Lichtenberg and Hummel study and, 76  
     Sillars study and, 68–71  
     test for, 67  
     in timetables across subjects, 32  
     Valentine and Fisher study and, 72–3  
 homogeneity analyses, as opportunity for  
     discovery, 80–4  
 hypergeometric sampling distributions,  
     89, 96–7, 98  
 hypothesis testing, 207–9
- incomplete tables, 220  
 INCS, *see* Intimate Negotiation Coding  
     System (INCS)

*Subject Index*

271

- independence, 42
- independence assumption, in computing
  - z-scores, 109–10
- independence testing, 43–44
- independent model, 117, 122
- independent variable(s)
  - binomial and multinomial responses to several, 190–1
  - dependence of a qualitative response
    - on one or more continuous, ordered, or nominal, 190
  - interactions among, 200
  - logit analysis and, 191
  - polychotomous (polytomous) response, 191
- indirect linkage, 122
- information, 37
  - associated with throw of a coin, 50
  - binary unit of, 49
  - new, 36
- information theory, 46–9
  - log-linear models and, 162–5
  - omnibus tests of, 13
  - original purpose of, 35
  - social interaction and, 12
  - uncertainty in, 50
- information theory computations, 38
- initial unconditional probability vector, 22
- interaction sequences, cross-dependencies
  - in complex, 244
- interaction terms, 121
- interval transition matrices, 31
- Intimate Negotiation Coding System (INCS), 103–5
- IPF procedures, 227
- iterative proportional fitting (IPF), 123, 124, 125, 126, 226
  - to drive ML estimates, 246
- K* factors, 135
  - tests of marginal and partial association between, 136
- Kolmogorov–Smirnov test, 110
- lagged conditional probabilities, 101, 102
- lag sequential analysis, 6, 13–14, 68, 250
  - Bakeman and Adamson study, 105–6
  - binomial distribution assumption in, 95–6
  - ELAG program for, 95
  - example of, 103–9
  - independence assumption in computing
    - z-scores and, 109–10
  - new rule of thumb for, 100–2
  - uses of, 100
- languages, temporal structure of, 35, *see also* English (language)
- latent structure analysis, 243
- least-squares approximation, minimum observations for, 211
- letter as a unit, 37
- likelihood function, 213–16
- likelihood ratio chi-square ( $LRX^2$ ), 12, 58–9, 122
  - to assess significance of effects, 70
  - determine order, 53–7
  - to test inadequacy of model fit, 135
  - as test for significance of reduction of uncertainty, 27
- likelihood ratios, for contingency tables, 11
- likelihood ratio statistic ( $G^2$ ), 122, 123, 126, 128–32
- likelihood ratio tests, 157–9
  - comparing models and, 157, 173
- likelihood ratio values, 69
- linear probability models, 190
- logistic model, 214–16
- logistic regression, 212–17
- logit(s)
  - conditional, 218
  - defined, 28
  - sample of, 225
- logit analysis, 13, 198
  - independent variables and, 191
  - without grouping subjects, 212–17
- logit linear model, 233–4, 246
- logit models
  - based on cumulative logistic probability function, 196–201
  - correct estimation procedure for, 200
  - defined, 189
  - for factorial tables, 191
  - grouped, 215

- interpretations of parameter estimates
    - in, 191
  - polytomous, 219
  - relationship between log-linear models and, 22–6
  - testing significance of, 216
- logit transformation
  - approaches to, 193–4
  - need for, 191–200
- logit transformation test, for significance of uncertainty reduction, 27–30
- log-likelihood function, for logistic model, 214–16
- log-linear analysis, 12, 13, 70, 113, 151–7
- log-linear models, 113, 121–2, 243, 246–7
  - finding the most appropriate, 133
  - to fit tables containing structural zeros, 220
  - hierarchical, 15, 133 136
  - information theory and, 162–5
  - notation for, 114, 115
  - relationship between logit models and, 222–6
  - screening terms in hierarchical, 136
  - terms in fully saturated, 127
  - see also* model selection
- LOGLINEAR program, 227, 244, 246
- log odds ratio, 198
  - comparing sequential contingencies across two groups using the, 30
- LRX<sup>2</sup>, *see* likelihood ratio chi-square (LRX<sup>2</sup>)
- Macy Conference on cybernetics, 10–11
- MANOVA program, 241
- marginal association, test of, 130, 136
- Margolin and Wampold study, lag sequential analysis and, 106–8
- Marital Interacting Coding System (MICS), 106, 108
- marital interactions, 151–7
  - dominance in, 240
- Markov analysis, 168–9
  - Arundale programs, 77–8
- Markov chains(s), 11, 103
  - degrees of freedom for order of, 58
  - language of discrete time, 18–19
  - stationary, 20
- Markov model analysis, 74–6
- Markov models, 19–21
  - first order, 20, 122, 172
  - higher-order, 21–3
  - second-order, 70
  - terms included in, 175
  - three-way interaction term and, 119
  - transition probability matrix, in 30–1
  - zero order, 42, 171
  - see also* semi-Markov models
- Markov processes, introduction of (into psychology), 11
- matrices
  - frequency state transition, 19
  - probability state transition, 19–20
  - asymptotic covariance, 227
- matrix formulation, 159–62
- maximum likelihood (ML)
  - comparing models using the method of, 165–7
  - for fitting log-linear and logit models, 226
- maximum likelihood (ML) estimation procedure, 211–12, 212–17, 219, 246
- m.d.i., *see* minimum discrimination information statistic
- message, errors in transmitting, 35
- metacommunication, 3–5
- MICS, *see* Marital Interaction Coding System (MICS)
- minimum discrimination information statistic (m.d.i.s.), 11–12, 135
- minimum logit square solution, 246
- ML, *see* maximum likelihood
- model building, multivariate, 242
- model fitting, 127–9, 135
- modeling procedures
  - latent class, 243
  - one-pass execution of multistage, 227
- model(s)
  - additive, 205
  - asymptotic regression, 226
  - binary choice, 190
  - building and testing, 126, 135
  - checking larger, 178–9



*Subject Index*

273

- choosing most parsimonious, 168–70, 170–87
- comparing, 165–7, 173–87
- difficulties of the standard regression, 191–3
- with discrete, or qualitative, dependent variables, 189
- evaluating effect of a term in 128
- fitting log-linear and logit, 226
- fully saturated, 122
- grouped regression, 207
- identifying well-fitting unsaturated, 133
- inadequacy of, 168
- interpretation of, 169, 179
- linear probability, 191–3
- multinomial choice, 191
- nested hierarchical, 149–50
- of order  $K$ , 35, 136, 138
- probit probability, 194
- as procedure for obtaining expected counts, 122
- quantal choice, 189, 190
- saturated, 116
- simple interpretation and, 134
- simplifying, 169
- simplifying baseline, 137
- social relations, 242
- standard regression 191–3
- testing for overall specification of, 208
- for three-way experimental design, 128, 129
- unrealistic, 190
- writing, 172–3
- see also names of specific types of models, e.g., hierarchical models; log-linear models*
- model selection, 129–30, 133–5, 139–46, 146–7, 150–7, 168–86
- stepwise procedures for, 137–9
- model specifications, testing between alternative, 209
- moving time window, 16
  - to compute transition frequency matrix, 26
  - ELAG program for counts of, 95
- multinomial sampling distribution, 90; *see also* sampling
- multiple comparison problem, 45
- multiple event sequence data, 18
- multiple main effect terms, 121
- MULTIQUAL program, 227
- negative binomial sampling distribution, 88–9
- negative reciprocity index, 108
- new information, 36
- Newton–Raphson estimation procedure to obtain MLEs, 246
- non-hierarchical models, 121–2
- NONMET program, 227
- notations, 118
- observations
  - importance of adequate number of, 202
  - smoothing out uneven, 220
  - statistical interdependency of, 241
- observed frequencies, tests based on comparison to expected frequencies, 38
- odds ratio, 24–5
  - logarithm of, 28
- omnibus test for stationarity, 62–3
  - alternative to, 66
- order
  - Anderson–Goodman test for, 68
  - computations for, 80
- order effects, likelihood ratio values for Anderson–Goodman test for, 69
- ordinary least squares estimation with grouped data, problems with, 205–6
- parsimony, 134
- partial association, test of, 130, 136–7
- Pearson chi square, 27, 173; *see also* chi square
- PLR program, 217
- Poisson sampling distribution, 87–8, 89
- polytomous variables, 217–20
- pooling, 32
- probability(ies)
  - conditional and unconditional, 17, 18, 36
  - notation for, 41–2
- probability function
  - cumulative logistic, 196–201

- probit probability model and cumulative normal, 194
  - values of the cumulative normal, 195
- probability state transition matrix, 19–20
- probability vector, derivation of, 22
- probit transformation, 194–6
- Proc Catmod* procedure, 247
- product multinomial sampling distribution, 90–4
- randomness, 11
- reciprocity, 6–7
- redundancy, 10, 35, 37
- regression model, grouped, 207; *see also* regression model
- residuals
  - analysis of, 131
  - cell removal and examination of, 176–8
  - standardizing the, 176–7
- Revenstorf et al. study, lag sequential study and, 109
- rolling forward, 23
- SAMPLE program, 77, 78, 151
- sample size, 206, 211, 220
- sampling, 87–9, 90–4
  - variability in, 220
  - without replacement from a finite population, 98
- screening, selecting a model by, 129–30
- semi-Markov models, 23
  - discrete time, 30–1
  - see also* Markov models
- sequences
  - drawing conclusions about actual, 14
  - inferences about, 13
  - order for specific, 57
- sequential analysis, 4
  - basic concept of, 25
  - basis of, 17
  - classical works in, 11–12
  - conceptual clarity from, 5–6
  - conditional and unconditional probabilities and, 17, 36
  - data in, 248
  - differences between groups and, 4
  - differences in social processes and, 5
  - doing the minimum and, 249
  - flow chart for, 248–50
  - forming the timetable in, 248
  - goals of, 19
  - history of, 9–4
  - homogeneity in, 248
  - mathematics for, 11
  - nonstationary, 5
  - of observational data, 14
  - plan for discussion of, 31–32
  - pooling across subjects in, 249
  - problems with utility of early, 13
  - stable estimates and, 60
  - uncertainty reduction and, 17, 25
  - within-subject analyses in, 249
  - see also* lag sequential analysis
- sequential categorical data, analysis of, 243
- sequential connection
  - across groups, 27–8
  - inappropriate analyses of, 17
  - indices of, 25–30
  - techniques for exploring, 249–50
- sequential contingencies, comparing
  - across two groups, 30
- sequential dependencies, 37
  - unknown, 31
- sequential dyadic interaction data, methods to describe, 244
- sequential patterns, experimental design and variation in specific, 113
- significance, tests of, 130
- Simpson's paradox, 120, 121
- small sample problems 206; *see also* sample size
- social interactions
  - analysis of contingencies from dyadic, 231
  - information theory and, 12
  - studies in dyadic, 240
  - as a temporal form, 3
- social network analysis, 241
- social processes, metacommunication and differences in, 5
- social relations model, 242
- spectral density function, 103
- standardized parameter estimates, 137

*Subject Index*

275

- standard regression model, 191–3
- state transition diagram, 26, 71
- stationarity
- assessment of, 60
  - computations for, 78–80
  - departures from, 61
  - likelihood ratio values for Anderson–Goodman tests, for, 69
  - omnibus test for, 62–3, 66
  - with one dyad, 61, 62
- stationarity analysis, 72–3
- structural (logical) zeros, 220
- models
- checking reasonable, 169, 177–8
  - fitting, 176
- summary statistics, 16–17
- synchronicities across codes, 103
- temporal linkage, as an index of distress, 7
- temporal patterning, 11
- temporal structure, 11, 35
- probabilistic nature of, 36
- TEST program, 77, 151
- test statistics
- Anderson–Goodman, 67, 69
  - difference in the, 208
  - three–way classification, 117
  - three–way model, 119
  - three–way table, nineteen possible models for, 129
- time dependence among codes, 117
- timed event sequence data, 18
- time intervals, in sequential analysis, 15
- time series, relationships between two, 229
- time series analysis, 13
- timetables
- in cells, 113
  - forming, 170–2
  - two–way, 249
- Ting–Toomey study, lag sequential analysis and, 103–5
- transition frequencies, hypergeometric and binomial distribution assumptions compared, 97–9
- transition frequency matrix, 26, 242
- transition matrices, 19–20
- interval, 31
- transition probabilities, in Markov chain, 11
- transition probability matrix, 26, 30–1
- trigram structure of English (language), 36
- two–way timetables, 249
- uncertainty
- chi–squared tests for significance of reduction of, 26–7
  - in information theory, 50
  - reduction of, 17, 25, 49–52
- variables
- continuous, 210
  - continuous explanatory, 211
  - dangers of collapsing over, 120
  - dummy or indicator, 203, 204, 208, 209, 210, 217
  - effects of categorical variables on a dichotomous or binary response, 191
  - exogenous explanatory, 209
  - experimental, 191
  - positive and negative associations between, 1221
  - relationships of a dichotomous dependent variable to one or more independents, 189
- see also* continuous variables; dependent variables; independent variables; polychotomous variables
- variance
- covariance and, 66
  - multivariate analysis of, 241
- variance notation, analysis of, 116
- weighed least squares (WLS), 215, 226, 246
- Wilks' theorem, 157
- words, structure among, 37
- z–score profiles, 100
- z–scores
- autocovariance function and, 103
  - deciding between, 99
  - ELAG program for computing, 95
  - independence assumption in computing, 109–10