

Index

Abbreviations: "s." = scurvy; "a.a." = ascorbic acid

- accessory food factors, *see* vitamin deficiencies
- acescent foods: correct putrefaction, 61
- acetic acid, *see* vinegar
- acid fruits: special value in s., 22, 59, 88–91, 224–6
- acidity: as measure of quality of citrus juice, 139, 143, 235
- acidosis (or acid intoxication), *see* diminished alkalinity
- acids: in the cure of s., 57, 88–91, 111; *see also specific acids*
- activity: expected to ward off s., 68, 138, 140, 152, 242; *see also* indolence
- Addington, A., 58–9, 61
- adrenal cortex: active during stress, 244–5; rich source of "reducing factor" (a.a.), 188
- Aegineta, *see* Paul of Aegina
- affluence: association with infantile s., 158, 163, 167, 168, 247
- air: a cause of s. when bad, 5, 10, 11, 17, 20, 26, 49, 59, 62, 68, 71, 88, 90–1, 103, 116, 143, 153; *see also* moist air
- albumin (or albumen), *see* protein
- Aldridge, John, 107–8
- American Civil War: s. in, 121–3
- American Pediatric Society: investigation of infantile s., 163–5
- Anderson, Andrew, 106, 108
- Andersonville prisoner-of-war camp, 123, 125
- anemia, macrocytic: seen in clinical s., 222–3; not seen in experimental s., 201, 203, 223
- annedda tree: a cure for s., 9–10
- Anson, Commodore (later Admiral Lord) George, 46–51, 63, 83, 245
- Antarctic expeditions, 150–7
- Antonio de la Ascension, Father, 5
- appetite: lost in s., 142; maintained in s., 119
- apples: to prevent s., 175, 224
- Arctic expeditions, 133–47
- Armstrong, A., 139
- aromatics, *see* tar
- artificial feeding: association with infantile s., 159, 163–8, 247
- ascorbic acid: commercial production, 208; determination of structure, 192–5; estimation in foods, 198–9, 225–32; human requirement, 203–8; isolation, 187–8; lability, 190, 196–7; possible toxicity, 218–19; synthesis, 197, 199, 207, 213; turnover rate in humans, 207; use in food processing, 208–10; *see also* hexuronic acid; megavitamin usage; "reducing factor"
- Atkinson, E. L., 152, 157, 244
- Ausset, E., 166–7
- Australia: infantile s. in, 247
- autointoxication: cause of guinea-pig s., 179–81; cause of infantile s., 181

- bachelor s., 186, 205, 223, 227, 248
 Bachstrom, John, 44, 61, 127, 114, 251
 bacterial infection: cause of s., 150, 153, 166–7, 173; cause of guinea pig s., 179; not cause of guinea pig s., 176
 Badenoch, John, 84
 Baly, William, 99–100, 102
 Banks, Sir Joseph, 78–9
 Bantu infants: apparent immunity from s., 246
 Barlow, Sir Thomas, 160–1, 172
 Barlow's disease, 160–1, 167–70, 245; a form of rickets, 166, 167; identification with infantile s., 160, 172
 Baudens, L., 117
 beans, sprouted: cure for s., 111, 227
 Beddoes, T., 89–90
 beef, juice of raw: used to treat infantile s., 163, 164
 beef suet, *see* fat, animal
 beer: used to prevent s., 94; value doubtful, 228–30
 beriberi, 15, 25, 174, 175, 177, 178, 186, 221; use of animal models of, 174, 250
 Berkeley, Bishop, 230, 242
 Berlin: debate over milk processing, 167–8
 berries: as antiscorbutics, 67, 118, 138, 224–6, 231
 biological assays: of chemical compounds, 191, 197; of foods, 183–6, 198, 228; *see also* guinea pigs
 Bisset, Charles, 63
 Black, Joseph, 85
 black bile, 32, 33
 Blane, Sir Gilbert, 91–7, 98, 100, 235
 bleeding: not recommended for s., 42; a treatment of s., 35, 41, 59
 blocked perspiration: a cause of s., 57–60, 71
 blood: taken to prevent s., 135, 146
 Boe, François de le, 40–1
 Boerhaave, Hermann, 41, 43
 bone changes: in adult s., 161, 172; in guinea pig s., 175 in infantile s., 161, 172
 Boussingault, J. B.: animal feeding trials, 104
 brandy: to preserve lemon juice, 79, 92, 139; a treatment of s., 87
 bread as an antiscorbutic, *see* cereal foods
 bread making: use of a.a. as an improver, 209–10
 breast-fed babies: free from infantile s., 164, 168, 171, 245
 breast milk: a.a. content, 245–6
 British Army, cases of s.: in America, 70; in Crimea, 113–14, 118; in Gibraltar, 87; in India, 130, 131; in Iraq, 186; in S. Africa, 131; in troopships, 118, 129
 British expeditions, 12–22
 British Medical Association: debates on s., 150, 165
 British Navy: "perversity of officialdom," 233–4; s. in, 45–51, 52, 62, 63–4, 66, 71, 76, 84, 91–2, 94, 116, 120, 133–43, 235, 253; *see also* Sick and Hurt Board
 Budd, Dr. George, 99, 249, 251
 burial in earth: to cure s., 111
 Byron, John: circumnavigation, 66

 cabbage: changes with drying, 177–8; source of "reducing factor," 188; value for guinea pigs, 175; *see also* sauerkraut
cachexia universalis, 34
 cactus: fruit used to cure s., 7; leaves used to cure s., 121
 calcium salts: antiscorbutic in raw milk, 165, 167, 168; not preventive of guinea pig s., 175–6
 California: citrus industry, 7, 111; s. in the gold rush, 109–12; use of vitamin supplements, 219–20
 Cameron, Ewan, 213, 216–17
 Canada: s. in, 8–11, 129, 246–7
 cancer and vitamin C, 212–13, 217–18
 Candish (or Cavendish), Thomas, 15
 carbon dioxide: discovery, 75, 85; given in s., 85–7, 228; not useful, 83, 87; other medical uses, 86; *see also* soda water
 carrot marmalade, 80, 83
 Carteret, P., 68
 Cartier, Jacques, 8–10, 137, 245
 celery: as an antiscorbutic, 81
 cereal foods: considered useful in prevention of s., 61, 94, 116, 223; not sources of a.a., 223; not substitutes for potatoes, 102; of no value in infantile s., 158–9, 169
 Champlain, Samuel de, 11
 Charleton, Walter, 41
 Cheadle, Walter B., 158–9, 160, 170
 Chick, Dame Harriette, 61, 72, 181–5, 254
 cholera: 109, 112–13
 Christison, Sir Robert, 103, 105–6, 107, 252
 cider: a.a. content of, 226, 230; some value in s., 52; used to prevent s., 63, 81
 cigarette smokers: increased need for a.a., 218
 citric acid: activity in s., 91, 167, 239;

- antiseptic action, 167; inactivity in *s.*, 108, 119, 129, 187, 234, 251; method of preparation, 91; terminology confused, 91
- citrus fruit: mode of action, 59, 106, 118; not used by Cook, 77; reserved for officers, 234; used to cure *s.*, 2, 15, 17, 18, 20, 25, 26, 51, 52–4; used to prevent *s.*, 64, 92, 95; used to resist plague, 2; see *also* lemons; oranges
- citrus juices; adulteration, 235; a.a. content, 225–6, 233; biological assays, 184–6, 237; methods of preservation, 79, 94, 234; not a reliable preventive, 150; see *also* lemon juice; lime juice; rob of lemons
- Clark, John, 84
- cleanliness: believed to prevent *s.*, 11, 15, 82, 138, 173; not relevant to *s.*, 49, 242
- clothing; *s.* induced if wet, 23, 36, 60, 82
- cloud-berries, see berries
- Clowes, William, 35–6, 160
- Cochlearia curiosa*, see scurvy grass
- Cockburn, William, 46, 60, 63, 71
- coconuts: used to cure *s.*, 66, 81
- coffee: value in *s.*, 42
- cold weather: a cause of *s.*, 5, 11, 20, 23, 33, 44, 51, 60, 62, 66, 68, 121, 124, 153, 173, 183; not a cause of *s.*, 44, 49, 70, 89, 112, 126, 241
- Columbus, Christopher, 3
- common colds: use of a.a. to prevent, 213–16
- confinement: the cause of *s.*, 71, 117
- connective tissue: a.a. need for synthesis, 200
- constipation: the cause of guinea pig *s.*, 179–80; not confirmed, 183
- contagion: as cause of *s.*, 11, 127–8, 138, 150, 152, 153, 173, 179; not a cause of *s.*, 128
- Cook, James, 76–84, 233–4, 240
- cooks, ships': deaths from *s.*, 81, 240
- Coplans, M., 152
- Copley medal awards: to Cook, 83; to Priestley, 86
- copper: destructive effect on a.a., 197, 199, 202, 237, 240
- copper poisoning: a cause of *s.*, 64, 240
- corruption of the blood, see putrefaction
- Coulter, J. L. S., 71, 92
- cranberries, see berries
- Crandon, John, 201–2
- cream of tartar: recommended by Lind, 72, 73; used to treat *s.*, 122
- Crimean War, 112–18, 235–6
- Cullen, William, 85, 200
- Curran, J. Oliver, 102, 107–8
- Cushing's disease, 244–5
- damp, see moist air
- dancing; to prevent *s.*, 15, 241–2
- dandelions: used in Crimea, 114
- deficiency diseases, 249; *s.* of this type, 98–9, 178, 249; see *also* vitamin deficiencies
- dehydroascorbic acid, 195–7, 209
- Delpuch, A., 126
- depression, see melancholy
- despondency, see melancholy
- diabetes: contrasted with *s.*, 98
- diarrhea: association with *s.*, 112, 113, 123; result of a.a. megadoses, 219
- dietary supplements, see vitamin supplements
- dietary surveys: vitamin C status, 205, 206
- diminished alkalinity: not observed in blood, 131, 153; theory of *s.*, 128–31, 153, 173, 186, 236, 251
- distillation of water: to prevent *s.*, 23
- dogs: failure to show *s.*, 250
- double-blind trials, 214–17
- Drake, Sir Francis, 12–13, 25, 66
- dropsy, 14, 24, 31, 36, 119, 221
- Drummond, Sir Jack, 205
- Dudley, Surgeon Vice-Admiral Sir Sheldon: assessment of Blane, 96–7
- Dutch East India Company's voyages, 22–4, 44, 80
- Dutch expeditions to the Arctic, 133–4, 135–6
- dysentery, 18, 24, 77, 110; association with *s.*, 99, 113–14, 123, 131, 139, 154
- earth, smell of: value in *s.*, 26, 51
- East India Company (English): use of lemon juice, 17, 19, 92–3; voyages, 17–22
- Echth, John, 29–34, 54
- edema: not seen in experimental *s.*, 201, 202, 221; seen in ship scurvy, 119, 221; see *also* beriberi; dropsy
- Edinburgh, University of, 43, 51, 54, 63, 72, 85, 88, 91, 103
- education: needed to eliminate infantile *s.*, 247
- elasticity of air, 75; modified at sea, 59
- Elliotson, J., 99–100, 249, 251

- empiricism: defended, 42, 45, 57; looked down on, 34, 42, 44, 53
- England: s. in, 102, 186
- English expeditions, *see* British expeditions
- enrichment of foods with a.a., 208
- enthusiasm: danger of, 239, 253
- enzymes: dietary role in raw milk, 166–7
- Eskimo diet; a.a. content, 232
- Eskimos: healthy without vegetables, 90, 145–6, 230–3, 240; not immune from s., 145, 245;
- Eugalenus, 34, 37, 38, 56
- Evans, Lieutenant Edward, 154
- Evans, Petty Officer Edgar, 155, 244
- exercise, *see* activity
- fad diets, 248
- fat, animal: a cause of s., 45, 64, 78, 82, 111, 240–1; a preventive of s. in the Arctic, 145, 240
- fatigue: in experimental s., 201–2; *see also* lassitude
- Fenton, Edward, 13
- fermentation: an antidote to putrefaction, 64, 84–8; believed to make foods antiscorbutic, 63, 79, 229; destructive of a.a., 229; not effective, 86
- fevers: a problem in the tropics, 4, 13, 18, 24, 47, 68, 92
- fish: in Eskimo diet, 230–3; not protective when cured, 147
- fixed air, *see* carbon dioxide
- flavonoids, *see* vitamin P
- flour, *see* cereal foods
- folic acid: deficient in scorbutic diets, 223
- Foltz, J. M., 119–20
- Forest, Peter, 35
- France: occurrence of infantile s., 160, 166
- Franklin, Benjamin, 88; interest in simplified diet, 201
- French Army: s. in Crimea, 114–17, 125, 127; s. in 1249 in Egypt, 56; s. in Napoleonic War, 96; s. in World War I, 117
- French expeditions, 7–12, 77
- French Navy: s. in, 69, 91, 96, 116, 126
- fresh water; not sufficient to prevent s., 105; preventive against s., 82
- Frölich, Theodor, 174–8, 179, 250
- fruits: a danger to health, 25, 46, 59, 71, 109; loss of a.a. during processing, 208; rich in a.a., 225–6; used to cure s., 22, 111; *see also specific fruits*
- Funk, Casimir, 178, 187
- Galen, 32, 34, 37, 58
- Gama, Vasco da, 1–2
- Garrod, Alfred B., 108, 121
- germ theory of disease, 250; *see also* bacterial infection
- Germany: infantile s. in, 161–70
- germinated seeds: value in s., 111, 178, 184, 227–8
- gingivitis, *see* gum changes
- Glasgow, University of, 85, 91
- Glisson, Francis, 160
- gluten: not equivalent to other proteins, 106
- glycogen: antiscorbutic value proposed, 146
- Good Hope, Cape of: orchards established, 23
- grease: *see* fat, animal
- green vegetables, 44, 68, 110; a.a. content, 224–5; sought out by Cook, 77, 82; *see also* vegetables
- Greenland: health without vegetables, 127, 134–5; s. in, 146; *see also* Eskimos
- guavas: to cure s., 88
- guinea pigs; use as experimental animals, 174–86, 207, 236, 250, 253 variability in need for a.a., 211; *see also* biological assays; scurvy, guinea pig
- gulonolactone oxidase; enzyme needed for a.a. synthesis, 199–200
- gum changes: in clinical s., 1–2, 3, 4, 5, 8, 15, 38, 56, 98, 110, 138, 151, 154, 160, 161, 172; in experimental s., 201, 202, 204; not always associated with s., 206, 207; not seen in experimental s., 201; not seen in toothless, 161, 172
- Hales, Stephen, 84–5
- Hall, John, 37–9, 56
- Hammond, Surgeon-General W. A., 120, 123, 252
- Harley, Vaughan, 147–51
- Harvey, Gideon, 41
- Haslar Hospital, Portsmouth, 63, 65, 84; failure of experiments there, 69–71, 238
- Hawkins, Sir Richard, 15–17, 25, 29, 42, 241
- Haworth, Sir Norman, 191, 194–7
- heart: damaged in s., 8, 203
- heat: a cause of s., 64
- heavy metal toxicity, 219
- Helmont, John van, 40, 41
- hemorrhage: in experimental s., 201, 202; in guinea pig s., 175; seen in clinical s., 155, 161, 172, 222–3
- Hess, A. F., 160, 171, 181, 183

- Heubner, O., 168
hexuronic acid, 190; first thought not to be vitamin C, 190–1; proved to be vitamin C, 191; renamed ascorbic acid, 192
Hirsch, A., 128, 236
Hirst, E. L., 195, 197
histamine: possible relation to s., 200
Hoffman-La Roche, 197
Holland: s. in, 34, 35, 44, 241
Holst, Axel, 173–8, 183, 197, 250, 251
Hopkins, Gowland, 178, 187, 190
“hot and cold” classification of diseases and medicines, 37, 41–2, 56
Hudson’s Bay Company, 137, 146
Hughes, R. E., 229, 233, 239
Hulme, Nathaniel, 64, 73, 79, 87
humoral theory of medicine, 33, 40
Huxham, John, 64
hydrochloric acid: antiseptic qualities, 39, 59
hygiene, *see* cleanliness
hyperkeratosis: seen in experimental s., 201, 202, 204
- iatrochemistry, 40
idleness, *see* indolence
immunity from s., 245–6
India: lime juice thought to be adulterated in, 129, 235, 237; s. in, 129, 131, 150
Indian Army: cases of s., 150, 186
indigestibility of food: a cause of s., 10, 15, 33, 64, 68, 71, 87, 118, 121, 147
indolence: a cause of s., 11, 13, 46, 60, 64, 71, 124, 241; not a cause of s., 47, 119, 138, 242; *see also* activity
infant mortality: association with raw milk, 164–6, 168
infantile paralysis: confusion with s., 162
infection as a cause of s., *see* contagion
International Units (IU) for vitamin C, 205
intoxication theory of infantile s., 164, 166, 169–70
Ireland: famine and scurvy, 101–2
iron: absorption improved by a.a., 219; deficient in s., 121; no relation to infantile s., 169; use in treatment of s., 123
d-isoascorbic acid, 216
- Jackson, Frederick, 147–9, 150, 251
Jacusiel, Dr., 168, 170
- Kaffir beer: thought to prevent s., 228–9
Kark, R. M., 244–5
Keevil, J. J., 18, 26, 37
- King, Glen, 191, 204
Koettlitz, Reginald, 150–2, 251
- lactic acid; antiscorbutic in meat and milk, 106, 146
lactose: a cure for guinea pig s., 181
Lancaster, Sir James, 17–18, 19, 25, 27
land scurvy: identical to sea s., 56–7, 105, 112
lassitude: a cause of s., 242; an effect of s., 15, 38, 122, 241; not seen in s., 119; *see also* indolence
Le Roy de Méricourt, A., 127–8
lemon juice: adoption by the British navy, 95–7; antiseptic action, 167; economics of supply, 21, 73; loss of activity on oxidation, 187; manufacture and storage, 18, 19, 27, 64, 79, 92, 139, 234; myths, 83; not found reliable, 84, 119, 129, 150, 235; supplied in Crimea, 113; theory for its action, 54, 59, 106, 130; to be eschewed, 131; too cooling, 39; used to cure s., 12, 21, 56, 79, 92, 95, 98, 106, 138; used in infantile s., 159, 160, 167; used to prevent s., 17, 21, 27, 36, 95, 117, 139, 151, 235; weakening effect on muscles, 234
lemons: a.a. content, 237; a cause of “flux” (diarrheas), 25, 46; methods of storage, 96, 234; used to cure s., 12, 13, 22, 87, 90, 92, 122; used to prevent s., 22, 94, 234; *see also* citrus fruit
Lescarbot, M., 10–11
Leyden, University of, 41, 43
lice: means of spreading s., 179
Liebig, Justus von, 104–5, 106, 117, 120, 145, 249
life expectancy: increased by use of a.a., 213, 217
light: destructive effect on a.a., 199
lime juice: acts as an antiseptic, 150; believed superior to lemon juice, 144, 236; commercial production, 22, 144, 237; found unreliable, 100, 118, 129, 145, 150, 152, 236, 237, 250; low value confirmed in assays, 184–6, 236; more acid than lemon juice, 237; of no value, 145, 147, 186, 236; not recommended, 129, 147, 152; not taken on sledging trips, 144–5, 153; used to prevent s., 92, 113, 137, 138, 4
limes: a.a. content, 237; confusion with lemons, 117, 143, 236, 237; used to cure s., 20, 68, 88, 90, 92, 150, 236; used to prevent s., 19, 68, 95

- limoons, 237
- Lind, James (1716–94), 51, 54, 63, 72;
critique of earlier writings, 34–5, 39, 54–
7, 134; first clinical trial, 51–3, 230; first
edition of *Treatise*, 57–63, 68, 75, 127,
161, 222, 241, 242; later writings, 69–71,
72, 234, 238–9; other people's assess-
ment of his contribution, 72–4, 97, 251
- Lind, James (1736–1812), 80
- Lister, (Lord) Joseph, 148, 149, 252
- Lister, Martin, 54
- Lister Institute, London, 181–7
- liver: swollen in s., 36
- livers as food; a.a. content, 232; toxicity of
bear, 135, 222; seal used to cure s., 146, 231
- Lloyd, C., 71, 91, 236
- Logan, Thomas, 112
- Lonsdale, Henry, 106–7
- Lorenz, Anthony, 112
- MacBride, David, 64–6, 69, 76, 78–9,
84–6, 228
- McCollum, E. V., 174, 179–81, 183, 186
- McCord, C. P., 253
- MacRae, D., 131–2
- Magellan, Ferdinand, 4
- Mahé, J., 128, 254
- mal de terre*, 11
- malaria: analogy with s., 127; *see also* fevers
- Malaysia: infantile s. in, 247
- malt: believed to prevent s., 65–6, 76, 82,
84, 94, 228; inactive for guinea pigs, 178;
laxative effect, 79; loss of activity on
drying, 226, 228; method of preparation,
65; not preventive of s., 68, 78, 81, 84,
87, 90
- malt soup: inactive in infantile s., 171, 228
- malted barley, *see* malt
- Markham, Commander (later Admiral Sir)
Albert, 140–3, 144–5
- Mayo Clinic: tests of a.a. in cancer, 217
- Mead, Richard, 59–60
- meat, fresh: a.a. content, 231–2; use in
infantile s., 158, 163; used to cure s., 20,
131, 151, 153; used to prevent s., 10, 90,
113, 120, 134, 137, 139, 146–7; value
doubted, 153
- meat, preserved: a.a. as an additive, 210; a
cause of s., 150; indigestible, 118, 147;
liable to cause ptomaine poisoning,
147–51; thought to prevent s., 118; use
in navy rations, 138–43
- mechanical theories of disease, 58, 61
- megavitamin usage: concept, 210–3; results,
213–20
- melancholic humor, 31, 33–4, 36
- melancholy: a cause of s., 11, 33, 38, 60,
120, 173, 242; not a cause of s., 126; a
sign of s., 38, 134, 242
- Mendel, L. B., 179, 183
- mercury: harmful in s., 39
- Middleton, Sir Henry, 18
- milk, condensed (or evaporated): associated
with infantile s., 159, 163, 164, 247;
fortification with a.a., 247; method of
manufacture, 162, 199, 222
- milk, cow's, fresh: bacterial load a cause of
infant deaths, 164–6, 168; unable to
prevent adult s., 107; used in infantile s.,
158–9, 164; value in adult s., 105–6
- milk, dried: loss of antiscorbutic value, 178,
184; used as an antiscorbutic, 152
- milk, pasteurized (or sterilized): chemical
changes in, 165, 168–70, 199; contro-
versy over value in infantile s., 163, 164,
166–8, 171–2, 184, 199; reduction in
infant mortality from use of, 165–6; *see
also* toxins
- Milman, F., 87
- mineral acids, *see* acids; *individual acids*
- mineral salts: role in preventing s., 107–8;
value doubted, 108; *see also* calcium salts;
potassium salts
- misery, *see* melancholy
- Moellenbrok, Andreas, 23, 187
- moist air: a cause of s., 34, 44, 59–60, 62,
68, 75–6, 105, 124, 143, 153, 173, 241;
not a cause of s., 44, 64, 70, 112, 126, 241
- molasses: used to prevent s., 94, 122; *see
also* sugar
- Möller's disease, *see* Barlow's disease
- monkeys; as experimental animals, 148–50,
183, 184, 186
- Monts, sieur de, 10
- mustard: supplied as an antiscorbutic, 68,
80, 138
- mustard-and-cress: used to prevent s., 151
- Nansen, F., 147
- Nares expedition, 140–5, 151, 186, 236, 242
- National Research Council (USA), 206–8
- Nelson, Admiral Lord: supplied with lemon
juice, 96
- Netter, M., 166

- Neumann, H., 168–70
- New England: cases of s., 12, 39–40
- Newton, Sir Isaac, 43, 53, 84
- Newtonian mechanics, 43, 58, 61
- New York: high infant mortality, 165
- New York Milk Commission report, 171
- night blindness: associated with s., 116, 119–20; not related to s., 121; result of vitamin A deficiency, 201, 222
- niter (or nitre), *see* potassium nitrate
- nitric acid; not useful in s., 89; used in s., 122
- nitrogen, discovery of, 103
- nitrogenous foods, *see* protein
- nitrosamine problem: formation in digestive tract, 218; use of a.a. in cured meats, 210
- nitrous vinegar, 90–1, 238–9
- Nobel Prizes: given for vitamin C discovery and synthesis, 192, 197
- nomads, 245
- Norris, J., 243–5
- Northrup, W. P., 161
- nyctalopia, *see* night blindness
- Oates, Captain L. E. G., 154–6, 244
- oatmeal, *see* cereal foods
- obesity: associated with s., 240
- onions: used to prevent s., 60, 63, 173, 80, 110, 111, 121, 224
- orange juice: free government issues, 205, 247
- oranges: source of “reducing factor,” 188; to cure infantile s., 163, 164; to cure s., 2, 3, 34, 99; to prevent infantile s., 171; *see also* citrus fruit
- organic chemistry: basic developments, 192–4, 197
- orthomolecular medicine, 211–12
- Osborne, T. B., 179
- overexertion: a cause of s., 33, 47, 124, 143, 153, 154, 173, 243–5
- oxalates: formed from a.a., 179
- oxygen: as the antiscorbutic factor, 88–91, 239; theory discredited, 129
- Paris, siege of, 123–6, 244
- Paris Pediatric Society: debate on infantile s., 166–7
- Parkes, E. A., 108, 129–30
- Parliamentary enquiry into outbreak of s., 166–7
- Parry, William, 138
- Pasteur, Louis: germ theory of disease, 148
- pasteurellosis: cause of infantile s., 166–7
- Paterson, David, 90–1, 238–9
- Paul of Aegina, 31
- Pauling, Linus, 211–13, 216–17
- pellagra: a deficiency disease, 178; not a vitamin deficiency, 183
- pemmican: not preventive of s., 144, 153
- Pepys, Samuel, 45
- periosteal cachexia: identified as infantile s., 159
- perspiration, insensible, *see* blocked perspiration
- Peruvian bark: used as an antiscorbutic, 70, 96, 158
- phosphate: deficiency a cause of s., 147, 169; excess undesirable, 153
- pickles: not reliable, 119; valued in preventing s., 110, 111, 118, 138, 143
- Platt, Sir Hugh: process for preserving fruit juices, 18, 27–8
- Pliny, 30, 54
- pneumatic chemistry, 75, 85–91
- polygenic views of s., 119, 128, 153, 173
- polyneuritis, *see* beriberi
- portable soup, 66; not a source of a.a., 223–4; used to make green vegetables more palatable, 67, 68, 82
- Portuguese expeditions, 1–3, 4
- potash, *see* potassium salts
- potassium hydrogen tartrate, *see* cream of tartar
- potassium nitrate: failure to prevent s., 129, 239; cures s., 90, 108, 129
- potassium salts: deficient in scorbutic diets, 108, 112, 121, 173; rejection of theory, 108, 123, 129, 251; used to treat s., 87, 121, 123, 130
- potato famines: relation to s., 101–2, 107, 109, 126, 186
- potatoes: cure s., 111, 121, 150, 159; importance of, 205, 208, 224–7; introduction to Europe, 100–1; preserved for use in Arctic, 144; prevent s., 100–2, 107, 109, 118, 120–1, 126, 170, 171; value lost in cooking or processing, 120, 171, 198, 202, 208, 224
- Poupart, F., 161
- Praslow, J., 112
- Priestley, Joseph, 86, 145; apparatus for making soda water, 80
- Pringle, Sir John, 64–5, 69, 83, 85–6, 201; assessment of, 87–8, 252

- prison dieteries, 99–100, 105–6, 124
 prisoners: prone to s., 70, 99–100, 103, 105–6, 123–5, 152
 proprietary foods, *see* artificial feeding
 protein: Liebig's evaluation, 104–5
 protein deficiency: as a cause of s., 103–7, 118, 120, 147; not cause of s., 106–7, 108
 ptomaine poisoning: cause of s., 147–51, 153, 164, 166, 173, 236, 251; not the universal cause, 150
 purpura: confusion with s., 102
 putrefaction: the cause of s., 39, 41, 60, 64, 65, 85, 87, 112; delayed by "fixed air," 85; not cause of s., 69, 87; *see also* ptomaine poisoning
 Pyrad, F., 11–12, 25, 35
- quinine, *see* Peruvian bark
- Ralfe, C. H., 130–1
 rancidity of fats: a possible cause of s., 240–1
 rats; as experimental animals, 174, 183; failure to show scurvy, 180, 183, 199; rate of a.a. synthesis, 210–11
 Recommended Dietary Allowance (RDA) for a.a., 204–8
 "reducing factor": characterization, 188–90; isolation, 187–8; named hexuronic acid, 190
 Reichstein, T., 196–7
 resistance to infection: effect of megavitamins, 211–17
 rheumatism: confusion with s., 56, 162
 rice, *see* cereal foods
 rickets: classified as scorbutic, 56; due to a vitamin deficiency, 178; separation from infantile s., 158, 161–2, 166, symptoms, 161; vitamin D deficiency, 222
 rob of lemons (or oranges): a.a. content, 226, 233; evaluation of, 69, 74; failure to cure s., 69, 74, 94; method of preparation, 63, 69–71, 226; too expensive, 83; used with success, 78–9, 80, 82; value destroyed by heat, 74, 87; 226
 Rolleston, H. D., 91
 Ronsse, Beaudouin, 34
 root vegetables: a.a. content, 224–6; used to prevent s., 69, 184, 206; *see also* onions; potatoes; turnips
 Rouppe, L., 68
 rumen contents: eaten by Eskimos, 231
 Rumford, Count: use of soups for the poor, 67
 Russia: epidemics of s., 109, 127, 160, 171, 172, 184; freedom from infantile s., 171, 245
 sailors' diets, 23, 46, 143, 221; a.a. content, 221, 113–16; insufficiently alkaline, 130
 salep (salop, salope, saloup, or saloop): did not prevent s., 68; used as an antiscorbutic, 66–7, 80
 salt: not itself a cause of s., 61; to be reduced in s., 201, 227
 salted food: a cause of s., 11, 15, 17, 36, 41, 61, 110, 111, 120, 134; not necessary for s., 70
 Sanctorius: 58
 saffra extract: used to cure s., 111
 sauerkraut: a.a. content, 226; Cook's means of encouraging its use, 77; used to prevent s., 63, 67, 69, 77–8, 80–1, 82, 94
sceletyrbe, 30, 54
 Scheele, K. W.: preparation of citric acid, 91
 schizophrenia: megavitamin treatment, 212–13
 scorbutus, *see* scurvy
 Scotland: s. in, 101, 102, 205
 Scott, Captain Robert, 151–7, 236, 243–4
 scurvy, adult, experimental, 200–4, 221, 243
 scurvy, adult forms of: acid and alkaline, 40, 41, 44, 56, 89; constitutional, 62, 70; hereditary, 56; hot or cold, 34, 41, 56, 68; rancid, 41, 44, saline, 44, 68
 scurvy, adult symptoms of: 2, 3, 5, 8, 38, 47, 113, 119, 121, 154; autopsy findings, 8, 11, 161, 172, 222–3
 scurvy, guinea pig, 174–83; autopsy findings, 175; due to autointoxication, 179–81; due to infection, 179
 scurvy, infantile, 36, 158–72, 245; autopsy findings, 161; boys and girls equally affected, 162, 163; symptoms of, 158–63; *see also* affluence
 scurvy, theories of, *see* autointoxication; blocked perspiration; contagion; deficiency diseases; diminished alkalinity; melancholy; oxygen; protein deficiency; ptomaine poisoning; putrefaction
 scurvy grass: 13, 14, 23, 34, 66, 81, 135, 139; use of extracts, 35, 38, 70
 sea water: to treat s., 53, 59; useless in treating s., 52–3

- seal meat: used to cure *s.*, 151; used to prevent *s.*, 152, 154
 season of the year: influence on *s.*, 60, 62, 107, 126, 148, 241, 249
 Sennert, 34, 37
 Shackleton, Sir Ernest, 151–2
 Shakespeare, William, 37; use of the word “scurvy,” 39
 Sheffield study of experimental *s.*, 202–4
 Shipley, P. G., 160, 227
 Sick and Hurt Board of the British Admiralty, 65, 69, 93–4, 95, 233
 slush, *see* fat, animal
 Smith, Alice Henderson, 230, 236
 soda water: not antiscorbutic, 83; *see also* Priestley, Joseph
 sodium lactate: treatment for *s.*, 131, 153
 sorrel: a.a. content, 232; used to prevent *s.*, 139
 South Africa: *s.* in, 131, 152, 228, 246
 Soxhlet apparatus for cooking milk: 169; association with infantile *s.*, 170
 species differences in need for a.a., 199–200, 250
 Spanish expeditions, 3–7
 Spencer, Herbert, 233–4
 spinach: useless when dried, 63
 spirit of salt, *see* hydrochloric acid
 spleen: considered the seat of *s.*, 30–2, 36, 38, 54
sprossen-bier, 229
 sprouted seeds, *see* germinated seeds
 spruce beer: a.a. content, 226; used to prevent *s.*, 63, 81, 138, 230
 spruce tree: a.a. content of extracts, 226, 229; use of boughs and bark in *s.*, 111; use of leaves in *s.*, 111
 starch: as an antiscorbutic factor, 120, 145; worthless, 169
 Stark, William, 200–1
 starvation: not resulting in *s.*, 130
 Stefansson, V., 232
 Stevens, T., 3
 Stevens’ antiscorbutic water, 17
stomakake, 30, 54
 Stone, Irwin, 210, 213, 244
 Strabo, 30
 stress: a cause of *s.*, 109, 117, 128, 143; increased need for a.a. in, 207, 218, 244–5; *see also* overexertion
 sugar: a cause of *s.*, 39; lacks a.a. 223; role in prevention of *s.*, 65, 82, 94, 145, 223, 240
 sulfuric acid: medicinal value, 72; used to treat *s.*, 17, 37, 38, 46, 96, 122; useless in *s.*, 44, 52–4, 57, 69, 89, 90
 summer diarrhea: associated with raw milk, 165
 surgeons: contrasted with physicians, 29
 Svirbely, J. L., 191
 Sydenham, Thomas, 42, 56
Sylvius, *see* Boe, François de le
 synthesis of a.a. by most species, 199–200
 syphilis: confusion with *s.*, 35, 161
 Szent-Györgyi, Albert, 187–92, 204, 220, 253
 tainted food, *see* ptomaine poisoning
 tamarinds: inactive in *s.*, 52; used to prevent *s.*, 21
 tar: antiseptic properties, 60, 73; used to prevent *s.*, 230
 tartaric acid: recommended for *s.*, 90
 theories: their attractions, 57, 71, 79, 96, 119; *see also* empiricism
 thiamine, 222
 Thorn [Torun], siege of, 44
 tinned (i.e., canned) food: a cause of *s.*, 152; *see also* ptomaine poisoning
 tobacco smoking: a cause of *s.*, 39
 Torup, Professor: originator of ptomaine theory, 147, 178
 toxins: the cause of *s.*, 147, 151, 170, 173, 177, 180, 250; not the cause of guinea pig *s.*, 176; resistance of guinea pigs increased by a.a., 207; in sterilized milk, 166, 177; *see also* ptomaine poisoning
 Travis, John, 64
 Tripler, C. S., 121–2
 Trotter, Thomas, 88–91, 95, 129, 224, 234, 239, 253
 tuberculosis: analogy with *s.*, 127; possible synergism with *s.*, 203
 Turkish Army: *s.* in Crimea, 115–16
 Turnbull, Inspector-General, 150
 turnips: to cure *s.*, 45, 49; to prevent *s.*, 107; 184
 turpentine, *see* tar
 typhus: analogy with *s.*, 127
 “ulcer diets”: low in a.a., 205
 unexplained cures, 238–9
 United States: infantile *s.* in, 161–5, 170–2
 United States Army: precautions in World War II, 206; *s.* in, 120–3

- United States Department of Agriculture, "vegetables a luxury," 249
- United States Navy: lime juice not used, 96; s. in, 96, 118–20
- vaccination: unsafe in s., 122, 123
- vegetable juices: use in s., 184
- vegetables: considered uneconomic, 249–50; good sources of a.a., 224–7; used to cure s., 44, 46, 61, 62, 79, 111, 116, 123, 153; value lost in drying and cooking, 23, 63, 108, 177–8, 180, 184, 224, 240; *see also* green vegetables; spinach
- vegetables, fresh: deficiency the sole cause of s., 44, 51, 61, 126, 128; deficiency not the sole cause of s., 60, 61, 62, 75, 107, 117, 128, 146, 153, 169–70, 173
- vegetables, preserved: doubtful value, 143
- ventilation of ships: failure to prevent s., 49, 75; s. when inadequate, 91, 121, 125, 143; used to prevent s., 60, 119–20
- Villemin, Jean-Antoine, 127–8, 252
- vinegar: medicinal value, 72; not useful, 57, 68, 83, 89, 90; used to prevent s., 61, 138; used to treat s., 52–4, 96, 111, 122
- Virginia: s. in, 12
- vitamin A deficiency, 249; hyperkeratosis, 201; night blindness, 201, 222, 249
- vitamin A poisoning: from polar bear liver, 222
- vitamin C, *see* ascorbic acid
- vitamin D, 222
- vitamin deficiencies: guinea pig s. not in this category, 180; original concept, 178, 183; s. in this category, 178, 183
- vitamin E: possible interrelation with a.a., 241
- vitamin P: second factor in lemon juice, 204; synergist for a.a., 223
- vitamin supplements: extent of use and relation to health, 219–20
- vitamins, nomenclature, 186
- vitriol, *see* sulfuric acid
- Voltaire: self-diagnosis of s., 62
- Wallis, S., 66–7
- Walter, Richard, 49
- Ward's pills, 51
- water quality: relation to s., 11, 20, 33, 36, 49, 82, 105
- watercress: in treatment for s., 34, 38, 49
- Watt, Surgeon Vice-Admiral Sir James, 66, 77, 83, 87, 240
- weather, *see* cold weather; moist air
- Wesley, John, 45
- whale skin: a.a. content, 232; used as an antiscorbutic, 146, 231
- whalers: reliance on potatoes, 100
- widower scurvy, *see* bachelor s.
- Williams, Roger, 211
- Willis, Thomas, 41, 56
- Wilson, E. A., 151, 153
- wine: failure to prevent s., 68; used to prevent s., 15, 21, 23, 116, 125, 229; used to treat s., 44, 64
- women: susceptibility to s., 124, 126, 203, 246
- Woodall, John, 21, 36–7, 39
- World War I: s. in, 117, 172, 184, 186
- World War II: precautions against s., 205–6
- wort, *see* malt
- wounds: reopening in s., 47, 157; slow healing in marginal s., 11, 155, 201–2, 203
- Wright, Sir Almroth E., 131, 153, 176, 186, 251, 252
- yeast: not antiscorbutic, 178, 229
- Zen macrobiotic diet: a cause of s., 248
- Zilva, S. S., 187, 190, 197
- Zimbabwe: occurrence of s., 150