

INDEX

- Action: - on an associated bundle 294; - of a 2-cocycle on an extension 226; - of a groupoid 49; inner automorphism - 52, 95; - of a Lie algebroid 106, 193; linear examples of - 96; smooth - 92; trivial - 50, 106; See also Representation
- Additivity condition 168
- Adjoint bundle: - of a Lie algebroid 105, 190; - of a Lie groupoid 118; - of a principal bundle 284
- Adjoint Lie groupoid of a Lie algebroid 234, 261
- Admissible section 58: local - 60
- Admissible space 64
- α -fibre 3
- α -homotopy 64
- α -identity-component subgroupoid 45, 86
- α -path 64
- α -property 18
- Ambrose-Singer theorem 180
- Anchor: - of a groupoid 13; - of a Lie algebroid 100, 112
- Anchor-preserving map 204
- Arrow 2
- Atiyah sequence 288: - of a homogeneous bundle 291; morphism of - 289
- Back-connection 140, 292
- Back-transversal 204, 221
- Baer sum 209
- Base 2, 100
- Basic form 296
- β -fibre 3
- β -saturation, of a local vector field 114
- Bianchi identity (second) 145: abstract - 204, 222
- Canonical coordinates 136
- Canonical open set 25
- CDO - See covariant differential operator
- Central representation 215
- Centre of an LAB 188
- Change of Lie algebroids 242
- Coarsest topology, on a groupoid 27
- Coboundary, for Lie algebroid cohomology 198, 298
- Cochain 123
- Cocycle 39, 199: - condition 149, 237 260; construction of groupoid from - 40; construction of Lie algebroid from - 150; - equation 39; pointed - 41
- Cohomology: equivariant de Rham - 202; - of a Lie algebroid 199; rigid - 241, 271
- Compatibility condition 102
- Compatible system of local data 238
- Connection 140, 292: adjoint - 144, 295; back - 140, 141, 292; equivariant - 302; flat - 141; - form 293; induced - in an associated vector bundle 294; infinitesimal - 141, 292; Koszul - 142; Lie - 143; local - form 152; local flat - 148, 236, 260; produced - 143, 305; Riemannian - 142; standard flat - 143
- Construction principle for Lie algebroids 150, 224
- Co-star 3
- Coupling 214: - induced by an extension 222
- Covariant derivative, exterior 145, 146, 217, 299

- Covariant differential operator 104:
- on an LAB 133; outer - 213; on a Riemannian bundle - 132
- Covering of a groupoid 55: morphism of - 55; regular - 57
- Covering projection (monodromy groupoid) 65, 68
- Criteria for 2-form to be curvature form 224, 266
- Curvature: - of an anchor-preserving map 203, 205; - of a connection 140, 295; - form, local 153
- Decomposing section 32
- Deformable section 54
- Derivation 104
- Derived sub LAB 188
- Differentiable groupoid 84: action - 90; action of a - 92; holonomy - (of a microdifferentiable groupoid) 63, 162; locally - 161; product - 95; see also Topological groupoid, Lie groupoid, Morphism
- Differentiable subgroupoid 91:
 α -identity component - 86; isotropy - 93; reduction 91
- Embedding 37
- Equivalence: - of cocycles 39; - of operator extensions 205, 220; - of systems of transition data 238
- Equivariant: - chart 278; - connection 302; - de Rham cohomology 202; - form 295; - with respect to groupoid actions 49, 50; - with respect to Lie algebroid actions 106; 192
- Euler class 258
- Exactness of Lie functor 117
- Exponential map 127
- Extension, of a groupoid 52
- Extension, of a Lie algebroid 204, 220: flat - 204; geometric - 244; inflated - 244; operator - 205, 226; pullback - 209; pushout - 207; restricted - 243; semidirect - 209, 231
- Fibre bundle 274: associated - 275, 281; morphism of - 275
- Fibre type 274
- Field of Lie algebra brackets 97
- Flow neighbourhood 126
- Flow, saturated local 289
- Form: basic - 296; equivariant - 295; fibred - 122; horizontal - 296; pseudotensorial - 295; right-invariant fibered - 122; tensorial - 296
- Formal pairing 251
- Frame groupoid 5, 23: - of an LAB 97; - of a Riemannian bundle 96; Lie algebroid of - 128, 132
- Fundamental groupoid 5, 24, 90
- Γ -lift, of a path 75, 76, 80
- Gauge transformation 60
- Geometric extension 244
- Germ equivalent local morphisms 70
- Germ groupoid 26
- Groupoid 2: abelian - 15; action - 4, 55; action of a - 49; - associated to a principal bundle 6, 28; base - 3; equivalence relation as a - 12, 22, 90, 162; frame - 5, 23; fundamental - 5, 24, 90; germ - 26; inverse image - 11; isomorphism of - 7; product - 15, 95; totally intransitive - 13; transitive - 13; trivial - 14; see also Subgroupoid, Morphism
- G-simple open cover 71
- Gysin sequence 257
- Holonomy: - of a connection 80; - group 78; - groupoid (of a microdifferentiable groupoid) 63-64; - morphism 165; - subgroupoid (of a connection) 76, 171, 182

- Homogeneous bundle 273: Atiyah sequence of - 291; equivariant connections in - 302; groupoid corresponding to - 23
- Hopf bundles 43, 68, 231, 304
- Horizontal: - form 296; - projection 299
- Ideal (of a Lie algebroid) 166, 191: - reduction 191
- Identity 2
- Image: - of Lie groupoid morphism 98; - of Lie algebroid morphism 190
- Inflation map 243
- Inner automorphism: - of a groupoid 18, 62; Lie groupoid of - 234
- Inner group bundle 52, 277
- Inner subgroupoid 8, 13, 92
- Integrability 260: - obstruction 264
- Interior multiplication 199
- Invariant section 53, 281
- Isotropy: - group 3; - subgroupoid 54, 93
- Kernel: - of groupoid morphism 8, 39, 98; - of Lie algebroid morphism 190
- LAB - See Lie algebra bundle
- Left bracket 308
- Left-split map 293
- Left-translation 18, 58; local - 60; - of a principal bundle 60
- LGB - See Lie group bundle
- Lie algebra bundle 101: abelian - 189; adjoint - of an LAB 189; adjoint - of a Lie algebroid 190; - associated to an LGB 118; centre of a - 188; - of derivations 188; derived - 188; - of inner derivations 189; quotient - 189; semi-simple - 189; See also Morphism
- Lie algebroid 100: abelian - 107; adjoint bundle of a - 105, 190; adjoint representation of - 107, 133, 137, 189; - chart 149; construction of - from transition forms 150; - of covariant differential operators 104; curvature reduction 180; - of a differential groupoid 113; direct sum - 108; exact sequence of - 107; flat - 141; - of frame groupoid 132; integrable - 260; involutive distribution as a - 104; - of isotropy groupoid 129; local triviality of transitive - 233; produced - 232; pullback - 208; quotient - 191; reduction of a - 108; regular - 100; representation of - 106, 129, 193; restriction of - 101; totally intransitive - 100; transitive - 100; trivial - 102; trivial representation of - 106; See also Lie subalgebroid, Morphism
- Lie connection 143
- Lie derivation law 214, 217
- Lie derivative 199
- Lie functor 115; exactness of - 117
- Lie group bundle 277: morphism of - 277
- Lie groupoid 89: adjoint - of a transitive Lie algebroid 234, 261; adjoint LAB of a - 118; adjoint representation of - 118; flat - 141; - of inner automorphisms 234, 261; local isomorphism of - 165; monodromy - 90; orthonormal frame - 96; quotient - 99; reduction of - 91; Riemannian frame - 96; See also Topological groupoid, Lie subgroupoid, Morphism
- Lie subalgebroid 108: reduction 108
- Lie subgroupoid 91: - corresponding to Lie subalgebroid 158
- Lie pseudo-algebra 100
- Lie's third theorem 268
- Lift: - of curvature of a Lie derivation law 215; - of a path 75, 76, 80
- Lifting of extensions 250, 255
- Local differentiable groupoid structure 161
- Local system of coefficients 165
- Local triviality 32, 233

- Maurer-Cartan forms: - on a group 310;
- on a Lie groupoid 123; See also transition forms
- Microdifferentiable groupoid 161
- Monodromy groupoid 68, 90, 166
- Morphism of differentiable groupoids 84, 98; kernel of - 98; local - 165, 184
- Morphism of groupoids 7: base-bijective (-injective, -surjective) - 7; base-preserving 7; covering 55; inverse-image - 11; - over a given map 7; - over a manifold 7; piecewise-bijective (-injective, -surjective) - 7; universal - 12
- Morphism of Lie algebra bundles 101: locally constant - 176
- Morphism of Lie algebroids 101, 190: compatibility condition for - 102; image of - 190; induced - 114, 135, 162; kernel of - 190; structure of - 182, 190, 192, 239
- Morphism of topological groupoids 18: induced - of local prolongation groupoids 63; local - 70; produced - 42
- Morphism of vector bundles: fibre-wise-bijective (-injective, -surjective) 313; locally constant - 176; - of locally constant rank 176; - over a given manifold 313; pullback - 314
- Natural projection 9, 20, 191
- Object 2
- Object inclusion map 2
- Obstruction: - class 220; - cocycle 216
- Orbit, of groupoid action 49
- Pairing of representations 250
- Parallel: - section 172, 195; - translation 79
- Path connection: C^0 - 75; C^∞ - 168; continuous - 75; produced - 79
- Principal bundle 274: Cartan - 273; locally simple - 71; locally trivial - 274; morphism of - 273; produced - 276
- Produced: - connection 143, 305; - groupoid 42, 233; - Lie algebroid 232; - path-connection 79; - principal bundle 276
- Pseudogroup of local admissible sections 61
- Pseudotensorial form 295
- Pullback: - groupoid 11; topological groupoid 19, 36; - Lie algebroid 208; - vector bundle 315
- Quotient: - groupoid 9; - Lie algebroid 191; - Lie groupoid 99; - topological groupoid 20, 38; - vector bundle 278
- Reduction: - of a Lie algebroid 123; - of a Lie groupoid 91; - of a principal bundle 276; Abstract - theorem 241
- Regular module (Rinehart) 211
- Reparametrization condition 75
- Representation: - associated to an extension 53; central - 215; - of a groupoid 59, 93; - of a Lie algebroid 106, 129, 193, 294; - trivial 50, 106; See also Action
- Restriction map 243
- Restriction semi-direct 244
- Riemannian metric, invariant 307
- Right: - bracket 286, 308; - derivative 123, 310; - split map 293; - translation 18, 62
- RSD - See Restriction semi-direct
- Saturated local flow 289
- Section: admissible - 58, 60; - atlas 32, 33, 274; decomposing - 32; deformable - 54; invariant - 53, 281; local - of a principal bundle 274; local - of a topological groupoid 32
- Semidirect product 209, 231
- \mathcal{E} -bundle 97, 133
- Simple open cover 70

Cambridge University Press

978-0-521-34882-9 - Lie Groupoids and Lie Algebroids in Differential Geometry

K. Mackenzie

Index

[More information](#)

327

- Source projection 2
- Spectral sequence: - of an extension 249; Leray-Serre - 256; - of a transitive Lie algebroid 248; Van Est's - 269
- Splitting 293
- Standard cochain complex 198
- Star 3
- Structure equation 300
- Submersion (topological) 33
- Symmetric: - α -neighbourhood 48; - set 47
- System of transition data 238
- Tangency conditions 168
- Target projection 2
- Tensorial form 296
- TGB - See Topological group bundle
- Topological group bundle 27, 277: inner - 277; morphism of - 277
- Topological groupoid 17: - associated to a principal bundle 28; - with coarsest topology 27; globally trivial - 32; inverse image - 19; isomorphism of - 21, 70; local isomorphism of - 70; local prolongation - 61; locally simple - 71; locally trivial - 32; monodromy - 64, 68; produced - 42, 233; principal - 27; quotient - 20, 38; trivial - 22; trivializable - 32; weakly locally trivial - 33; See also Topological subgroupoid; Morphism
- Topological quotient groupoid 20, 38
- Topological subgroupoid 19: α -identity component - 45; holonomy - 78
- Transition data, system of 238
- Transition: - form 149, 236, 260; - function 39, 274
- Transitivity component 13, 87
- Transversal 204, 221: flat - 204
- Universal covering bundle 68
- Unity 2
- Vector bundle: associated - 275, 280; inverse image - 313
- Vector field: right-invariant - 110, 113, 114; vertical - 110
- Vertex: - bundle 30; - group 3, 87
- Vertical bundle 86
- Wedge product 251
- Whitney sum 313