Index

acquired characteristics, inheritance, 57 ADH locus, 14, 16 Aegilops kotschyii, seed polymorphism and germination, 148 Aethionema saxatile, fruit types and germination, 148, 150 age, resource value, 181, 182 ageing theories, 118 see also senescence altruism, definition, 96 trait increase, 97 Ambrosia trifida, germination strategy, 144 amphicarpy, 149 animal behaviour, 73 conflict, 75 ESS theory, 75 evolutionary game theory applications, 86-90; groups and strategy, 87, 88; species and group optimum, 89; subgroups, 88 rational in conflict, 80 selfish gene approach, 73 types, 75 annual meadow grass (Poa annua). senescence and habitat, 122 apomixis and germination, 130 asexual reproduction, 226 ratchet mechanism, 227 asymmetric contests, social mammals, 173 - 83asymmetry, abuse, 179, 180 age-specific, 181–3 payoff, 182 respect exploitation, 180 baboons ability to wound, 177 consorting out of oestrus, 179 consortships, 175 infant carrying by males, 179, 180

baboons (continued) lifetime reproductive success and males, 182, 183 male-male fighting, 174 males respect and common female, 178 natal immigrant males, 182 oestrus female value, 176, 177 respect of ownership, factors affecting, 175, 176 subordinate male mating, 175 yellow Papio cynocephalus, sex ratio of offspring, 211, 212 bats hammer-headed, lek mating, 302, 303 reversed sexual dimorphism, 295 behaviour, cooperative, 96 use of term, 95 see also animal behaviour and cooperation behavioural structure, 95-103 definition, 95 genetic structure, 101 group selection, 99; components, 100 kin selection, 97, 98, 101 measure, 96 payoff matrix, 102 Bergmann's rule, 69 weasels, 158, 163 biometrical genetics, 5 birds flock role, 75 reversed sexual dimorphism, 295 black-headed jackal (Canis mesomelas), helper care of young, 199 body temperature and spermatozoa viability, 291, 292 see also hyperthermia bonnet macaques (Macaca radiata) juvenile female mortality, 214 sex ratio of offspring, 211, 212 Borelli's law, 108

infanticide protection, 180

322

Index

Bourgeois strategy, 111 ESS in hawks and doves, 175, 177 male lions, 175 breeding methods, parameter estimation equations, 7 breeding performance, measures, 216 breeding size, estimation of population, 8 Cakile maritima, bilocular fruit, 148 Calendula sp, achene polymorphism, 151 capybara (Hydrochoerus hydrochaeris), group size and young protection, 195 Castalis sp, fruit types, 151 cave bear (Ursus spelaeus), size and glaciation, 69 Ceratocapnos sp, dehiscent and indehiscent fruit, 150 character displacement hypothesis, 160, 161 character release, 161 chimpanzees aged and meat, 181 female preference, 178 gang attacks, 177 oestrus female value, 176, 177 respect of ownership, factors affecting, 175, 176 chromosomal ploidy and senescence, 118 communal care, 111, 112 age at sexual maturity, 190, 191, 199 avian, 188, 191 benefits, 191-6; antipredator, 192, 193, 195; breeding sites, 194, 195; food acquisition, 193, 195; territorial, 196 costs, 192, 196-8; aggressivity and group size, 197; conspicuousness of group, 197; infanticide, 197, 198; misdirected care, 198; parasite transmission, 198 decision-making, 199 decline and food availability, 196 definition, 188 degrees, 199, 200 delayed breeding, 188 family groups, 188–90 functions in mammals, 187-200 harem, 188-90 litter weight and body weight, 194 mammalian species incidence, 191 maternal error, learning hypothesis, 195, 196 matriarchy, 188-90 multi-male/multi-female, 188 natural selection, 187 synchronized birth and suckling, 191, 194 types and species, 189, 190 communities, factors affecting, 114

community matrix, 62 concept of limiting similarity, 69 cooperation encounter assortment, 98, 103 evolution and behavioural structure, 95 - 103evolution and ownership, 179-81 group selection models, 99, 100 payoff matrix, 102, 103 reciprocation, 98, 99 total defection, 98, 99 see also behaviour and game theory Corydalis sp, fruit, 150 covariance between relatives, 6, 7 Crepis spp, seed dimorphism and germination, 147

Darwin, C., theory of evolution, 57, 58 components needed, 56 conditions of existence, 60 criticism and orthodoxy, 70 dead, 55 definition, 57 ecological and evolutionary loads, 60, 61 expression, 58 fossil record changes, 68, 69 germ line, 57 long-term ecosystem behaviour, 64, 65 Red Queen and evolutionary load, 58, 59 deer, red (Cervus elaphus) breeding performance measures, 216 breeding success and maternal rank, 214, 215 maternal dominance and sex ratio, 216-19 Rhum, 220 sex ratio of offspring, 211-13 deer, white-tailed, sex ratio and litter size, 208 Dimorphotheca sp, fruit types, 151 dioecy, 271 andro- and gyno-, 240 angiosperm distribution, 247, 254, 255 cosexual state, 255 distyly families, 242-5 families showing, 241 inbreeding avoidance, 237 incidence, Cotula spp, 281 and self-incompatibility system, 238, 247, 254, 255; mixed families frequency, 256, 257; and tests in general, 257-60 sex ratio, 273 species and heterostyly, 240-2 display costs, 313

CAMBRIDGE

Cambridge University Press 978-0-521-34897-3 - Evolution: Essays in Honour of John Maynard Smith Edited by P. J. Greenwood, P. H. Harvey and M. Slatkin Index More information

Index

DNA sequence polymorphism, 16 gene phylogeny, 16 dominance hierarchy, 173 dormancy adaptive, 131 and competition, 135-7 differential, 143 enforced, 135 escape, 135 innate, 135 leaf-canopy-induced, 144 predictive, 135 switching signal, 134, 135 uncertain environments, 129-32 see also germination Drosophila spp, genetic variability, 122 D. melanogaster, ADH locus, 16; inbred and antagonistic pleitropy hypothesis, 124; lethal loci, 8 D. persimilis, allozyme alleles and inversions, 10; xanthine dehydrogenase alleles, 12, 13 D. pseudo-obscura, allozyme alleles and inversions, 10; esterase-t alleles, 12, 14, 15, 17; xanthine dehydrogenase alleles, 12, 13 ecological load, 60 ecological time-scale, 59 ecology and evolution, time scales, 59, 60 ecosystems dynamic behaviour, 65 evolution, 61-3; macroscopic approach, 63 evolutionarily stable strategies, 61, 62 evolutionary and ecological stability, 62 species-poor, evolution, 65 species-rich, evolution, 65 effective migration rate, 32, 33 elephant seals, juvenile conflict avoidance, 181 Emex spinosa amphicarpy, 149 seedling and aerial fruit germination, 149, 150 ESS, see evolutionarily stable strategy esterase-5 allele distribution in Drosophila spp, 12, 14.15 rare alleles, 14, 15 evolutionarily stable strategies (ESS), 108 behaviour understanding, 75 gene-frequency time scale, 59 Hawks-Doves game, 91; lifetime in baboons, 183 interspecific games, 83, 84 Nash's equilibrium condition, 81

323

evolutionarily stable strategies (ESS), (continued) need for concept, 74 precursors, 74 role, 74 and sex ratio in local mate competition, 281, 282 uninvadable population, 82 vigilance game, 87-90; analysis and value, 88 evolutionary biology, pedigree, 56 evolutionary ecology, theory, 56 evolutionary genetics, measurements, 4 evolutionary load, 60 evolutionary stability, definition, 63 evolutionary time scale, 60 facultative responses of genes, 269 fighting, costs and reproductive success, 182 fitness and group size, 89 fitness estimation evolving populations, 7 expression, 58 meiosis and mating, 9 food chain, length determination, 115 fossil record, 55 behaviour, 56 extreme forms of species, 70 Fumaria sp, fruit types, 150 game table, male effectiveness in lek mating, 311 game theory, 73-91 animals, 80 classical, 76-8; cooperative theory,

78-80; individual benefit, 81; minimax principle, 76, 77; Nash solution, 78, 79; non-cooperative theory, 79, 80; origins, 76, 79; Pareto optimality, 76-8, 81; Prisoner's Dilemma, 76-8, 83, 90; summary, 80; symmetric, 83 and evolution, 108 evolutionary, 79; classical, distinctions, 82; ESS conditions, 82-5; genetic framework, 90; interspecific interactions, 85; non-cooperative, comparison, 81-91; pure strategy, two opponents, 85; task, 80, 81; vigilance game, 86-90 (analysis) 88, 89 (group size) 89 evolutionary ideas analogy, 81 fighting behaviour, 173 humans and rationality, 80 optimal strategy and germination, 140, 141

324

Index

gel electrophoresis of protein, 11 allele identification, 12 charge substitutions, 12 genetic variations, 11 polymorphism, 11 sequential, 12, 14 gene flow barriers, 31 multiple independent factors, 35, 36 single translocation, 32, 33 gene flow factor column vector, 41 Dobzhansky barrier, 36, 37 first generation hybrid fitness, 33-5 formula, 33 heterozygote fitness disadvantage, 38, 39 method of finding, 40, 41 number of barrier factors, 35, 36 two-locus barrier and linkage, 38 values and linkage strength, 33, 34 gene frequency time scales, 59 genetic barriers, 31 Dobzhansky model, 36, 37 general hybrid effects, 37-9 Mendelian factors, 39 numbers of factors, 35 single chromosome changes, 33, 35 strength, 32, 35 genetic disease, postponement of early onset, 119 genetic diversity, somatic mutation in trees, 24 - 7genetic epidemiology, 6 analyses, 9 genetic variability early fecundity, 121, 122 litter size and egg production, 121 genetic variation, measurement, 28 germination amphicarp, 149 combined selective pressures, 141, 142 cues. 133 diachronic and seedling competition, 139-41; game theory, 140; mortality, 139; optimal germination fraction, 141 diachronic strategy, 137 early, fitness and mortality, 145, 146 evolutionarily stable strategy, 135, 136 fitness augmentation, 136, 137 genotype, apomictic annuals, 132, 133 geometric vs arithmetric mean, 132, 133 laboratory, 143 mixed strategies, 145 optimization, genetic justification, 129 31; yield, 131 payoff matrix, 144 predictive and innate, 133-5

germination (continued) risk avoidance, 132, 139 risk incurrence, 131, 132, 139 seed dimorphism, 145, 147 seed fitness, 137-9; coarse-grained uncertainty, 138, 139; fine-grained uncertainty, 137, 138 signal processing cost, 135 staggered emergence, 143 strategies, 129-42 survival probability, 129 synchronic strategy, 137, 138 threatening uncertainty, 132 time distributed ESS, 140 timing in uncertain seasonal environments, 137-9 gerontology, 117 evolutionarily based, 124, 125 and senescence, 125 goats, sex ratio of Barbari, 208 gradualism and punctualism, 68-70 grouse, sage, lek-mating, 302-9 guild structure of competing species, 112 haemoglobin, sequential gel electrophoresis, 14 Hamilton's rule, 97, 98 hermaphroditism, forms, 272 herring gull (Larus argentatus), polar subspecies, 70 heterogeneity, adaptive in individuals, 20 heterostyly distribution, 240-2 heterozygosity and variation, 17 hopeful monsters, 55 horses, sex ratio and litter size, 208 Hutchinson's ratio, 155 hyperthermia embryo effects, 292, 293 female heat dissipation and size, 293, 294 sexual size dimorphism, 291-4 testes, 291, 292 Hypochoeris glabra, achene types and germination, 148, 149 indigo birds, lek mating, 302-8 infanticide, helpers in communal care, 197, 198 intermediate forms, maladaptiveness, 68 invasion matrix, 62 jumping, Borelli's law, 108-10 kin selection and Hamilton's rule, 97, 98 Lack's hypothesis, clutch size evolution,

270, 271

Index

Law of Constant extinction, 66, 67 learning, evolutionary game theory, 91 lek mating age model, 305-7 display reduction, 310-12 female choice, 301; independence, 309, 310 female discrimination functions, 303-5 index of skew and species, 302, 303 male cue distribution, 302-5; variability, 310 - 13male, features, 301, 303 mating season male turnover, 312 model assumptions, 309 multiple cue assessment, 309 predation on males, 312, 313 size model, 305, 306 spatial models, 307, 308 lesser black-headed gull (Larus fuscus), polar subspecies, 70 lethals, frequency and breeding population size, 8 life history evolution models, 271 genetic variability, 124 lions Bourgeois strategy, 175, 177 infanticide, 197, 198 males respect and common females, 178 oestrus female value, 176, 177 respect of ownership, factors affecting, 175 - 7lizard (Lacerta vivipara), embryo development temperature, 294 local mate competition higher plants, 280, 281 host egg dispersion, 276 mites, 279, 280 parasitoid wasps, 275-7 sex ratio, 274-6

manakin, black-and-white (Manacus manacus), age model and cue growth rate, 305, 307
display reduction, 310–12
marker gene first hybrid generation, 32
genetic background, 40
linkage and gene flow factor, 33
Mathematical Ideas in Biology, 108, 109
meiosis, cost, 233
Mexican free-tailed bats (Tadarida braziliensis), synchronized birth and clustering, 194, 195
mice, sex ratio and litter size, 208

and superparasitism, 276, 277

.

325

mites (Tetranychus spp) life history, 279 local mate competition and sex ratio, 279, 280 models assortive mating and resource competition, 45-51 Dobzhansky, fitness effects, 36, 37 evolutionary, dynamic behaviour, 65 female choice in lek mating, 303-9 fitness value, 43 gametic stage mutations, 23 genetic variability maintenance, 24-7 hybrid fitness loss, 39 infinite alleles, 24 Levene, 52 null, 155 predator-prey relationships, 109 somatic mutation in tree growth, 20-7 structured deme, 99, 100 synaptic speciation, 43, 51, 52 Venable-Lawlor, 135 vigilance game, 86-90 Models in Ecology, 109 Monte Carlo simulation study, 9 mutation chromosomal and species formation, 35 gametic rate, 23, 24 see also somatic mutation Nash equilibrium concept, 79, 81 description, 79 and ESS, 81 inequality, 8, 82, 83 Nash solution in bargaining games, 78-80 asymmetric, 84 symmetric strategies, 83 Nasonia vitripennis (parasitic wasp) blowfly range, 278 life history, 277 local mate competition and sex ratio, 275-9 superparasite, 277 natural selection, 57 Fisher's fundamental theorem, 59, 64 sex allocation explanation, 269 nature and nurture, 73 neo-Darwinism definition, 57 senescence, 123 niche and ecological, evolutionary load, 61 Osteospermum sp, achene polymorphism,

151 overdominance, corn and plant breeding, 4, 7

326

ownership

asymmetry development, 173-9

females, feeding site, 178

Index

respect, factors affecting species, 175-9; extreme differences, 174, 180, 181; intruder, 174; payoff asymmetry, 177 parental care, 187 patch theory, evolution of recombination, 231 perturbation analysis, 9 polymorphism DNA sequence, 16 protein, 11-15; forces, 14 and variation, 17 population ecology, theoretical and observational, 3 population genetics, 107 adaptability, 3 characteristics, 3 computation, 5; parameters and measurement, 6 deductive programme, 5, 6 difficulties, 17 identity by kind and descent, 16 mechanisms and senescence, 123, 124 phenomena, 5 procedures, 9, 10 research needs, 114 single diallelic locus analysis, 121 theory and observation, 4, 5 theory role, 10, 11 variation in humans, abnormal, 5 variation in natural population, 3, 4 Prisoner's Dilemma game, 76-8, 83, 90 altruism, 96 payoff matrix, 102, 103 see also game theory probability of identity by descent of alleles, 25 protein, gel electrophoresis, 11 punctualism, 68-70 temporal and spatial stasis, 69 Lake Turkana mollusc sequence, 69 punctuated equilibrium, 4 punctuationalists, macro- and microevolution, 55

ratchet effect, Muller, 227, 229 rats, sex ratio and litter size, 208 reciprocation theory tit for tat, 98, 99 total defection, 98, 99 recombination, 225–34 closer linkage selection, 233

recombination (continued) Fisher-Muller theory, 226-9, 231; artefact, 229; individual selection, 228; mutant fixation, 228 genetic drift, 230 parasitism, 232 patch theory, 231 phenomena explaining, 233 ratchet effect of Muller, 227, 229 selection modifier, 228, 229 sib-competition model, 231 and variation, 225, 226 varying epistasis, 232 Red Queen hypothesis, 56 complexity increase, 67 evolutionary load of species, 63, 64 lag load, 58, 59 law of constant extinction, 66, 67 physically stable environment, 64-6 physically unstable environment, 66 reproductive value and death rate, 119 resource competition assortive mating, 45-51; four-locus model, 50, 51; genotypic, 46-51; phenotypic, 47-9; phenotypic with genotypic, 47, 49; resource distribution types, 46, 47 beak size and seed distribution, 44 intraspecific and sympatric speciation, 43 - 52phenotypic-dependent, 43-5 phenotype distribution and mating, 44, 45 resource distribution and mating types, 46-51; underdispersed, 50 resource-holding power (RHP) age-structure and species, 176, 177 asymmetry development, 173-9 extreme differences, 174 and social dominance, 173 rhesus macaques (Macaca mulatta) female rank and offspring breeding success, 213-15 sex ratio of offspring, 209, 211-13 seals grey, sex ratio, 209 Weddell, sex ratio, 209 seed achene polymorphism, 150, 151 mixed strategies and annual habit, 150 seed dimorphism and germination, 145, 147 examples, 147-9

seed dispersal strategies, 147

hard and soft in trees, 21, 22

selection

> selection (continued) thinking, 269 see also natural selection self-fertilization, sib mating equivalent, 281 self-incompatibility, 241-7 dioecious species, 257, 259, 260; families with, 246, 247, 250-3; families without, 246, 248, 249 and dioecy distribution, 247, 254, 255 doubtful cases, 246 evolution of dioecy, 238, 239 families showing distyly, 242-6 homomorphic families, 239, 261 inbreeding depression, 243, 246 post-fertilization, 243, 246 post-zygotic, 246 sub-dioecious species, 257, 258 test in genera with dioecy, 257-60 senescence antagonistic pleiotropy theory, 118-21 evolution, 117-25 evolutionary theory, 118-21; Hamilton's equations, 120; late reproductive opportunity, 122; tests, 121-3 mutation accumulation theory, 123, 124 mutation, early age favourable, 119, 120 population-genetic mechanisms, 119, 123, 124 population-regulation, 117 protein-error catastrophe theory, 118 scientific traditions, 117 survival probabilities and fecundity, 120 sex, evolutionary ecology, 107 sex allocation, 269-83 conflict of interest, 281, 282 diploids, 272, 273 male and female fitness, 273, 274 statement, 272 theory, 271 see also sex ratios sex ratios adaptive significance, 220 breeding scheme adjustment, 280 breeding success, 210 causes of variation, 208, 209 control in wasps and mites, 274-80 equilibrium maintenance, 272 and ESS, 114; local mate competition, 281, 282 evolutionary theory, 225 local mate competition, 274-9 maternal dominance in primates, 211-16; red deer, 216-18 maternal rank and offspring breeding success, 214, 215 non-human mammals, 207-9 rank, 216-218

Index

327

sex ratios (continued) variation in mammalian, 207-11; functional significance, 210 sexual dimorphism amphibians and reptiles, 289 competitive males, 288 factors influencing, 296 flight performance, 295 heat dissipation in small females, 293, 294 hyperthermia, 291-4, 296 large females, 287, 289, 296 large males, 289, 290; features and life style, 290; sexual selection, 288 loading problems, 294-6 parental care, 289, 290 reversed in bats and birds, 295 size in birds and mammals, 287-97 weasels, 164-8; breeding systems, 169; feeding differences, 164; geographical variation, 164; and size, 168; small females, 165, 166 sexual reproduction, high species diversity, 68 size-adjacent competitors, 155 skull length, weasels sex and origin, 166 species, 158 sociobiology, 73 somatic mutation evolutionary role, 19-29 fixation probability, 21, 22, 28 gamete pool contribution, 22 gametic mutation augmentation, 27 genetic diversity, 24-8 occurrence and transmission, 20, 21 plants, 19 probability of identity by descent, 25, 26 rate, 23, 24 recursion equation, 26, 27 tree growth model, 20, 21 speciation chromosomal mutation, 35 stasipatric, 31 sympatric and resource competition, 43 - 52speciation-extinction time scale, 59, 60 species distribution sizes of terrestrial, 115 exogamous, 182 interaction of coexisting, 64 turnover, 61 stasis-plus-punctuation, 55, 66 statistical estimation, 9

testes, cooling, 291, 292

328

Index

Thalapsi arvense, early-germinating fitness and mortality, 145, 146 The Theory of Evolution, 107 trees genetic diversity and somatic mutation, 27 hard and soft selection, 21 somatic mutation modelling, 20, 21

Uganda kob, male seasonal turnover, 312

variation descriptions, 17 somatic cells, 19

water vole (Arvicola terrestris), weasel prey, 163

weasels

character displacement, 160, 161, 167 ermine (*Mustela erminea*) body size, 158, 159; interspecific variation, 112; Ireland, 161; prey size, 162, 163; size and latitude, 158, 159; skull, feeding and non-feeding measures, 162; skull length, 158–62; skull size, sex and origin, 166; skull size and species range, 159–61; species distribution, weasels (continued) ermine (Mustela erminea) body size, (continued) USA, 157; UK size, 161; weight variation, 70 hunting set, 156 least (Mustela nivalis), body size, 158, 159; diet requirement and size, 165, 166; distribution, USA, 157; skull length, 158; skull length, sex and origin, 166, 168; UK size, 161 long-tailed (Mustela frenata), body size, 158, 159; distribution, USA, 157; skull length, 158; skull length, sex and origin, 166, 167 prey size, 162, 163, 167 seasonality response, 163, 164, 167 sex and diet, 163-5 sexual dimorphism, 164-8; elongation, 165; feeding niche, 165 shape, 162 Weismann, A., 57 wild dogs, yearling dominance, 182 wildebeest (Connochaetes taurinus), calf loss and matriarchal groups, 193 wolves, pack size and territory, 196 Wrightian adaptive landscape, 58, 59

xanthine dehydrogenase allele and distribution in *Drosophila* spp, 12, 13