

Index

- agreement space 112
 Alexander-Spanier pseudo-dual
 rational homotopy ($\overline{\Pi}_\psi^*(X)$) 112
 Alexander-Spanier Sullivan-de
 Rham algebra, complex ($\overline{A}(X)$)
 111
 almost-effective 327
 almost-free torus actions (see also
 torus rank) 269ff
 associated prime 401
 based homotopy 97
 belongs 186
 bigraded model 118, 121, 122
 Borel construction 2, 10ff
 Borel formula 370
 Borsuk-Ulam Theorem 33, 34, 246
 Browder-Gottlieb exponent (see also
 G-component) 287
 cases (0), (2), (odd *p*) 130, 131
 cases (A), (B), (C) 145
 cases (B+), (C+) 159
c-connected (CGDA or space) 96
 Čech-*G*-covering 225
 Čech nerve 111
 centre (of a Lie algebra) 277
c-finite 105
 CGDA (commutative graded
 differential algebra) 93
 Chang-Skjelbred module 176ff
 Chang-Skjelbred submodule 178
 cid (complete intersection defect)
 42, 200, 201, 432
 cocentre (of a co-Lie algebra) 277
 cofibration 437
 coformal 128
 coheight 399
 Cohen-Macaulay (rings and
 modules) 418ff
 cohomologically effective 327
 cohomologically separable (CS) 159,
 174
 co-Lie algebra 102
 comparison theorem 8, 9
 compatible diagonal 231
 complete intersection defect See cid
 composition product 232
 conditions (A), (B), (C) See cases
 (A), (B), (C)
 condition (CS) See cohomologically
 separable
 condition (LT) 208
 connected (CGDA) 96
 connecting subtorus 193
 connective isotropy types 131
 deformation 38ff, 449, 450
 depth 416
 depth(*I*, *M*), depth_{*A*}(*M*) 416
 differential module 436
 Eilenberg-Moore spectral sequence
 125, 126, 127
 equivariant canonical map 225
 equivariant (co)homology theory 8
 equivariant Dowker map 225
 equivariant Euler class 366, 367, 372
 equivariant Gysin homomorphism
 360, 366
 equivariant rational homotopy 149ff
 equivariant refinement map 226
 equivariant Tate cohomology 302,
 305, 306, 318
 essential (at *F*) 379
 Euler class 397
 Euler homotopy characteristic 105
 Evaluation Theorem 27, 67 160,
 163, 165, 237, 239, 244
 faithful covering 317
 FDRH (finite dimensional rational
 homotopy; same as π -finite) 105
 fibre number 297 see also
 G-number
 filtered model 123
 filtration, first, second 303

- finite \mathbb{Q} -type 102
- finitely generated 428
- finitely generated Chang-Skjelbred module 178
- finitely many connective orbit types (FMCOT) 131
- finitely many orbit types (FMOT) 131
- finitistic 116, 142
- Fitting ideals, Fitting invariants 186-187
- formal (CGDA, space) 117
- formal dimension 343
- formal (homomorphism, map) 123
- free actions 249. See also rank and p -rank
- free presentation 433
- full 156, 157
- G -cell of type G/K 3
- G -(co)homology theory 8
- G -CW-complex 3
- generators and relations 42, 200, 337, 425ff
- G -exponent 287, 288, 291, 295, 296
- global homological dimension (gldh) 409
- Golber formulae 387, 389
- graded 404
- Grivel-Halperin-Thomas Theorem 106, 112, 113
- G -variety 314
- Harker-Noether Primary Decomposition 407
- height 388
- Hirsch-Brown model 21
- homogeneous 404
- homogeneous ideal 404
- homological codimension 416
- homological dimension 408ff
- homotopic 97
- homologically trivial, hl-trivial 439
- homotopically trivial, ht-trivial 439
- homotopy 97, 436, 437
- homotopy groups (of an augmented KS -complex) 101
- Hopf invariant 395
- Hsiang's Fundamental Fixed Point Theorem 189ff
- Hsiang-Serre ideal 181ff, 248
- hyperformal 120
- ideal (of relations) 429
- I -depth 416
- I -maximal 416
- index 366, 375
- integration formula 374
- intrinsically formal 120
- invariant covering 225
- isotropy types 131
- Kähler space 281
- Koszul complex 412, 414
- Krull dimension 399
- Krull Height Theorem 400
- KS -complex 96
- KS -extension 97
- Λ -extension 97
- Λ -minimal Λ -extension 97
- length 416
- Lefschetz Fixed Point Theorem 249
- Localization Condition 176
- Localization Theorem 133, 135, 145, 146, 149, 154, 159, 171, 237, 244, 334
- local weights 372
- Lyusternik-Schnirel'man category 278
- minimal CGDA See minimal KS -complex
- minimal free presentation 433
- minimal Hirsch-Brown model 29, 73ff, 76, 452
- minimal KS -complex 96
- minimal KS -extension 99
- minimal model 98
- minimal presentation 429, 433
- model 97
- model of generators 431
- model of relations 431
- Monomorphism Condition 176
- M -regular sequence, M -sequence 414, 416
- nilpotent (space) 100
- non-trivial unit 312

- (n, \mathbf{Z}) -pair, (n, \mathbf{Z}) -space 287
 orientation 343
 perturbation 38ff, 449
 π -finite (same as FDRH) 105
 π -formal 128
 Π_{ψ}^* -full See full
 Poincaré algebra 343, 344
 Poincaré duality 344, 347, 358
 Poincaré series 254ff
 Pontryagin classes 384, 385, 397
 Pontryagin number 385, 393, 395, 405, 406
 p -rank (rank_p) 80, 286, 288, 291, 295, 296, 316, 318, 319, 321, 323, 324
 pre-Chang-Skjelbred module 176
 presentation 429
 primary (ideal, submodule) 405
 primary decomposition 406ff
 prime decomposition series, set 401
 prime divisors 407
 projective dimension 408
 pseudo-dual rational homotopy groups (of a space) 101
 p -torus ix
 pull-backs 106, 108, 113, 127
 quasi-isomorphism See weak-equivalence
 Quillen's Proposition 142
 q -type 328, 330
 rank 257. See also p -rank and torus rank
 rank variety 314
 rational category 278
 rational cohomology Kähler space See Kähler space
 rational homotopy Lie algebra 102, 104, 336ff
 regular local ring 410
 regular ring 410
 regular sequence 414ff
 Serre's Proposition 188
 shifted diagonal 232
 shifted subgroup 35, 229, 312, 313
 P. A. Smith theory ix
 special structure 177
 spectral sequence, first, second 304
 Stiefel-Whitney classes 386
 strong Hsiang-Serre ideal 181
 Sullivan-de Rham algebra (complex) 92
 support (of a prime ideal) 132, 170
 support (of a module) 401
 Swan's Theorem 308, 340
 symmetry 326ff, 376ff
 TNHZ (totally non-homologous to zero) 141, 156, 198, 201, 204, 211
 Tate G -exponent 318, 319, 321
 topological degree of symmetry 327, 330
 topological p -toric degree of symmetry 376, 377
 topological splitting principal 373
 topological symmetry 326ff
 topological toric degree of symmetry 245, 327, 376-378
 torus rank (rank_0) 269-275, 277, 279-281, 285
 transfer 217
 twisted tensor product 21, 449
 type of A^* 39
 uniform action 172
 unmixed 419
 unstable elements 332
 Vietoris G -covering 225
 Vietoris nerve 111
 weak equivalence 97
 Weyl group 205ff, 330, 316

Index of Notation

- $A(C^*)$ 302
 $A(K), A(X)$ 94
 $\bar{A}(X)$ 111
 $\text{ann}_A(M)$ 401
 $A_S(L)$ 95
 $\text{Ass}_A(M)$ 401
 $B(C^*)$ 302
 BG 10
 $\beta_G^*(-), \beta_G^*(-)$ 11
 $\beta_{G,\alpha}(-)$ 26
 $\beta_{G,\bar{\alpha}}(-)$ 57
 $\beta_G^*(C^*)$ 224, 226
 $\beta_G^*(X; k)$ 224
 $\bar{\beta}_G^*(X; k), \bar{\beta}_G^*(X, A; k)$ 226
 $\beta_\Gamma^*(C^*)$ 230
 $\bar{\beta}_\Gamma^*(C, A; E)$ 230
 $\bar{\beta}_{G,\bar{\alpha}}^*(X; E)$ 243
 $C^*(-)$ 25
 cid 432
 $\text{cid}(A^*)$ 42
 $\text{codh}_A(M)$ 416
 coht 399
 $\chi_\pi(X)$ 105
 $\chi_{\pi_{\text{top}}}(X)$ 273
 $\chi'_\pi(X)$ 274
 $\chi''_\pi(X)$ 274
 $\partial \text{gk}[G] \text{-Mod}, \partial \text{gk}[G] \text{-Mod}$ 12
 $\partial \text{gR} \text{-Mod}$ 448
 $\partial R \text{-Mod}$ 436
 $\dim A$ 399
 $\dim_A(M)$ 401
 $d(X)$ 274
 $d_{\text{top}}(X)$ 273
 $\Delta_0, \Delta_s, \Delta_c$ 231
 EG 6
 $E(G, C^*)_{r^*,*}$ 227
 $e(X; G), e(X, A; G)$ 287
 $\hat{e}(X; G)$ 318
 $e_G(X, Y)$ 366
 $\mathcal{E}^*(G)$ 11, 224
 $\mathcal{E}_*(G)$ 10, 223
 $\mathcal{E}_*(G; E)$ 229
 $f!$ 360
 $\text{fd}(A^*)$ 343
 FMCOT 131
 FMOT 131
 $F(G, x), F(x)$ 167
 f_n, f_n^0, f_n^1 388
 $\mathfrak{g}(A^*)$ 39
 $\text{gldh}(A)$ 409
 $\text{hd}_A(M)$ 408
 $H^{(*)}(-)$ 27, 67
 $H_G^*(-), H_G^*(-)$ 11
 H_G^* 130
 $H_G(X)$ 167
 $H_{G,\alpha}(-)$ 26, 66
 $H_{G,\bar{\alpha}}^*(-)$ 53
 $\bar{H}_{G,\alpha}^*(X; E)$ 244
 $\bar{H}_\Gamma^*(X, A; E)$ 231
 $\hat{H}_G^*(C^*)$ 303
 $\hat{H}_G^*(X, A; \Lambda), \hat{H}_G^*(X; \Lambda)$ 305
 $h_G^*(-), k_G^*(-)$ 8
 ht 399
 $\mathcal{I}(F)$ 379
 $K(\alpha)$ 228
 k_α 25
 $(K, c)^*$ 167
 $k[G]$ 10
 $k[t]_{\bar{\alpha}}$ 52
 $L(\alpha)$ 229
 $\mathcal{L}(G)$ 49
 $\mathcal{L}^*(K), \mathcal{L}^*(X)$ 103
 $\mathcal{L}_*(X)$ 104
 $\bar{L}^*(X)$ 112
 $LW(F)$ 372
 $\lambda(K)$ 103
 $\text{Max}(A)$ 399
 max, min 401
 $\mathcal{M}(X)$ 97, 98

- | | |
|---|---|
| $\overline{\mathcal{M}}(X)$ 112 | $R\text{-Mod}$ 436 |
| $\mu_G^*(X; k), \mu_{G,\alpha}(X; k)$ 164 | $S(K)$ 132 |
| $\overline{\mu}_G^*(X; E)$ 243 | $S(K, c)$ 170 |
| $\overline{\mu}_{G,\alpha}^*(X; E)$ 243 | $S(V), S(E)$ 93 |
| $\mu d_0(X), \mu d_p(X)$ 377 | $\overline{S}^*(X)$ 348 |
| $n(X)$ 273 | $\text{Spec}(A)$ 399 |
| $n_T(X)$ 273 | $\text{Supp}(M)$ 403 |
| $N_t(X)$ 327 | σp 132, 170 |
| \mathcal{O}_A 343 | $T(K)$ 133 |
| PK 132 | $T(K, c)$ 170 |
| $\mathfrak{p}(K, c)$ 167 | $\mathfrak{T}(X)$ 167 |
| $\pi^*(K)$ 101 | $T_i(X)$ 327 |
| $\Pi_{(G,x_0)}^*(X)$ 149 | $T_{i,p}(X)$ 376 |
| $\Pi_{(G,F)}^*(X)$ (first appears as | $T_i^c(X), T_{i,p}^c(X)$ 377 |
| $\Pi_{(T,F)}^*(X)$) 155 | $\theta(\Phi)$ 254 |
| $\Pi_\psi^*(X)$ 101 | $\theta_n, \theta_n(L)$ 370, 387 |
| $\overline{\Pi}_\psi^*(X)$ 112 | $\oplus_0, \oplus_s, \oplus_c$ 232 |
| $\overline{\Pi}_{(G,x_0)}^*(X)$ 158, 160 | $Un(M)$ 332 |
| $Q(A), Q(f)$ 431 | $V(\mathfrak{a})$ 399 |
| $Q(K)$ 101 | $W_*(EG)$ 6 |
| QK 167 | X^α 53 |
| $Q_{(G,x_0)}(X)$ 149 | X_α 49 |
| $Q_{(G,F)}(X)$ (first appears as | X^f, X^S 132 |
| $Q_{(T,F)}(X)$) 155 | X_G 10 |
| R, R_K 130, 131 | X_i 260 |
| $R(J)$ 431 | X^K 3 |
| $r(A^*)$ 42 | $Z(L)$ (first appears as $Z\mathcal{L}$ and |
| $\text{rank}(\Phi)$ 257 | $Z(\mathcal{L}))$ 277 |
| $\text{rank}_0(X)$ 269 | $Z_1(X)$ 274 |
| $\text{rank}_p(X)$ 312 | $\zeta(\lambda)$ 277 |
| $\text{res}_\alpha X$ 19 | |