

## INDEX

---

- Absidia*, preservation, 90  
*Acaulospora*, preservation, 84  
 accessions, 57–64  
   documentation required, 58–63  
   policies on, 57–8  
   terms and conditions, 64  
 accreditation of laboratories, 169  
*Achyla*, preservation, 90  
 Acrasiomycetes, identification, 111  
 Advisory Committee on Genetic Manipulation (UK), 71, 72  
 advisory services, on maintenance of organisms, 163  
   on strain selection, 163  
 aeration of cultures, 76  
 aflatoxins, 67  
 agar cultures under oil, 80, 82, 83–4  
 agar slants, 56, 79  
 Agaricales, identification, 114  
 Agricultural Research Service Culture Collection (NRRL) (USA), 25–6, 144, 152–3  
 air, liquid, storage in, 95  
 air transport, 65  
*Ajellomyces capsulatus*, 67, 69  
*Ajellomyces dermatidis*, 67, 70  
 All-Union Collection of Microorganisms (VKM) (USSR), 22  
 allergic reactions, fungi causing, 67  
*Allomyces arbuscula*, preservation, 84  
*Alternaria*, 82, 85  
 American Type Culture Collection (ATCC), 22–3, 58, 66, 72  
   accessions form, 60  
   patent deposits, 144, 151  
 anamorph, 108  
 animals, patent protection for, 120–1  
 antibiotics, 3  
 Aphylophorales, identification, 114  
 Aquatic Phycomycete Culture Collection (AP) (UK), 13  
 Argentina, MIRCEN in, 177, 178, 179  
*Arthroderma*, 67  
 Ascomycotina, 102  
   identification, 112–14  
   storage, 80, 86, 89, 94, 96, 98  
 Ascosphaerales, 89, 96  
 Asia, resource centres in, 8–10  
*Aspergillus*, 2, 67  
   culture media, 192  
   identification, 102, 115  
   storage, 82, 84, 85, 90, 98  
*Aspergillus avenaceus*, storage, 84  
*Aspergillus flavus*, 70  
*Aspergillus fumigatus*, 69  
*Aspergillus nidulans*, 25  
*Aspergillus niger*, 76, 78  
 Association de Biotechnologie, 186  
 Association for the Advancement of British Biotechnology, 186  
 Association of Biotechnology Companies, 186  
 Atlantic Regional Laboratory (ARL) (Canada), 22, 41  
 Australasia, resource centres in, 10–13  
 Australia, 40, 184  
   patent system, 116, 126  
   resource centres, 10–13  
 Australian Biotechnical Association, 186  
 Australian National Reference Laboratory in Medical Mycology (AMMRL), 10  
 Austria, patent deposits, 126  
*Basidiobolus*, storage, 94  
 Basidiomycotina (Basidiomycetes), 102

202 *Index*

- Basidiomycotina – (continued)  
 identification, 114  
 storage, 80, 82, 86, 89, 94, 96, 98  
*Beauveria*, 4  
 Belgium, 19–20, 41, 126  
 BIDEAC (c/o Japan Association of Industrial Fermentation), 189  
 biochemical attributes, 34–5, 59, 102–4, 163–4  
*Biodeterioration Abstracts*, 18  
 'biological process, essentially', 120  
 biological testing, 164–6  
*Biosafety in Microbiological and Biomedical Laboratories*, 68, 72  
 biotechnological inventions,  
 microbiological, 121–30  
 new plants and animals, 118–21  
 patentability, 118–30  
 types, 117–18  
 biotechnology associations, 186  
 black light, 77  
*Blastomyces dermatidis*, 67, 70  
*Botryosphaeria obtusa*, storage, 84  
 Brazil, 28, 40–1, 183  
*Bremia lactucae*, 18  
 British Standards (BS) for biological testing, 166, 167  
 Budapest Treaty, 121, 124, 128, 174  
 'conversion' of deposited cultures, 155–6  
 deposit requirements, 141–55  
 depositing procedures, 156–8  
 participating countries, 125  
 Bulgaria, 41, 126  
 bulk culturing, 78–9, 168
- CAB International Mycological Institute (IMI, formerly Commonwealth Mycological Institute), 16–18, 62, 144, 149, 180  
*Calonectria*, storage of, 85  
 Canada, 40, 184  
 data resources, 41  
 MIRCEN in, 177, 178, 179  
 patent system, 116, 123, 126, 140  
 resource centres, 22, 24–5, 26–7  
 Canadian Collection of Fungus Cultures (CCFC), 24  
*Candida albicans*, 69  
 carnation leaf agar (CLA), 188  
 catalogues, culture collection, 38, 170–1  
*Categorisation of Pathogens according to Hazard and Categories of Containment*, 69, 62  
 Centers for Disease Control, 66, 68  
 Centraalbureau voor Schimmelcultures (CBS), 13–14, 61, 144, 148
- Central America, MIRCEN network, 179  
 Centre for General Microbiological Culture Collections (CGMCC) (China), 8  
 CERDIC, 48  
*Chaetomium*, storage, 3, 85  
 chemicals, industrial, 3  
 China, 8, 40, 121, 184  
 China Committee for Culture Collection of Microorganisms (CCCCM), 8  
*Chlamydomyces palmarum*, 82  
 Chytridiomycetes, storage of, 80, 86, 89, 96  
*Circinella*, storage, 90  
*Circinella spinosa*, storage, 85  
*Cladosporium mansonii*, storage, 83  
 Clavicipitales, storage of, 86, 89, 96  
 CMI, *see* International Mycological Institute  
*Coccidioides immitis*, 67, 69  
 CODATA (Committee on Data for Science and Technology), 46–7, 48  
 Coelomycetes, identification, 114–15  
 storage of, 86, 89, 96  
*Coemansia*, storage of 97, 98  
 Collection de Champignons et d'Actinomycètes Pathogènes de la CNCM, 16  
 Collection Nationale de Cultures de Microorganismes (CNCM), 16, 144, 146–7  
*Colletotrichum*, storage of, 83  
*Colletotrichum gloeosporioides*, 4  
*Colletotrichum lindemuthianum*, 18  
 Committee on Data for Science and Technology (CODATA), 46–7, 48  
 Commonwealth Mycological Institute, *see* CAB International Mycological Institute (IMI)  
 computer conferences, 178  
 computers 39, 52–3, 171, 185–6  
 security of records, 74  
*see also* databases  
 confidentiality, 169  
*Conidiobolus*, storage of, 83, 98  
 conservation, fungal strains, 4–5  
 generic names, 108–9  
 consultancy services, 166  
 contract services, 164–9  
 cornmeal (maize) agar (CMA), 188–9  
 Coronophorales, identification, 114  
*Corticium*, storage, 82  
 cryopreservation, 93–7  
 cryoprotectants, 88, 95  
 CSIRO Food Research (FRR), 11  
 Culture Collection of Algae and Protozoa (CCAP) (UK), 144, 148

- Culture Collection of Basidiomycetes (CCBAS) (Czechoslovakia), 14–15  
 Culture Collection of Fungi (CCF) (Czechoslovakia), 15  
 culture collections, 1–2  
   acquisitions, 57–64  
   catalogues, 38, 170–1  
   confidentiality, 169  
   contract services, 164–9  
   customer services, 162–4  
   development, 28–9  
   endangered, 30, 175  
   fees and charges, 55–6, 171–2  
   funding, 29–30, 171  
   in-house, 6  
   information on, *see* information  
   laboratory accreditation, 169  
   locating, 7–8  
   major, 8–28  
   origins, 1  
   patent depositaries, 64, 123–4, 140–60  
   publications and publicity material, 170–1  
   regulations affecting distribution, 64–74  
   research, 6–7, 30, 56  
   resource, 1–2  
   sales, 54–6  
   security, 74  
   service collections, 5–6, 30  
   services, 162–73  
   supply of cultures, 54–6  
   types, 5–7  
   workshops and training, 169–70  
*see also* International Depository Authorities (IDAs) *and* resource centres  
 cultures, custom preparations, 168  
   deposition, 57–64; *see also* accessions, patent deposits  
   growth of, 75–8, 187–92  
   packaging, 56–7  
   prices, 55–6  
   reference standards, 166  
   supply, 54–6  
*Cunninghamella*, storage, 90  
*Curvularia*, 11  
 customs declaration forms, 65  
 cyclosporin, 3  
*Cylindrocarpon*, storage, 85  
*Cylindrocladium*, storage, 85  
 cytochalasins, 3  
 Czapek agar (Cz), 190  
 Czapek yeast autolysate (CYA), 190  
 Czechoslovak Collection of Microorganisms (CCM), 15  
 Czechoslovakia, 14–15, 40, 41, 184  
 databases, 39–51  
   access, 51–3  
   international (worldwide), 46–51  
   national, 39–42  
   regional systems, 40–6, 183–4  
   strain, 39, 164  
 Denmark, 45, 123, 126  
 Departamento de Micologia, Fundação Instituto Osvaldo Cruz (OCF), 28  
 Department of Agriculture (US), 66  
 Department of Trade and Industry (DTI) (UK), 44  
 deposition, 57–64; *see also* accessions, patent deposits  
 dermatophytes, 67, 80  
 desiccation, preservation by, 84–7  
 Deuteromycotina, 101, 102  
   identification, 102, 114–16  
   storage, 80, 86, 89, 94, 96, 98–9  
 Deutsche Sammlung von Mikroorganismen (DSM), 16, 145, 147  
 Diaporthales, storage, 86, 89, 96  
 Diatrypales, storage, 89  
 dichloran 18% glycerol agar (DG18), 191  
 Dictyosteliomycetes, identification, 111  
 dimethyl sulphoxide (DMSO), 95  
 disclosure of inventions, 116–18, 131–3  
   premature, 131  
   sufficiency of, 123–4  
 discoveries, distinction from inventions, 122  
 disinfectants, testing, 164–6  
 Distribution Maps of Plant Diseases, 73  
 documentation deposit, 58–63  
 Dothideales, identification, 112–13  
   storage of, 86, 89, 96  
*Drechslera portulacae*, storage, 82  
 drying, preservation by, 84–7  
 ectomycorrhizal fungi, storage, 83  
 Education Committee (WFCC), 51, 170, 174–5  
 educational activities, 169–70  
 EFPL (Forintek Collection of Wood-Inhabiting Fungi), 24–5  
 Egypt, MIRCEN in, 177, 178–9  
 Elaphomycetales, storage, 89, 96  
 Endangered Collections Committee (WFCC), 30, 51, 175  
 Endomycetales, storage, 86, 89, 96  
 entomogenous fungi, 110  
*Entomophthora*, preservation, 98  
*Entomophthora coronata*, storage, 83  
 Entomophthorales, storage, 94  
*Epidermophyton floccosum*, storage, 83  
 ergot alkaloids, 3

204 *Index*

- Eupenicillium brefeldianum*, 108  
 Europe, Microbial Information Network  
   Europe (MINE), 44–5  
   resource centres, 13–22  
   testing standards, 166, 167  
 European Collection of Animal Cell  
   Cultures (ECACC), 145, 149  
 European Culture Collections'  
   Organisation (ECCO), 41–2, 182–3  
 European Economic Community (EEC),  
   information resources, 44–5  
 European Patent Office/Convention  
   (EPO/EPC), 119, 124  
   application procedures, 132, 133–8,  
   139, 140  
   patent deposits, 127, 129  
   patentability, 120, 123  
 Eurotiales, identification, 113  
   storage of 86, 89, 96  
*Eurotium*, culture media, 189, 190  
 ex-type strains, 107
- fees, 55–6, 171–2  
 Fermentation Research Institute (FRI)  
   (Japan), 145, 148  
 fermented foodstuffs and drinks, 2  
 Finland, 41, 45, 126  
 Food and Agriculture Organisation  
   (FAO), 73  
 Food Research (CSIRO) (FRR), 11  
 foods, mycotoxins associated with, 67–8  
   poisonous fungi, 68  
   spoilage fungi, 110  
   uses of fungi in, 2–3  
 Forintek Collection of Wood-Inhabiting  
   Fungi (EFPL), 24–5  
 France, 41  
   patent deposits, 125, 126, 146–7  
   resource centres, 16, 19  
 freeze-drying (lyophilisation), 56, 87–92  
   advantages and disadvantages, 92  
   methods, 87  
   shelf-life, 89–90  
   survival, 91–2  
   suspending medium, 88  
 freezing, preservation by  
   (cryopreservation), 93–7  
 Friedrich-Schiller-Universität Jena (MW),  
   20  
*Fulvia fulvia*, 18  
 Fundação Tropical de Pesquisas e  
   Tecnologia 'André Tosello', 40–1  
 Fungal Genetics Stock Center (FGSC)  
   (USA), 25  
 fungi, filamentous, 1–2  
   biotechnological applications, 2–4  
   conservation of, 4–5  
   growth, 75–8  
   health and safety, 66–72  
   identification, 100–16  
   industrial scale-up, 78–9  
   information resources, 31–53  
   preservation techniques, 79–99  
   resources centres, 7–28  
 Fungi Imperfecti, *see* Deuteromycotina  
*Fusarium*, culture media, 188, 189  
   identification, 115  
   storage, 82, 85, 90, 98  
   uses, 3  
*Fusarium acuminatum*, storage, 86  
*Fusarium oxysporum*, storage, 18, 85  
*Fusarium semitectum*, storage, 86
- Gasteromycetes, storage, 86, 89, 96  
 genetic manipulation, 4, 71  
*Geotrichum*, storage, 83  
 German Collection of Microorganisms,  
   *see* Deutsche Sammlung von  
   Mikroorganismen (DSM)  
 German Democratic Republic, 20, 41  
 Germany, Federal Republic, 16, 41  
   patent system, 123, 125, 126, 132, 147  
*Gibberella*, storage, 85  
 gibberellins, 3  
*Gigaspora*, storage, 84  
*Gliocladium*, storage, 90  
*Glomerus*, storage, 84  
 glycerol, 95  
 grace period, 131  
 griseofulvin, 3  
 growth hormones, plant, 3  
 Guatemala, MIRCEN in, 177, 178, 179  
 Gymnoascales, storage, 89, 96
- habitat keys and lists, 110–11  
 hazards, data on, 35–6  
 health and safety, 66–74  
   reading list, 71–2  
   regulations, 68–71  
 Health and Safety Executive (HSE) (UK),  
   66, 69–71  
*Helminthosporium*, storage, 94  
 Helotiales, storage, 86, 89, 96  
*Hirsutella*, 4  
*Histoplasma capsulatum*, 67, 69  
 Hungary, 41, 125–8, 147  
 Hybridoma Data Bank (HDB), 47–8  
 Hymenomycetes, identification, 114  
   storage of, 83, 86, 89, 96  
 Hyphochytriomycetes, storage, 96  
 Hyphomycetes, identification, 115–16  
   storage, 86, 89, 96  
 Hypocreales, storage, 86, 89, 96  
*Hypoxylon*, 3

- Iceland, 45  
 identification, 100–16  
   characters used in, 101–4  
   habitat keys and lists, 110–11  
   literature references, 109–16  
   name changes, 105–6  
   nomenclature, 106–9  
 IMI, *see* CAB International Mycological Institute  
 import and export regulations, 65–6  
 import licences/permits, 65, 66, 72, 73, 74, 156  
 In Vitro International Inc. (IVI), 145, 154  
 in-house culture collections, 6  
 industrial applicability of inventions, 118  
 Industrial Biotechnology Association (USA), 186  
 Industrial Biotechnology Association of Canada, 186  
 industrial companies, in-house culture collections, 6  
 industrial fungi, 2–4, 35, 110  
 industrial scale-up, 78–9  
 infectious perishable biological substances (IPBS), 65–6  
 information, 31–53  
   access methods, 51–3  
   interdisciplinary sources, 32–3  
   needs of biotechnologists, 32–7  
   resources, 37–51, 176, 183–4  
   search strategies, 33–4  
   sources of strains, 33  
   on strains, types of, 34–7  
   *see also* databases  
 Institute of Applied Microbiology (IAM) (Japan), 8–9  
 Institute for Fermentation, Osaka (IFO), 9  
 Institute of Horticultural Research (IHR), 180  
 Institute for Physical and Chemical Research (RIKEN) (Japan), 9, 43, 50, 176  
 International Air Transport Association (IATA), 65  
 International Cell Research Organisation (ICRO), 185  
 International Civil Aviation Organisation (ICAO), 65  
*International Code of Botanical Nomenclature* (ICBN), 106–7  
 International Commission of the Taxonomy of Fungi (ICTF), 106  
 International Convention for the Protection of New Varieties of Plants, 118  
 International Council of Scientific Unions (ICSU), 46, 185  
 International Depository Authorities (IDAs), 6, 124, 141–55  
   ‘converted’ deposits, 155–6  
   depositing procedures, 156–9  
   new replacement deposits, 155  
   obtaining samples of deposited cultures, 158–60  
 International Union of Biological Sciences (IUBS), 185  
 International Union of Immunological Societies (IUIS), 46, 47  
 International Union of Microbiological Societies (IUMS), 46, 48, 106, 173, 185  
 inventions, biotechnological, *see* biotechnological inventions  
   disclosing, 116–17, 123–4, 131–3  
   distinction from discoveries, 122  
   microbiological, *see* microbiological inventions  
   patentability of, 116–17  
 inventiveness, criteria for, 116  
 IPO-Collection of Fungal Pathotypes (IPO), 18  
 Ireland, patent requirements, 126  
 Italy, patent requirements, 126  
 Japan, 8–10, 40, 184  
   data resources, 42–3  
   MIRCEN in, 177, 178, 179  
   patent deposits, 125, 126, 128, 130, 148  
   patent system, 116, 121, 132, 139, 140  
 Japan Association of Industrial Fermentation, 186  
 Japan Collection of Microorganisms (JCM), 9–10, 43  
 Japan Federation for Culture Collections (JFCC), 9, 42  
 Korea, 40, 184  
 Laboratoire de Souches de Cryptogamie du Muséum National d’Histoire Naturelle (LCP), 19  
 laboratory accreditation, 169  
 Laboratory of the Government Chemist (LGC) (UK), 44  
 laboratory suppliers of filamentous fungi, 7  
*Laccaria laccata*, storage, 90  
 Liechtenstein, patent requirements, 126  
 Life Science Research Information Section (LSRIS), 43, 48

206 *Index*

- light, near ultraviolet (black), 77  
 preferences, 76  
 'living material', definition, 122  
 lyophilisation, *see* freeze-drying  
 maize (cornmeal) agar (CMA), 188–9  
 malt Czapek agar (MCz), 191  
 malt extract agar (MEA), 191  
 malt extract agar 2% (MA), 191–2  
 Marine Biotechnology MIRCEN, 177, 180  
 marine fungi, 110  
*Martensiomycetes*, storage, 97  
 Mastigomycotina, 102  
 identification, 111–12  
 storage, 86, 89, 96, 97  
 Materials Research Laboratories (MRL) (Australia), 11  
 media, 188–93  
 culture, 75–6  
 for growth and identification of specific genera, 189  
 isolation, 193  
 suspending (cryoprotectants), 88, 95  
 uses, 189  
*Melanopsora*, storage, 85  
 metabolites, secondary, 3, 67–8, 104  
 metals, extraction from dilute solutions, 3  
*Metarhizium*, 4  
 Mezőgazdasági és Ipari Mikroorganizmusok Magyar Nemzeti Gyűjteménye (MIMNG) (NCAIM), 145, 147  
 Microascales, storage, 89, 96  
 Microbial Culture Information Service (MiCIS), 43–4, 183  
 Microbial Information Network in Europe (MINE), 44–5, 183  
 Microbial Strain Data Network (MSDN), 48–9, 51, 176, 184, 185  
 microbiological inventions, 121–30  
 deposition of, *see* patent deposits and *also* Budapest Treaty  
 disclosure of, 123–4, 131–3  
 national deposit requirements, 124–8  
 naturally occurring organisms, 122–3  
 need for deposit, 129–30  
 non-naturally occurring organisms, 123  
 release of samples, 128–9  
 microbiological resources centres, *see* MIRCENs  
 microorganism, definitions of, 121–3  
*Microsporium*, 67  
*Microsporium canis*, storage, 90  
 Ministry of Agriculture, Fisheries and Food (MAFF) (UK), 66  
 MIRCENET, 178  
 MIRCENs, 43, 176–82, 185  
 Biological Nitrogen Fixation (BNF) (*Rhizobium*), 177, 180–2  
 biotechnology, 177, 178–80  
*see also* World Data Center for Microorganisms  
 mites, 58, 77–8  
*Mollerodiscus crassa*, storage, 90  
*Monascus*, 2  
 morphology, 35, 101, 102  
*Mortierella alpina*, storage, 82  
 mould growth resistance testing, 164–6  
*Mucor*, storage, 2, 82, 97  
 Mucorales, health hazards, 67  
 identification, 112  
 storage, 83  
 mutagenicity, assessment of, 164–6  
 Mycelia sterilia, storage, 94  
 mycoherbicides, 4  
 mycoinsecticides, 4  
 Mycological Culture Collection (DLR) (USA), 24  
 Mycothèque de l'Université Catholique de Louvain (MUCL), 19–20  
 mycotoxins, 67–8  
 mycoses, systematic, 67  
 Myxomycetes, identification, 111  
 Myxomycota, characteristics, 102  
  
*Nannizia*, 67  
 National Collection of Agricultural and Industrial Microorganisms (NCAIM) (Hungary), 145, 147  
 National Collection of Animal Cell Cultures, *see* European Collection of Animal Cell Cultures  
 National Collection of Industrial Bacteria (NCIB) (UK), 145, 149–50  
 National Collection of Pathogenic Fungi (NCPF) (UK), 20–1  
 National Collection of Type Cultures (NCTC) (UK), 145, 151  
 National Collection of Wood Rotting Fungi (NCWRF-FPRL) (UK), 21  
 National Collection of Yeast Cultures (NCYC) (UK), 146, 151  
 National Information System of Laboratory Organisms (NISLO) (Japan), 43  
 National Institutes of Health (NIH) (USA), 66, 68, 71  
*Nectria*, storage, 82, 85  
*Nectria radicola*, storage, 83  
 Netherlands, 41  
 patent system, 126, 128–9, 132, 140, 148  
 resource centres, 13–14, 18

- Neurospora*, 25  
*Neurospora crassa*, storage, 95  
 New Zealand, 40, 184  
   patent system, 116, 126  
   resource centres, 10, 11–12  
 nitrogen, liquid, storage in, 93, 97, 98–9  
 nomenclature, reasons for name  
   changes, 105–6  
   rules of, 106–9  
 Nordic Register of Microbiological  
   Culture Collections (NORCC), 45–6,  
   183  
 North America, resource centres in,  
   22–8  
 Norway, 41, 45, 126  
 novelty of inventions, criteria for, 116
- oat agar (OA), 192  
 ochratoxin-A, 67  
 oil, storage under, 80, 82, 83–4  
 Ontario Ministry of Health Fungal  
   Collection (TPHL), 26–7  
 Onygenales, identification, 113  
 Oomycetes, identification, 112  
   storage, 80, 86, 89, 96  
 Ophiostomatales, identification, 113  
   storage, 86, 89, 96  
 oxygen requirements, 76
- packaging, 56, 57, 65  
 packet switching service (PSS), 52–3  
*Paecilomyces*, storage, 3, 98  
 patent agents/attorneys, 130, 140  
 patent, Budapest Treaty requirements,  
   141–55  
   claims, 132–3, 134–8  
   ‘converted’, 155–7  
   deposits, 64, 123–4, 140–60  
   guidelines for, 156–8  
   national requirements, 124–8  
   needs for, 129–30  
   new replacement, 155  
   office procedures, 139–40  
   practical procedures, 130–60  
   principles of, 115  
   protection, 115–61  
   public availability of, 128–9, 158–60  
   technical descriptions, 131–2  
   see also International Depository  
   Authorities (IDAs)  
 Patent Procedures Committee (WFCC),  
   51, 174  
 patentability, of biotechnological  
   inventions, 118–30  
   criteria for, 116–17  
   exclusions, 117, 119, 120–1  
 pathogens, 55  
   human, 67  
   safety regulations, 68–71  
   plant, 110–11  
   quarantine regulations, 72–4  
   postal regulations, 64–6  
*Penicillium*, 2  
   culture media, 189  
   identification, 102, 103  
   storage, 82, 84, 85, 90, 98  
*Penicillium adametzii*, storage, 84  
*Penicillium asperum*, storage, 84  
*Penicillium brefeldianum*, 108  
*Penicillium brevicompactum*, 104  
*Penicillium dodgei*, 108  
*Penicillium lapidosum*, storage, 84  
*Penicillium oxalicum*, storage, 84  
*Penicillium waksmanii*, storage, 84  
*Peronospora farinosa*, 18  
 Pezizales, storage, 86, 89, 96  
 pH requirements, 76  
 physiological attributes, 34–5, 59, 103,  
   104  
*Phytophthora*, culture, 189, 192  
   storage, 83, 90, 94, 95  
*Piptocephalis*, storage, 98  
 Plant Diseases Division Culture  
   Collection (PDDCC) (New Zealand),  
   11–12  
 plant pathogens, 110–11  
   quarantine regulations, 72–4  
 Plant Pathology Branch Culture  
   Collection (QA), 12  
 Plant Research Division Culture  
   Collection (WA), 12–13  
 plant varieties, legal protection of,  
   118–19  
 plants, processes for production of,  
   patent protection for, 120–1  
*Plectospora*, storage, 90  
 pleomorphic fungi, nomenclature, 108  
 poisonous fungi, 68  
 Poland, 41  
 Polystigmatales, storage, 89, 96  
 Portsmouth Polytechnic Culture  
   Collection (PPCC), 21  
 Portugal, 41, 125  
 postal costs, 56  
   regulations, 64–6, 174  
 potato carrot agar (PCA), 192  
 potato dextrose agar (PDA), 192–3  
 potato sucrose agar (PSA), 193  
 preservation techniques, 75, 79–99  
   advice on, 162  
   recommended, 97–9  
 pricing policies, 55–6, 171–2  
 ‘prior art’, 116  
 ‘priority date’, 116, 133

208 *Index*

- process inventions, 118  
 Protosteliomycetes, identification, 111  
*Pseudocercospora*, storage, 85  
 Public Health Service (US), Foreign  
 Quarantine Regulations, 66  
 Publicity Committee (WFCC), 51, 175–6  
 publicity material, culture collection,  
 170–1  
*Puccinia*, 90, 95  
*Puccinia recondita*, 18  
*Puccinia striiformis*, 18  
*Pyrenochaeta*, storage, 90  
*Pyrenophora avenae*, 10  
*Pyrenophora graminea*, 10  
*Pyrenophora teres*, 10  
*Pythium*, culture, 192  
 storage, 82, 83, 90, 94
- Quarantine and Postal Regulations  
 Committee (WFCC), 51, 174  
 quarantine regulations for plant  
 pathogens, 72–4
- records, security, 74  
 reference cultures, 166  
 refrigeration, 79, 80, 83, 84  
 regulations, data on 37  
 postal, 64–6, 174  
 quarantine, for plant pathogens, 72–4  
 safety, 68–71  
 rehydration, of freeze-dried cultures, 92  
 research culture collections, 6–7, 30, 56  
 research and development by culture  
 collections, 166–8  
 ‘reserve’ strains, 54  
 resource centres, 7–28, 173–87  
 development of, 28–9  
 future developments, 185–8  
 international organisations, 173–82  
 locating, 7–8  
 microbiological, *see* MIRCENs  
 national federations/committees, 184–5  
 regional organisations, 182–4  
 safeguarding, 29–30  
*see also* culture collections  
 resource development by culture  
 collections, 169  
*Review of Medical and Veterinary  
 Mycology*, 18  
*Rhinocladiella*, 11  
*Rhizopus*, 2  
 storage, 80, 90, 97  
*Rhizopus nigricans*, storage, 85  
 Rhytismatales, storage, 89, 96  
 RIKEN, *see* Institute for Physical and  
 Chemical Research  
 risk assessment, data on, 35–6
- safe-deposits, 5, 58, 64, 162–3  
 safety, *see* health and safety  
 sanctioned names, 108  
*Saprolegnia*, storage, 94  
*Saprolegnia furcata*, storage, 83  
 scale-up, industrial, 78–9  
 scanning electron microscopy (SEM),  
 102, 103  
 Sclerospora, storage, 94  
 security of records, 74  
*Septoria*, storage, 85  
 silica gel, anhydrous, storage on, 85, 86,  
 87  
 single-cell protein (SCP), 3  
 soil, fungi, identification, 111  
 storage in, 84–5, 86, 87  
*Sordaria fimicola*, storage, 25, 95  
 Sordariales, identification, 114  
 storage, 86, 89, 96  
 South America, MIRCEN network, 179  
 resource centres in, 28  
 Spain, 41, 126  
 Sphaerales, storage of, 86, 89, 96  
 spores, identification using, 101–3  
*Sporothrix schenckii*, 67, 70  
*Sporotrichum*, 3  
 storage, *see* preservation techniques  
 strains, data available on, 34–6  
 data compendia, 39, 164, 184  
 locating, 33–4  
 selection, 163  
 Subculturing, 79–84  
 Sweden, 41, 45  
 MIRCEN in, 177, 178  
 patent requirements, 126  
 Switzerland, 41, 125, 126  
*Syzygites*, storage, 90  
 presentation, 98  
*Syzygites megalocarpus*, preservation, 87
- tap water agar (TWA), 193  
 Taphrinales, storage, 89, 96  
 taxes, sales, 56  
 taxonomic data, 36–7  
 telecommunications, data, 52–3  
 teleomorphs, 108  
 temperatures, for cryopreservation, 93,  
 95, 96  
 for growth, 76  
 for storage of subcultures, 80, 84  
 testing standards, 166, 167–8  
 Thailand, MIRCEN in, 177, 178  
 thermophilic fungi, identification, 111  
*Thielavia*, storage, 85  
 tinea, 67  
 tissue cultures, patentability of, 121  
*Tolyposcladium inflatum*, 3



- Toronto Public Health Laboratories, 26–7  
 toxicity testing, 164–6  
 training services, 169–70  
*Trichoderma*, 3, 4  
*Trichoderma harzianum*, storage, 82  
*Trichoderma reesei*, 69  
*Trichophyton*, 67, 70  
 storage, 82  
*Trichophyton mentagrophytes*, 90  
*Trichophyton rubrum*, storage, 83  
 trichothecenes, 67  
 Tropical Data Base, Brazil, 183  
 Turkey, 40, 41, 184  
 type, nomenclatural, 107
- ultraviolet light, 77
- Union of Soviet Socialist Republics (USSR), 22, 41, 127
- United Kingdom (UK), 40, 41, 184  
 data resources, 43–4  
 MIRCEN in, 177, 178, 179–80  
 patent deposits, 125, 127, 148–51  
 patent system, 123, 132  
 postal and import regulations, 65–6  
 resource centres, 13, 16–18, 20–1  
 safety regulations, 68–71
- United Nations Educational, Scientific and Cultural Organisation (UNESCO), 176
- United States of America (USA), 40, 184  
 import regulations, 66  
 MIRCEN in, 177, 178, 180  
 patent deposits, 125, 127, 128, 130, 151–4  
 patent procedures, 132, 139, 142  
 patentability of inventions, 116, 121, 123  
 resource centres, 22–4, 25–6, 27–8  
 safety regulations, 68–71  
 testing standards, 166, 167–9
- University of Alberta Microfungus Collection and Herbaria (UAMH), 27
- Upjohn Culture Collection (UCR), 27–8  
 Uredinomycetes, storage, 89, 96  
 Ustilaginomycetes, storage, 89, 96  
*Ustilago*, preservation, 95  
 utility of inventions, 116
- Verticillium*, 4  
 storage, 82  
 viability testing, 157
- Victoria University of Wellington (DBVU), 10
- Volutella ciliata*, storage, 82
- wastes, biodegradation, 3  
 water, activity, 77  
 storage, 80–1, 83  
 workshops, culture collection, 169–70
- World Data Center for Microorganisms (WDC), 49–50, 51, 63, 176, 177, 178, 185
- World Federation for Culture Collections (WFCC), ix–x, 46, 50–1, 173–6  
 data centres, 48–9, 176  
 Education Committee, 51, 170, 174–5  
 Endangered Collections Committee, 30, 51, 175  
 Patent Procedures Committee, 51, 174  
 Publicity Committee, 51, 175–6  
 Quarantine and Postal Regulations Committee, 51, 174
- World Intellectual Property Organisation (WIPO), 122, 141, 174
- yeast peptone soluble starch (YPSS), 193  
 yeasts, 1
- zearalenone, 3
- Zygomycetes, identification, 112  
 storage, 86, 89, 96
- Zygomycotina, 102  
 identification, 111–12  
 storage, 80, 86, 89, 96, 97–8
- Zygorhynchus*, 90