

## Index

- $\alpha$ -factor 47, 228, 249
- A2318 347
- Absidia glauca* 299
- Absidia* spp. 197
- acetate metabolism 94, 382–4
- acetoin 103
- acetyl-ornithine transaminase 236
- acetyl CoA-dependent pyruvate carboxylase 390
- acetylglutamate kinase 236
- acetylglutamate synthase 236
- acetylglutamyl-phosphate reductase 236
- acylornithine-glutamate acetyl transferase 236
- acylornithine transaminase 236
- Achlya ambisexualis* 347, 350
- Achlya bisexualis*
  - apical wall properties 408–9
  - hyphal branching 349
  - plasma membrane H<sup>+</sup>-ATPase 12
  - plasmolysis 434
  - transhyphal current 35–6
  - turgor potential 405
- Achlya* spp.
  - amino acid transport 35, 213–15
  - 2-deoxy-D-glucose/sugars transport 118, 215
  - nucleoside transport 215
  - transhyphal current 34–8
- acid phosphatase
  - presence in the vacuole 68
  - regulation by pH of the medium 395
  - repression by thiamine 310
  - secretion 47
- acid protease 40
- aconitase 193, 390
- Acremonium* 299
- acridine orange 8
- acyl CoA oxidase 193
- acyl-CoA synthetase 193
- adenine as a growth factor 307
- adenosine 5'-phosphosulphate kinase (APS kinase) 295
- adenosylhomocysteinase 297
- adenylate cyclase 170, 351
- adhesion to surfaces 57
- affinity constant ( $K_T$ ) 25–31
- Agaricales requirement for thiamine 308
- Agaricus bisporus*
  - calcium oxalate in hyphal walls 357
  - calmodulin 350
  - copper 361
  - metallothionein 361
  - polyphosphate content of spores 277
  - protein utilisation 249–50
- aircraft fuel 190
- alanine : 2-oxoglutarate aminotransferase 241
- albumin 114–15
- alcohol dehydrogenase 22, 68, 108, 110, 194, 383, 440
- alcohol oxidase 186–8
- aldehyde dehydrogenase 194
- alkaline phosphatase 68
- alkane utilisation
  - chain length 190
  - emulsifying agents 192
  - gluconeogenesis 191
  - glyoxylate cycle 191
  - hair-like structures on the wall 192
  - incorporation into cells 191–3
  - oxidation 191, 193–4

- alkane utilisation *continued*  
     single cell protein 190  
     all-or-none process 328  
*Allium cepa* (onion) 285, 454  
*Allomyces arbuscula* 347  
*Allomyces javanicus* 88  
*Allomyces javanicus* var. *macrogynus* 196  
*Allomyces macrogynus*  
     rhizoids 38  
     trans-hyphal current 34–5  
*Allomyces* spp. 307  
*Alternaria alternata* 420  
*Alternaria tenuis* 299  
     aluminium  
         acid rain 375  
         forest decline 375  
     mycorrhizal fungi  
         nitrogen nutrition 375  
         phosphorus 376  
         polyphosphate granules 376  
         tolerance 376  
     potassium efflux 330  
     siderophores 369  
*Amanita muscaria*  
     CEC of stipe 57  
     siderophore 372  
     sulphur oxidation 299  
*Amanita pantherina* 57  
*Amanita* sp. 374  
*Ambrosiozyma* spp. 197  
 $\omega$ -amidase 238–9  
     amino acids  
         cytoplasmic and vacuolar 67, 83–4  
         metabolism 234–42, 247–8  
         osmotic role 415–17  
         sulphur-containing, requirement for 289,  
             295–6  
     transport  
         *Achlya* 213–15  
         *Aspergillus nidulans* 215–17  
         *Neurospora crassa* 217–20  
         *Penicillium* 221–3  
     tonoplast transport 82–4  
      $p$ -aminobenzoic acid 306  
     ammonia  
         basidiospore formation, inhibition 240  
         inability to grow on 198  
         incorporation into carbon skeletons 235–8,  
             240–2, 247–8  
     mycorrhizal fungi, assimilation in 243–8  
     release into the medium 249  
     scavenging system 240  
     transport 199–200, 208, 319  
     amylase 40–1, 47  
     anaerobic fungi 108–9, 158  
     anaerobiosis 92  
     anisomycin 311  
     antimycin 16, 130  
     antiport 2–3  
*Apium graveolens* (celery) 454  
*Aqualinderella fermentans* 92  
*Araipsora* 91  
     arginase 236, 241  
     arginosuccinate lyase 236  
     arginosuccinate synthetase 236  
*Armillaria mellea*  
     nitrate utilisation 196  
     phosphorus pools 456–3  
     translocation  
         bidirectional 462–3  
         dry matter flux 462  
         vessel hyphae 463  
     Arrhenius plot 333  
     arsenate transport 262  
     aryl sulphatase 289  
     aryl- $\beta$ -glucosidase 40  
*Ascobolus denuda* 196  
*Ascobolus leveillei* 196  
*Ascochyta pisi* 196  
     ascorbic acid 61  
*Ashbya gossypii* 314  
     asparagine synthetase 241  
     aspartate : 2-oxoglutarate aminotransferase  
         241  
     aspartate carbamoyltransferase 236  
*Aspergillus aculeatus* 393  
*Aspergillus amstelodami* 206  
*Aspergillus ficuum* 255  
*Aspergillus flavus*  
     calcium malate crystals 390  
     growth on silica gel 396  
     organic acid production 393  
     sulphur oxidation 299  
*Aspergillus fumigatus* 299, 370  
*Aspergillus nidulans*  
     acetate metabolism 383  
     amino acid transport 215–17  
     apical protoplasts 37–8  
     bicarbonate and growth 395–6  
     calcium, calmodulin-dependent protein  
         kinases 347  
     carbohydrate metabolism 90–1  
     carbon dioxide fixation 395–6  
     choline-*O*-sulphate, sulphur storage 296  
     denitrification, inability to bring about 198  
     general amino acid control 233  
     genes  
         *acuA, acuD, acuC, acuE* 383

*Index*

597

- acuG* 90, 383  
*areA* 201–3  
*cnx* 203  
*crnA* 199, 202–3  
*facB* 383  
*frA, galD, galE, glcB, manA, mnr455*  
  90  
*niaD, niiA, nirA* 202–3  
*pkiA, pppA* 90  
*prnB* 217  
*pycA* 383  
*sbA, sorB* 90  
glucose, galactose and fructose transport  
  118  
glutamine, signal for metabolic control 230  
mitochondrial functioning 385  
mutants  
  *nap3* 215  
  *pacC-5* 253–4  
  resistance to acid media 395  
nitrate  
  reductase 201–4  
  transport 199  
  utilisation 103  
nitrogen catabolite control 230–1  
nitrogen utilisation 201–5, 230–4  
NMR studies 89  
osmotic shock 430  
pentose phosphate pathway and related  
  enzymes, increase in 93, 104  
pH of medium, regulatory role 395  
polys 24, 421  
protoplasts, potassium : sodium ratio 37–8  
pyruvate carboxylase 386  
solutes, internal concentrations 414  
sulphate transport 290–1  
transhyphal current 34  
wall, ions in 418
- Aspergillus niger*  
calmodulin 350  
citric acid synthesis 385–9  
dioxygenase 182  
growth on silica gel 396  
manganese transport 338  
mitochondrial functioning 385  
nitrate assimilation genes 202  
organic acid synthesis 393  
oxalate biosynthetic pathways 358  
oxalate in culture 357  
pellets 32  
plasmolysis 434  
polyphosphate content of mycelium and  
  spores 276–7  
protein secretion 41
- solubilisation of soil phosphorus 252  
sulphur oxidation 299  
*Aspergillus ochraceus* 369, 393  
*Aspergillus oryzae* 202, 393  
*Aspergillus phoenicus* 157  
*Aspergillus repens* 396  
*Aspergillus restrictus* 420, 423  
*Aspergillus sojae* 393  
*Aspergillus* spp.  
  calcium and sporulation 347  
  citric acid producers 393  
  gluconic acid producers 393  
  growth factors not required 308  
  malic acid producers 393  
  nitrate utilisation 196  
  phytate breakdown 255  
  tolerance of low water potentials 420, 423  
*Aspergillus terreus* 388–90  
*Aspergillus wentii*  
  growth and turgor potential 400–1, 407–8  
  organic acid synthesis 393  
  osmotic, turgor and water potentials 404  
ATP sulphurylase (sulphate adenyllyl  
  transferase) 294  
*Aureobasidium pullulans*  
  cadmium and copper transport 345  
  dioxygenase 182  
  sulphur oxidation 299  
*Auricularia auriculalis*  
autolysis  
  conditions 447–8  
  effect on morphology 448  
  enzymes 448  
  translocation of products 448  
auxin 19  
auxotrophic 305  
azaserine 242  
azide 5, 6, 75, 146, 223, 227, 289, 329
- bacilysin 225, 228  
*Basidiobolus ranarum* 197  
*Basidiobolus variarum* 34  
basidiomycete fungi  
  fruit body 240–1, 317, 464–7  
  mycelium, two types 165  
  radio caesium content 317  
  spore discharge 398  
  see also ectomycorrhiza of forest trees  
bean (*Phaseolus vulgaris*) 252  
beech (*Fagus sylvatica*) mycorrhiza  
  ammonia and nitrate uptake 243–6  
  cytoplasmic orthophosphate concentration  
  272  
  fluxes of nutrients 31, 243, 245

- beech (*Fagus sylvatica*) mycorrhiza *continued*  
 fungal sheath  
   nitrogen, proportion in 246  
   phosphorus, proportion in 285  
 nitrogen metabolism 243–5, 248  
 partners 245  
 phosphate  
   pools 285  
   uptake 282–4
- benzalkonium chloride 329
- benzoic acid 380–1
- Betula papyrifera* 374
- Betula* sp. 374
- bicarbonate pump 396
- biochemical pH-stat 394–5
- biotin (vitamin B<sub>7</sub>)  
   function 306  
   regulation of cell concentration 312  
   transport 311–12
- bivalent metals *see* multivalent metals
- Bjerkandera adusta* 171
- Blastocladia* spp. 92
- Blastocladiella emersonii*  
   calcium channels 357  
   calmodulin 350  
   gamma particles 250  
   inorganic nitrogen, inability to grow on 196  
   rhizoids 39  
   transhyphal current 34
- Blastocladiella pringsheimii* 88
- Blastocladiella* spp.  
   lactic acid as fermentation end-product 92  
   sulphur amino acids as growth factors 307
- Boletus edulis* 372
- Botryotinia convoluta* 196
- Botrytis allii* 196
- Botrytis cinerea*  
   nitrate utilisation 196  
   oxalate in culture 357  
   plasmolysis 434
- Boyle–van't Hoff relationship 426–7
- Brettanomyces intermedium* 73, 102–3
- Brettanomyces lambicus* 205
- Brettanomyces naardenensis* 104
- Brettanomyces* spp.  
   glucose utilisation 102–3  
   nitrate utilisation 197
- bromophenol blue 205
- brown-rot fungi 158–60
- buffering capacity, intracellular 395
- Bullera* spp. 197
- 2,3-butanedione 9–10
- butyric acid, acidification of hyphae 335
- cadmium  
   metallothioneins 360–4  
   toxicity 337–8, 345  
   transport 336–9, 341
- caesium  
   basidiomycete fruit bodies 317  
   Chernobyl 317  
   transport 322–3
- calcium  
   amino acid transport 215, 222  
   ATPase 355  
   ATP-powered exchange 352–5  
   calmodulin 350  
   channels 356–7  
   cytoplasmic concentration 73, 77  
   ethanol tolerance 116  
   flocculation 53–4  
   mating pheromone signal transduction in yeasts 349  
   oxalate  
    ecological significance 357  
    importance 358–9  
    production in culture 357  
    walls 357–8
- plasma membrane  
   efflux 352–5  
   electrochemical driving force 352–4  
   influx 344–5, 347, 355–7  
   signalling system 349  
   tonoplast transport 77, 85
- Calluna vulgaris* 374
- calmidazolium 329
- calmodulin antagonists 329
- Candida albicans*  
   ethanol, effects on 111–12, 116  
   nikkomycin-resistant mutants 225  
   peptide utilisation 223–5  
   plasma membrane  
    H<sup>+</sup>-ATPase 13  
    lipid composition 60  
    polyoxin-resistant mutants 225
- Candida boidinii* 185
- Candida floreri* 314
- Candida glabrata* 49, 362–4
- Candida intermedia* 118
- Candida lipolytica* 386
- Candida nitrophila*  
   nitrate reductase 204, 206  
   nitrogen metabolism 204–5, 241–2
- Candida pintolopesii* 102
- Candida shehatae*  
   ethanol and proton diffusion 113  
   monosaccharide transport 118  
   xylose fermentation 104–6

*Index*

599

- Candida sphaerica* (= *Kluyveromyces marxianus*)
- Candida* spp.
- amino acid transport 209
  - methanol fermentation 104–6
  - nitrate utilisation 197
  - thiamine, lack of growth depression 312
- Candida tenuis* 104
- Candida tropicalis*
- alkane uptake 191–2
  - ethanol on morphological transitions 111–12
  - dioxygenases 182
  - plasma membrane H<sup>+</sup>-ATPase 13
  - phosphate transport 267–8
  - vacuoles, isolation of 74
- Candida utilis*
- amino acid pools 69
  - ammonia metabolism 241–2
  - copper transport 338
  - Crabtree negative 29, 102
  - ethanol and proton diffusion 113
  - glucose transport 29–30, 32–3, 119
  - glutamate synthesis 241–2
  - GOGAT, absence of 241
  - growth in continuous culture 29–30, 32–3, 119
  - invertase 143
  - iron accumulation 346
  - L-lactic and citric acid transport 378
  - maltose utilisation 147
  - manganese transport 338
  - mitochondria 319–20
  - nitrate utilisation 199, 205
  - pentose phosphate enzymes, increased activity with nitrate 103–4
  - phosphate
    - cytoplasmic concentration 73, 272
    - transport 267  - polyphosphates 272
  - potassium and oxidative phosphorylation 319–20
  - potassium and sodium concentrations in cytoplasm and vacuole 70
  - potassium/rubidium and growth 319–20
  - selenate-resistant mutants 301
  - sulphite transport 301
  - transhydrogenation, absence of 103
  - vacuole
    - isolation 67–71
    - transport of S-adenosyl-L-methionine 82  - xylose isomerase, absence of 104
  - zinc transport 338, 345–6
- Candida wickerhamii*
- cellobiose utilisation 143
  - ethanol and proton diffusion 113
  - glucose transport 119
- carbamoyl-phosphate synthetase 241
- carbamoyl phosphate synthetase A 235–6
- carbon polymer utilisation, complexity of study 148–9
- carbonyl cyanide m-chlorophenylhydrazone (CCCP) 64, 301, 329, 338–9, 439
- carbonyl cyanide p-trifluoromethoxyphenylhydrazone (FCCP) 315, 339, 355
- cardinal osmotic potentials 422–3
- carnitine acetyl transferase 193
- carry-over 305
- catabolite inactivation 99, 132, 147
- catalase 180, 187–8, 193
- cation exchange capacity (CEC) 56–7
- CCCP see carbonyl cyanide m-chlorophenylhydrazone
- CDP-diacylglycerol synthase 316
- cell deactivation 109
- cellobiase (also  $\beta$ -glucosidase) 143–5, 150–8, 160, 179–80
- cellobiose oxidase 179–80
- cellobiose : quinone oxidoreductase 179–80
- celloextrins 152, 155
- cellulases
- assay 152–3
  - substrates 152
- cellulose utilisation
- adaptive nature 155–6
  - amorphogenesis 154, 158
  - brown-rot fungi
    - Fe(II) / hydrogen peroxide 158–9
    - oxalic acid 159–60
- (C<sub>1</sub>–C<sub>2</sub>) concept of cellulolytic activity 154–5
- enzymes
- adsorption and desorption 155–6
  - assay 152–3
  - induction 156–8
  - mass transfer 156
  - multiplicity of forms 153–4
  - product inhibition 156
  - purification difficulties 151–3
  - solubilisation of crystalline cellulose 151
  - synergism 155
  - types 150–1
- kinetic analysis 155
- rumen fungi 158
- Trichoderma reesii* 149–58
- Cenococcum geophilum* 372, 376

- Cephalosporium acremonium* 196  
*Cephalosporium* sp. 396  
*Cephalothecium roseum* 196  
*Ceratocystis fimbriata* 349  
*Ceratocystis ulmi* 350  
*Ceratostomella fimbriata* 197  
*Ceratostomella ulmi* 197  
*Cercospora apii* 196  
cerulenin 61  
cetrimide 329  
cetylpyridinium chloride 329  
*Chaetomium cochlioides* 196  
*Chaetomium convolutum* 196  
*Chaetomium freseনী* 369  
*Chaetomium globosum* 196  
*Chaetomium* spp. 308, 347  
CHAPS 168  
*Chara* 168  
chemiosmosis 2–3  
chemolithotrophy 298  
chemotropism 38–39  
chitinase 68  
chloride  
    concentration in cytoplasm and vacuole 70  
    transport 421  
*p*-chloromercuribenzoate 301  
*Choanephora cucurbitarum* 197  
choline  
    alteration of plasma membrane lipids 60  
    inositol metabolism, interrelation 314–16  
choline kinase 316  
choline-*O*-sulphate  
    sulphur storage 296  
    transport 221, 288, 291–2  
chromaffin granules 78  
chromate 291  
*Chrysosporium fastidium*  
    osmotic, turgor and water potentials 404  
    osmotic shock 430  
    solutes, internal concentrations 416, 418  
    tolerance of low water potentials 420,  
        423–4  
*Chrysosporium lignosum* (= *Sporotrichum pulverulentum*)  
*Chytridium* spp. 88, 92, 196  
cis-aconitate decarboxylase 390  
*Citeromyces* spp. 197  
citrate synthase 68, 193  
citric acid cycle 100, 108, 238, 358, 382–92  
*Cladosporium cladosporioides* 420  
*Cladosporium herbarum* 396  
*Cladosporium resinae* 119, 190  
*Claviceps purpurea* 276  
*Clitocybe albirhiza* 57  
*Clostridium acetobutylicum* 312  
cobalt  
    binding in *Saccharomyces cerevisiae* 127  
    vacuoles 80  
    vitamin B<sub>12</sub> 336  
*Cokeromyces recurvatus* 369  
*Colleotrichum lagenarium* 196  
*Colleotrichum lindemuthianum* 196  
*Collybia tuberosa* 196  
*Collybia velutipes* 196, 466  
colony  
    ageing 447  
    autolytic enzymes 447–8  
    translocation of autolytic products 447–8  
    vacuolation 447  
compatible solutes  
    compounds produced by microorganisms  
        444  
    energy dissipation 444–6  
    haloprotection 443  
compound 48/80 329  
concanavalin A 7, 55, 74  
continuous culture 27–33, 319, 345–6  
copper  
    metallothioneins 360–5  
    potassium efflux 329  
    transport 339, 345, 346  
    toxicity 331, 364–7, 374  
*Coprinus cinereus*  
    ammonia metabolism 240–1  
    cAMP-dependent protein kinase 350  
    fruit body development 240–1  
    glucose transport 119  
    protein  
        inclusions 250  
        utilisation 249–50  
    transhyphal current 34  
    urea cycle 240  
*Coprinus lagopus* 350  
*Coprinus* sp. 88  
coprogens 307, 368–70  
coprophilous fungi 240, 420, 422  
*Cordyceps militaris* 196  
*Coriolus versicolor* 171, 182  
*Cortinarius ahaeii* 57  
*Cortinarius glaucopus* 57  
cotransport stoichiometry 15–16  
Crabtree effect 101–3  
*Cronartium ribicola* 198  
*Cryptococcus laurentii* 48–9, 143  
*Cryptococcus* spp. 197  
*Cunninghamella blakesleeana* 365  
*Cunninghamella echinulata* 358  
*Cunninghamella elegans* 369

*Index*

601

- Cunninghamella* spp. 255  
 current-voltage analysis 333  
 Custers effect 101–3  
 cyanide 18, 119, 353  
 cyanocobalamin (vitamin B<sub>12</sub>) 306  
 cyclic AMP (cAMP) 18, 170  
 cyclic AMP phosphorylation 19, 100  
 cyclic AMP-dependent protein kinase 19  
 cycloheximide 116, 119–21, 129, 147, 169,  
     222, 266, 311  
*Cylindrocephalum* sp. 182  
 $\gamma$ -cystathionase 297  
 $\gamma$ -cystathionine synthase 297  
 cysteine synthase 297  
 cysteinylglycine dipeptidase 297  
 $\beta$ -cystathionase 297  
 $\beta$ -cystathionine synthase 297  
 cytochrome *aa*–3 442  
 cytochrome *b*–557 204  
 cytochrome *c* peroxidase 190  
 cytochrome oxidase 312  
 cytochrome *P*–450 193–4, 198  
 cytoplasm  
     amino acids 67–71, 235–7  
     calcium concentrations 73–7  
     pH 16–17  
     phosphate concentrations 265, 269, 272  
     potassium, sodium and chloride  
         concentrations 70–1  
*Dasyscypha capita* 357  
 DCCD *see N, N'*-dicyclohexylcarbodiamide  
 DEAE-dextran 46, 67, 75, 80, 84, 351  
 deaminase 220  
*Debaromyces hansenii*  
     alkaline ATPase activity 441  
     dioxygenase 118  
     glycerol 419, 429, 431, 433, 437, 444–5  
     osmotic shock 428–33  
     plasma membrane H<sup>+</sup>-ATPase 13, 438  
     potassium absorption and organic acids  
         394  
     sodium/glycerol co-transporter 433  
     sodium chloride  
         *in vitro* activity of NAD<sup>+</sup>-dependent  
             glycerol 3-phosphate dehydrogenase  
             437  
         lag phase 440  
         tolerance mutants 443  
     sodium/proton antiport 439  
     tolerance of low water potentials 420, 423  
     wall volume 435  
*Debaromyces* spp., ability to utilise nitrite  
     but not nitrate 196  
*Debaryomyces subgulosus* 182  
*Dekkera intermedia* 145, 205  
*Dekkera* spp.  
     nitrate utilisation  
*Dendryphiella salina*  
     cytoplasmic pH 73  
     glucose transport 118  
     mannitol, incorporation into glycogen  
         130–1  
     membrane potential 440  
     3-O-methyl glucose, effect on metabolism  
         130–1  
     nitrate  
         increased flux of carbon through the  
             pentose phosphate pathway 93  
             utilisation 196  
     organic acid concentrations 394  
     pellets 448  
     plasma membrane H<sup>+</sup>-ATPase 13, 37  
     polyol metabolism 24, 94–5, 418–21, 429,  
         444–6  
     potassium efflux and bivalent cations 321  
     potassium, sodium and chloride  
         concentrations in cytoplasm and  
             vacuole 70  
     potassium : sodium ratio in hyphal apex 38  
     potassium selectivity of wall 56  
     radiotracer compartmental analysis 71–2  
     sodium chloride and *in vitro* activity of  
         malic dehydrogenase and glucose 6-  
             phosphatase 437  
     solutes, internal concentrations 416  
     L-sorbose, effect on metabolism 131  
     sulphate, protoplasmic concentration 296  
     wall  
         ions 418  
         volume 435  
 denitrification 198  
 2-deoxy-D-glucose (2DG) 16, 119–39, 301  
 6-deoxy-D-glucose (6DG) 119, 122, 125, 129,  
     131, 138  
*Dermocystidium* sp. 268  
 DES *see diethylstilboestrol*  
 desthiobiotin 307  
 detector peptides 224  
 2DG *see 2-deoxy-D-glucose*  
 6DG *see 6-deoxy-D-glucose*  
 3,4-diaminopyridine 37  
 3,5-di-*tert*-butyl-4-  
     hydroxybenzilidinemalononitrile (SF  
         6847) 38  
 dichlorophenolindophenol 205  
 diethylstilboestrol (DES) 329, 338–9  
 dihydroxyacetone kinase 188

- dihydroxyacetone synthase 188–9  
 dihydroxymaleic acid 176  
 dimethyl sulphide 296  
 2,4-dinitrophenol 82, 119, 121–2, 129, 147,  
     211, 264, 267, 293, 301, 308, 315, 329,  
     338–9, 381, 433  
 Dio-9 329, 347  
 dioxygenase 181, 194  
 disaccharide utilisation  
     chromogenic aglycon 141–2  
     external hydrolysis 140–8  
     non-metabolised analogues 142, 146, 148  
     transport 145–8  
 dithiothreitol 176  
 DNP *see* 2,4-dinitrophenol  
*Dothidella quercus* 196  
 downshock 426–9
- ectomycorrhiza of forest trees  
     aluminium tolerance 375–6  
     calcium oxalate 358  
     metal tolerance 374  
     nitrogen metabolism 242–8  
     nutrient absorption, enhancement of 31,  
         243, 245  
     protein utilisation 250  
     sheath as a barrier to movement 246  
     siderophores 372–4  
     solubilisation of insoluble soil phosphorus  
         253  
     surface reducing activity 376  
     symbiocalcicole 376  
*Eeniella* spp. 103  
 EGTA 349  
 electrical double layer 52  
 electrophysiological studies 4, 12, 332–5  
 electroporation 73  
 endo-(sarco-)plasmic reticulum pump 355  
*endo*-(1→4)- $\beta$ -D-glucan-4-glucanohydrolase  
     150–1, 160, 178–9  
 endoglucanases 151–5, 178–80  
*Endogone* sp. 270  
*Endomyces magnusii* 118, 275  
*Endomycopsis* sp. 182  
 endoplasmic reticulum 67  
*Endothia parasitica* 197  
 energy dissipation 239  
 enolase 110  
 enoyl-CoA hydratase 193  
 enzyme proteolysis 100  
 enzyme secretion 39–41  
*Epicoccum nigrum* 299  
 1,2-epoxypropane 53
- Eremascus* spp. 433  
*Eremothecium asbyii* 312  
 ergosterol 60, 65, 74, 114–15, 307  
 ethanol  
     accumulation 109–11  
     denaturation of proteins 109–10  
     extracellular acidification 113  
     fermentation end-product 28, 87–92  
     maltose transport, prevention of  
         inactivation 147  
     membrane transport, effect on 112–13  
     plasma membrane  
         H<sup>+</sup>-ATPase 116  
         passive distribution across 110–11  
     stress proteins 111, 116–17  
     tolerance  
         lipids role of 109, 113–15  
         membranes, locus of action of ethanol  
             109, 112–17  
         mutants 109  
         xylose utilisation, inhibition 106  
 ethanolamine 60  
 ethidium bromide 329–30  
 L-ethionyl-L-alanine 228  
*Eucalyptus marginata* 358  
*Eucalyptus pilularis* 283, 376  
*Eucryphia cordifolia* 184  
*Eurotium amstelodami* 404  
*Eurotium* spp. 420, 423  
 exchange diffusion 2  
*exo*-(1→4)- $\beta$ -glucanase 178–80  
*exo*- $\beta$ -(1→3)-glucanase, presence in the  
     vacuole 68
- facultative anaerobe 97  
 FAD-linked glycerol-3-phosphate  
     dehydrogenase 193  
 fatty acids  
     alkane utilisation 191–4  
     ethanol tolerance 115  
     hydrogen peroxide production 178  
     thiamine transport, inhibition 308  
 FCCP *see* carbonyl cyanide p-  
     trifluoromethoxyphenylhydrazone  
 fermentation  
     ability of yeasts for 101  
     extracellular products of 28  
 ferredoxin 108  
 ferrichromes 367–72  
 ferricrocin 370  
 ferrioxamine 370  
 ferrirubrin 370  
*Filobasidiella neoformans* var. *bacillispora* 49  
*Filobasidium* spp. 197

*Index*

603

- flocculation
  - calcium-bridging hypothesis 53–4
  - ‘lectin’-like hypothesis 54–5
- fluorecamine 224
- fluorescein isothiocyanate (FITC) 10
- fluorescence imaging 73
- fluorescent peptides 224
- fluorescent probes 16
- flux 25, 31–3
- Fomes lignosus* 171
- Fomes officinalis* 307
- formaldehyde dehydrogenase 187–9
- formate dehydrogenase 187–8
- β-D-fructofuranosidase *see* invertase
- fructose 1,6-bisphosphatase 90–1, 100
- fructose 1,6-bisphosphate aldolase 90–1, 110
- Fulvia fulva* 202
- fumaric acid synthesis 390
- fura-2 73, 351
- fusarinines 369
- Fusarium culmorum* 420
- Fusarium episphaeria* 299
- Fusarium equiseti*
  - growth and turgor potential 402, 407–8
  - osmotic, turgor and water potentials 404
- Fusarium graminearum*
  - calcium and hyphal branching 349
  - choline transport 316
  - growth in fermenter 31
- Fusarium lini* 87
- Fusarium oxysporum*
  - denitrification 198
  - dioxygenase 182
  - growth in absence of exogenous carbon source 397
  - nitrate assimilation genes 202
  - potassium absorption and charge balance 394–5
  - sulphur oxidation 299
- Fusarium oxysporum* f. *nicotianae* 88
- Fusarium roseum* 371
- Fusarium solani* 252, 396
- Fusarium* sp. 396
- Fusarium* spp.
  - growth factors not required 308
  - nitrate utilisation 196
  - silica gel, growth on 397
- Fusarium tricinctum* 299
- futile cycle
  - glutamine 238–9, 245
  - glycerol 245
  - mannitol 245
  - trehalose 245–246
- α-D-galactopyranosidase *see* melibiase
- galactokinase 90–1
- galactose utilisation 90–1, 107, 117–18
- Geophyllum trabeum* (= *Lenzites trabea*)
- Geosmithia argillacea* 299
- Geosmithia emersonii* 299
- Gibberella fujikuroi* 202
- Gibbs free energy changes, calcium efflux 354
- Gibertella persicaria* 358
- Gliocladium roseum* 396
- Glomerella cingulata* 196
- Glomus* sp. 373
- (1→4)-β-glucan cellobiohydrolase 150–1
- β-glucanase 150, 157
- β-D-glucosidase glucohydrolase (*also* β-D-glucoside) *see* cellobiase
- gluconeogenesis 191
- glucosamine 119, 123
- glucose oxidase 178, 180
- glucose 6-phosphatase 90–1
- glucose 6-phosphate dehydrogenase 68, 90–91, 93, 437
- glucose 6-phosphate isomerase
- glucose repression 97–101, 106, 180, 194, 378–80
- glucose 6-sulphate utilisation 288
- glucose utilisation
  - ability to regenerate NADP from NADPH anaerobically 103–6
  - fermentation 91–107
  - gluconeogenesis 191
  - glycolysis in fungi other than yeasts 89–92
  - lactic acid as end-product of fermentation 91–2
  - NMR studies 89–91
  - non-utilising fungi 91
  - pentose phosphate pathway
    - contribution to the dissimilation of glucose 87–93, 440
    - evidence 92–3
    - generation of NADPH 92–3
  - randomisation of radiolabel 89
  - stoichiometric conversion to ethanol 87–9
  - transhydrogenation 103–5
  - yeasts 96–104
- α, α'-glucosidase 1-glucohydrolase *see* trehalase
- glutamate decarboxylase 241
- glutamate dehydrogenase (GDH)
  - control by nitrogen and carbon circuits 237–8
  - NAD 231, 235–8, 240–1, 248
  - NADP 235–9, 240–2, 247–9

- glutamate kinase 236  
 glutamine (amide) : 2-oxoglutarate  
     aminotransferase (GOGAT) 238–9,  
     240, 247–8  
 glutamine  
     cycle 238–9  
     signal for metabolic control 230–1  
 glutamine synthetase (GS) 238, 241–2, 247–8  
 glutamine transaminase 238–9  
 L-glutamine : D-fructose 6-phosphate  
     amidotransferase 91  
 glutamyl-phosphate reductase 236  
 γ-glutamyl cysteine synthetase 297  
 γ-glutamyl transpeptidase 297  
 glutathione  
     metal complexes 364  
     sulphur storage 296–7  
 glutathione synthetase 297  
 glyceraldehyde-phosphate dehydrogenase  
     90–1  
 glycerol-3-phosphate acyltransferase 193  
 glycerol  
     compatible solute 443–6  
     cycle 445  
     loss 429–31  
     osmotic response 416–17, 419, 440  
     synthesis stimulated by sodium chloride  
     440  
 glycerol kinase 90–1  
 glycerol phosphate dehydrogenase 90–1  
 α-glycerophosphatase 68  
 β-D-glycosidase *see* cellobiase  
 glycolysis 87–92, 95, 108  
 glyoxalate bypass 382–3  
 glyoxylate cycle 191  
 glyoxysomes 188, 382–3  
 Golgi apparatus 67  
 growth factors  
     culture media 304  
     definitions 303  
     niche, in relation to 303–4  
     requirement, establishing 305–8  
     roles 306  
     transport 308–16  
*Gymnoascus setosus* 196  
*Gymnosporangium juniperi-virginianae* 198  
*Gyromitra gigas* 57  
  
*Hanseniaspora uvarum* 49  
*Hansenula anomola*  
     L-malic acid transport 379  
     nitrate reductase 204, 206  
*Hansenula polymorpha*  
     catalase-negative mutant 190  
  
 ethanol and proton diffusion 113  
 methanol utilisation 186–90  
*Hansenula* spp. 186, 197  
 heartwood 185  
 heavy metals  
     classification 359–61  
     binding 359–65  
     mechanisms of tolerance 364–7, 374  
*Hebeloma crustuliniforme*  
     growth in ammonia and nitrate 245–6  
     nitrate reductase 245–6  
     surface reducing activity 376  
*Hebeloma cylindrosporum* 245  
*Hebeloma* sp. 247  
*Helminthosporium* spp. 196  
 heterologous proteins, secretion 48  
 hexadecane 192  
 hexokinase 90–1, 110, 125–6, 130, 142  
 hexose monophosphate shunt *see* pentose  
     phosphate pathway  
*Hilaria jamesii* 373  
 homocysteine methyltransferase 297  
 homocysteine synthase 297  
 homoserine acetyltransferase 297  
 hydraulic conductivity 403, 406  
 hydrocarbon utilisation *see* alkane utilisation  
  
*Hydrodictyon africanum* 271  
 hydrogen peroxide  
     cellulose degradation 158–9, 178–80  
     lignin breakdown 171–8, 181–3  
     methanol utilisation 186–90  
 hydrogen sulphide 251–2  
 hydrogenase 108  
 hydrogenosomes 108  
 hydroquinone 61  
 3-hydroxyacyl-CoA dehydrogenase 193  
 hydroxylamine hydrochloride 61  
 hydroxymethylpyrimidine kinase 310  
*Hygrophorus pudorinus* 57  
*Hymenoscyphus ericae*  
     copper and zinc tolerance 374  
     protein utilisation 250  
     siderophore 372  
     sulphur oxidation 299  
     surface reducing activity 376  
 hyperosmotic shock 426  
 hyphal  
     apex 39–41  
         bursting 399–400  
         lytic enzymes 398  
         plasticity/rigidity 399  
     branching 41–2  
     extension 33–9

*Index*

605

- Hypholoma fasciculare* 299  
*Hypogymnia physodes* 268  
 hypoosmotic shock 426  
*Hysterangium crassum* 358
- illict transport 224  
 2,3-imino-squaline 61  
 immunogold labelling  
   enzyme secretion 41  
   in lignin breakdown 175  
 indo-1 73  
 indole-3-acetic acid (auxin) 19–21  
 inducer exclusion 233  
*Inonotus tomentosus* 233  
 inositol  
   growth factor 307  
   metabolism 314–6  
   polyols 94, 419  
 inositol phosphates 215  
 inositol-1-phosphate synthase 316  
*myo*-inositol hexaphosphatase 255  
 invertase ( $\beta$ -D-fructofuranosidase)  
   fructosyl transferase ability 157  
   presence in the vacuole 68  
   properties of wall enzyme 40–1, 143  
   secretion 47  
 iodoacetamide 301  
 iodoacetate 127, 308, 381  
 ion channels 38, 332, 356–7  
 ion selective electrodes 16, 85, 351  
 iron  
   accumulation in *Candida utilis*  
   siderophores 367–74  
   storage 369–70  
   vacuoles 80  
*Irpex lacteus* 149  
 isocitrate lyase 193  
 isocitrate dehydrogenase 437  
 itaconic acid synthesis 388–90
- $K_S$  see saturation constant  
 $K_T$  see affinity constant  
 3-ketoacyl-CoA thiolase  
*Kloeckera brevis* 308  
 Kluyver effect 102  
*Kluyveromyces fragilis* 115  
*Kluyveromyces lactis*  
   DEAE dextran penetration of wall 46  
   glucose transport 120  
   killer polypeptide 49  
   lactose transport 147–8  
   succinate transport 379
- Kluyveromyces marxianus*  
   kynurenine hydroxylase 61  
   L-lactic acid transport 378  
   lactose transport 148  
   L-malic acid transport 378  
   maltose negative strain 146  
    $\alpha$ -methyl glucoside transport 146  
   monosaccharide transport 131–3  
   polyphosphate  
    content 279  
    in wall 131–2, 274–5  
   protein secretion 49  
*Kluyveromyces* spp. 197, 311  
 kynurenine hydroxylase 61
- Laccaria bicolor* 245  
*Laccaria laccata* 245  
*Laccaria proxima* 374  
 laccase 179–83  
*Lactarius deliciosus* 57  
*Lactarius hepaticus* 245  
*Lactarius hibbardae* 374  
*Lactarius rufus* 245, 374  
*Lactarius* sp. 248  
*Lactarius subdulcis* 243–6  
 lactic acid 91–2, 109  
 lactic dehydrogenase 108  
 lactonase 179  
*Lagenidium giganteum* 347  
*Lambertella corni-maris* 196  
*Lentinus edodes* 171  
*Lentinus tigrinus* 196, 466  
*Lenzites trabea* 160, 197  
*Leptomitus lacteus* 91, 196  
 lethiocin 307  
*Leucosporidium* spp. 197  
*Leucosypha* sp. 243  
 lichens 195, 268  
 lignin  
   acetovanillone-oxidising activity 69  
   breakdown (delignification)  
    activation by lignin, veratryl alcohol,  
    veratraldehyde *p*-coumaric acid,  
    sinapic acid 170  
   brown-rot fungi 160  
   cyclic AMP levels 170  
   C $\alpha$ -C $\beta$  cleavage 171  
   carbon, sulphur and nitrogen limitation,  
    requirement for 169–170  
   cellulose breakdown in parallel 161–2,  
    180  
   dearomatisation of benzene nuclei 181  
   demethylation of aromatic methoxyl  
    groups 160

- lignin *continued*  
     breakdown (delignification) *continued*  
         enzymes involved *see* cellulose  
         utilisation, ligninase, manganese peroxidase  
         hydrogen peroxide, source of 178  
         inactivation 168  
         liquid culture 163–6  
         oxygen 161, 166, 170–2, 179–83  
         pH of wood 180–1  
         radical cations, production of 172–3  
         selective 183–4  
<sup>14</sup>C-labelled 167  
     carbon source for growth 167–8  
     energy content 167–8  
     isolation 162  
     structure 161–2  
     synthesis 161–2  
 ligninase (lignin peroxidase)  
     liquid culture  
         enhancement of production by polypropylene glycol or polyethylene glycol 168  
         inactivation by agitation 168  
     location in glucan sheath 167  
     mechanism of action 171–5  
     molecular mass 171  
     pH optimum 171  
     primary growth, absence from 169–70  
     radical cations 172–3  
     reactions catalysed 173  
     repression by glutamate and other nitrogen compounds 169–70  
     secondary metabolite 169  
     veratryl alcohol 173–6  
     wood, location on surface 175  
 lignocellulose breakdown  
     complexities of study 160–1  
     restrictive nature of term 160  
     *see also* cellulose utilisation, *Phanerochaete chrysosporium*, white-rot fungi  
 Lineweaver-Burk plot 200, 211, 293  
 linoleic acid 115  
 linolenic acid 115  
 lipids  
     mitochondrial membrane 64–5  
     plasma membrane 58–65  
     tonoplast 59, 65  
     wall 59  
 liposomes 11  
 long-chain alcohol dehydrogenase 193  
 long-chain aldehyde dehydrogenase 193  
 lower fungi, spore release 398  
*Lycoperdon pyriforme* 57  
 lyotropic effects 318, 443  
 lysine as growth factor 307  
 lysosome 249  
*Macrochytridium* spp. 92  
*Macrosporium sarcinaeforme* 196  
 magnesium  
     ethanol tolerance 116  
     hyphal tip bursting 399  
     transport  
         plasma membrane 340–1  
         tonoplast 85  
 malate dehydrogenase 108, 193, 437  
 malate synthase 193  
 malic acid synthesis 390–2  
 malic enzyme 108  
 maltose transport 145–7  
 manganese  
     citric acid synthesis 387–8  
     hyphal tip bursting 399  
     ligninolytic agent 176–7  
     peroxidase 176–7  
     production of Mn(III) 176–7, 181  
     transport 338–9, 346  
     vacuole 80, 85  
 mannitol  
     compatible solute 444  
     cycle 445  
     symmetrical with respect to radiolabel 89  
     utilisation 88, 94  
 mannitol dehydrogenase 91  
 mannitol kinase 90–1  
 mannitol 1-phosphate dehydrogenase 90–1, 93  
 mannitol 1-phosphate phosphatase 90–1  
 mannokinase 91  
 α-mannosidase 68  
*Marasmius fulvobulbilosus* 196  
*Marasmius* spp. 196  
 marine fungi 45, 436  
 mathematical modelling 26  
 matrix forces 415  
 matrix potential 422  
*Melampsora lini* 289  
 melibiase 143  
 mercury 329  
 metabolic end-products 109–11  
 metallothioneins  
     classification 360  
     metal tolerance, requirement for 364  
     production 364  
     properties 360–4  
*Metchnikowia reukauffii* 13, 118  
 methanol oxidase 178

*Index*

607

- methanol utilisation  
 carbon assimilation, process of 189  
 filamentous fungi 186  
 formaldehyde fixation 186–9  
 production of energy 186, 189  
 single cell protein 190  
 xylulose monophosphate pathway 186–8
- Metharizium anisopliae* 350
- methionine as growth factor 307
- methyl viologen 205
- methylene blue 22, 328–9
- miconazole 329
- microbodies 188, 250
- Mindenella* spp. 92
- mitochondria  
 absence in anaerobic fungi 108  
 alkane assimilation 193–4  
 citric acid cycle 383–91  
 $F_0F_1$  ATPases 6–7, 77  
 oxidation of NADH 189  
 polyphosphate 275  
 potassium and phosphorylation sites 319–20  
 proton production 37
- molybdate 289–90, 293
- molybdenum, cofactor for nitrate reductase 202–5
- Monascus bisporus* 420, 423
- Monilia* sp. 299
- Monilinia fruticola* 197
- monooxidase (mixed function oxidase) 193
- Monod equation 26–7, 33
- monosaccharide utilisation *see* glucose utilisation
- monosaccharide transport  
 kinetic approach 140  
*Kluyveromyces marxianus* 131–3  
*Neurospora crassa* 137–9  
 other fungi 118–23  
*Rhodotorula glutinis* 133–7  
*Saccharomyces cerevisiae* 117, 124–31  
 species and strain differences 139–40
- Morchella esculenta* 57
- Mortierella isabellina* 299
- Mortierella rhizogena* 197
- Mössbauer spectroscopy 370
- mucilage 45
- Mucor flavus*  
 binding of particulates 56  
 growth on silica gel 396  
 inability to assimilate nitrate 197  
 sulphur oxidation 299
- Mucor hiemalis*  
 growth and turgor potential 400–1, 407–8
- inability to assimilate nitrate 197  
 osmotic, turgor and water potentials 404
- Mucor mucedo*  
 calcium oxalate in walls 358  
 rhizoferrin 369  
 transhyphal current 34
- Mucor plumbeus* 358
- Mucor pursillus* 198
- Mucor racemosus* 273, 276
- Mucor rouxii* 396, 399
- Mucor* spp.  
 lactic acid as fermentation end-product 92  
 growth factors not required 308  
 inability to utilise nitrate 197  
 phytate breakdown 255
- multivalent metals  
 binding to wall 337  
 complex formation 359–64, 365–72  
 mycorrhiza 372–6  
 surface potential 266, 322–4, 342–3  
 trace requirements, difficulty of demonstrating 336
- transport  
 energy dependence 341  
 interactions with phosphate 342  
 less specific systems 340, 342–3  
 membrane potential as driving force 344–345  
 specific systems 336–40  
 tolerance, in relation to 365–6
- Mutinus caninus* 271
- Mycelopithora thermophila* 299
- Mycobacterium smegmatis* 312
- Mycocandida riboflavina* 312
- mycorrhiza  
 ericoid  
 metal tolerance 374  
 phytate, release of phosphate from 286  
 protein utilisation 250  
 siderophores 372–3
- v-a  
 organic phosphorus, inability to utilise 286–7  
 polyphosphate 285  
 soil, increased exploitation of 285  
 translocation 454–6  
*see* beech mycorrhiza and ectomycorrhiza of forest trees
- Mycotypha africana* 369
- myristate as growth factor 307
- Myrothecium verrucaria* 149
- N,N'*-dicyclohexylcarbodiimide (DCCD) 6, 10, 77, 308, 329

- N, N'*-triacetyl fusarinine C, hydrolysis of ornithine ester bond 370
- N*-(ethoxycarbonyl)-2-ethoxy-1,2-dihydroquinoline 9–10
- N*-ethylmaleimide 9–10, 119
- NAD<sup>+</sup>-linked isocitrate dehydrogenase 193
- NAD<sup>+</sup>-linked glycerol-3-phosphate dehydrogenase 193, 437, 440
- NAD malate dehydrogenase 391
- NADH-linked sideramine reductase 371
- NADH / NADPH-cytochrome *c* reductase (NCR) 19–21
- NADH (NADPH) ferredoxin oxidoreductase 108
- NADP-linked isocitrate dehydrogenase 103, 104, 193
- NADPH-cytochrome P-450 (cytochrome *c*) reductase 194
- Neocallimastix frontalis* 108–9, 158
- Neocosmospora vasinfecta*
- cadmium transport 366
  - chloride transport 421
  - glucose transport 121
  - metal tolerance 366
  - nitrate utilisation 196
  - osmotic potential 416
  - osmotic shock 429
  - solutes, internal concentrations 414–16
  - zinc transport 338
- Neurospora crassa*
- acetate metabolism 383
  - adenyl cyclase 217–21
  - amino acid transport 199–200
  - ammonia/methylamine transport 199–200
  - calcium
    - cytoplasmic concentration 349–54
    - hyphal branching 349
  - calmodulin 350
  - chromate 289
  - citrate, impermeability to 380
  - copper 361
  - cyclic AMP
    - phosphodiesterase 350
    - plasma membrane H<sup>+</sup>-ATPase, regulation 18
  - cyclic AMP-dependent protein kinase 350
  - deaminase, extracellular 220
  - dioxygenase 182
  - fructose transport 139
  - galactose transport 138
  - general amino acid control 233
  - general amino acid transport system 217
  - genes
    - am* 235
- cpc1* 234
- cys-3, cys-13, cys-14* 289
- nit-1* 203
- nit-2* 202, 220
- nit-3* 202
- nit-4* 201
- nit-6* 202
- nit-7, nit-8* 203
- nmr* 231
- nuc-1<sup>+</sup>, nuc-2<sup>+</sup>* 259, 261
- pcon* 261
- pho-2<sup>+</sup>, pho-3<sup>+</sup>* 256, 261
- pho-4<sup>+</sup>* 256, 266
- preg<sup>+</sup>* 259, 261
- scon-1, scon-2* 289
- van<sup>+</sup>* 256
- vma-1, vma-2* 76
- glucose transport 37, 137–8
- glucose 6-sulphate transport 288
- glutamate dehydrogenase 231, 235–9
- glutamine, signal for metabolic control 230–1
- glutamine synthetase 238
- GOGAT 238–9
- growth tube 447
- hyphal tip bursting 399
- large spherical cells 332
- metal tolerance 361–6
- metallothionein 361
- mitochondria
- ATPase 6–7
  - functioning 385
  - proton production 37
  - role in nitrogen metabolism 235–6
- molybdenum 202–5
- mutants
- ATP-sulphydrylase 291
  - bat* 217
  - inl* 448
  - mtr* 217
  - non-spreading 399
  - nuc-1, nuc-2* 254
  - OS-1* 227
  - pcon, preg* 260
  - sl* 7
- NADH-linked sideramine reductase 370
- nitrate
- reductase 196, 201–5
  - transport 199
- nitrite
- reductase 204
  - transport 199
- nitrogen catabolite repression 231–9

*Index*

609

- nitrogen utilisation
  - favoured sources 230
  - fine control of metabolism 234–9
  - regulation 230–9
- nucleic acids growth on 254
- peptide utilisation 225–9
- phosphate transport 37, 256–61
- phosphorus family of proteins 259
- plasma membrane  $H^+$ -ATPase
  - electrophysiological studies 4–7, 333–4
  - four state reaction kinetic model 5
  - isolation 7–9
  - molecular structure and transmembrane topography 9–11
- plasmolysis 434
- polyol concentration 419, 421
- polyphosphate metabolism 272–80
- potassium/rubidium transport 332–5
- radiotracer compartment analysis 71–2
- siderophores 369–71
- sodium transport 335
- solutes, internal concentrations 414–15
- stress proteins 116–17
- succinate transport 377–80
- sulphate transport 289–91
- sulphur, scavenging by methionine transport system 217, 219
- tonoplast
  - arginine transport 82–3
  - $H^+$ -ATPase 74–9
- transhyphal current
- translocation 451–2
- tungstate 289
- turgor potential 404
- vacuoles
  - isolation 74
  - potassium and sodium concentrations 70
  - putrecine 80
  - role in nitrogen metabolism 235–6
- vanadate transport 256
- wall porosity 39
- Neurospora* spp. 255
- niacin *see* nicotinamide
- nickel
  - toxicity 374
  - transport 366
  - urease 336
- nicotinamide (niacin) 306
- nicotinic acid (vitamin B<sub>3</sub>) 306
- nigericin 83
- nikkomycins 225, 228
- Nile blue 329
- Nitella* sp. 6
- Nitella translucens* 271
- nitrate
  - nitrous oxide evolution 198
  - reductase
    - absence of 198
    - mycorrhizal fungi 246
    - properties 204
    - regulation 201–4
  - transport 199
  - vacuolar pH inhibitor 6, 75
- nitrite
  - nitrous oxide evolution 198
  - reductase 204
  - transport 199
- nitrogen
  - catabolite control (or regulation or repression) 201, 208, 230–5
  - denitrification 198
  - favoured sources 195–8
  - fine control of metabolism 234–9
  - fixation, absence of 195, 396
  - inorganic nitrogen
    - inability to grow on 196–8
    - utilisation 200–5, 237–8
  - regulation 229–48
  - translocation 455, 457
- p*-nitrophenylacetate esterase 68
- nitrous oxide, anaerobic evolution of 198
- Nothofagus donbeyi* 184
- nuclear magnetic resonance (NMR)
  - carbon metabolism 89–91
  - cytoplasmic orthophosphate concentrations 269, 272
  - detection of radical cations 175
  - determination of cytoplasmic and vacuolar pH 16, 21, 72–3, 207, 280
  - phosphate transport 267
  - polyphosphate metabolism 272, 275, 282
- nuclease 255
- nucleic acids, breakdown 252
- nystatin 64, 74, 82, 329, 338
- Oidiodendron griseum* 372
- oleic acid 114–5
- oligocarbonotrophy 396
- oligomycin 6, 75
- oligotrophy 396–7
- 3-O-methyl glucose (3OMG) 119, 120, 452, 457
- one-carbon compounds *see* methanol utilisation
- Ophiobolus (Gaumannomyces) graminis* 196
- Ophiobolus miyabeanus* 196

organic acids  
 accumulation in the vacuole 86  
 biosynthesis 384–92  
 carboxylation/decarboxylation 394–5  
 cation absorption 393–4  
 charge balance 392–5  
 enzyme levels, regulation of  
 ‘long’ biosynthetic path 385  
 oligotrophy 395–7  
 osmotic potential 377  
 pH  
 biochemical pH-stat 394–5  
 external, prevention of fall of 247  
 internal 392–5  
 phosphorus solubilisation 251–3  
 protons, loss of 377  
 range of acids produced by fungi 392  
 ‘short’ biosynthetic path 385  
 transport 86, 377–82  
 ornithine : 2-oxo-acid aminotransferase 241  
 ornithine acetyl transferase 241  
 ornithine carbamoyl-transferase 235–6, 241  
 ornithine decarboxylase 236  
 ornithine transaminase 236  
 osmo-acclimation 426  
 osmoduric 421  
 osmophile 421  
 osmotic potential *see* water relations  
 osmotic regulation (osmoregulation) 426  
 osmotic shock 215  
 osmotolerant 421  
 osmotophilic 421  
 osmotrophic 421  
*Ostracoblabe implexa* 91  
 overflow metabolism 384–5  
 overshoot 311  
 oxalacetate 386  
 oxaloacetate hydrolase 386  
 oxalate  
 biosynthetic pathways 358  
 calcium 357–9  
 cellulose degradation 159  
 ecological significance 358  
 lignin breakdown 177, 180–1  
 pectin degrading enzymes 359  
 pH regulation 359  
 solubilisation of phosphate 253  
 structural role 359  
 oxalate decarboxylase 386  
 oxonol V 8  
 oxygen  
 chemotropism 42–3  
 lignin breakdown 161, 166, 170–2,  
 179–83

potassium and yield value 319  
 requirement for growth 92  
*Pachysolen* spp. 197  
*Pachysolen tannophilus* 104–6  
 palmitic acid 114, 307  
 palo podrido 184  
 pantothenic acid (vitamin B<sub>5</sub>)  
*Panus tigrinus* 171  
 parasitic fungi xiv  
 Pasteur effect 97–9, 101–2  
*Paxillus involutus*  
 solubilisation of insoluble soil phosphorus  
 253  
 sulphur oxidation 299  
 zinc tolerance of *Betula* 374  
*Paxillus* sp. 374  
*Paxillus tinctorius* 376  
 pellet  
 anaerobic conditions 31–2  
 autolysis 448  
*Penicillium bilaii* 252  
*Penicillium chrysogenum*  
 amino acid transport 221–3  
 APS kinase 295  
 choline-*O*-sulphate transport 221, 288  
 general amino acid transport system 221  
 growth on silica gel 396  
 methylamine transport 200  
 nitrate  
 assimilation 202–4  
 reductase 204–6  
 osmotic shock 430  
 PAPS 295  
 pellets 448  
 solutes, internal concentrations 417–18  
 sulphate transport 290–1  
 sulphite transport 300  
*Penicillium cyclopium* 221–3  
*Penicillium digitatum* 88  
*Penicillium expansum* 198  
*Penicillium notatum*  
 calmodulin 350  
 glucose transport 121  
 growth on silica gel 396  
 manganese transport 339  
 sulphate transport 290–2  
 zinc transport 339  
*Penicillium ochro-chloron* 367  
*Penicillium patulum* 182  
*Penicillium pinetorum* 299  
*Penicillium rubrum* 396  
*Penicillium* sp. 370  
*Penicillium spinulosum* 182

*Index*

611

- Penicillium* spp.  
 calcium requirement for sporulation 347  
 coprogen production 267  
 growth factors not required 308  
 methanol utilisation 185  
 nitrate utilisation 196  
 phytate breakdown 255  
 tolerance of low water potentials 420, 423
- Penicillium urticae* 183
- pentose phosphate pathway *see* glucose utilisation
- pentose utilisation *see* xylose utilisation
- peptide utilisation 223–9
- Perenospora* spp. 58–9
- peripheral growth zone 38
- periplasm 142, 309
- peroxidase 167, 180–9
- peroxisomes 187–9
- Phallus impudicus*  
 growth and turgor potential 411–13  
 osmotic, turgor and water potentials 411  
 phosphate transport 269  
 phytate breakdown 255
- Phanerochaete chrysosporium*  
 acetovanillone-oxidising activity 169  
 cellulose degradation 178–80  
 fruiting structures 165  
 $\beta$ -(1 → 3)-(1 → 6)-D-glucan sheath round hyphae 167  
 glucose level of medium, regulation 170  
 glucose transport 170  
 lignocellulose breakdown  
   choice for studies 165  
   review of observations 165–83  
 media for growth 166–7  
 molecular studies 165–7  
 mutants  
   lacking glucose oxidase 178  
   *lip* 176  
   PSBL-1 170  
 NAD, NADH, NADP and NADPH  
   levels in the medium 176  
 protein content of cultures 168–9  
 strain ME446, similarity with  
*Sporotrichum pulverulentum*  
 Novobranova 165
- Phanerochaete* sp. 271
- Phanerochaete vellutina* 299, 411
- Phellinus noxius* 404
- phenol oxidases 181–3
- phenols 180–3
- phenosafranine 181–3, 329
- phenylglyoxyl 9–10
- Phlebia radiata* 171
- Phlyctochytrium* 436
- Phoma apicula* 196
- Phoma betae* 196
- phosphatases 253–5
- phosphate  
 aluminium 376  
 cytoplasmic concentration 265, 269, 272  
 interactions with multivalent metals  
 organic  
   breakdown 253–5  
   inositol phosphates 255  
   phosphomonoesters 253–4  
   phosphodiesters 254  
   phosphatases 253–5  
 transport  
   plasma membrane 255–69  
   phosphate-binding proteins 267–8  
   tonoplast 85
- phosphatidylcholine 60, 114–15, 307
- phosphatidylethanolamine 60
- phosphatidylethanolamine methyltransferase 316
- phosphatidylinositol synthase 316
- phosphatidylserine 61, 114–15
- phosphatidylserine carboxylase 61
- phosphatidylserine synthase 316
- phosphite 268
- 3'-phosphoadenosine-5'-phosphosulphate (PAPS) 294–6
- 6-phosphogluconate dehydrogenase 90–1, 93
- phosphodiesterase 170, 395
- phosphoenolpyruvate carboxykinase 247
- phosphoenolpyruvate carboxylase 395
- phosphofructokinase 90–1, 93, 110, 387, 440
- phosphoglucoisomerase 90–1, 93
- phosphoglucomutase 90–1, 110
- phosphoglycerate kinase 110
- phosphoglycerate mutase 110
- phosphoinositidase C 61
- phosphoketoepimerase 90–1
- phosphoketoisomerase 90–1
- phospholipid methyltransferase 316
- phospholipids  
   breakdown 254  
   phosphate deficiency 280  
   plasma membrane 74  
   tonoplast 74
- phosphomannans 254
- phosphomannose isomerase 90–1
- phosphomannose mutase 90–1
- phosphomethylpyrimidine kinase 310
- phosphoribosomerase 90–1
- phosphorus  
 aluminium 375–6

- phosphorus *continued*  
 compartmentation in the protoplasm 269–  
 82  
 family of proteins 259  
 soil  
   calcium/aluminium/iron phosphates  
   251  
   soluble phosphate 251  
   *see* solubilisation of soil phosphorus  
 translocation  
 utilisation
- Phycomyces blakesleeanus*  
 calcium  
   growth requirement 347  
   vacuoles 85  
 calmodulin 350  
 ferritin 369  
 inability to utilise nitrate 197  
 sporangiophores  
   avoidance response 409  
   calcium location 85  
   hydraulic conductivity 406  
   light response 409  
   turgor potential 409  
   wall 409  
 phylloplane 396  
 phytate 255  
*Phytophthora bahamensis* 198  
*Phytophthora cactorum* 88, 347  
*Phytophthora cinnamomi*  
   growth and turgor potential 402, 404,  
   407–8  
   osmotic shock 430  
   solute, internal concentrations 417–18  
   tolerance of low water potentials 420  
*Phytophthora epistomum* 307  
*Phytophthora fragariae* 198, 347  
*Phytophthora infestans* 198  
*Phytophthora megasperma* f. sp.*glycinea* 13  
*Phytophthora palmivora*  
   calcium requirement for morphogenesis  
   347  
   glucose transport 121  
   phosphate/phosphite transport 268  
   polyphosphates 272  
*Phytophthora* sp. 198, 399  
*Picea excelsa* 248  
*Picea sitchensis* 243–4  
*Picea* sp. 374  
*Pichia guillermondii* 143  
*Pichia heedii* 121  
*Pichia miso* 431  
*Pichia ohmeri* 121  
*Pichia segobiensis* 104  
*Pichia* spp., nitrate utilisation 197
- Pichia stipitis* (presumptive telomorph of  
*Candida shehatae*) 104–6, 122
- Pilobolus longipes* 122  
*Pilobolus* sp. 307  
*Pinus contorta* 244–5  
*Pinus pinaster* 244–5  
*Pinus radiata* 358, 462  
*Pinus rigida* 375  
*Pinus* sp. 374  
*Pinus* spp. 462  
*Pinus strobus* 242, 244  
*Piromonas communis* 158  
*Pisolithus* sp. 373  
*Pisolithus tinctorius*  
   aluminium tolerance 375  
   nitrogen metabolism 243–5, 247–8  
   siderophores 372  
   surface reducing activity 376  
   sulphur oxidation 299  
*Pisonia grandis* 376  
*Pityrosporium ovale* 307  
 plasma membrane  
   Ca<sup>2+</sup>-ATPase 355  
   determination of surface area 31  
   fluidity 60, 63, 302  
   H<sup>+</sup>-ATPase  
    properties 4–19  
    proton pump 4  
    transmembrane structure 13–14  
    potassium transport 333–4  
    lipid and sterol content and functioning  
    58–65  
   phosphoryl groups 323  
   redox systems 19–24  
   sodium exclusion 438–40  
   surface area 31  
   surface potential 266, 322–4, 376  
   tolerance to ethanol and sulphur dioxide  
    112–17  
    wall, appressed to 434–5  
 plasmolysis 434  
*Pleurage curvicolla* 196  
*Pleurotus ostreatus* 171, 196  
 poly-L-lysine 46  
 polycations 46, 65  
 polyene antibiotics 61  
 polyethylene glycol 399, 401, 408–9, 433  
 polyols  
   compatible solutes 443–6  
   constancy of total concentration 418–21  
   metabolism 93–5  
   osmotic response 95, 415–21  
   proton-consuming and proton-producing  
   reactions 24, 446

*Index*

613

- taxonomic distribution 95–6  
 polyoxins 225  
 polyphosphate  
     acid-soluble 273–8  
     acid-insoluble 273–8  
     aluminium 376  
     complexes with other polymers 274  
     cycle 278–9  
     kinase 280  
     metabolism 275–82  
     mitochondria 275  
     nucleus 275  
     Oomycetes, presence in 272  
     role  
         alkaline stress protection 282  
         cytoplasmic orthophosphate  
             concentration 281–2  
         energy dissipation 282  
         phosphagen hypothesis 281  
         phosphorus reservoir 280–1  
         sugar transport, involvement in  
             129–32  
     translocation 285, 455, 466  
     vacuole 81, 275  
     v-a mycorrhiza 285, 455  
     wall 274–5  
     zinc depletion 345–6
- Polyporus brumalis* 466  
*Polystictus versicolor* 171, 182  
*Poria vaillantii*  
     copper tolerance 367  
     growth factor requirements 307, 308  
*Postia (Poria) placenta* 159, 367  
 potassium  
     concentration in cytoplasm and vacuole  
         70–1  
     efflux 327–30  
     growth rate 318–20  
     lyotropic effects 318  
     organic acids, balance 393–4  
     oxidative phosphorylation 318–19  
     replacement by ammonium/rubidium  
         319  
     ribosome functioning 318  
     surface potential 322–4  
     transport 320–35  
 pressure probe 405, 408  
 proline oxidase 236  
 protein  
     breakdown 387  
     sorting 79  
     utilisation 249–50  
     wall 55  
 proteinase A (acidic endoproteinase) 68
- proteinases  
     regulation role in  
         release of nitrogen in starvation 249  
         utilisation of extracellular proteins  
             249–50  
     vacuole 68
- protons  
     chemotropism 42–3  
     economy 3  
     pump 4, 79–81  
     stoichiometry of a transport system  
         15–16
- prototrophic 305  
*Pseudotsuga menziesii* 245  
*Pseudotsuga taxifolia* 289  
*Psilocybe cubensis* 466  
*Puccinia* spp. 198, 295  
*Puccinia graminis* 198, 295, 304  
*Puccinia graminis tritici* 289  
 purine and pyrimidine transport 212, 215  
 putrecine in vacuoles 80  
 pyrazole 21  
 pyridoxine (also pyridoxal; vitamin B<sub>6</sub>)  
     function 306  
     transport 312–13  
 pyrimidine-specific carbamoyl-phosphate  
     synthetase 236  
*Pyronema confluens* 196  
 pyrophosphatase 68, 79–81  
 pyrroline 5-carboxylate dehydrogenase 236  
 pyrroline 5-carboxylate reductase 236  
 pyruvate carboxylase 108, 358, 386, 390, 392  
 pyruvate decarboxylase 108, 110  
 pyruvate kinase 90–1  
*Pythiogoton* spp. 92  
*Pythiomorpha gonapodyoides* 196  
*Pythium debaryanum* 196  
*Pythium graminicola* 347  
*Pythium intermedium* 196  
*Pythium irregularare* 196  
*Pythium* spp. 58–59  
*Pythium ultimum* 252, 420
- radical cations 172–3  
 raffinose 141, 145  
*Ramaria largentii* 57  
 random ligand binding 268  
 ras-adenylate cyclase signalling pathway 18  
 redox dyes 22–4  
 reflection coefficient 403  
*Rhipidium* spp. 92  
*Rhizoctonia solani*  
     ineffective in solubilisation of insoluble soil  
     phosphorus 252

- Rhizoctonia solani* continued  
 nitrate utilisation 196  
 tolerance of low water potentials 420
- rhizoferrin 367
- rhizoids 39
- rhizomorphs  
 translocation 460–6  
 vessel hyphae 463–5
- Rhizophlyctis rosea* 197
- Rhizopogon luteolus* 358, 462
- Rhizopogon roseolus* 299
- Rhizopogon* sp. 374
- Rhizopus arrhizus* 385, 390
- Rhizopus javanicus* 195
- Rhizopus microsporus* var. *rhizopodiformis* 369
- Rhizopus nigricans* 197, 452–3
- Rhizopus oryzae* 197
- Rhizopus* spp.  
 fumaric acid synthesis 390  
 growth factors not required 308  
 lactic acid as fermentation end-product 92  
 phytate breakdown 255  
 translocation 413
- Rhizopus stolonifer* 365
- rhizosphere 373, 396
- Rhododendron ponticum* 374
- Rhodosporidium* spp. 197
- Rhodosporidium toruloides* see *Rhodotorula glutinis*
- rhodotorucine A
- Rhodotorula* 93
- Rhodotorula glutinis* (= *Rhodosporidium toruloides*)  
 calcium, transient uptake 349  
 Crabtree negative 102  
 glucosamine transport 134  
 monosaccharide transport 133–7  
 nitrate reductase 204–6  
 nystatin-resistant strain 64  
 pentitol transport 137
- Rhodotorula gracilis* (= *Rhodotorula glutinis*)
- Rhodotorula minuta* 369
- Rhodotorula mucilaginosa* 182
- Rhodotorula pilimanae* 369, 371
- Rhodotorula* sp. 299
- rhodotorulic acid 369
- riboflavin (vitamin B2)  
 microorganisms producing high concentrations 314  
 transport 313
- ribonuclease 39–40, 68, 255
- ribulose bisphosphate carboxylase/oxygenase 397
- rubidium  
 growth rate 319  
 replacement of potassium 319  
 transport 320–5  
 translocation 452
- rumen fungi 108–9, 158
- Russula brevipes* 51
- Russula* spp. 248
- Russula xerampelina* 57
- rust fungi, plasmolysis of haustoria 434
- S-adenosyl-L-methionine, tonoplast transport 82
- S-adenosylmethionine demethylase 297
- S-adenosylmethionine synthetase 297
- S-formylglutathione hydrolase 187
- Saccharomyces bayanus*
- Saccharomyces bisporus* var. *mellis* 276
- Saccharomyces carlsbergensis*  
 adaptation to arsenate 262  
 calcium, magnesium, manganese and zinc transport at the tonoplast 85–6  
 electrophoretic properties 52  
 ethanol, effect on transport 116  
 polyphosphate incorporation into wall 274, 276  
 potassium concentrations in cytoplasm and vacuole 70
- Saccharomyces cerevisiae*  
 α-factor 47, 228, 249  
 alkanes, inability to use 191  
 amino acids  
 anabolic uptake systems 211  
 catabolic uptake systems 207–11  
 ions, movement of other 207–9  
 pools 63  
 shock excretion 213  
 transport across plasma membrane 60–3  
 vacuolar content 212
- ammonia transport 206, 319
- ammonia/calcium/magnesium/sodium-loaded cells 330
- arsenate transport 262
- ATP synthesis via fermentation and respiration 96–9
- biotin transport 311–12
- bud growth and abscission 49–50
- cadmium 361–2
- calcium  
 ATPase 355  
 calmodulin protein-dependent kinases 350  
 cytoplasmic concentration 351  
 influx 344–5, 355–57

*Index*

615

- calmodulin 350
- catabolite inactivation 99, 147
- cell wall
  - charged groups 50–3
  - electrophoretic properties 52
  - porosity 45–50
  - proteins 55
  - shrinkage 433–5
- choline, transport and metabolism 314–16
- cobalt 366
- copper
  - resistance 361–2, 366
  - transport 339, 366
- Crabtree positive 29, 102
- cyclic AMP-dependent protein kinases 350
- cytoplasmic pH 394–5
- 2-deoxy-D-glucose, effect on phosphorus metabolism 131
- disaccharide utilisation 140–8
- ergosterol synthesis requires molecular oxygen 97, 307
- ethanol
  - fermentation 28, 392
  - formation 87–9
  - tolerance 109–17
- facultative anaerobe 97
- flocculation
  - calcium-bridging hypothesis 53–4
  - ‘lectin-like’ hypothesis 54–5
- fructose transport 117–31
- galactose
  - transport 117–18
  - utilisation 96–7
- general amino acid control 233–4
- general amino acid transport system 63, 207
- genes
  - CANI* 315
  - control of glucose repression 101
  - CUPI* 361–2
  - CTR* 315
  - ENAI* 438–9
  - ENAZ* 438
  - FUR4* 211
  - GAL2* 127
  - gdhCR* (*URE2*) 231
  - HIP1* 315
  - HXT1* 127
  - HXT2* 120, 127
  - ITR1, ITR2* 314–16
  - MAL1, MAL2, MAL3, MAL4, MAL6* 146
  - MGL1, MGL2, MGL3, MGL4* 145
- ORF2* 127
- PHO2* 266
- PHO3* 309
- PHO48* 266
- PMA1* 17
- PMRI* (*SSCI*) 355
- PMR2* 355
- SNF3* 127
- TRK1, TRK2* 325
- URE2* 231
- VMA1* 76–7, 85
- VMA2* 76
- VMA3* 76–7, 85
- VMA4* 79
- glucose utilisation 87–9, 96–101
- glucose/2-deoxy-D-glucose transport
  - facilitated diffusion 29, 124, 129
  - kinetics 125, 129
  - metabolic state, effect of 125–7
  - genes 127–8
  - glucose 6-phosphate as regulatory agent 128
- growth 27–30, 32–3, 125
- kinases, involvement in 125
- phosphorylation, as part of the process 129–30
- sensing role 128
- vesicles 129
- glucose repression 97–101
- glutamine, signal for metabolic control 230–1
- glutathione, sulphur storage 296–7
- glycerol 430–1, 433
- GOGAT, absence of 238
- hydroxymethylpyrimidine transport 311
- inositol transport and metabolism 314–16
- invertase 68
- malic acid synthesis 392
- maltose transport 100, 145–7
- mating aggregates 53
- melibiase 143
- metal tolerance 361–2, 366
- metallothioneins 361–2
- methylamine transport 306
- α-methyl glucoside transport 145–6
- mitochondria 19, 385–6
- monovalent cation transport
  - bivalent cations, importance for 320–1
  - genetic studies 324–5
  - kinetic studies 320–4
  - physiological studies 326–7
  - potassium efflux 327–30
  - sodium efflux 330–2
  - surface potential 322–4

- multivalent metal transport 339–45
- mutants
  - chr* 293
  - cls* 85
  - cpc1* 234
  - decreased ATPase activity 330
  - gap* 207
  - hx12* 127
  - mep-1, mep-2* 200
  - mgl2* 145
  - mnn9* 47
  - Pet* 85
  - potassium transport 324–5
  - riboflavin-requiring 313
  - salt tolerance 442–3
  - sel* 293
  - snf3* 127
  - trk1* 325
  - vma4* 79
- nickel transport 366
- nitrogen utilisation
  - favoured sources 230
  - fine control of metabolism 234–8
  - inducer exclusion 233
  - rapid adaptation 231
  - regulation 229–38
  - starvation 249
- organic acid transport 377–82
- osmometer, perfect 427
- osmotic potential 405
- osmotic shock 426–8, 430–2
- overshoot 311
- Pasteur effect 97–9
- peptidases, no evidence for extracellular 228
- peptide utilisation 228–9, 249
- phosphate
  - cytoplasmic concentration 265
  - transport 261–7
- phosphate-binding proteins 267–8
- phospholipid metabolism 60–1
- plasma membrane
  - gross chemical composition 74
  - H<sup>+</sup>-ATPase 12–19, 327
  - lipid composition and transport 59–63
  - phosphatidylinositol, as main charged lipid 316
  - potassium channels 332
  - redox systems 21–3
- polyphosphate
  - content 273, 275–6
  - cycle 278–80
  - mitochondria 275
  - wall 51
- vacuole 81
- potassium
  - channels 332
  - organic acids 394–5
  - phosphate 262, 266
  - transport 252, 320–32
- protein degradation 248–9
- proteinas 249
- purine and pyrimidine transport 211–13
- ras-adenylate cyclase signalling pathway 18
- resistance to bacilysin, L-ethionyl-L-alanine, nikkomycin 225
- respiratory enzymes, repression by glucose 225
- riboflavin transport 313–14
- secretion of homologous and heterologous proteins 47–50
- sodium
  - efflux 330–2
  - glycolysis, inhibition 440
  - phosphate transport 261, 265–6
- transport 320–32
  - trehalose synthesis 442
- strains
  - ade2* 79
  - 301N 361–2
  - metal tolerant 361
  - NCYC 366 62
  - poky f* 17–18
  - respiratory deficient 331
  - WT 293
  - Y185 62
- sterols 59–60
- stress proteins 116–17
- succinate synthesis 391–2
- sulphate transport 292–4
- sulphur fluxes 296–7
- surface potential 266, 322–4, 376
- thiamine, depression of growth 310
- thiamine/pyrithiamine transport 308–11
- tonoplast
  - basic amino acid transport 83–84, 237
  - calcium transport 84–85
  - gross chemical composition 74
  - H<sup>+</sup>-ATPase 75–9
  - monovalent cation channels 86
  - pyrophosphatase 79–81
- total monovalent cation concentrations in cytoplasm and vacuole 70
- transhydrogenation, absence of 103
- trehalose 441–2, 444–6
- trehalose transport 147–8
- turgor potential 405

*Index*

617

- unsaturated fatty acid synthesis requires molecular oxygen 97
- urea transport 207
- vacuoles
  - amino acids 83–4
  - biogenesis, defects in 442
  - calcium 73, 84–5
  - cobalt 80
  - enzymes 68
  - iron 80
  - nitrogen metabolism, role in 234–7
  - polyphosphate 275
  - zinc 80
- vitamin B<sub>6</sub> transport 312–13
- wall shrinkage 433–5
- water potentials, tolerance of low 420, 423
- Saccharomyces fragilis* (= *Kluyveromyces marxianus*)
  - Saccharomyces pastorianus* 86
  - Saccharomyces sake* 114–15
  - Saccharomyces* spp. 197
  - Saccharomyces unisporus* 113
  - Saccharomyces uvarum*
    - ethanol tolerance 115
    - pyridoxine/pyridoxal/pyridoxamine transport 312–13
    - potassium transport gene
  - Saccharomyces ludwigii* 301
  - salicyl hydroxamic acid (SHAM)-sensitive oxidase 92
  - Salix viminalis* 283
  - salting out 318
  - Saprolegnia delica* 88
  - Saprolegnia ferax*
    - calcium, growth requirement 247
    - growth and turgor potential 400–1, 409
    - osmotic potential 400–7
    - stretch-activated ion channels 38
    - turgor potential 400–1, 405–8
  - Sapromyces* spp. 92
  - saprotrophic fungi xiv, 304
  - Sarcodon imbricatus* 57
  - saturation constant ( $K_s$ ) 26
  - Schizophyllum commune*
    - dioxygenase 182
    - fruiting genes, *Sci Sc2 Sc4* 57–8
    - hyphal tip bursting 399
    - transhyphal current 34
  - Schizosaccharomyces maldevoran* 242
  - Schizosaccharomyces pombe*
    - Ca<sup>2+</sup>-ATPase 355
    - cadmium 362
    - calcium uptake 347
    - copper 362
  - DEAE-dextran penetration of walls 46
  - genes
    - cta3* 355
    - sod2* 331, 439
  - glucose and 6-deoxy-D-glucose transport 123
  - GOGAT 241
  - L-malic acid transport 379
  - metallothioneins 362–363
  - myo*-inositol transport 316
  - plasma membrane H<sup>+</sup>-ATPase 12–13
  - sodium efflux 439
  - thiamine transport 310–11
  - Schizosaccharomyces* spp. 197, 312
  - Schizosaccharomyces versitalis* 242
  - Schwanniomyces occidentalis* 49
  - Scleroderma flavidum* 374
  - Scleroderma* spp. 374
  - sclerotia 467
  - Sclerotinia minor* 196
  - Sclerotinia sclerotiorum* 196, 357, 434
  - Sclerotium bataticola* 196
  - Sclerotium cepivorum* 359
  - Sclerotium rolfsii*
    - calcium oxalate in hyphal walls 357
    - oxalate biosynthesis 357–9
    - pectin-degrading enzymes 359
    - solubilisation of insoluble soil phosphorus 252
    - zinc transport 339
  - SCN see thiocyanate
  - Scopulariopsis brevicaulis* 196
  - secondary metabolism, shunting to 384–5
  - selective delignification 183–5
  - selenate 293
  - Septoria nodorum* 196, 202
  - serine acetyltransferase 297
  - Serpula lacrymans*
    - calcium oxalate in hyphal walls 358
    - droplets 406, 458–9
    - growth and turgor potential 411–13
    - hydraulic conductivity 406
    - osmotic and turgor potentials 404
    - tolerance of low water potentials 420
    - translocation
      - direct monitoring of radioactivity 456–8
      - effect of low temperature 459–60
      - mechanism 459–60
      - phloem translocation, similarity to 460
      - trehalose as major translocate 459
      - velocity 456–8
      - water content of substratum 459
    - S-formylglutathione dehydrogenase* 187

- S*-formylglutathione hydrolase 187  
 siderophores  
     aluminium 369  
     coprogens 369  
     ferrichromes 369  
     fusarinines 368  
     gallium 369  
     iron  
         ferric 367  
         release 370–1  
         storage 370  
     mycorrhiza 372–4  
     rhizo ferrin 369  
     rhodotorulic acid 368–9  
     terminology 367  
     transport 369, 371–2  
     types  
         complexerone 369  
         hydroxamate 367–9  
 single cell protein 190  
 site-directed mutagenesis 14  
 sodium  
     active extrusion 438–40  
     chloride and fungal growth 421, 435–8  
     concentration in cytoplasm and vacuole  
         70  
     efflux 330–5  
     glucose symporter 2  
     glycerol co-transporter 433  
     lyotropic effects 318  
     micro-element question 317  
     phosphate transport requirement 261, 265–6  
     transport 320–35, 438–9  
 sodium dodecylsulphate (SDS) 274  
 soil fungi, tolerance of low water potentials  
     420, 423  
 solubilisation of insoluble soil phosphorus  
     effect on plant growth 252  
     microbial mechanisms 251–2  
     mycorrhizal fungi 253  
     nitrogen, role of 253  
     organic acids 251–3  
     organic phosphorus 253–5  
 solubilisation of metal ions 252  
 solute potential *see* osmotic potential  
 sophorolipids 192  
 sophorose 157  
 sorbitol (glucitol) by-pass 95  
 sorbitol dehydrogenase 90–1  
*Sordaria fimicola* 196  
 spatial aspects of nutrient acquisition 41–3  
*Sphaerobolus stellatus* 196  
*Sphaeromonas communis* 158  
*Sphaeropsis malorum* 196  
*Sphaerostilbe repens* 349  
 spore release 398  
*Sporidiobolus* spp. 196  
*Sporobolomyces roseus* 205  
*Sporobolomyces* spp. 182, 197  
*Sporodina grandis* 197  
*Sporopachydermia* spp. 195  
*Sporotrichum pulverulentum* *see*  
     *Phanerochaete chrysosporium*  
*Stecherinum fimbriatum* 271  
*Stemphylium* sp. 452–3  
 stereology 31  
*Stereum gauspatum* 88  
*Sterigmatomyces* spp. 197  
 sterols in the plasma membrane 59, 64–5, 74  
 stress proteins 111, 116–17  
 stretch-activated ion channels 38  
*Suillus bovinus*  
     rhizomorphs  
         translocation 462  
         water movement 463  
     sulphur oxidation 299  
*Suillus brevipes* 372  
*Suillus granulatus* 376  
*Suillus* spp. 374  
*Suillus tomentosus* 57  
*Suillus variegatus* 376  
 sulcotidil 329  
 sulphatases 388  
 sulphate  
     protoplasmic concentration 296  
     transport 289–94  
 sulphite reductase 295  
 sulphorhodamine G 467  
 sulphotransferases 295  
 sulphur compounds  
     inorganic, oxidation 298–300  
     metabolism 294–7, 364  
     metallothioneins 360–5  
     storage 296–7  
     translocation 455  
     volatile 288  
 sulphur dioxide  
     beverage/food preservative 288  
     equilibria in solution 300  
     tolerance 300–2  
     transport 300–1  
 superoxide dismutase 92  
 surface potential  
     monovalent cation transport 322–4  
     phosphate transport 266, 376  
     phosphoryl groups 323  
     zeta potential 324

*Index*

619

- symbiocalcicoles 376  
symport 2–3
- Talaromyces emersonii* 149  
techoic acids 254  
telurite 293  
tetrapentyl ammonium chloride 408  
tetraphenylphosphonium ( $\text{TPP}^+$ ) 133–4, 211, 326
- Thelephora terrestris* 283  
thermocouple psychrometry 400, 404–5, 411–13  
thermotolerance 117  
thiamine (vitamin  $B_1$ )  
  analogues 309  
  binding protein 309–10  
  function 306  
  photoinactivation of the transport system 309  
  requirement 305  
  transport 308–11
- thiamine-phosphate pyrophosphorylase 310  
thiocyanate (SCN) 6, 75, 135
- Thraustochytrium aureum*  
  ammonia, inability to grow on 196  
  lysine as growth factor 307  
  plasma membrane  $\text{H}^+$ -ATPase 12  
  sodium exclusion 438  
  sodium and growth 436  
  solutes, internal concentrations 417
- Thraustochytrium* sp. 268
- Tilletiopsis washingtonensis* 182
- thiophenol 224  
toluylene blue 329
- tonoplast  
  elasticity 74  
   $\text{H}^+$ -ATPase  
    genes 76–9  
    properties 6–7, 75  
    structure 75–9  
  potential difference across 81  
  pyrophosphatase 79–81  
  resistance to  
    nystatin 74  
    polycations 75  
  sensitivity to pH 75  
  solute transfer across 81–6  
  sterol content 74
- Torulopsis bombicola* 192  
*Torulopsis candida* 123  
*Torulopsis glabrata* 145  
*Torulopsis* spp. 185  
trace metals 337  
training for metal tolerance 365
- Trametes cingulata* 171  
transhyphal currents 33–9  
transaldolase 90–1  
transglycosylation 157  
transhydrogenation 103  
transinhibition 217, 222, 290–1  
transketolase 90–1, 189  
translocation  
  basidiomycete fruit bodies 466–7  
  bidirectional 462–3  
  evaporational flow 466–7  
  flux 455, 459, 463  
  mechanism  
    diffusion 449, 453–4  
    contractile systems 450, 455–6  
    solution flow 450, 452, 456–60  
  moulds 449–54  
  Petri-dish culture 449–51  
  rhizomorphs  
    bidirectional translocation 462–3  
    dry matter flux 462  
    septal pores 463–4  
    vessel hyphae 463–5  
    water movement 456–66  
*Serpula lacrymans* 456–60  
transpiration 466–7  
turgor gradients 460–1  
v-a mycorrhiza 454–6  
velocity 457
- transport  
  activation by phosphatases 253–4  
  active 1–4  
  charge balance 134–5, 209, 264  
  random ligand binding to carrier 268  
  transinhibition 219, 222, 290–1  
  stoichiometry 4–5, 15–16, 220  
  surface potential 266, 322–4, 376
- trehalase ( $\alpha, \alpha'$ -glucoside 1-glucohydrolase)  
  40, 68, 145
- trehalose  
  compatible solute 442–6  
  cycle 445  
  stress metabolite 440–1, 446  
  transport 147–8  
  water stress plating hypersensitivity 441–2
- triacytlyfusarinine 370  
tricarboxylic acid cycle *see* citric acid cycle
- Trichoderma harzianum* 34, 299  
*Trichoderma koningii* 149  
*Trichoderma lignorum* 196, 350  
*Trichoderma reesii*  
  cellulose utilisation 145, 149–58  
  cellulases, nomenclature of 154  
  strain QM6a 149

- Trichoderma* sp. 299  
*Trichoderma* spp. 185, 299  
*Trichoderma viride*  
 DNA breakdown 254  
 sulphur oxidation 299  
 translocation 452–3  
*Tricholoma saponaceum* 57  
*Trichophyton interdigitale* 347  
*Trichophyton megninii*, histidine as growth factor 307  
*Trichosporon* spp. 196  
 trifluoperazine 329  
 triose phosphate isomerase 90–1, 110  
 triphenyl tin 329  
 triphenylphosphonium ( $\text{TMP}^+$ ) 133–4  
 trisaccharide utilisation *see* disaccharide utilisation  
 trivalent metals *see* multivalent metals  
*Tsuga heterophila* 245  
 tungstate 289  
 tunicamycin 309  
 turgor  
 maintenance 426  
 potential  
   anomalous values 412–413  
   determination 400  
   growth 400–3, 408–9, 411–13  
   values 401–2, 408–9, 411  
 regulation 426  
 yield threshold 403  
 Tween 115, 168  
 tyrosinase 181–3
- UDP-galactose pyrophosphorylase 90–1  
 UDP-glucose epimerase 90–1  
 UDP-glucose pyrophosphorylase 90–1  
 uniport 2–3  
 upshock 426–9  
 uranyl ions 51, 127  
 urea amidohydrolase 236  
 urea cycle 240  
 urea transport 207–8  
 urease 236, 241  
*Ustilago maydis*  
 glucose transport 123  
 nitrate assimilation genes 202  
*Ustilago sphaerogena* 267
- Vaccinium macrocarpon* 374  
 vacuolar membranes *see* tonoplast  
 vacuole  
 amino acids within 235–7  
 determination of composition 67–73  
 green plant 66
- isolation 71, 74–5  
 large algal coenocyte 66  
 lysosome 249  
 polyphosphate 8  
 processing of vacuolar enzymes 67  
 proteinases 68  
 withdrawal of sap for analysis 66  
 vanadate 6–7, 75, 334  
*Varia granulosa* 182  
 veratryl alcohol  
 involvement in ligninase redox cycle 176  
 oxidation by ligninase 173–5  
 oxidising agent 175  
 wood, ability to penetrate 175  
 veratryl aldehyde 173  
*Verticillium atro-album* 196  
 vessel hyphae 463–5  
 vibrating micro-electrode (vibrating probe) 33  
 Viets effect 324  
 vitamin  $B_1$  *see* thiamine  
 vitamin  $B_2$  *see* riboflavin  
 vitamin  $B_3$  *see* nicotinic acid  
 vitamin  $B_4$  *see* pantothenic acid  
 vitamin  $B_5$  *see* pyridoxine  
 vitamin  $B_7$  *see* biotin  
 vitamin  $B_{12}$  *see* cyanocobalamin  
 vitamins 303, 306  
 volumetric elastic modulus 409–10  
 volumetric hydraulic conductance 403  
*Volvariella volvacea* 249–50
- wall  
 absorption of particulates 56  
 alkanes, adherence 191–2  
 calcium oxalate 357–9  
 cation exchange capacity 56–7  
 charged polymers 45  
 enzymes 44  
 expansion 398  
 elastic extensibility 406  
 electrophoretic properties 52  
 flocculation 53–5  
 hairs 192  
 hydrophobicity 56–8  
 ion binding 53–6, 336, 418  
 lipids within 59  
 lytic enzymes 398–9  
 phosphatases 47, 253–4  
 physical properties, alteration 399  
 polymers, plasticity/rigidity 399  
 polyphosphate 44  
 porosity 39–40, 45–50

*Index*

621

- relative volume 44, 435
- shrinkage 434–5
- wall yielding coefficient (extensibility) 403, 406
- Wallemia sebe* 418, 423
- water potential *see* water relations
- water relations
  - basidiospore discharge 389
  - compatible solutes 443–6
  - conditions far from equilibrium 411–15
  - osmo-acclimation 426
  - osmoregulation 426
  - osmotic potential
    - cardinal 422–3
    - determination 400, 415
    - maximum 422–3
    - minimum 422–3
    - optimum 422–3
    - values 404–5, 415–18
  - osmotic shock 426
  - spore release, lower fungi 389
  - tolerance of microorganisms to low water potentials 420
  - turgor maintenance and regulation 426
  - potential
    - determination 400, 408
    - growth 400–3
    - values 404–5
  - volume regulation 426
  - wall elasticity 410, 425–6
  - water potential 399, 403–6, 411, 416–17
- water stress plating hypersensitivity 441–2
- wheat (*Triticum aestivum*) 252
- Wickerhamiella* spp. 197
- Williopsis mirakii* 49
- willow (*Salix viminalis*) 383
- wood decay fungi 159–85, 420, 422
- Woronin bodies 250
  
- X-polydipeptidyl aminopeptidase 68
- X-ray microanalysis 38, 71, 329
- Xeromyces bisporus*
  - growth and turgor potential 402, 404, 408
  - osmotic potential 418
  - tolerance to low water potentials 423–4
- xerophilic 421
- xerotolerant 421
- Xylaria mali* 196
- xylanase 153
- xylose isomerase 104
- xylose reductase (NADPH) 104–6
  
- xylose utilisation
  - biotechnological significance 106–7
  - ethanol, inhibition by 106–7
  - fungi capable of 88
  - glucose repression 106–7
  - pathways 106–7
  - xylulose monophosphate pathway 186–7
  
- Yarrowia lypolitica* (= *Candida lypolitica*)
  - 386
- yeasts
  - alkane utilisation 191–4
  - amines, one carbon, utilisation but inability to grow on 189–90
  - bottom (lager) 143
  - Crabtree effect 102–3
  - Custers effect 101–3
  - disaccharide utilisation 140–8
  - ethanol tolerance 109–17
  - facultatively fermentative 101
  - glucose and glycoside utilisation 95–104, 141
  - galactose and galactoside utilisation 107, 141
  - growth factors 305, 307–16
  - Kluyver effect 102, 107
  - methanol utilisation 186–90
  - monosaccharide utilisation 95–109
  - non-fermentative 101
  - obligately aerobic 93
  - obligately fermentative 101
  - organic acid utilisation 377–82
  - Pasteur effect 97–99, 101
  - phytate, inability to break down 255
  - RNA, inability to break down 254
  - single cell protein 190
  - sulphur dioxide tolerance 300–2
  - top (ale) 143
  - xylose utilisation 104–7
- yield threshold 403
- yield value 319
  
- zeta potential 324
- zinc
  - accumulation during growth 345–6
  - potassium efflux 344
  - toxicity 336, 374
  - translocation 455
  - transport 336–46
- Zygorrhynchus moelleri* 197, 299
- Zygorrhynchus* spp. 308
- Zygorrhynchus vueminii* 299

622

*Index*

- Zygosaccharomyces bailii*  
benzoic acid transport 381  
permeability to other organic acids 381–2
- Zygosaccharomyces rouxii*  
glycerol 429–31, 433  
osmotic shock 430–3  
plasma membrane  
    H<sup>+</sup>-ATPase 12  
lipid composition 60
- tolerance to sodium chloride  
adaptation to 431  
*in vitro* activity of isocitrate  
    dehydrogenase 437  
    mutants 64, 442  
sodium extrusion 438–9  
tolerance of low water potentials 420, 423
- Zygosaccharomyces bailii*  
sulphur dioxide transport 301–2