

Cambridge University Press

978-0-521-36542-0 - Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis

M. Granger Morgan and Max Henrion

Index

[More information](#)

Index

- abstraction as projection, 245
- abstraction dilemma, 243
- Adams, Douglas, 141
- adaptive strategies, 28, 301
- adjoint methods, 190
- African countries, number of, 106
- air pollution, 9–14, 66, 146, 248–52, 304
- Amaral, Deborah, 151–4
- American Petroleum Institute, 10
- American Physical Society Reactor Study, 7–8
- analytic methods for propagating uncertainty, 183–92
 - advantages and disadvantages of, 192
- anchoring and adjustment heuristic, 106–7, 135, 149
- anonymity, 161–2
- approximation uncertainty, 55, 67
- array abstraction, 260
- assumptions, importance of identifying, 38
- atmospheric scientists, 66, 146–52
- automobile safety, 70, 246–8
- availability heuristic, 103–5, 129, 144
- axioms of probability, 49
- Ayres, Robert U., 298

- base rate information, 106
- Bayes' decision, 308
- Bayes' theorem, 84, 122
- Bayesian estimation, 83
- Bayesian prior, 84
- Bayesian probability, 49, 73, 108, 307
- benefit–cost analysis, 21, 25, 56, 246, 282
- Bernoulli distribution, 98
- best available technology, 28
- “best case” scenario, 178
- “best estimate,” 238, 308
- beta distribution, 97, 99, 115
- betting, 124–6
- bias
 - cognitive, 103–7
 - statistical, 79, 80
- bilinear loss function, 314–15
- Biller, William, 10
- binomial distribution, 82, 98

- bisection elicitation method, 114
- botulism, 104
- boundaries of analysis, 30
- bounded cost, 25
- Box–Muller method, 87–8
- Brier score, 109
- “butterfly effect,” 64

- calibration, 109, 110–12, 117, 167
 - training for, 120–2
- calibration curve, 110–12
- calibration function, 167
- carcinogenic potency, 59, 319
- catastrophic loss function, 316–19
- CDF, *see* cumulative distribution function
- central limit theorem, 80, 186–7
- certainty, absolute, 52
- certainty equivalent, 310
- chance nodes, 51–2
- chance quantities, 50
- chance variables, 51–2
- chi-squared test, 100
- chlorofluorocarbons, 11–14
- Cicero, 6
- clairvoyant, 50, 143
- clarification of values, 54
- clarity test, 50, 52, 60–2, 143
- Clark, William, 28, 301
- classical decision analysis, 69
- classical policy analysis, 71
- classical probability, 48, 73
- Clean Air Act, U.S., 9
- closed loop sensitivity, 197
- coal-fired power plants, 66, 146
- coefficient of variation, 188
- cognitive bias, 103–7
- coherence of probability judgments, 108
- combinatorial explosion, 181, 196
- combinatorial scenarios, 178
- combining expert opinions, 65–6, 164
- complexity, 163, 289–304
- computational costs, 212, 304
- computer aids, 257–85
- computer modeling, 257–85, 289–304

Cambridge University Press

978-0-521-36542-0 - Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis

M. Granger Morgan and Max Henrion

Index

[More information](#)

326

INDEX

- condensing a distribution, 195–6
- conditional probability, elicitation of, 122
- conditioning, 49, 122
- confidence interval, 81, 200–1, 243
- conjugate prior, 84
- consensus, 64
- conservatism, 112
- continuous distribution, 48, 74–100, 181
- control variables, 51–3
- controlled variate method, 204, 215
- convergence, 50
- correlated variable, generation of, 205
- correlation, 122, 163, 182, 208, 274
 - assessment of, 122–3
- correlation rank-order, 206, 208
- cost/benefit analysis, *see* benefit–cost analysis
- cost effectiveness, 25
- “counterintuitive” behavior, 296
- covariation, assessment of, 122–3
- Creation of the World, date of, 324
- criteria, 25–8, 56
- cubic error loss function, 313–14
- cumulative distribution function (CDF), 74, 221
 - displaying, 76, 220–41
 - encoding, 114–16, 126
 - problems interpreting, 233

- Dawes, Robyn M., 1, 105, 131, 239
- de Finetti, Bruno, 47, 124
- death, causes of, 104, 107
- debate, importance of, 21
- debiasing, 116, 119–22, 128, 135–6, 144
- debugging, 276
- decision analysis, 1, 21, 192–8, 307
- decision and distributions, 192–8
- decision criteria, 25, 39
- decision oriented sensitivity analysis, 193
- decision support systems, 257–85
- decision tree, 193
- decision variables, 51–3
- decomposition, 116–18, 133, 159
- defined constants, 52
- Degroot, M. H., 84–5, 124
- Delphi method, 165
- delta function, 224
- Demaps, 278
- Demos, 216, 257–85
 - evaluation of, 272
- Department of Energy, U.S., 6–9, 291

- dependence, 163
 - assessment of, 122–3
- derivatives, numerical, 190
- differential sensitivity theory, 191
- differentiation, numerical, 190
- direct drawing of distribution, 115
- direct estimation of distribution parameters, 115
- disaggregation, 54, 63, 116–18
- disagreement, 2, 64–6, 164–8
- disconfirming evidence, 118–20, 129
- discount rate, 53
- discrete probability distribution, 48, 192–4, 224
- discretizing, 178, 181, 193, 214
- documentation, 19, 40–3, 258, 261–3
- domain parameters, 51, 55
- dose-response function, 68
- DPD, 194
- “Dutch Book,” 108

- effects process, 7
- Einstein, Albert, 63, 289
- elasticity, 175
- empirical quantities, 50, 51–2
- empirical testing, 18
- environmental impact statements, 294
- Environmental Protection Agency, U.S., 9–11, 17, 154, 157, 161, 169, 291
 - Office of Air Quality Planning and Standards, 10–11
- equity, 27
- equivalent prior sample method, 116, 128
- error analysis, 176
- estimation, 78–84
 - Bayesian, 83
 - classical, 78
 - of fractiles, 81–3
 - of moments, 79–81
- estimators, good, 79
- ethics, 24
- event tree, 8
- exchangeability, 48
- expected utility, 56
- expected value of including uncertainty, 198, 307–23
- expected value of perfect information, 197, 267, 307, 309
- expected value of probability distribution, 75
- expertise

INDEX

327

- normative, 108–9
- substantive, 108–9
- experts, probability elicitation from, 128–36, 164–8
 - limits of, 168
 - experts who disagree, 2, 64–6, 164–8
 - experts who won't play, 161–3
- exponential distribution, 90
- exposure process, 7
- extrapolation, 59
- factorial design, 190
- FAST, *see* Fourier amplitude sensitivity test
- fault tree analysis, 8, 319
- Feagans, Thomas, 10
- first order approximation, 185
- Fischhoff, Baruch, 102–14, 132–6
- fixed probability elicitation method, 114, 128, 160
- fixed value elicitation method, 114, 128, 160
- Forrester, J., 290, 295–7
- Fourier amplitude sensitivity test, 209
- fractile, 74
 - confidence intervals about, 201
- fractile graph, 242
- fractional factorial designs, 210
- frequency distribution, uncertainty about, 62
- frequentist view of probability, 48
- Frost, Robert, 102
- fundamental physical constants, 52, 57, 132–5, 160
- fuzzy set theory, 61
- gambling behavior, 124–5, 126
- gamma distribution, 92
- gasoline, price of, 50
- Gaussian approximation, 175, 183–6, 213
 - advantages and disadvantages of, 192
- Gaussian distribution, *see* normal distribution
- generalization of learned calibration, 120–2
- geometric standard deviation, 319
- global analysis, 176, 182
- global systems models, 295
- goals versus analysis, 23
- golden rules, 32
- “good” policy analysis, 18, 36, 258, 293
- “good” protocol for probability elicitation, 158–61
- goodness of fit, 100
- granularity of model, 55
- graphical displays
 - audience, importance of, 252
 - combining, 239
 - empirically evaluated, 226, 238
 - fractile graph, 242
 - multidimensional, 246
 - one-dimensional, 220–40
 - two-dimensional, 240–3
 - of uncertainty, 220–56
- Green's function, 191
- GRESS, 191
- group interaction, 165
- Hamming, Richard, 20
- health effects of air pollution, 66, 146–8
- Heisenberg indeterminacy, 63
- heuristics, 102–6
 - anchoring and adjustment, 106–7, 135
 - availability, 103–5, 129
 - representativeness, 105–6
- hierarchical systems, 290
- hog population, 116–18
- Howard, Ronald A., 1, 293
- “hyper” Demos, 285
- hypothetical future sample method, 116
- Ibrekk, Harold, 226
- IFPS, 216
- importance sampling, 207
- importance weights, 207
- independent variables, 54
- index variables, 51, 54–5
- indirect response modes, 124
- influence diagrams, 123
- information, value of, 197, 267, 307, 309
- inputs of model, 69–71
- internal rate of return, 56
- interquartile index, 112
- interquartile range, 75
- interval elicitation method, 114
- investment in safety per life saved, 53, 246, 267
- iterative refinement, 42, 258, 294
- joint parametric analysis, 177
- judgmental probability, *see* subjectivist view of probability
- Kadane, J., 162
- Kahneman, Daniel, 102–7, 129, 159

Cambridge University Press

978-0-521-36542-0 - Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis

M. Granger Morgan and Max Henrion

Index

[More information](#)

328

INDEX

- Kantrowitz, Arthur, 17
 Kaplan, Stanley, 194
 Kemeny, John G., 30
 knowledge, 109
 Kolmogorov–Smirnov test, 100
 kurtosis, 77
- Laplace, 73
 Latin hypercube sampling, 204, 215–16
 law of small numbers, 105
 least squares, 79
 Lewis, Harold W., 7
 Lichtenstein, Sarah, 102–14
 life, value of, *see* investment in safety per life saved
 light, speed of, 57–8, 132–3
 linear loss function, 311
 linear proportion heuristic, 236
 linguistic imprecision, 50, 60–2
 linguistic probabilities, 61, 124
 literature, importance of, 37
 local analysis, 176
 location parameter, 90
 log transform, 186–7
 lognormal distribution, 88, 187, 192, 319–21
 long-run frequency, 48
 lotteries, 124–6
- McRae, Gregory, xii, 302–4
 March, James, 23
 maximize expected utility, 56, 69
 maximum likelihood, 79
 mean, defined, 75
 mean scenario, 184
 measurable quantities, 51–2
 measures of uncertainty importance, 174
 median, defined, 74
 Meltzer, Allan, 300
 membership functions, 61
 Merkhofer, Lee, 144
 metamodels, 68
 meteorological models, 64
 meteorologists, 109, 112
 method of moments, 183–6, 213–4
 method selection, 211
 MEU, *see* maximize expected utility
 midpoint Latin hypercube sampling, 204, 215
 mode, defined, 75
 model analysis parameter, 71
 model domain parameters, 51, 55
 model form parameter, 71
 models
 assessment, 20
 examination and communication of, 36–43, 261, 276
 general purpose, 293
 global systems, 295–7
 hierarchical organization of, 262, 277–8, 290
 large, 289–306
 and limits from stochastic processes, 299
 regulatory, 292
 simple, 38, 289
 uncertainty about form, 67
 moments, 75–8
 central, 75
 estimating, 79, 191–2
 matching, 79
 Monte Carlo, 12, 78, 198–207, 214–16, 223, 257
 accuracy of, 181–2
 computational effort in, 181–2
 and continuous variables, 199
 and decision trees, 199–208, 214–16
 and discrete variables, 199
 linear complexity of, 199–200
 selecting sample size in, 200–4
 and uncertainty importance, 207
 variance reduction techniques in, 203
 Monte Carlo simulation, 67, 181, 198
 Morris, Samuel, xii, 146–53
 motivational bias, 65, 131, 142, 164
 motivations for doing policy analysis, 33
 Mullin, Theresa, xii, 132–6
 multi-attribute function, 68
 multi-attribute utility theory, 25
 multimodal distributions, 222
 multinormal variables, 205
 multiple experts, 164–8
 multiplicative model, 186–7
 multivariate distributions, 99, 123–4
 multivariate normal distribution, 163
 Murphy's Law, 179
- nature's choices, 52
 net present value, 56
 net profit, 56
 newsboy problem, 314–15
 nominal group technique, 165
 nominal range sensitivity, 176, 197

- nominal value, 174
- nonlinear models, 209
- nonprocedural language, 259
- “nonstationarity,” 300
- normal distribution, 86–8
- normal-gamma distribution, 124
- normalized sensitivity, 175
- normative expertise, 108–9
- North, Warner, 2, 144
- Nuclear Regulatory Commission, 7, 291
 - “safety objectives” of, 8
- nuclear safety, 6

- objective probability, 49
- objectives, 23
- Office of Air Quality Planning and Standards,
 - see* Environmental Protection Agency, U.S.
- open loop sensitivity, 197
- optimizing, 70, 71
- order statistics, 81
- outcome criteria, 51, 56
- outcome feedback, 121
- outputs of model, 69–71
- overconfidence, 58, 111, 112, 118, 132–3, 159, 167
- ozone
 - stratospheric, 11
 - tropospheric, 10

- parameters handled in graphics, 243
- parametric analysis, 53, 177
- parametric sensitivity analysis, 51
- parent population, 48
- Pareto criterion, 69
- partial correlation coefficients, 208
- PDF, *see* probability density functions or distributions
- peer review, 20, 43, 169
- personal probability, *see* Bayesian probability;
 - subjectivist view of probability
- personalist view of probability, 49, 108
- philosophical frameworks for analysis, 24
- physical constants, 52, 57, 132–5, 160
- pie chart display, 227–39
 - confusing from, 236, 238
- “plane-catching” problem, 316–19
- Poisson distribution, 91
- Poisson process, 90, 92
- policy analysis, 16, 23
 - compared with natural science, 18–23
 - defined, 16
 - good, 18, 36
 - motivations for doing, 33
 - philosophical frameworks for, 24
 - substitute focus in, 36
- policy never definitively resolved, 3
- policy research, 16
 - and region analysis, 70–1
- policy strategies, 28
 - variables for, 51–3
- predictive models, 69
- preferences, 53–4
- probability
 - as propensity, 48
 - Bayesian, 49, 73, 108, 307
 - classical, 48, 73
 - nature of, 48
 - and phrases, 61, 124
 - subjective, 48–9, 73, 108, 307
- probability assessment
 - methods for, 141–71
 - psychology of, 107–37
- probability density functions or distributions
 - common, 85–99
 - defined, 74–5
 - displaying, 76, 220–56
 - encoding or elicitation of, 114, 126, 141–71
 - mean of, 75
 - median of, 74
 - mode of, 75
 - moments of, 75
 - multivariate, 99
 - plotted, 87
 - uncertainty about, 62
- probability mass function, 75, 224
- probability plot correlation tests, 100
- probability tree, 179, 193
- probability wheel, 126–8, 144, 149, 160
- process, approved, 27, 30
- product of random variables, 186–9
- products of powers, mean and variance of, 186–8
- propagation of uncertainty, 172–216, 257–86
 - selecting a method for, 211–17
- propensity view of probability, 48
- proper scoring rules, 109
- PROSA, 2, 123
- pseudo-random numbers, 63

- psychology of judgment under uncertainty, 102–37
- Quades, E. S., 31, 43
- quadratic loss function, 311–13
- quadratic scoring rule, 109
- quantum mechanics, 63
- quartiles, 75
- quotient of random variables, 186–9
- Raiffa, Howard, 1, 124
- rain forecasts, 113
- random error, 56–7
- random sample, 181
- random variable, 74
- randomness, 63–4, 105
- rank-order correlation, 206, 208
- Rasmussen, Norman C., 6
- ratios of powers, mean and variance of, 186–7
- reactor safety, 6–9
- reasons against/for debiasing, 118–20
- recalibration, 160
- reconciliation, 160
- reference lottery, 124–6
- refinement of models, 54
- regionwise quadratic surfaces, 211
- regression, 59, 208
- regulatory budget, 25
- regulatory models, 292
- relative error, 187–8
- relative standard deviation, 188
- reliability, 109
- representativeness heuristic, 105–6
- reproducibility, 19
- resolution, 109
- response modes, effect of, 112
- response surface methods, 173, 209, 215–16, 304
- reverse analysis, 70–1
- reversing conditioning, 122
- right criteria, 27
- Rish, William, 146–54
- risk
 - assessment of, 6
 - defined, 1
 - versus uncertainty, 49
- risk attitude, 68
- risk aversion, 53
- risk premium, 310
- risk profile, 180
- risk tolerance, 53
- Rowen, Henry, 23
- sample correlation, 208
- sample size selection, 200–2
- sampling schemes, 215
- satisficing, 70–1
- Savage, James F., 124
- scatter plots, 209
- scenario(s), 174–8, 184, 210
 - “base case,” 174
 - “best case,” 178
 - selection, 210
 - “worst case,” 178
- scenario tree, 178
- science court, 17
- scope of model, 55
- scoring rules, 109–10
- Seiler, Fritz, 189
- sensitivity
 - closed loop, 197
 - definition, 174
 - open loop, 197
- sensitivity analysis, 39, 172, 258, 275
 - decision-oriented, 193
- sensitivity to initial conditions, 64
- Shafer, Glenn, 126
- Shakespeare, William, 16
- Simon, Herbert, 290
- simplicity, importance of, 38, 289
- skewness, 77, 222
- Slovic, Paul, 102–7
- small numbers, law of, 105
- “snow” jobs, 295
- Socrates, 307
- Socratic ratio, 310, 313, 315, 319
- Socratic wisdom, 307, 310
- software, importance of, 216, 256
- sources of uncertainty, 47–71
- spatial domain, 54
- speed of light, 57–8, 132–3
- Spetzler, Carl S., 142
- squared error loss function, 313
- SRI Decision Analysis Group, 116, 141–5
- Stael von Holstein, Carl-Axel S., 142
- standard deviation, 77
- standardized regression coefficients, 208
- Stanford University, 141
- state of information, 49
- state variable, 56

INDEX

331

- states of the world, 50
- statistical estimation, 73
- statistical variation, 56–7
- stepwise regression, 208
- stochastic dependence, 274
- stochastic dominance, 224
- stochastic processes, limits from, 299
- stratified sampling, 204, 215
- subjective judgment, 57–60, 102–8
- subjectivist view of probability, 49, 73, 108, 307
- submodels, 263
- substance, focus on, in policy analysis, 36
- substantive expertise, 108–9
- sulfur air pollution, 66, 146–8, 248–52
- sum of random variables, 183–6
- “sunshine laws,” 167
- surprise index, 112
- swing weights, 177
- switchover analysis, 70–1
- symbolic differentiation, 190
- systematic error, 57–60

- t distribution, 80
- tails of distributions, 215
- task structure feedback, 121
- taxonomy of uncertainty, 56–69
- Taylor series, higher order approximation from, 189
- Taylor series expansion, 183–5, 313
- Tchebychev inequality, 192
- technology-based criteria, 28
- temporal domain, 54
- “ten commandments” of policy analysis, 36–43
- Three Mile Island, 8
- training for calibration, 120–2
- tree
 - decision, 248
 - event, 8
 - scenario, 178
- triangle plot, 248
- triangular distribution, 96
- Tukey, John, 12
- Tukey box plot, 221, 230
- Tversky, Amos, 102–7, 126, 129, 159
- types of quantities, 50–6
- Tzu, Lao, 1

- unbiased estimator, 79

- uncertainty
 - analysis of, 39, 172–216, 257–86
 - displayed graphically, 220–56
 - elicitation of judgment in the face of, 141–69
 - in empirical quantities, 56–67
 - factor, 192–216
 - about fractiles, 201
 - graphically communicated, 220–54
 - importance of, 2, 39, 43, 174, 307–23;
 - closed loop measures of, 197–8; and Monte Carlo, 207
 - judgments about, 102–37
 - about mean, 200
 - about model form, 67–9
 - propagation of, 172–216, 257–86
 - reporting, in physical science, 20
 - versus risk, 49
 - underconfidence, 111, 118
 - underestimation of error, 58, 132–3
 - uniform distribution, 95
 - “uniform wince,” 293
 - unique events, 49
 - unpredictability, 63–4
 - urns, 124
 - Ussher, Archbishop of Ireland, 324
 - utility, 25, 55–6, 193
 - as criteria for decision making, 25
 - maximization of, 24, 25
 - multi-attribute, 25

- vagueness, 50
- value of information, 197, 267, 307, 309
- value of life, *see* investment in safety per life saved
- value parameters, 53–4
- values clarification, 54
- variability, 62–3
- variance, 73
 - decomposition, 77
 - of function, 185
 - in Monte Carlo, 203
- verbal probabilities, 61, 124
- verbal protocols, 132, 283

- Wallsten, Thomas S., 11, 130, 154–8
- WASH-1400, 6
- weather forecasting, 130
- Weaver, Warren, 289
- Weibull distribution, 90, 94

Cambridge University Press

978-0-521-36542-0 - Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis

M. Granger Morgan and Max Henrion

Index

[More information](#)

332

weighted sum, mean and variance of, 186
weighted sum with uncertain weights, 189
weighting schemes, 167
well-specified, 50
Whitfield, Ronald, 11, 154
Wiecha, Charlie, 278–85

INDEX

Winkler, R. L., 109–18
“worst case” scenario, 178
“your” probability, 49
Zadeh, Lotfi, 61
zero risk, 27