

Cambridge University Press

978-0-521-36602-1 - Physiological Strategies for Gas Exchange and Metabolism

Edited by A. J. Woakes, M. K. Grieshaber and C. R. Bridges

Index

[More information](#)

INDEX

- acetaldehyde, 183, 185
- acetazolamide, 40, 42, 46, 47
- acid-base regulation
 - in amphibians and reptiles, 109–10
 - in decapodan crustaceans, 79–100
- acidosis
 - blood, 200
 - in blue crab, 89
 - in crayfish, 89–90
 - metabolic, 176
- acid stress, in crustaceans, 92–3
- aerodynamic valving, 139
- Agnatha, 212
- Airina moschata*, 135
- air sac blocks, 140–2
- Alca torda*, 236
- alcohol dehydrogenase, 175, 183
- alkalosis, respiratory, 176
- alphastat regulation, 109
- Alpheidae, 211
- alternative oxidase system, 27
- alveolocapillary barrier, 46
- Alvinella caudata*, 196
- Alvinella pompejana*, 196, 197
- amino acids, 15–16, 28
- Ammodytidae, 212
- amphibians
 - acid-base regulation, 109–10
 - behavioural thermoregulation, 113–19
 - blood gas transport, 112–13
 - circulation, 112–13
 - gas exchange, 110–12
 - hypoxia in, 107–9, 112–13, 113–15
 - non-ventilatory period, 107
 - respiration, 107–20
 - thermoregulation, 107–20
- anaerobic metabolism, 173
 - carbohydrate, 17–26
 - in helminths, 18, 25–6
 - strategies for, 25–6
- anaerobic substrate catabolism, 16
- anaerobiosis
 - facultative, 149–51
- in tubificid oligochaetes, 201–3
 - see also* anaerobic metabolism; anoxia; hypoxia; low oxygen
- Anas platyrhynchos*, 126
- Anas superciliosa*, 126, 127
- Anguilliformes, 212
- anion exchanger, ‘Band 3’, 65
- annelids
 - adaptations to low oxygen, 191–204
 - aerobiosis, 193–9
 - alternating aerobiosis and anaerobiosis, 199–201
 - characteristics, 191–2
 - meiofauna, 194–9
 - sulphide detoxification, 201
- anoxia
 - blood pH in carp, 176–8
 - decline in creatine phosphate, 179
 - increase in inorganic phosphate, 179
 - in fish, pH changes during, 173–88
 - see also* anaerobiosis; anaerobic metabolism; hypoxia; low oxygen
 - anoxybionts, 201–3
- Anser anser*, 126
- Anser indicus*, 137
- Aptenodytes patagonica*, 237
- Arenicola marina*, 155, 197, 199–201
- arterial chemoreceptors, in hypoxic responses, 138
- Ascaris suum*, 16, 17–18, 20, 21–2, 24, 27
- Astacidea, 212
- Atelecyclus rotundatus*, 222, 223, 225
- ATP, 56–7, 58
 - burrowing fish, 220–1
 - lugworm, 200
 - production, 16
 - synthesis, in helminths, 25
 - turnover, 160–2, 164, 166
 - yield, anaerobic pathways, 174
- August Krogh Principle, 111
- Austropotamobius pallipes*, 85, 89–90, 94, 96
- Aythya fuligula*, 127, 128, 135, 235

260 *Index*

- behavioural hypothermia, 115
 physiological significance, 118–19
- behavioural thermoregulation, 113–19
- bicarbonate ion, rapid source, 48–52
- birds
 gas exchange, 125–42
 high-altitude flight, 137
 hypothermia, 129–30
 intrapulmonary airflow during exercise, 139–42
 oxygen delivery, 125–42
 respiration in hypoxia, 137–9
 thermoregulation, 125
 ventilation, 125–42
- Birgus latro*, 85, 98
- bitterling (*Rhodeus amarus*), 175, 185
- blood acidosis, 200
- blood carbon dioxide
 and Haldane effect, 70
 linkage effects, 69–72
 transport, 64–7, 68–9
- blood gases, impact of shunts, 112–13
- blood lactate, in anoxia, 176
- blood oxygen
 capacitance coefficient, 59
 equilibria and pH, 70–2
 inter- and intraspecific adjustments, 60–1
 linkage effects, 69–72
- blood pH
 and behavioural thermoregulation, 117–18
 in carp during anoxia, 176–8
- Bohr coefficient, 70, 221
- Bohr effect, 70, 71, 137
 alkaline, 58
 and oxygen affinity, 197
 crustaceans, 86
 lugworm, 201
- Bohr–Haldane effect, 55, 65, 69
- Bohr protons, 56, 59
- Bohr–Root effect, 58
- Bohr shift, 86, 94, 97
- Brachyura, 212
- Branchiostegidae, 212
- Branta leucopis*, 128
- buffering, 46–8, 89
- Bufo marinus*, 108, 116, 117
- Bufo paracnemis*, 108
- Bufo vulgaris*, 109
- bullfrog (*Rana catesbeiana*), 110, 111
- burrowing mammals
 blood oxygen affinity, 61
 physiological adaptations, 218–22
- burrows of crustaceans and fish, 212–18
- burying behaviour, 221–6
- caisson disease, 241
- calcium ions, allosteric effects, 95
- Callianassa* spp., 215
C. californiensis, 215, 219
C. jamaicense, 215, 219
- Callinectes sapidus*, 81, 82, 88, 89
- Callionymidae, 226
- Callorhinus ursinus*, 237
- Calocaris macandreae*, 215, 219
- calorespirometry, open-flow, 162–4
- calorimetry
 and residual oxygen consumption, 162–4
 energetics at low oxygen, 149–67
- Cambarus diogenes*, 219
- Cancer irroratus*, 90–1
- Cancer pagurus*, respiratory and acid–base variables, 85
- capillary recruitment, 111
- Carassius* spp., 174
C. auratus, 182
C. carassius, 175, 177, 178, 181
- carbamate formation, 58
- carbohydrate metabolism, anaerobic, 17–26
- carbon dioxide, 46
 diffusion in red cells, 44
 exchange between blood and alveoli, 45
 facilitated diffusion, 38–41
 receptors, in lizards, 110
- carbon dioxide transport
 extracellular catalysis, 41–6
 in decapodan crustaceans, 86–8
 in fish, 64–7
 whole blood properties, 68–9
- carbonic anhydrase
 and sarcoplasmic reticulum, 50–2
 contribution to carbon dioxide exchange, 44
 cytosolic isozymes, 35–8
 in carbon dioxide transport, 65
 in crustaceans, 87
 inhibition by chlorzolamide, 50, 51
 inhibition by NaCNO, 50
 in muscle, 35–8
 interstitial, 42
 luminal membrane-bound, 49
 marker enzymes, 37
 membrane-bound localizations, 36–8
 roles in tissue functions, 35–52
 sarcolemma, in extracellular buffering, 47
 sulphonamide sensitivity, 36
- Carcinus maenas*, 93, 222
- Cardisoma carnifex*, 85, 87, 98
- carotid body, 108, 109
- carp
 blood oxygen affinity, 61

Index

261

- blood pH during anoxia, 176–8
 Bohr coefficient, 70
Carassius carassius, 174, 177, 181
 creatine phosphate degeneration, 179
Cyprinus carpio, 177, 180, 181, 182
 energy reserves in anoxia, 178–83
 haemoglobin hydrogen ion titration curves, 66–7
 histidine residues, 66–8
 muscle pH in anoxia, 178–83
 red cell pH, 62, 64
 catecholamines, 64
Cepola rubescens, 213, 216–18, 220, 221
 Cepolidae, 212
 cetaceans, 243, 244, 247
Chaetopterus variopedatus, 193–4
 chicken, *see* fowl, domestic
Chrysemus picta belli, 108
 citric acid cycle, 27
 cladistic analysis, 3
Clevelandia ios, 216
 Cobitidae, 212
 cockerel, domestic, 126, 134
Coestes cassivelaunus, 222, 223
Colibri coruscans, 138
Columba livia, 126
 comparative physiology, and evolution, 6–11
 constant relative alkalinity, 109
 convective inertia, 139
 cormorant (*Phalacrocorax atriceps*), 236
Corystes cassivelaunus, 225
Coturnix coturnix japonica, 126
 crab
 Atelecyclus, 222, 223, 225
 blue (*Callinectes sapidus*), 81, 82, 83, 87, 88, 89, 92
 burrows, 213
 burying behaviour, 221
 Carcinus maenas, 222
 Coestes cassivelaunus, 222, 223
 Ebalia tuberosa, 222, 223–5
 haemocyanin carrying capacity, 86
 land, 98–9, 100
 Liocarcinus depurator, 222
 lungs, 98–9
 robber (*Birgus latro*), 98
 rock (*Cancer irroratus*), 90–1
 shore (*Carcinus maenas*), 93
 Trinidad mountain (*Pseudothelphusa garnmani*), 99
Crangon crangon, 225
Crassostrea virginica, 162
 crayfish
 acidosis, 89–90
 antennal gland, 91
Austropotamobius pallipes, 94, 96
 burrows, 213
 haemocyanin, 86
 hyperoxia, 91, 92
Orconectes propinquus, 92–3
 transport enzymes, 87–8
 creatine phosphate, 186
 crustaceans, *see* decapodan crustaceans
Cyclops abyssorum, 153, 155
Cyprinus carpio, 177, 180, 181, 182
 cytosolic isozyme, 35
 dansylsulphonamide, 38, 39
 decapodan crustaceans
 acid–base regulation in, 79–100
 acid stress in, 92–3
 air-breathing, 94–9
 Bohr effect, 86
 burrows, 212–18
 burying behaviour, 221
 calcification of exoskeleton, 82
 carbon dioxide transport and excretion, 86–8
 characteristics, 79
 exoskeleton, 80–4
 gas exchange in premoult, 81
 hydration–dehydration reaction, 87
 hypercapnia in, 92
 hyperoxia in, 90–2
 moult, 80–4
 moult hormones, 83
 multiple environmental variables, 93
 oxygen diffusion through exoskeleton, 80
 oxygen flux and partial pressure, 157
 oxygen uptake and transport, 84–6
 post-moult calcification, 82, 83
 premoult alkalosis, 81–2
 respiratory adaptations to burrowing, 211–26
 respiratory and acid–base variables, 85
 respiratory gas exchange in, 79–100
 respiratory quotient, 82
 venous oxygen reserve, 84
 ventilation rates, 86
 decompression sickness, 241, 243, 246
Delphinus, 237
 dextran-bound inhibitor, 87
 dihydrolipoate dehydrogenase, 183–4
 dihydrolipoate transacetylase, 183–4
 dinitrophenol, 127, 135
 diphosphoglycerate, 62
 diving animals
 aerobic metabolism, 235–8
 blood viscosity, 249
 circulatory system, 246–52
 dive duration, 235–8
 hyperventilation in, 241
 oxygen replenishment, 238–52

262 Index

- circulatory system – *cont.*
 - oxygen storage, 238–9, 240
 - respiratory adaptations to low oxygen, 235–52
 - respiratory system, 239–46
- dogfish, 66–7
- dolphin
 - Delphinus*, 237
 - Tursiops truncatus*, 243
- domestic cockerel, *see* cockerel, domestic
- domestic fowl, *see* fowl, domestic
- Donna distribution ratio, 63, 65
- dragonets, 226
- Dromiceius novae-hollandiae*, 126
- duck, 128, 137
 - Anas platyrhynchos*, 126
 - Anas superciliosa*, 126, 127
 - hyperventilation, 241
 - hypoxic, 137
 - Muscovy (*Airina moschata*), 135
 - Pekin, 128, 135
 - tufted (*Aythya fuligula*), 127, 128, 135, 235
- earthworms, 192
- Ebalia tuberosa*, 222, 223–5
- Echiichthys (=Trachinus) vipera*, 225
- eel
 - burrows, 213
 - Heterocongrinae, 212
- eel goby, burrows, 213
- electron-transport phosphorylation, 15
- Emden–Meyerhof glycolysis, 187
- emu (*Dromiceius novae-hollandiae*), 126
- enzymes
 - pH-sensitive, 174
 - regulatory, 17
- ethanol
 - conversion of glucose to, 183
 - excretion, 178
- ethanol pathway, 173–88
 - control of, 183–6
 - mechanism activating, 186–8
- Eudyptula minor*, 126, 127, 236
- Eurytium albidigitum*, 98
- evolution
 - and comparative physiology, 6–11
 - physiological, 2–3
- Fasciola hepatica*, 16, 26, 27, 29
- fatty acids, branched-chain volatile, 25
- Fick equation, 68, 119, 128
- fish
 - blood carbon dioxide transport, 64–7
 - burrows, 212–18
 - burying behaviour, 221
- haemoglobin, 58, 62
- hypoxic-tolerant, 61
- oxygen flux and partial pressure, 157
- pH changes during anoxia, 173–88
- respiratory adaptations to burrowing, 211–26
- flatfish (Pleuronectiformes), 212
- flathead (*Platycephalus fuscus*), 225–6
- fowl, domestic, 134, 138
 - hypothermia, 133–4
 - respiratory characteristics, 136, 142
- frog, 110, 111
- fumarate, reduction to succinate, 21
- gas exchange
 - cutaneous, 111–12
 - in birds, 125–42
 - in decapodan crustaceans, 79–100
 - pulmonary, 110–11
- gastrotrichs, 202
- Gavia immer*, 236
- Genyagnus monopterygius*, 226
- gill, control of perfusion, 112
- glucose, conversion to ethanol, 183
- glutamine, in filarial metabolism, 28
- glyceraldehyde 3-phosphate dehydrogenase, 175
- glycolysis, 17
 - aerobic, 166
 - in helminths, 19
- Gnathophausia ingens*, 196
- gnathostomulids, 202
- gobies, burrowing, 216
- Gobiidae, 212
- Gobioididae, 213
- goldfish, 174, 186
 - carbon dioxide production, 187
 - creatine phosphate degeneration, 179
 - energy reserves in anoxia, 178–83
 - heat flux measurements, 186
 - muscle pH in anoxia, 178–83
 - NMR experiments, 179–83
- Goneplax rhomboides*, 215, 219
- goose
 - Bar-headed (*Anser indicus*), 137
 - Barnacle (*Branta leucopis*), 128
 - greylag (*Anser anser*), 126
- great northern diver (*Gavia immer*), 236
- GTP, 56–7, 58
- guillemot (*Uria aalge*), 236
- haemocyanin
 - Bohr shift, 97
 - carrying capacity, 86
 - crayfish, 86
- haemoglobin, 57
 - adjustments of concentration, 59–60

Index

263

- alvinellid, 197
- fish, 58, 62
- Hill plots, 56
- hydrogen ion equilibria, 66–8
- interspecific differences, 55
- ligand-transporting properties, 55
- lugworm, 197
- multiple strategies in oxygen and carbon dioxide transport, 55–72
- quaternary structures, 56
- haemolymph, lactic acid in, 94
- hagfish, 213
- Haldane coefficient, 70
- Haldane effect, 66, 68, 69, 70, 71
- helminths
 - aerobic stages, 29, 30
 - aerobic substrate catabolism, 29
 - amino acids in metabolism, 15–16
 - anaerobic metabolism in, 17–26
 - ATP synthesis, 25
 - coupled oxidation-reduction, 19–20
 - energy metabolism, 15–30
 - glycolysis, 19
 - NADH to fumarate electron transport, 22–3
 - propionate formation in, 23–4
- Henderson–Hasselbalch relation, 50
- Hesionides arenaria*, 195
- Heterakis spumosa*, 29
- Heterocongrinae, 212
- hexokinase, 17
- histidine residues, 66–8
- Homarus gammarus*, 94, 95
 - respiratory and acid-base variables, 85
- hummingbird (*Colibri coruscans*), 138
- hydrogen ion
 - buffering, 46–8, 68
 - haemoglobin equilibria, 66–8
 - in hyperoxia, 91
 - rapid source, 48–52
- hydrogen sulphide, 192
- hydroxyecdysone, 83
- Hymenolepis diminuta*, 20, 22
- hypercapnia
 - and pulmonary vascular resistance, 116
 - in decapodan crustaceans, 92
 - inducing hypothermia, 116
 - receptor systems in reptiles, 109–10
- hypermetabolism, pharmacological stimulation of, 127
- hyperventilation
 - causing alkalosis, 176
 - in diving animals, 241
 - parabronchial, 130
 - thermal, 131
- hypocapnia, in fish, 58–9, 63–4
- hypothermia
 - behavioural, *see* behavioural hypothermia
 - hypercapnia-induced, 116
 - in birds, 129–30
- hypoxia
 - arterial chemoreceptors in, 138
 - in amphibians, 107–9, 112–13, 113–15
 - in birds, 137–9
 - in burrowing fish, 220
 - in crustaceans, 90–2
 - in fish, 58–9, 63–4
 - in reptiles, 113–15
 - metabolic depression in, 115
 - mitochondrial decay, 166
 - hypoxic hyperpnea, 137, 138
- insects, oxygen diffusion through cuticle, 80
- interspecific comparisons, statistical procedures for, 2–3
- intracellular acidification, 47
- ion exchange
 - electroneutral, 91, 99
 - transmembrane electroneutral, 88–90
- Krebs cycle, 28, 29
- lactacidosis, 62
- lactate
 - dehydrogenase reaction, 187
 - fermentation, 16
 - ions, allosteric effects, 95
- lactate effect, and Bohr shift, 86
- lactate–ethanol shuttle, 184
- lamprey, 213
- leech, 192
- Lepidogobius lepidus*, 216
- Lepidopereniformes, 212
- Leptonychotes weddelli*, 238, 239, 243, 246, 247, 251
- Leptoptilos crumeniferus*, 126
- ligand binding, interdependence of, 55
- Liocarcinus depurator*, 222
- Liocarcinus puber*, respiratory and acid–base variables, 85
- Litomosoides carinii*, 26, 28
- liver fluke (*Fasciola hepatica*), 16, 29
- liver mitochondria, oxygen dependencies, 165
- lizard, 10
 - behavioural hypothermia, 115
 - carbon dioxide receptors, 110
 - hypercapnia-induced hypothermia, 116
 - hypoxia, 117
 - tegu (*Tupinambis nigropunctatus*), 110
 - Varanus exanthematicus*, 113, 114
- llama, 62
- loach (Cobitidae), 212

264 *Index*

- lobster
Homarus gammarus, 94, 95
Nephrops norvegicus, 215
- Lopholatilus chamaeleonticeps*, 218
- low oxygen
 aquatic annelids, 191–204
 energetics at, 149–67
 methods at, 153–4
see also anaerobic metabolism;
 anaerobiosis; anoxia; hypoxia
- lugworm
Arenicola marina, 155, 197, 199–201
 haemoglobin, 197
- Lumbriculus variegatus*, 153, 155, 156, 161
- Lumpenidae, 212
- Lumpenus lampretaeformis*, 213, 217, 218,
 220, 221
- lung
 amphibians, 110–12
 control of perfusion, 112
 diffusing capacity, 110
 reptiles, 110–12
- lungfish, 115, 213
- Lutra lutra*, 236
- macromolecular inhibitors, 46, 49
- Maia squinado*, respiratory and acid-base
 variables, 85
- malate dehydrogenase, 19
- malic enzyme, 20
- Marionina achaeta*, 195
- meiofauna annelids, 194–9
- metabolic acidosis, 176
- metabolic depression in hypoxia, 115
- microxic regulators, 156–62
 ATP turnover, 158, 160–1
 glycogen utilization, 159, 160
- mink, *Mustela* vision, 236
- Mirounga angustirostris*, 238
- mitochondria, 21, 164–6
- mud-shrimps, 213
- mud-skippers, 213
- muscle
 facilitated carbon dioxide diffusion, 38–41
 fast, cytosolic CA II in, 47–8
 pH in anoxia, 178–83
- muskrat, 247
Ondatra zibethica, 236
- mussel, *Mytilus edulis*, 154
- Mustela vison*, 236
- myoglobin, in diving animals, 238–9
- Mytilus edulis*, 154
- nematodes, 202
 oxygen flux and partial pressure, 157
- Nephrops norvegicus*, 215, 219
- nitrogen narcosis, 241, 246
- non-bicarbonate buffer factor, 46
- NTP, reduced erythrocytic content, 63
- nucleoside triphosphates, 56–8
- Ocypode saratan*, respiratory and acid-base
 variables, 85
- oligochaetes, 191–2
 tubificid, 201–3
- Onchocerca*, 28
- Ondatra zibethica*, 236
- Opistognathidae, 212, 213
- Orconectes propinquus*, 92–3
- otariids, 245
- otter (*Lutra lutra*), 236
- oxidase, alternative, 27
- oxygen
 blood, *see* blood oxygen
 consumption, residual, calorimetry and,
 162–4
 delivery, in birds, 125–42
 diffusion through insect cuticle, 80
 low, *see* low oxygen
 receptors, in turtles, 108
 stores, in aquatic and terrestrial
 mammals, 250
- oxygen cascade, 107
- oxygen conformers, 156–62
- oxygen pressure
 critical, 155–6, 219
 limiting, 155–6
- oxygen transport
 cellular and organismic aspects, 59–64
 in decapodan crustaceans, 84–6
 molecular aspects, 56–9
- oxylabile carbamate, 66
- Pachygrapsus crassipes*, 98
- pancreas, hydrogen ion secretion, 48
- parabronchial ventilation, 132
- paraphyletic groups, 7, 8–10
- Parastacoides tasmanicus*, 219
- penguin
Aptenodytes forsteri, 237
Aptenodytes patagonica, 237
 chinstrap, 246
Eudyptula minor, 126, 127, 236
 gas exchange, 243
 hyperventilation, 241
Pygoscelis antarctica, 236
Pygoscelis papua, 236
Spheniscus demersus, 237
Spheniscus humboldti, 237
 tidal volume, 134
- Perciformes, 212
- Periophthalminae, 212, 213
- Periophthalmus cantonensis*, 216
- Periophthalmus chrysospilos*, 216

Index

265

pH

blood, *see* blood pH
 disequilibrium, 41
 enzyme sensitivity to, 174
 in fish, changes during anoxia, 173–88
 intracellular regulation, 88–90
 muscle, in anoxia, 178–83
 red cells, 62, 64

Phalacrocorax atriceps, 236

Phocaena, 237

Phoca vitulina, 247

Phocoenoides dalli, 247

phosphate, in anoxia, 179

phosphocreatine, 239

phosphoenolpyruvate, 19

phosphofructokinase, 17, 174

phosphorylation, 15

 protein, 188

 reversible, 18–19

phosphorylation potential, 165

Physeter catodon, 238

pigeon, 128, 137

Columba livia, 126

Platycephalus fuscus, 225–6

Pleuronectidae, 226

Pleuronectiformes, 212

polychaetes, 157, 194–9

ponasterone, 83

porpoise

Phocaena, 237

Phocoenoides dalli, 247

Procambarus clarkii, 93

Prontosil-dextran, structure of, 42

propionate formation, 23–4

propionic acid, 47

Protodriloides symbioticus, 195

proton exchange, 41

Pseudemys scripta, 6, 108, 109, 113, 114

Pseudothelphusa garmani, 85, 99

pulmonary shunts, 246

Pygoscelis antarctica, 236

Pygoscelis papua, 236

pyruvate decarboxylase, 183–4

pyruvate dehydrogenase, 175, 183–6

pyruvate hydrogenase, 20

pyruvate kinase, 17, 19

quail (*Coturnix coturnix japonica*), 126
 quaternary ammonium sulfanilamide, 87

Rajiformes, 212

Rana catesbeiana, 111

raven, White-necked, 133

ray, 212

razorbill (*Alca torda*), 236

red cells, 44, 45

pH, 62, 64

reptiles

acid–base regulation, 109–10

behavioural thermoregulation, 113–19

circulation, 112–13

gas exchange, 110–12

hypercapnia, 109–10

hypoxia, 107–9, 113–15

non-ventilatory period, 107

respiration, 107–20

thermoregulation, 107–20

respiratory alkalosis, 176

respiratory chin complex I, 27

respiratory physiology, comparative, goals of, 4–11

respiratory quotient, crustaceans, 82

respirometer, Twin-Flow, 153

respirometry, energetics at low oxygen, 149–67

Rhea americana, 126

Rhodeus anarus, 175

Riftia, vestimentiferan, 196

Root effect, 58

salamander, lungless, 111

sandeel (Ammodytidae), 212

sandfish, 212

sarcolemma, 44

 and interstitial carbonic anhydrase, 42

carbonic hydrogenase activity, 38

sarcoplasmic reticulum

 carbonic anhydrase activity, 50–2

 carbonic hydrogenase activity, 38

Schistosoma mansoni, 6

seal

Arctocephalus spp., 237

Callorhinus ursinus, 237

 elephant, 249, 251

 manatee, 239

Mirounga angustirostris, 238

 otariid, 239

 oxygen storage capacity, 247

Phoca vitulina, 247

 phocid, 239, 243, 246

 Weddell (*Leptonychotes weddelli*), 238,

 239, 243, 246, 247, 251

shrimp (*Crangon crangon*), 225

shunts

 impact on blood gases, 112–13

 pulmonary, 246

Siluriformes, 212

sipunculids, oxygen flux and partial

 pressure, 157

Sipunculus nudus, 161

skate, 212

snail neuron, intracellular buffering, 46, 47

snake, oxygen flux and partial pressure, 157

266 *Index*

- snake blenny (*Lumpenus lampretaeformis*), 213, 217, 218, 220, 221
sodium ion, 91, 92
solei, rat, contractile parameters, 51
Soleidae, 226
Spheniscus demersus, 237
Spheniscus humboldti, 237
spinal thermosensitive neurons, 134
spotted stargazer (*Genyagnus monopterygius*), 226
'squeeze, the', 241, 243, 246
squirrel, ground, 115
starling (*Sturnus vulgaris*), 129, 134
stomach, hydrogen ion secretion, 48
stork, Marabou (*Leptoptilos crumeniferus*), 126
Sturnus vulgaris, 129, 134
Stygocapitella subterranea, 195
substrate-level phosphorylation, 15
succinate, in helminth carbohydrate catabolism, 23
succinate–fumarate metabolic pathway, 202
surface alkalinization, 47
Synbranchiformes, 212
Synbranchus marmoratus, 220
- teleosts
haemoglobin, 66–7, 68
Haldane effects, 69
low buffer values, 69
tench
blood oxygen affinity, 61, 63
Bohr coefficient, 70
haemoglobin, 57
Haldane effect, 69
red cell pH, 64
Testudo graeca, 6
Thalassinidea, 212, 213
thermal generalists, 10
- thermoregulation
behavioural, 113–19
in amphibians and reptiles, 107–20
in birds, 125
thiobios, 202
tilefish (Branchiostegidae), 212
toad
Bufo marinus, 108
Bufo vulgaris, 109
hypercapnia-induced hypothermia, 116
tortoise, terrestrial (*Testudo graeca*), 6
Trichondontidae, 212, 225
trout
blood oxygen affinity, 63, 64
Bohr coefficient, 70
haemoglobin ion titration curves, 66–7
red cell pH, 64
Tubifex tubifex, 201–3
tumour cells, glycolytic ATP production, 166
Tupinambis nigropunctatus, 110
turbellarians, 202
Tursiops truncatus, 243
turtle
chemoreceptors, 108
Chrysemys picta bellii, 108
Pseudemys scripta, 6, 108, 109, 113, 114
Typhlogobius californiensis, 216, 220
- ubiquinone, 22
Upogebia spp., 215, 219
Uria aalge, 236
- Varanus exanthematicus*, 113, 114
- weever fish (*Echiichthys (=Trachinus) vipera*), 225
- whale
Physeter catodon, 238
sperm, 247