

Index

Bold numbers nn indicate a definition

- absolute p -basis, **203**
- acceptable ring, **260**
- additive valuation, **75**
- (I -) adic completion, **57**
- (I -) adic topology, **57**
- (I -) adically ideal separated, **174**
- Akizuki's theorem, **16**
- (A -) algebra, **269**
- algebra, skew-commutative graded, **285**
- almost integral element, **69**
- analytically independent elements, **107**
- annihilator $\text{ann}(M)$, **6**
- Archimedean ordered group, **76**
- Artin–Rees lemma, **59, 98**
- Artinian (ring, module),
 12, 14, 16, 22, 30, 63, 94
- ascending chain condition (a.c.c.) ix, **14, 39**
- associated graded ring, **93, 120**
- associated prime ideal, $\text{Ass}(M)$, **38, 156, 179**
- associated separated module, **55**

- (p -) basis, **202**
- Bass conjecture, **152**

- Cartier equality, **205**
- catenary ring, **31, 117, 118, 250**
- catenary ring, formally, **252**
- catenary ring, universally, **118, 137, 251**
- centre (of a valuation ring), **73**
- characteristic
 equal, **215**
 unequal, **215, 223, 228**
- characteristic p , xiii, **190, 196, 241**
- closed fibre, **116**
- CM module, **134**
- CM ring, **136, 188**
- cocycle, **221**
- codepth, **139**
- coefficient field, **215**
- coefficient ring, **225**
- cofinite subfield, **241**

- coheight (of a prime ideal), **30**
- Cohen–Macaulay (CM), x, **133, 134, 137, 180, 182, 188**
- Cohen's theorem, **17**
- combinatorial dimension, **30**
- complete intersection (c.i.) ring, **171**
- complete local ring, **45, 215, 224, 225**
- complete module, **55**
- completely integrally closed, **69**
- completion, ix, **55, 93, 157, 169**
- complex, **127, 274**
 double, **275**
 Koszul, **111, 127, 151, 156, 169, 286**
- complexes, tensor product of, **281**
- composite (of valuation rings), **72**
- composition series, **12, 15**
- contracted ideal, **21**
- coprime ideals, **3**

- Dedekind ring (domain), ix, **82, 89**
- degree (of a homogeneous element), **92**
- depth, x, **130, 154**
- derivation, **190, 230**
 higher, **207**
- derived functor, **280**
- descending chain condition (d.c.c.), **14**
- 'determinant trick', **7, 81**
- determinantal ideals, **103**
- differential, **192**
 basis, **201**
 ideal, **206**
 module of, **190, 192**
 of a complex, **274**
- dimension (Krull dimension), **20, 30, 98, embedding, 104, 156, 169**
 formula, **119**
 global, **155**
 inequality, **118**
 injective, **139, 280**
 of intersection, **261**
 projective, **155, 280**
 theory, ix, **32, 92, 98**

318 *Index*

- direct limit, **270**
 direct system, **269**
 directed family (of subfields), **241**
 directed set, **55, 269**
 discrete module, **221**
 discrete valuation ring (DVR), **71, 78, 106, 223**
 discriminant, **198**
 divisor class group, **165**
 divisorial fractional ideal, **91**
 domain, *see* integral domain
 dominates, **72**
 double complex, **275**
 DVR, *see* discrete valuation ring
- Eakin–Nagata theorem, **18**
 Eisenstein extension, **229**
 embedded prime, **39, 42, 136**
 embedding dimension, **104, 156, 169**
 equal characteristic, **215, 261**
 equicharacteristic, **215, 261**
 equidimensional, **250**
 equidimensional, formally, **251**
 essential extension, **149, 281**
 essentially of finite type, **232**
 (0-) étale, **193, 204**
 (*I*-) étale, **214**
 Euler number, **111, 159**
 exact functor, **26, 268**
 exact sequence, **12, 45, 51, 53, 268**
 excellent ring, xi, **260**
 Ext, **53, 129, 139, 154, 185, 189, 279**
 extended ideal, **21**
 extension
 essential, **281**
 of a ring by a module, **191**
 of scalars, **268, 284**
 trivial or split, **191**
 exterior algebra, **169, 286**
 exterior product, **283**
- factorial ring *see* unique factorisation domain
 faithful *A*-module, **6**
 faithfully flat, **45, 47**
 fibre
 closed, **116**
 generic, **116**
 over a prime, **47, 116, 178**
 field, **2, 106**
 filtration, **93**
 finite free resolution (FFR), **159**
 finite length, **12, 15, 94**
 finite module, **7, 15, 26**
 finite presentation, module of, **12, 14, 19, 52**
 finite type, essentially of, **232**
 finitely generated ideal, **5, 15, 50, 94, 271**
 finitely generated module, *see* finite module
 flat (module, algebra), x, **45, 116, 173, 186, 268**
 flat, normally, **188**
 formal fibre, xi, **255**
 formal power series ring $A[[X]]$, **4, 16, 53, 61, 88, 117, 157, 165, 168, 177, 181**
 formally catenary ring, **252**
 formally equidimensional, **251**
 Forster–Swan theorem, **35**
 fractional ideal, **19, 80, 166**
 free module, **9, 13, 51**
 stably, **161, 163**
- G*-ring (Grothendieck ring), **256**
 generic fibre, **116**
 generic point, **36**
 geometrically regular, **219, 255**
 global dimension, **155, 182**
 going-down theorem, **45, 67, 116**
 going-up theorem, **67, 116**
 Gorenstein ring, xi, **139, 142, 145, 181, 189**
 grade, **131**
 graded module, **92, 177**
 graded ring, **92, 101**
 greatest common divisor (g.c.d.), **163**
- height (of a prime ideal), **20, 30, 100**
 Hensel ring, x
 Hensel's lemma, **58**
 higher derivation $HS_i(A)$, **207**
 Hilbert function, **92, 95, 101**
 Hilbert Nullstellensatz, **33**
 Hilbert polynomial, **95, 138**
 Hilbert ring, *see* Jacobson ring
 Hilbert series, **94**
 Hochschild formula, **190, 197**
 Hom, **6, 52, 129, 140, 154, 189**
 homogeneous element, **92**
 homogeneous ideal, submodule, **92, 101**
 homology, **127, 170, 274**
- I*-adic completion, **57, 272**
I-adic topology, **57**
I-adically ideal-separated, **174**
 ideal, ix, **1**
 contracted, **21**
 extended, **21**
 fractional, **19, 80**
 maximal, **2**
 of definition, **62, 97**
 parameter, **138**
 perfect, **132**
 primary, **21**
 prime, **2**
 proper, **1**
 imperfection module, **205**

- indecomposable module, **145**
 (p -) independent, **202**
 independent in the sense of Lech, **160**
 injective dimension, **139, 155, 280**
 injective hull, **145, 280**
 injective module, **144, 277**
 injective resolution, **144, 185, 278**
 integral, **64**
 closure, ix, **64, 73, 261**
 domain, **2**
 element, almost, **69**
 extension, **45, 64**
 integrally closed domain, **64, 73**
 inverse limit, **55, 271**
 inverse system, **55, 271**
 invertible fractional ideal, **19, 80, 167**
 irreducible closed set, **29, 39**
 irreducible element, **5, 162**
 irreducible submodule, ideal, **40, 142**
 isolated associated prime, **39**
 iterative higher derivation, **209**

 Jacobson radical, *see* radical
 Jacobson ring, **34, 115**
 Jacobian criterion, **233, 237, 239, 244**
 Jacobian condition, weak (WJ), **239, 259**

 Koszul complex, **111, 127, 151, 156, 169, 286**
 Krull–Akizuki theorem, **84**
 Krull dimension, **30**
 Krull intersection theorem, **60**
 Krull ring, x, **86, 165**

 least common multiple (l.c.m.), **163**
 Lech's lemma, **110**
 length, **12, 84, 94**
 lies over, **25, 66**
 lifting, **191**
 linear topology, **55, 93**
 linearly disjoint subfields, **200**
 local homomorphism, **48**
 local property, **26**
 local ring, **3**
 localisation, x, **20, 48, 63, 65, 157**

 Matlis theory, **144**
 maximal condition *see* ascending chain condition
 maximal ideal, **2, 24**
 maximal spectrum $m\text{-Spec } A$, **24**
 minimal associated prime, **40**
 minimal basis, **8**
 minimal condition, *see* descending chain condition
 minimal free resolution, **153**
 minimal injective resolution, **281**
 module, **7, 268**
 finite, **7**
 imperfection, **205**
 injective, **144, 277**
 of differentials, **190, 192**
 of finite presentation, **12**
 projective, **277**
 multiplicative set, **2, 20**
 saturation of, **23**
 multiplicative valuations, **71**
 multiplicity, x, **92, 104, 108, 138**

 Nagata criterion for openness (NC), **186, 187**
 Nagata ring, ix, **264**
 NAK (Nakayama's lemma), **8**
 neat *see* unramified
 nilpotent element, **1, 3, 6, 21**
 nilradical $\text{nil}(A)$, **3**
 Noether normalisation, **262**
 Noetherian ring, ix, **14, 17, 22, 37, 84**
 Noetherian graded ring, **94**
 Noetherian module, **14**
 Noetherian topological space, **29**
 normal ring, **64, 82, 88, 157, 183**
 normally flat, **188**
 null-form, **107, 112**
 ideal of, **112**
 Nullstellensatz, **33**
 number of generators of a module, **35, 170**

 open loci, **172, 186, 237, 245, 260**
 ordered group, **75**
 Archimedean, **76**
 of rank 1, **77**

 p -ring, **223**
 parameter ideal, **138**
 parameters, system of, **104**
 perfect ideal, **132**
 perfect field, **200**
 Picard group of a ring $\text{Pic}(A)$, **166**
 polynomial ring $A[X]$, **4, 16, 31, 58, 89, 117, 157, 161, 168, 177, 181, 192, 269**
 primary components (of a submodule), **41**
 primary decomposition, ix, **37, 41**
 primary ideal, **21**
 primary submodule, **39, 40**
 prime divisor (of an ideal), **38, 100**
 prime element, **5**
 prime ideal, **2**
 primitive polynomial, **168**
 principal ideal, **5, 161, 164**
 theorem, **92, 100, 162**
 projective dimension, **155, 182, 280**
 projective module, **9, 52, 80, 161, 166, 277**
 projective resolution, **51, 158, 277**
 proper ideal, **1**
 Prüfer domain, **86**
 pure submodule, **53**

320 *Index*

- quasi-coefficient field, **215**
 quasi-coefficient ring, **225**
 quasi-excellent ring, **260**
 quasi-regular sequence, **124**
 quasi-unmixed *see* formally
 equidimensional
 quotient of regular local ring, 169, 171
- radical (of an ideal), **3**
 radical $\text{rad}(A)$, Jacobson, **3, 8, 57, 98**
 ramified local ring, **228**
 rank (of a module), **84, 154, 159, 163, 166**
 rank 1, ordered group of, **77**
 rational rank (of ordered group), **77**
 reduced ring, **3**
 reduction (of an ideal), **112**
 Rees ring, **120**
 (M -) regular element, **38, 123**
 regular homomorphism, **256**
 regular local ring, x , **105, 138, 153, 156,**
 163, 187, 236
 regular ring, **157**
 regular ring, geometrically, **219, 255**
 regular sequence, x , **123, 188**
 quasi-, **124**
 regular system of parameters, **105**
 residue field, **3, 23**
 resolution of singularities, x , **12, 74, 92, 188**
 rigidity conjecture, **154**
 ring of fractions, **20, 48**
- Samuel function, **12, 92, 97, 101, 138**
 Samuel function of a regular local ring,
 106
 saturated (chain of prime ideals), **31**
 saturation (of a multiplicative set), **23**
 secondary module, **42**
 secondary representation, **43**
 semigroup, **92**
 semilocal ring, **3, 16, 62, 97, 169**
 separable field extension, **195, 198**
 separable algebra, **198**
 separably generated, **199**
 separated module, **55**
 separated, I -adically ideal-, **174**
 separating transcendence basis, **199**
 (M -) sequence, **123**
 Serre's criterion for normality, **183**
 simple module, **12**
 skew-commutative graded algebra, **285**
 skew derivation, **285**
- smooth, **193**
 (0-) smooth, **193, 204, 233**
 (I -) smooth, **213, 217, 233**
 (I -) smooth w.r.t. k , **217**
 spectrum of a ring $\text{Spec } A$, **20, 24, 35, 48**
 split cocycle, **221**
 split exact sequence, **268**
 split extension, **191**
 stably free module, **161, 163**
 structure theorem for complete local rings,
 x , **190, 223, 265**
 support (of a module) $\text{Supp } (M)$, **25, 39, 48,**
 99
 symbolic power (of a prime ideal), **29, 88**
 system of parameters, **104**
 regular, **105**
- tensor product, **26, 45, 53, 266**
 of complexes, **127, 281**
 topology, **55**
 Tor, **26, 50, 53, 140, 154, 170, 182, 187, 278**
 total ring of fractions, **21**
 transcendence degree $\text{tr. deg.}_k A$, **32, 118**
- unequal characteristic, **215**
 uniformising element (of DVR), **79**
 unique factorisation domain (UFD), **5, 65,**
 161
 unique factorisation into primes in a
 Dedekind ring, **82**
 unit, **1**
 universally catenary ring, **118, 139, 251**
 unmixed, **136, 139**
 unmixedness theorem, **136**
 (0-) unramified, **193**
 (I -) unramified, **214**
 unramified local ring, **228**
- valuation, **75**
 additive, **75**
 discrete, **78**
 valuation ring, x , **71**
 composite of, **72**
 value group of a valuation, **75**
- weak Jacobian condition (WJ), **239, 259**
- Zariski Riemann surface, **73**
 Zariski ring, **62**
 Zariski topology, **25, 29, 36, 74**
 zero-divisor, **38**