

## Subject Index

- A 131  
 $\alpha$ -analytic 228  
abstract logical operation 29  
abstract variable 243  
absurdity 72  
 $\alpha$ -complete 246  
addition 111  
adjunction 131  
 $\alpha$ -entails 246  
 $\alpha$ -inconsistent 246  
AL 111  
A-L-complete 208  
A-L-consistent 208  
 $\alpha$ -L-false 246  
A-L-inconsistent 208  
alphabetical variant 247  
 $\alpha$ -L-true 246  
 $\alpha$ -model 246  
analogous case 243  
Anderson, Alan 65  
AR 111  
 $\alpha$ -sound 246  
assignment (first order) 245  
assignment (modal) 206  
assignment correlated with  $\alpha$  209  
atomic subset 273  
atomic well-formed formula 273  
axiom 23  
axiom schema 23  
axiomatic system 23  
Barcan formula 291  
basic deductive sequence 244  
Beth, Evert W. ix  
BiC 156  
biconditional 156  
biconditionalization 156  
biconditional modus ponens 156  
Bi-MP 156  
bound occurrence 254  
C 57  
Carnap, Rudolf viii, 286, 295  
Carruth, Al ix  
chain inference 62  
Church, Alonzo ix  
classical negation 34  
closed alphabetical variant 247  
closed set 39  
closure 39  
closure property 18  
CM 85  
cnf 153  
compactness 43  
compatible assignment 246  
Con 78  
conclusion 59  
conditional 57  
conditionalization 57  
conjunction 131  
conjunction stable 191  
conjunctive normal form 153  
consequence 40  
consequentia mirabilis 85  
consistent (modal) 207  
consistent (model theoretic) 40  
consistent (proof theoretic) 27  
contradictory (modal) 207  
contraposition 78  
D 111  
D MAS 208  
D Logic 208  
D regular MAS 209  
deductive first-order system 244  
deductive formula description 244  
deductive zero-order system 22

316

Index

- deductively closed 208
- deductively complete 26
- deductively consistent 26
- deductively equivalent 28
- deductively inconsistent 26
- derivability set 26
- derivable 18
- derivation 17
- derivation couple 17
- derivation rule 17
- designated value 38, 245
- dilemma 111
- disjunction 111
- disjunctive normal form 148
- disjunctive set 208
- dnf 148
- DZOS 22
- E-logic 33
- entails (modal) 207
- entails (zero-order) 40
- equivalent zero-order structures 39
- existential quantifier 255
- export-import law 63
- extensional model theory 38
- extensional partition 251
- F-extendible 25
- F-extension 25
- F-functor 240
- finest partition 251
- finite derivation property 18
- finite value realization scheme 411
- first-order logic 243
- first-order system 239
- formula 2
- formula variable 238
- free for 241
- free occurrence 254
- free substitution 241
- free substitution instance 242
- Frege, Gottlob 295, 297
- fsfs 17
- functionally complete 45
- functor 240
- Goodman, Nelson 295
- Herbrand models 275
- modal modus ponens 181
- Heyting, Arend 292
- I MAS 234
- I regular 234
- identity 277
- identity relation 279
- immediate analogous case 242
- immediate generation 47
- incomplete 27
- inconsistent (modal) 207
- inconsistent (model theory) 40
- inconsistent (proof theory) 26
- individual 245
- induction, strong 4
- induction, weak 4
- initial segment 5
- interpretation 245
- K** logic 207
- K** MAS 207
- K** regular MAS 209
- Kleene, Stephen C. ix
- Kripke model 206
- left simplification 131
- length 5, 275
- Lewis, Clarence I. 65, 297
- Lindenbaum's Theorem 272
- linear 48
- L-Lewis regular 208
- logical calculus 22
- logical derivation rule 17
- logical equivalence class 29
- logical operation 29
- LS 131
- Mannoury, Gerrit 297
- Martin, Emilia R. ix
- MAS 206
- material implication 69
- Mead, George H. 3
- metalanguage vii
- metalogic vii
- minimally **K** (**D**, **T**, **S4**, **S5**) 208
- minimal negation 33
- M MAS 232
- MMP 181
- modal assignment set 206
- modal-free 207
- premise 59

## Index

317

- model (first-order) 246
- model (modal) 206
- model structure 38
- model theoretically complete 44
- model theory 4
- model (zero-order) 40
- modified Herbrand model 281
- modus ponens 57
- monotonic 49
- Morris, Charles W. vii
- MP 57
- M regular 232
- M-valuation 232
- M-valued logic 44
- m-v-variant assignment 266
- natural deduction 23
- negation cases 91
- negation complete 208
- NgC 91
- normal assignment 279
- normal conjunction 33
- normal disjunction 33
- normal interpretation 279
- normal logical calculus 22
- normal model 279
- normal quantifier 243
- n-tuple assignment 48
- object language vii
- occur bound 241
- occur free 241
- occurrence 9
- occurrence triple 254
- occurs (first-order) 240
- $\omega$ -complete 271
- 1-preserving 47
- order-isomorphism 15
- order-preserving 15
- Peano 11, 295
- Peirce, Charles S. 3
- Polish notation 11
- positive equivalence 33
- positive implication 33
- Post, Emil L. 51
- pragmatics vii
- SE 181
- preserved under implication 191
- proof theory 4
- proper assignment 208
- proper assignment associated with r 208
- propositional length 274
- pure first-order logic 244
- quantified zero-order system 180
- quantifier 240
- quantifier occurrence 254
- Quine, Willard V.O. 286
- R 75
- RA 86
- rcnf 153
- rdnf 148
- real number associated with  $L$ -Lewis regular set 208
- realization 39
- realization family 40
- reduced conjunctive normal form 153
- reduced disjunctive normal form 153
- reductio ad absurdam 86
- reduction 75
- regular I MAS 232
- regular M MAS 232
- Reichenbach, Hans 296
- relatively complete 28
- relatively consistent 28
- representative functor 243
- Rosser, J. Barkley 55
- RS 131
- rule 244
- Russell, Bertrand 295, 297
- S4 logic 208
- S4 MAS 208
- S4 regular MAS 209
- S5 logic 208
- S5 MAS 208
- S5 regular MAS 209
- same type 241
- satisfaction 38
- satisfiable 207
- 2-quantifier 257

318

Subject Index

- self-dual 48
- semantics vii
- SHE 181
- Sheffer function 54
- S-equivalence class 247
- S-equivalent 247
- simplification 131
- simply deductively equivalent 24, 28
- simply deductively equivalent 23
- simply deductively included 23
- Skolem-Löwenheim theorem 282
- Slupecki, Jerzy 55
- S-occurs 9
- standard two-valued logic 265
- Stengel, Bernhard von ix
- strict implication 181
- strict inclusion 24
- strong model 299
- structure preserving 30
- substitution, first time 13
- substitution instance 241
- substitution instance rule 9
- substitution, sequential 9
- substitution, uniform 8
- Suppes, Patrick 295
- symbols 2
- syntax vii
- Tarski, Alfred ix
- term 238
- term variable 238
- T-functor 240
- theorem 23
- Tichenor, Hardy ix
- T logic 208
- T MAS 208
- translation 25
- T regular MAS 209
- truth-table 52
- Turquette, Atwell 55
- unique decomposition 6
- unique valuation 39
- universal closure 264
- universal quantifier 255
- under translation 28
- unrestricted equivalence theorem 69
- valid 40
- valuation 246
- valuation function 40
- value 40
- virtually deductively inconsistent 27
- virtually deductively complete 27
- weak implication 225
- weak model 299
- well formed expression 240
- well formed formula 2
- well formed formula (first-order) 238
- well formed part 148
- wfe 240
- wff 2
- wff (first-order) 238
- wff-function 29
- wfp 148
- Whitehead, Alfred N. 297
- $\Upsilon$ -consistent 207
- $\Upsilon$ -contradictory 207
- $\Upsilon$ -derivation 19
- $\Upsilon$ -entails 207
- $\Upsilon$ -inconsistent 207
- $\Upsilon$ -model 207
- $\Upsilon$ -satisfiable 207
- yields 18
- zero-order calculus 17
- zero-order logical calculus 17
- zero-order structure 38
- zero-order system 1
- 0-preserving 52

## Index of Systems

<b>AK</b>	146	<b>S1'</b>	193
<b>ANC</b>	122	<b>S1*</b>	182
<b>ANC1</b>	125	<b>S1*''</b>	193
<b>ANC2</b>	126	<b>S2</b>	181
<b>CFOL</b>	260	<b>S2'</b>	193
<b>CFOL1</b>	283	<b>S2*'</b>	182
<b>CFOL1*</b>	284	<b>S2**'</b>	193
<b>CFOL11</b>	276	<b>S3</b>	181
<b>CINAK</b>	306	<b>S3'</b>	193
<b>CINEAK</b>	177	<b>S3*'</b>	182
<b>D</b>	207	<b>S3**'</b>	193
<b>IAC</b>	105	<b>S4</b>	181, 208
<b>IC</b>	107	<b>S4'</b>	193
<b>IFOL</b>	292	<b>S4*'</b>	182
<b>INC</b>	91	<b>S4**'</b>	193
<b>INC1</b>	97	<b>S5</b>	181, 208
<b>INC2</b>	98	<b>S5'</b>	193
<b>INC3</b>	99	<b>S5*'</b>	182
<b>K</b>	207	<b>S5**'</b>	193
<b>MAN</b>	116	<b>SA</b>	111
<b>MFOL</b>	286	<b>SK</b>	131
<b>MKN</b>	1	<b>T</b>	208
<b>MN</b>	84	<b>WAN</b>	119
<b>NKC</b>	139	<b>WL</b>	225
<b>NKC1</b>	143	<b>WL1</b>	227
<b>P1</b>	57	<b>WLINEAK</b>	231
<b>P11</b>	57	<b>WIN</b>	86
<b>P12</b>	65	<b>WIN1</b>	88
<b>P1A</b>	73	<b>WIN2</b>	89
<b>PLAN</b>	75	<b>WINAK</b>	306
<b>PLANEAK</b>	231	<b>WINEAK</b>	167
<b>PIN</b>	78	<b>WINEAK2</b>	171
<b>PINAK</b>	156, 306	<b>WISA</b>	230
<b>PINEAK</b>	156	<b>WISK</b>	229
<b>S1</b>	181	<b>WKN</b>	136

## Index of Symbols

$\mathbf{N}$	1	$\vdash$	40
$\mathbf{S}$	1	$\models$	40
$\mathbf{S}_i$	1	$\mathbf{P}_0$	47
$\sigma_{S \cap}$	2	$\mathbf{P}_1$	47
$\cap$	2	$\mathbf{SD}$	48
$W_S$	2	$\mathbf{Ln}$	49
$\ell$	5	$\oplus$	49
$\mathbf{S}_{\mathbf{B}}^{\mathbf{A}}$	8	$\mathbf{M}$	49
$\mathbf{S}_{\mathbf{B}_1}^{\mathbf{A}_1} \dots \mathbf{S}_{\mathbf{B}_n}^{\mathbf{A}_n}$	9	$\mathbf{F}$	72
$\mathbf{S}_{\mathbf{B}_1}^{\mathbf{A}_1} \dots \mathbf{S}_{\mathbf{B}_n}^{\mathbf{A}_n}$	9	$\vee$	111
$\supset$	12	$\wedge$	131
$\sim$	12	$\veevee$	149
$\mathbf{S}_{\mathbf{k}}^{\mathbf{A}}_{\mathbf{B}}$	14	$\wedge$	153
$(\alpha, A)$	17	$\equiv$	156
$R(F^i, A_j)$	17	$\rightarrow$	181
$\vdash$	18	$\diamond$	182
$\mathbf{Equiv}_L(x, y)$	29	$\boxtimes$	201
$E_L$	29	$\square$	207
$\mathbf{U}$	38	$F_A^\vee$	241
$D$	38	$R_E^{fv_1 \dots fv_n}$	242
$\mathbf{K}$	38	$R_\alpha^\vee$	244
$(U, D, K)$	38	$\forall$	255
$S$	38	$\exists$	255
$g$	39	$( )$	264
$(S, g)$	39	$L$	274
$g'_r$	39		