

## Subject index

- adjoint eigenfunctions, 67, 167, 191
- amplitude-expansions, high-order, 72, 196, 212–26
- averaged-Lagrangian formulation, 17, 90–1, 98–9, 126–7
- Bäcklund transformation, 146–50
- baroclinic waves, 159, 184–7, 272
- Bénard convection, 48, 65, 120, 207–8, 229–30, 252, 257–72
- Benjamin–Feir instability, 74, 202–6, 217–18, 243–5
- bifurcation of eigenvalues, 37, 46–50
  - of equilibrium solutions, 71, 155–6, 161, 230, 249–52, 264
  - of periodic orbits, 154–5, 208, 265–6, 288
- Blasius boundary layer, 24, 46, 54–9, 61–2, 114–18, 162–9, 197–8, 223, 273–7
- boundaries, effect on stability of, 33–4, 37–41, 249–52, 264–8
- boundary-layer flow, 63, 90, 115, 198, 227, 281
  - see also* Blasius boundary layer
- Boussinesq approximation, 6, 27, 100
- Brunt–Väisälä frequency, 28, 33, 100
- Burger’s equation, 176, 212
- ‘bursting’ solutions, 130, 135–9, 144–5, 148, 204–6, 208–9, 285
- capillary–gravity waves, 12–21, 82–4, 205, 212–14
  - resonance among, 123–9, 132–3, 177–9, 231–3
- catastrophe theory, 252, 288
- caustic formation, 61, 96–8, 282
- centrifugal instability, *see* Rayleigh–Taylor instability
- chaotic motion, 154–5, 208, 244, 253–7, 264–8, 280
- conservation of energy, 130–2
  - of wave action, 98–104, 130–2, 235
  - of wave crests, 95
- Coriolis force, 83, 107
- critical layer, nonlinear, 189, 226–8
  - in stratified flow, 35–45
  - viscous, 19, 23–7, 76–81, 161, 168, 189
- Davey–Stewartson equations, 174, 179, 182, 199–200, 204–6, 210
- diffusive effects, double–, 48, 266
  - solutal, 44
  - thermal, 44
  - viscous, 19–21, 24, 44, 81–2, 89, 104–5, 227
- doubly-periodic flows, 253–7, 265–6
- drift velocity, Eulerian, 81–7, 105–13
  - Lagrangian, 84, 105–12, 213
  - Stokes, 84, 105–12, 118–22
- edge waves, 97
- eigenvalue spectrum, inverse-scattering, 140–6
  - spatial, 58–9
  - temporal, 35, 48, 51–8, 67
- Ekman boundary layer, 63
- energy of waves, 17–21, 28, 31–3, 42, 95–102, 236
  - flux of, 31–3, 41–4
- exchange of mode-identity, 15, 18, 46–50
- experiments: Bénard convection, 258–68
  - bouyancy-layer flows, 24, 59, 61–2, 162–6, 273–5, 281, 283–7
  - channel flows, 25, 162–6, 197, 223–5, 233, 281, 283–5
  - elastic structures, 157

## 320      *Index*

- (continued)
- flow down incline, 60
  - internal waves, 133–6, 156–9
  - plasma waves, 136
  - shear layers, jets and wakes, 166, 225–6
  - surface and interfacial waves, 79, 84, 132, 135, 156–7, 180–1, 201–4, 211, 213–14, 218–19, 236–7
  - Taylor–Couette flow, 230, 247–57
  - wind-generated waves, 26–7, 133
  - ‘explosive’ resonance, 130, 135–9, 144–5, 148, 153, 160, 171
  - Fermi–Pasta–Ulam recurrence, 203, 244
  - frequency mismatch, 136, 160, 217, 234–6, 242, 276
  - spectra, 165, 236–7, 253–7, 265–7
  - generalized Lagrangian-mean formulation 105–13
  - Ginzburg–Landau equation, 207
  - gravity waves, continuous spectrum of, 231, 236–42, 244
    - damping of, *see* viscosity
    - in inhomogeneous media, 90–103
    - instability of, 202–8, 213–19, 236–7, 242
    - internal, 27–45, 68, 98, 124–5, 133–5, 179
    - mean flows driven by, 79–84, 90–4, 100–10
    - resonance among, 123–5, 133–5, 231–44
    - surface and interfacial, 10–19, 25–6, 68, 73, 90–100, 109–10, 123, 176–82, 180–2, 209–19, 231–44
  - group velocity, 13, 28, 42, 60, 74, 87, 96, 124, 144, 189
  - Helmholtz flow, stratified, 29, 34, 102–4, 182–3
  - Helmholtz instability, 12, 64
  - heuristic derivation of evolution equations, 50, 63, 128–9, 172–6
  - Howard’s semicircle theorem, 113
  - inflection-point criterion, 112
  - inhomogeneous media, waves in, 49–51, 95–8, 147, 198, 200
    - see also* non-parallel flow
  - instability, baroclinic, 159, 184–7, 272
    - convective, 258–72
    - see also* Bénard
    - due to double diffusion, 48, 266
    - due to mode coupling, 15–19, 45–9
    - due to repeated reflections, 34
    - due to resonant over-reflection, 30, 44
    - due to ‘stable’ density, 17
    - due to three-wave resonance, 133–4
  - Eckhaus, 207, 245, 259, 262
  - local secondary, 282–6
  - longitudinal-vortex, 120–2
  - of gravity waves, 202–9, 215–19, 242
  - of Taylor vortices, 244–57
  - parametric, 131–3, 242, 273–4, 277
  - radiative, 33
  - reactive, 20
  - resistive, 20, 45, 48
  - sideband, 202–8, 237, 244–5, 262
  - subcritical, 25, 71, 193–6, 220–6, 251
  - Taylor–Görtler, 122
  - see also* Benjamin–Feir, Bénard, Helmholtz, Kelvin–Helmholtz, Rayleigh–Taylor, shear-flow
  - internal waves, *see* gravity waves.
  - inverse-scattering, method of, 132, 139–47, 150–1, 180, 184, 200, 205, 207, 209
  - Jacobi elliptic function solutions, 129–31, 138–9, 160, 186, 236
  - Kelvin ‘cat’s eyes’, 111, 227
  - Kelvin–Helmholtz flow, 10–19, 130, 174, 177–80, 213, 215, 233
    - stratified, 33
    - three-layer, 14, 18, 130
  - Kelvin–Helmholtz instability, 10–19, 25, 31–3, 35, 39, 45, 102, 121, 172, 180, 283, 285
  - Klein–Gordon equation, 63, 131, 175
  - Korteweg–de Vries equation, 144, 176, 209–12
  - Landau constant, 70–2, 173, 188, 192–9, 230, 276
  - Landau (*or* Landau–Stuart) equation, 70–2, 161, 173, 228, 245
  - Langmuir circulations, 118–22
  - Laplace’s equation, 8, 66, 234
  - localized disturbances, linear evolution of, 59–64
  - longitudinal vortices, wave-induced, 113–22, 199, 275, 285
  - Lorenz equations, 185, 257
  - ‘lump’ solutions for three-wave resonance, 149–50, 152, 171
  - Manley–Rowe relations, 130, 136
  - mean flow, wave-induced, 69–70, 74–122, 177, 191
    - spatially-periodic, 113–22, 199
  - mode conversion in inhomogeneous media, 49–51
  - mode-coupling, linear, 15–19, 27, 45–51
  - model dispersion relations, 37–8, 45–9
  - momentum, of wave motion, 83, 93–4

- Navier–Stokes equations, 6, 66, 169  
 numerical solutions, 220–6, 279–81,  
 288  
 negative-energy waves, 18–21, 32, 42, 130  
 non-parallel flow, 24, 57, 198, 278  
 Orr–Sommerfeld equation, 21–2, 44, 48,  
 51–9, 75–81, 114, 166, 191, 223  
 adjoint, 67, 167, 191  
 modified, 167  
 over-reflection, 30–4, 40, 102–4  
 resonant, 30, 32, 36, 44, 102, 142, 182  
 peak–valley structure, 114–18, 162–5, 275  
 phase-locking, 115, 171, 265, 274, 277,  
 282–3  
 plane Couette flow, 25, 46, 57, 196, 221,  
 280  
 plane Poiseuille flow, 7, 25, 46, 57–9, 61,  
 80–1, 87–90, 162, 165, 190–7, 219–26,  
 273–81  
 Poiseuille pipe flow, 25, 46, 196, 228, 280  
 Prandtl number, 7, 258  
 pseudoenergy, 108–13  
 pseudomomentum, 105–13, 119–20  
 pump-wave approximation, 131, 135, 141,  
 171  
 radiation stress, 93–8, 109  
 Rayleigh number, 258  
 Rayleigh’s equation, 22, 48, 76–8  
 Rayleigh–Taylor instability, 12, 65, 120  
*see also* Taylor–Couette flow  
 ray theory, 42, 61, 96, 100  
 reflection, coefficient of, 30, 54, 135, 229  
 over-, 30–3, 40–1, 44, 102–4, 142, 182  
 partial, 30, 40, 43, 135, 229  
 refraction, 96–8  
 resonance, explosive, 130, 135–9, 144–5,  
 148  
 five-wave, 215–19, 243–4  
 four-wave, 72–4, 231–49, 275–81  
 high-order, 215–19  
 linear (direct), 15–18, 27, 45–51, 57, 64,  
 278  
 long-wave short-wave, 98, 124, 135,  
 150–1, 179–82, 282  
 multiple-triad, 135, 157–9, 187, 274  
 second- and sub-harmonic, 74, 128,  
 132–3, 161–70, 177, 179, 211, 273–5  
 sideband-, 74, 179, 202–3, 237, 244–5,  
 262  
 soliton-, 142–4, 210  
 three-wave, 72–4, 114, 123–71, 240,  
 268–75  
 third-harmonic, 177  
 within wave spectrum, 237–44  
 Reynolds number, 7, 22, 245  
 critical, 25, 71, 190, 220, 277  
 wave-, 82  
 Reynolds stress, 23, 41, 76, 83, 89, 189,  
 226–7  
 Richardson number, 35, 41  
 Rossby waves, 68, 228  
 saddle-point method, 61–4  
 salesmanship, 287  
 Schrödinger equation, nonlinear, 72, 144,  
 173–5, 180, 182, 192, 199–209, 215,  
 242, 262  
 second-harmonic flow, 69–70, 75, 113  
 shear-flow instability, 10–49, 75–81, 87–90,  
 111–13, 161–70, 188–99, 219–29,  
 272–81  
 shear-layer, hyperbolic tangent, 23, 189,  
 197, 228  
 stratified, 35–45, 197  
 sine–Gordon equation, 185  
 soliton interactions, 142–7, 210, 288  
 solutions, 146, 151, 184, 200–1, 204–7  
 splitting of wave packets, 61–3  
 Squire modes, 57, 274  
 Stokes drift, 84, 105–12, 118–22  
 strange attractor, 154–5, 185, 257, 266, 288  
 surface contamination, effect on water  
 waves, 27, 82  
 surface tension, 9, 27, 82, 259, 272  
*see also* capillary–gravity waves  
 swimming of wavy sheet, 84–7  
 Taylor–Couette flow, 12, 65, 120, 207–8,  
 229–30, 244–58, 262  
 Taylor–Goldstein equation, 28, 35, 39, 44  
 Taylor number, 245  
 telegraph equation, 63, 131, 171  
 thermal convection, *see* Bénard convection  
 thermocline, 121, 124, 283  
 threshold amplitude, 71, 193–7, 219–25,  
 277  
 Tollmien–Schlichting waves, 21–5, 27,  
 51–62, 75–81, 87–90, 161–70, 219–26,  
 272–81, 283–7  
 transmission coefficient, 30, 50, 229  
 trapped waves, 34, 40, 42, 97, 282  
 turbulence, 72, 256–7, 281, 286–8  
 transition to, 25, 72, 209, 257, 281–8  
 variational principle, 91, 99, 125–9, 169,  
 238–40  
 viscosity, damping due to, 19–20, 27, 82,  
 104, 151–76, 185–6, 202, 207, 236  
 destabilizing rôle of, 19–21, 24, 45,  
 104–5  
 temperature-dependent, 269

322      *Index*

- vortex-sheet profiles, 10–21, 29–34, 58, 102–4, 130, 182–3
- wall layer, viscous, 23–7, 76–81
- wave action, 33, 98–102, 108–10, 130, 138, 235
  - breaking, 213, 217–19, 282
  - focusing, 204–6, 208–9, 285
  - generation by wind, 25–7, 133, 237, 283
- Weber's equation, 50
- Whitham's method, 17, 51, 90–1, 98–9, 126–7, 177, 202, 285
- Wilton's ripples, 128, 177
- windowrows, 121
- Zakharov equation, 208, 218, 237–44, 272