

Index

Note: entries for terms and principles defined in the text appear in **bold face type**, as do those pages of the text where they are defined.

- accessible dynamical state, 29, 41, 45–6, 104
- accessible subspace**, **77–8**, 80, 92, 96–7, 110, 113, 231, 237, 256–7
- action at a distance, *8fn*, 50, 59 (*see also NIAD*)
- Albert D., xiii, 244
- anticorrelation, 49–50, 53, 55, 120, 153–7, 228
- apparatus (*see system*)
- approximate SMI**, **102**, 245–6
- Araki, H., 101
- Aspect, A., xi, xii, 52, 55, 116, 135, 140–1, 144–5
- atomic system (*see system*)
- backtracking argument**, **198**, 203–5
- Ballentine, L., *3fn*,
- Bell, J. S., xii, 16–17, 22–3, 47, 49, 116, 166, 182, 216*fn*, 217
- Bell inequalities**, *3fn*, **47–8**, 50, 54, 58–60, 128–9, 134, 150, 242
- biorthogonal decomposition**
 - lemma**, **77**, 214, 218, 221–2, 231, 237
- Bohm, D., *3fn*, 22, 24*fn*, 48, 50–2, 116–19, 128, 131, 195–6, 224, 226
- Bohr, N., 1–3, 10, 13*fn*, 16*fn*, 37, 217
- Boolean algebra, 64
- Boolean lattice, 73
- Boolean σ -algebra, 221–3, 231
- Borel set, 7, 66, 74
- Born rules, xi, xii, 10–13, 20, 27–31, 35–41, 44–8, 52, 58, 64, 90, 105–8, 123, 129, 150, 152–3, 156, 167–9, 172, 186, 193, 196–7, 212, 218, 233
- derivation of, 45, 67, 84–5, 105–6, 109–14, 215, 234, 243–4
- interpretation of, 5, 7–11, 14, 21, 32–3, 47, 84, 180–1, 218, 224
- Brown, J. R., *2fn*
- Bub, J., xiii, *3fn*, 21
- Butera, L., xii
- Carnap, R., *4fn*
- Cartwright, N., xiii, 178
- causality, 37, 145, 163, 177–8, 225, 228
- connection, 50–1, 55, 57, 59–61, 137, 145–6, 176–7
- explanation, xii, 57, 115, 137, 152, 154–64, 168–9, 172–3, 176, 178
- future**, 139, **142–3**, 151–2, 156–9, 177, 197, 240
- influence, 23, 132
- interaction, 53
- paradox, 23, 60, 146–8
- past**, **142–3**, 147–8, 156, 197, 240
- process, 59–62, 160–5, 168–70, 176–8
- relation, 57, 60–1, 159, 176–7
- signal, 23, 146
- causation, 37, 48, 60, 159, 173, 176–8
- cause, 51, 59–60, 177–9
- common, 59–61, 178
- characterization problem**, **188–93**

Cambridge University Press

0521371058 - The Philosophy of Quantum Mechanics: An Interactive

Interpretation - Richard Healey

Index

[More information](#)

- classic, 14, 35–6, 42*fn*, 84, 139
 conception of measurement, 39–41
 description, 15, 37, 47
 mechanics, 10, 15, 22–4, 28, 31,
 164–5, 183
 state (*see* state)
 system (*see* system)
- cogenerable**, 73–4, 253
- complement**, 64, 241
- completeness, 17, 19, 22, 28, 36, 183–4
 Jarrett, 58–9
- composes**, 64
- composite**, 22, 65–71
- composite exclusion condition**, 69,
 253–4
- composition condition**, 69, 121,
 253–4
- Copenhagen interpretation, 1–3, 6, 9–
 10, 13, 16, 17–19, 22, 24*fn*, 48,
 52*fn*, 138, 172, 180, 184–205
strong version, 13–16, 168, 191–7
weak version, 10–13, 28, 48, 148–
 51, 169, 186–91, 198–9
- cotenable**, 73–4, 253–5
- covariance
 general, 139–40, 144
 Lorentz, 139, 238
 relativistic, 139
- Dalibard, J., xi,
- Davies P.C.W., 2*fn*,
- de Broglie, L., 22,
- definite result (*see* determinate
 outcome)
- degenerate**, 77, 98–102, 127–8
 apparatus dynamical state, 98–9,
 102
- delayed-choice experiments, 36–7, 202
- D'Espagnat, B., 168
- determinate**, 73
 outcome, 39, 88, 98–104, 127, 169,
 187, 192, 203–5, 210–14, 222–3,
 246
- DeWitt, B., 3*fn*, 206*fn*, 216*fn*
- dichotomy**, 74
- Dirac, P.A.M., 238–41
- disjoint**, 64
- dispositions, 45, 47, 55, 130, 155–8,
 177–8, 230
 conditional, 54–5, 131–4
- probabilistic**, xi, 31, 54–5, 104–5,
 131–4, 156–8, 185–6, 234
 unconditional, 54–5, 57, 133–4
- Dummett, M., 21*fn*
- dynamics, 14, 22, 30, 42*fn*, 45, 79–83,
 104, 183–4, 221, 231*fn*, 235–8
- Einstein A., 3*fn*, 23, 50–2, 149, 181*fn*
 (*see also* EPR)
- Einstein locality**, 50–4, 58, 150, 219
- Einstein separability**, 51–2
- elementary sentence**, 27–8, 66
- ensemble, 13–14, 22, 27, 38, 46–7,
 105, 107, 114, 185, 192, 196–7,
 201–3, 234
- environment, 95–6, 99–100, 108, 111–
 12, 127, 129, 188, 201–3, 220–2,
 230, 233, 248
- EPR, xi, xii, 6, 48–52, 116–20, 131–4,
 137, 143, 145, 151–2, 162–78,
 182–3, 195–6, 216–19, 224–6,
 229–30, 233
- Everett, H. III, 3, 19, 205–18, 232–3
- evolution, 30, 38, 42*fn*, 79–82, 86–7,
 91, 93, 96–7, 101, 103, 109,
 112, 121–30, 183–4, 188, 195,
 235–40, 247
- experimental arrangement, 16, 34, 37,
 185, 192–4, 244
- explanation
 of definite outcomes according to
 Everett interpretation, 210
- of EPR-type correlations, 52, 54–7,
 131–4, 137, 143, 152–60, 164–
 76, 178, 218–19, 229, 242
- incompleteness of Copenhagen
 interpretation, 17–19, 195–7
- of legitimacy of applying quantum
 mechanics to interacting sys-
 tems, 221
- of role of Stern–Gerlach device, 202
- of stability of dynamical properties,
 223
- of success of projection postulate,
 206, 208, 233–4
- factorizability**, 65, 69
- Fine, A., 12*fn*
- Finkelstein, D., 3*fn*,
- Fleming, G., 150*fn*, 197, 239*fn*
- free evolution**, 80, 127, 239–40
- Freidman, M., 3*fn*, 60*fn*, 146*fn*
- Geroch, R., xiii, 3*fn*
- Gleason, A. M., 8*fn*, 182

Cambridge University Press

0521371058 - The Philosophy of Quantum Mechanics: An Interactive Interpretation - Richard Healey

Index

[More information](#)

good observation, 206–10, 213–16
 Graham, N., 3*fn*, 206*fn*
 Grangier, P., xi
 Greenberger, D., 200*fn*

Hampton, J., xiv
happening, 61–2, 175–6
 Healey, R. A., 3*fn*, 8, 22*fn*, 182, 206*fn*,
 210*fn*, 211*fn*, 212*fn*, 216
 Heisenberg, W., 11, 16
 Hellman, G., xiii, 198*fn*
 hidden variables, 2–4, 21, 24–5, 47,
 181–2, 184
 nonlocal, 3, 23, 132
 hierarchy, 29–30, 63–6, 68, 76, 241
 Hilbert space, 5, 53, 64–5, 68–73, 77–
 8, 93, 98, 111, 116–17, 237
 holism, xii, 29, 48, 61, 116, 143, 173,
 191, 229, 242
 holistic, 62, 174–5
holistic₁, 175–6
holistic₂, 175–6, 179
holistic dynamical state, 174–5, 181
holistic explanation, 137, 174–5
holistic process, 59, 143–4, 164–6,
 174–5
holistic stage, 174–5
 Howard, D., 50*fn*
 hyperplane, 138–45, 150, 155–8, 162–
 3, 178, 197, 239–40
 hypersurface, 135–6, 138, 141, 144,
 163, 178, 239

indeterminacy relations (*see*
 Heisenberg)
 interaction, xi, 12, 19–20, 30–45, 50–4,
 77–84, 97, 99–104, 109, 112,
 116, 127–9, 135–6, 138–9, 143,
 160, 162–3, 170, 172, 181, 184,
 186–91, 193, 201–7, 209–10,
 212–13, 218–30, 234–8, 242, 248
 (*see also* measurement,
 preparation)
interactive interpretation, 33
 open questions for, 235–51
 interpretation, xi–xiv, 1–7, 24, 26–35,
 37–8, 41, 44–5, 48, 52, 58, 60,
 84, 90, 101, 104, 106, 115, 134–
 5, 137–40, 167–8, 171–4, 176,
 179 (*see also* Copenhagen interpreta-
 tion; naive realism; quantum logic;
 Everett, H.)

intersubjective reproducibility of
measurements (IRM), 208–10,
 215
 invariance

Lorentz, 140, 144–5, 219, 238–9
 relativistic, 24, 139, 145, 149, 151,
 169–70, 183, 190–2, 197, 230
irreducible property, 29, 52–4, 61–2,
 65–6, 68, 72, 88, 116, 121, 131,
 143, 164–7, 170–6, 191, 218–9,
 229

Janis, A., xiii, 217*fn*
 Jarrett, J., 23*fn*, 58, 148

Klein-Gordon equation, 238–9
 knowledge, 9, 38, 43, 104–5, 164–73,
 185, 223–9, 234, 249
 Kochen, S., 8*fn*, 77, 120, 128, 216–34
 Kripke, S., 21*fn*

Leggett, A.J., 42*fn*
 Lewis, D., 157
 locality, 23, 47–8, 52, 58, 62, 138–9,
 144, 160, 166, 182–3, 230, 242
Bell, 50–1, 58
Einstein, 50–1, 150, 219
 strong, 58
 local spacetime theories, 139–40, 144
 Lorentz, H.A., 139–40, 149, 238–9 (*see*
 also covariance, invariance)
 boost, 144–5

macroscopic, 15, 17, 32, 195, 248 (*see*
 also property, system)
 many-worlds interpretation, 2–4, 19–
 21, 211–12
 Margenau, H., 199–202
 mark transmission, 160–4
 Martin, D.A., xiv
 measurement, xi, 6, 8–11, 15, 19–21,
 27, 30–3, 36–7, 39–45, 49–53,
 58, 74, 84, 87–90, 95–6, 102–3,
 106, 114–16, 135, 150–1, 164–5,
 171, 180–1, 184–6, 188–9, 192–
 3, 195–204, 206–10, 212, 214–
 15, 219, 226–7, 229, 232, 243–4
 approximate, 101–3, 244–8
 classical conception (*see* classic)
 device, 37, 100, 156, 170
 ideal, 44, 101, 111, 114, 193
 interaction, xii, 9–11, 14–16, 20,

- measurement** (*cont.*)
 39, 41, 43–4, 52, 54–5, 59, 66,
 82–3, 84–96, 98, 100, 116, 170,
 172, 181, 185–8, 191, 194, 202–
 6, 211–14, 218, 222–3, 225,
 227–9, 231–2, 242–3, 250
outcome, 15, 20, 22, 44, 58, 83–4,
 90–1, 93, 99, 106–8, 181, 185,
 196, 199, 206, 210, 212, 215,
 223, 233–4, 248, 250–1
problem, xi, 11–13, 15, 41–2, 44,
 99, 172–3, 187, 192, 198, 216,
 242
preparatory, 188
result (*see* measurement outcome)
type interaction, 42–4, 53, 91, 106,
 184, 201, 223, 228, 201–2, 223,
 245
mechanism, 17, 153
meshing condition
 minimal, 72–3, 79, 253–5, 257
 perfect, 72–3, 76, 78–9
minimal set value, 74–5
minimally disturbing SMI, 91–2,
 121, 125, 127
 Minkowski spacetime, 141
M-ready interaction, 86–7, 93
M-suitable interaction, 86–7, 93, 101–
 3, 224*fn*, 258
M-type interaction, 31–6, 39, 45, 84–5,
 86, 102–8, 172, 201, 227–8, 234,
 243, 245–8
M-type system, 35–6, 86–6, 87–8,
 93–4, 170
 naive realism, 2–4, 8–9, 16, 21, 28, 49,
 51, 57, 131, 135, 138, 148, 150–
 1, 169, 180–4
negation, 72
 neutron interferometer, 200
 Newton, I., 138, 140, 171, 250
NIAD, 50–1, 53–4, 57, 59–61, 141,
 145–6, 148, 151, 159
 nonlocality (*see* hidden variables,
 locality)
 nonseparability, 29, 66, 137, 141–4,
 162, 168*fn*, 182–3, 230, 242
 Norman, S., 216, 224
null subsystem, 83
object system, *see* system
 observation, *see* measurement
 operator, 5, 27, 64, 87–8, 101, 115,
 117, 121, 206–7, 215, 221, 231,
 238, 246, 257
 Hamiltonian, 30, 77–81, 85–6, 91,
 93, 108–9, 112, 206–7, 215,
 220–1
 projection, 27, 65, 72, 92, 110, 115,
 221, 253
 unitary, 80–2, 97, 101
 outcome independence, 148
 parameter independence, 148, 177
 Pauli, W., 1–3
 Peierls, R., 1–4
 Podolsky, B., *see* EPR
 pointer position, 13, 39, 187, 208–10,
 213–15, 218, 222–3
 polar decomposition theorem, 218,
 230–1
precise value, 8–11, 16, 21, 28, 40–2,
 73–7, 74, 88, 180, 182, 184,
 221–2
 preparation, 31, 34, 37, 104–15, 199–
 205, 215, 227–8, 233–4, 243
 interaction, xii, 34–5, 37–8, 43,
 105–10, 200, 215, 234, 243
problem, 187–8, 192
prime, 65, 68–71, 87, 92–4
prime exclusion condition, 70,
 253–4
prime factor, 65, 67, 69, 254
privileged set, 78, 80–1, 89, 221, 255
probabilistic law of coexistence, 46
 probability, 17, 30–1, 38–9, 45–7, 67,
 82–3, 98, 105, 147–8, 157, 177–
 9, 181, 185, 208, 220–1, 224–8,
 232–4, 250–1 (*see also* Born
 rules)
 process, 17–18, 22, 42–3, 61, 116, 131,
 138–41, 147–9, 151–2, 161, 173,
 188, 190–2, 200, 206, 211–13,
 216, 235, 239, 250–1
 causal (*see* causality process)
 continuous, 154–6, 158, 162, 178,
 236
holistic, 59, 143–4, 164–6, 174–5
 indeterministic, 42, 45, 133, 186,
 236
nonseparable, 142–5, 153, 155,
 157–60, 162–6, 170, 176, 182–3,
 230, 233
 pseudo-, 141, 159–60

- projection postulate**, 5, 10–11, 42–4, 89–92, 106, 111, 114, 188–90, 196–7, 199–200, 202, 205–10, 214–16, 223, 233
- property, 13–14, 20, 28, 49, 53, 92, 96, 99, 115, 131, 134–5, 144, 149–53, 163, 171, 174, 197, 229
- composite**, 65, 67–71, 87–8, 92–4, 121, 254
- correlational**, 53–4, 121–3, 126–31, 133, 165–6, 229
- dynamical, 64–6, 68, 74–6, 79, 186, 218, 222–5, 227, 231–2
- irreducible**, 29, 52, 54, 61–2, 65–8, 72, 79, 131, 143, 151, 164–7, 170–6, 219, 229
- macroscopic, 15
- prime**, 65–71, 87–92
- reducible**, 29, 54, 65–6, 79, 96, 132
- recording, 11–12, 16, 40, 42, 44, 53–4, 86–8, 91, 94, 99
- spatial, 138, 141
- property compatibility**, 74
- property inclusion condition**, 67–8
- property intersection**, 74
- proviso, 70–1, 73, 88, 92, 94
- P-type interaction, 31–6, 45, 108, 111–12, 234, 243–4
- Putnam, H., xiii, 3fn, 21, 22fn
- quantum field theory, 238, 241–3
- quantum logic, 2–4, 21–22
- rank**, 64, 66, 68, 71, 76
- realism, 6, 7fn, 149, 211, 230 (*see also* naive realism)
- recording quantity, 87, 244, 246–7
- Redhead, M., 8fn, 163, 182
- Reichenbach, H., 160, 178
- relativistic quantum theory, 238–42
- relativity, principle of, 8fn, 23–24, 149, 190
- Rescher, N., xii
- Roger, G., xi,
- Rosen, N., *see* EPR
- Salmon, W.C., 157, 160–2, 178
- Schilpp, P.A., 181fn
- Schmidt, 77
- Schrödinger, E., 50, 79, 187
- Schrödinger equation, 30, 42fn, 79, 86, 90, 101, 188, 190, 203–4, 206–8, 237, 239, 258
- Schrödinger's cat, 6, 12–13, 15, 20
- separability (*see* Einstein, nonseparability)
- set value**, 74
- Shimony, A., xiii, 12fn, 101, 148
- signal, 58
- first, 146
- simple M-type interaction (SMI)**, 85–7, 88–9, 91–5, 101–3, 109, 111–14, 244
- simple preparation procedure (SPP)**, 107, 114, 244
- type 1**, 108
- type 2**, 111–2, 201
- spacelike property, 49–52, 55–62, 135, 137–42, 144–5, 147–51, 155–8, 169, 177–8, 191, 197, 239
- spatiotemporal continuity, 154–5, 158, 162, 178
- Specker, E. P., 8fn, 182
- stability condition**, 82, 110, 127, 215–16, 222–3, 234, 236, 239–40
- Stairs, A., xiii, 22fn, 148
- Stapp, H. P., 17
- state, 26–47
- classical, 14–15, 31, 41–2, 47, 183–4, 248
- definite, 13–14, 28, 42, 103–4, 192, 198–9, 203–5, 210, 212–14, 219, 222–3, 245, 248
- dynamical**, xi–xii, 15, 21, 27–31, 34–47, 50–2, 59, 61, 63–83, 85, 95, 103–5, 111, 114–15, 129, 138, 143, 148, 163, 169, 174–5, 180–6, 190–2, 195–6, 205, 218–22, 224, 228–9, 230–40, 242, 245, 247–50
- ghost, 225, 228
- outcome**, 32–3, 39, 41–2
- quantum**, xi–xii, 6–7, 10–12, 14–15, 20, 27–8, 30–8, 41–5, 53, 64, 68, 79, 83–5, 89, 104–15, 148–9, 168–9, 180–2, 185–99, 204, 207–8, 210, 212–13, 218, 225–6, 233–4, 238–40, 242
- real, 50–1, 52fn, 150
- relative**, 19, 20, 212–13
- set**, 29
- singlet, 48, 52, 116, 129, 152, 167, 186, 190, 196–7

- state (*cont.*)
 vector, 27, 29, 86, 90, 114–15, 123,
 207, 213, 231, 233
- Stein, H., xiii, 3*fn*, 65, 87, 101, 210*fn*
- Stern-Gerlach device, 34–8, 43, 114,
 198–204, 244
- subjective reproducibility of measurements (SRM)**, 207, 214–15
- subspace decomposition condition**,
 77–8, 79–81, 135, 214, 218,
 220–1, 234, 236–7, 240–1, 249,
 253–5, 257
- system, xi, 15
- apparatus**, xi, 5, 11–18, 20, 32,
 36–7, 39–42, 44, 47, 53, 85, 89–
 91, 93, 95, 98–9, 102–4, 106,
 108–9, 111–12, 183, 187, 192–5,
 201, 203–4, 206–11, 213, 218,
 222–3, 225–6
- atomic**, 63–4, 68–9, 73, 78, 87,
 116, 184*fn*, 241, 249, 253
- classical, 9–10, 19, 31, 39, 185, 188,
 206, 214, 248
- compound, xi, 19–20, 22, 39, 45–7,
 51, 53–4, 62, 71–2, 116–17,
 130–2, 170–2, 174–6, 181–3,
 191, 205–6, 208, 213, 219, 229,
 233
- coupled, xii, 116–36
- macroscopic, 12–14, 39, 42, 76, 189
- object**, 11, 16, 20, 22, 39–41, 44,
 85, 89–91, 95, 98, 100, 188–9,
 193–4, 203, 206–7, 225–6
- probe, 39–40
- representative**, 29–30, 68, 70–3,
 76–83, 86–9, 91–102, 110–17,
- 120–8, 135, 220, 222, 231–2,
 237–40, 245, 253, 256–7
- representative condition**, 68–9,
 70, 73, 88, 92, 94, 96, 110, 113,
 230*fn*, 232, 236, 253–4
- universal**, 63, 67, 77, 79, 87, 89,
 91, 95–6, 98–100, 109, 113, 135,
 220, 241, 249–50
- timelike property, 52, 54–6, 59, 149,
 177, 149, 177
- Torretti, R., xiii
- uncorrelated system**, 95–6
 strongly, 96–8
- universe, 19–20, 41, 63, 78, 187–8,
 192, 206, 212, 249
- van Fraassen, B.C., 7*fn*, 170*fn*
- verifiability of measurement results (VMR)**, 90, 209
- Vigier, J.P., 3*fn*, 22–3
- von Neumann, J., 2, 5, 77, 89
- wave
 function, 27, 239
 packet, 42–4, 111, 186, 247
- weakening condition**, 67–70, 96,
 123, 253
- weaker than** property, 67, 69–70, 88,
 92, 94
- Wigner, E., 2, 12*fn*, 34, 99, 101, 199–
 203
- witnessed state**, 230–3
- Yanase, M.M., 101