

## Index

- $\alpha$  particle, 11
- acceleration due to gravity,  $g$ , 529
- activity coefficient, 312
- adhesion, ion assisted deposition, 396
- alloy, 7
  - amorphous, 515
  - binary, 254, 268
  - disordering, 257
  - enthalpy, 309
  - equilibrium, 517
  - ion beam mixing, 309
  - ion implantation, 271
  - metastable, 269
  - sputtering of, 229
  - substitutional atoms, 278
- amorphization, 259
- amorphous alloy, 515
- amorphous metastable phase, 354
- amorphous phase transformation, 326
- analytical calculation, 120
- angular differential scattering
  - cross-section, 63
- angular impact parameter, 54
- angular momentum, 50, 58
- anti-site defects, 343
- approximation
  - calculation, 124
  - momentum, 101
- aqueous corrosion, 420
  - resistant coatings, 444
- areal density, 8
- atom
  - displacement, 199
  - primary knock-on (PKA), 141
  - replacements per, 256
  - self-interstitial (SIA), 281
- atomic densities, 6
- atomic displacement rate, 206, 257
- atomic jump frequency, 205
- atomic mass unit, amu, 529
- atomic number, 5
- atomic volume, 7, 19
- Avogadro's constant,  $N_A$ , 7, 529
- Baker series expansion, 27
- ballistic ion beam mixing, 299
- Bethe theory of electronic stopping, 104
- binary alloy, 254, 268
- binary collisions, 40
  - elastic, 39
- binary phase diagram, 267, 322
- binding energy, 19
- Boltzmann's constant, 22, 529
- Bohr radius, 11
- Bohr screening function, 30
- Bohr screening length, 33
- Bohr theory of electronic stopping, 101
- Bohr velocity, 11
- broad-beam gridded ion sources, 474
- calculation
  - analytical, 120
  - approximations, 124
  - LSS parameters, 122
  - momentum, 101
  - polyatomic targets, 131
  - PRAL, 120
  - projected range, 125
  - range, 120–1

- calculation continued*  
 reduced range, 120  
 universal, 122
- calorie, 8
- cascade, 147  
 displacement per atom, 185  
 ion beam mixing, 302–3  
 phase transformation, 348
- cell  
 complex unit, 354  
 unit, 483
- center of mass  
 coordinates, 44  
 scattering, 40, 505  
 total energy, 47  
 velocity, 46
- central force  
 energy conservation, 52  
 force field, 15  
 motion, 49  
 potential, 58
- centrifugal energy, 52
- ceramics, 427
- channeling  
 critical angle, 134  
 dechanneling, 134  
 energy loss, 153  
 maximum range, 138
- chemical disorder, 254
- chemical interdiffusion coefficient, 306
- classical theory, scattering, 40
- closest approach, distance of, 53
- coating  
 dielectric, 434  
 ion assisted, 363  
 optical, 433  
 reflective, 438  
 solid lubricant, 442  
 tribological, 440
- cohesive energy, 226, 313  
 ion beam mixing, 313
- collision, 147  
 binary elastic, 39  
 diameter, 59  
 definitions, 41  
 electronic, 89  
 head-on, 48, 59  
 inelastic, 41  
 kinematics, 41  
 nuclear, 89  
 replacement, 148, 273
- sequences, 173  
 soft, 40  
 violent, 40
- collision cascade, 147  
 alloy disordering, 257  
 deposited energy, 182  
 high density, 176  
 ion beam mixing, 302  
 materials properties, 185  
 overlap, 260  
 parameters, 318  
 random-walk, 304  
 recovery, 349  
 temperature, 313  
 volume, 182
- complex unit cell, 354
- composition changes, sputtering, 232
- computer simulation, sputtering, 247
- concentration ion implantation, 238
- conservation of angular momentum, 50  
 conservation of energy, 42  
 conservation of momentum, 42
- cooling, splat, 270
- coordinates  
 center-of-mass, 44  
 polar, 51
- coordination number, 20
- correlated damage, 283
- corrosion  
 aqueous, 420  
 of resistant coatings, 444
- Coulomb force, 9, 14
- Coulomb interatomic potential, 67
- Coulomb's constant, 529
- critical angle channeling, 134
- cross-section, 64  
 angular-differential scattering, 63  
 differential, 62, 65  
 electronic, 99  
 energy-transfer, 71  
 nuclear, 90  
 reduced, 80  
 Rutherford, 70  
 stopping, 90, 93  
 total, 65
- crystal structure, metastable phase, 354
- crystallization enthalpy, 326
- crystallography, 483  
 cubic, face-centered, 19, 485
- current density, 2

- damage
  - correlated, 283
  - depth, 163
  - efficiency, 153, 170
  - fractional damage function, 168
  - irradiation displacements, 155
  - radiation, 5, 141
  - straggling, 164
- damage energy, 152, 161
- depth distribution, 163
- displacements per atom, 165
- efficiency, 153
- Kinchin–Pease, 151
- NRT model, 154
- primary knock-on, 153
- primary recoil, 167
- production rate, 165
- reduced, 161
- spatial distribution, 162
- Darken–Gurry plot, 277
- Darken’s analysis, 312
- dechanneling, 134
- defect
  - anti-site, 343
  - dislocation, 344
  - formation enthalpy, 283
  - irradiation induced, 342
  - phase transformation, 342
  - recombination, 206
  - sinks, 206
  - vacancy–interstitial, 343
- dense cascade, irradiation induced
  - disorder, 257
- densification
  - ion beam assisted deposition, 377
  - molecular dynamic, 379
  - Monte Carlo, 374
  - TRIM, 376
- density
  - areal, 8
  - atomic, 6
  - current, 2
  - planar, 6
- density of states, 498
- deposited energy
  - collision cascade, 182
  - depth distribution, 163
  - spike, 181
  - sputtering, 222
- deposition
  - ion assisted, 363
  - ionized cluster, 446
- depth disorder, 164
- depth distribution, damage energy, 163
- detector, solid angle, 63
- deuteron, 11
- diagram, binary phase, 267
- diamond lattice, 485
- dielectric coating, 434
- differential cross-section, 62, 65
- diffusion
  - coefficients determination, 518
  - Enskog model, 209
  - interdiffusion coefficient, 306
  - in liquids, 209
  - radiation enhanced, 205
  - random-walk, 304
  - self-diffusion, 211
  - in thermal spikes, 209, 213
- dislocation defects, 344
- disorder
  - chemical, 254
  - irradiation induced, 255
  - lattice, 5
- displacement
  - cross-section, 159, 160, 256
  - irradiation damage, 155
  - per atom, 199
  - produced by primary knock-on, 147
  - rate, 165, 206
  - spike, 179, 275
- displacement damage
  - polyatomic materials, 171
- displacement damage function, 147
- displacement efficiency, 171
- displacement energy, 141
  - per atom, 165
  - polyatomic materials, 169
  - threshold, 144
- distance of closest approach, 53
- distant resonant energy transfer, 103
- distribution of range, 4, 117
  - Gaussian, 118
  - standard deviation, 119
- dual ion implantation tribology, 412
- effective charge
  - electronic stopping, 100
  - mixing parameter, 301
  - moving ions, 100
  - temperature spike, 322
- efficiency, damage energy, 153

- elastic collisions
  - binary, 39
  - modulus, 20
- electron charge, 529
- electron mass, 529
- electronic collisions, 89
- electronic cross-section, 99
- electronic energy loss Monte Carlo simulation, 193
- electronic stopping
  - Bethe formula, 104
  - Bohr, 101
  - effective charge, 100
  - Fermi–Teller, 105
  - Firsov, 106
  - high-energy, 101
  - Lindhard–Scharff, 106
  - low-energy, 105
  - $Z_1$  oscillations, 111
- electron-volt, 8
- elementary charge, 529
- elements, table of, 491
- energetic phase transformation, 324
- energy
  - binding, 19
  - central force, 52
  - centrifugal, 52
  - cohesive, 226, 313
  - conservation of, 42
  - displacement, 141, 144
  - effective potential, 53
  - excitation, 104
  - Gibbs free energy, 266
  - irradiation damage, 155
  - minimum potential, 18
  - ordering, 341
  - reduced, 59
  - strain, 346
  - sublimation, 144
  - transfer, distant resonant, 103
  - transferred, 48
  - transferred cross-section, 71
- energy damage, 152, 160
- depth distribution, 163
- displacements per atom, 165
- efficiency, 153
- fractional damage, 168
- Kinchin–Pease, 151
- NRT model, 154
- primary knock-on, 153
- primary recoil, 167
- production rate, 165
- reduced, 161
- spatial distribution, 162
- energy loss, inelastic, 99, 154
- energy loss rate, 88
- Enskog model diffusion, 209
- enthalpy
  - of alloy, 309
  - of crystallization, 326
  - defect formation, 283
  - of formation, 509
  - mixing, 341
  - order–disorder, 328
  - transformation, 340
- epitaxy, ion assisted deposition, 390
- equilibrium alloys, 517
- equilibrium concentrations, sputtering, 287
- equilibrium interatomic distance, 19
- equipment ion assisted deposition, 367
- evaporation, heat of, 20
- excitation energy, 104
- expansion Baker series, 27
- face-centered-cubic lattice, 19, 485
- farad, 10
- fatigue, 415
- Fermi–Dirac statistics, 25
- Fermi energy, 25
- Fermi–Teller electronic stopping, 105
- film
  - growth, ion assisted deposition, 366
  - transparent conducting, 437
- Firsov electronic stopping, 106
- Firsov screening length, 33
- fitting parameters, scattering function, 83
- focused replacement sequence, 174
- focusing, 145
- force
  - Coulomb, 9, 14
  - interatomic, 14, 17
  - long-range interatomic, 15
  - short-range interatomic, 15
  - van der Waals, 24
- force field, central, 15
- formation
  - enthalpy of, 509
  - heat of, 509
  - metastable phase, 266, 352, 429
- fractional damage energy, 168

- Frank–van der Merve growth, 370  
 Freeman ion sources, 457  
 Frenkel-defect, 142
- Gaussian range distribution, 118  
 Gibbs criterion of phase stability, 346  
 Gibbs free energy, 266  
 glassy metals, 270  
 glazing, laser, 271  
 grain size ion beam deposition, 384  
 gram-atom, 9  
 growth  
   Frank–van der Merwe, 370  
   Stranski–Krastranov, 370  
   Volmer–Weber, 370
- hard-sphere interatomic potential, 16, 83  
 heat of evaporation, 20  
 heat of formation, 509  
 heat of ion beam mixing, 307  
 heat of sublimation, 20, 308  
 high density collision cascade, 176  
 high-dose ion implantation, 235, 286  
 high-energy electronic stopping, 101  
 high-temperature ion sources, 459  
 high-temperature oxidation, 418  
 homogeneous nucleation, 350  
 Hook's law, 346  
 Hubler–van Vechten model, 400  
 Hume-Rothery rules, 268, 276
- impact parameter, 64  
   angular, orbital momentum, 52, 54  
 implantation metallurgy, 517  
 impulse approximation, scattering, 75  
 impurity atoms, lattice location, 272  
 impurity–vacancy interactions, 283  
 interaction, impurity–vacancy, 283  
 interatomic Coulomb interaction, 67  
 interatomic distance equilibrium, 19  
 interatomic forces, 14, 17  
 interatomic potential, 14, 32  
   hard-sphere, 16, 83  
   inverse power, 17  
   Lennard–Jones, 17  
   square-well, 17  
 interatomic spacing, 488  
 intergradient differential equation, 157  
 interstitial solid solutions, 265
- intrinsic stress, 380  
 inverse power  
   interatomic potential, 17  
   screening function, 30  
 ion assisted coating, 363  
 ion assisted deposition, 363–4  
 ion beam assisted deposition  
   adhesion, 396  
   densification, 377  
   epitaxy, 390  
   equipment, 367  
   film growth, 366  
   grain size, 384  
   microstructure, 365  
   reactive processing, 399  
   residual gases, 369  
   stress, 381  
   texture, 387  
 ion beam mass analysis, 461  
 ion beam mixing  
   alloy, 309  
   ballistic, 299  
   cascade, 302–3  
   chemical driving force, 307, 313  
   cohesive energy, 313  
   de-mixing, 309  
   heat of mixing, 307  
   liquid diffusion, 321  
   phase formation, 323  
   polyatomic target, 305  
   recoil, 300  
   thermally assisted, 319  
   thermodynamic effect, 305  
   temperature-dependent, 299  
   temperature-independent, 299  
   transition temperature, 322
- ion beam system, 455  
 ion implantation, 408  
   alloy, 271  
   concentration, 238  
   high-dose, 235, 286  
   ion sources, 456  
   metallurgy, 254  
   phase formation, 265  
   plasma immersion, 3  
   plasma source, 467  
   recoil, 300  
   sputtering, 228  
   system, 2
- ion–solid simulations  
   molecular dynamic, 200  
   Monte Carlo, 191

- ion sources
  - broad-beam gridded, 474
  - Freeman, 457
  - high-temperature, 459
  - ion implantation, 456
  - MEVVA, 459
  - plasma, 467
- ion stopping, 88
- ionized cluster beam deposition, 446
- irradiation damage
  - displacements, 155
  - energy, 160
- irradiation defects, 342
- irradiation enhanced thermal
  - reordering, 261
- irradiation induced disorder, 255
  - dense cascade, 257
  - point defects, 255
- joule, 8
- Kinchin–Pease energy, 151
- Kinchin–Pease damage function, 151
- Kinchin–Pease modified damage
  - function, 152
- kinematics, elastic collisions, 41
- kinetic metastable phase, 353
- kinetic phase formation, 324
- kurtosis, 120
- laboratory scattering angle, 505
- laser glazing, 271
- lattice
  - diamond, 485
  - disorder, 5
  - face-centered-cubic, 485
  - location, 272
- lattice parameter, 7
- Lennard–Jones interatomic potential, 17
- Lenz–Jensen screening function, 31
- lifetime spike, 213
- Lindhard intergroddifferential
  - equation, 157
- Lindhard screening function, 28
- Lindhard screening length, 33
- Lindhard–Scharff electronic stopping, 106
- linear cascade sputtering, 219
- liquid diffusion ion beam mixing, 321
- liquid-state diffusion, 209
- location lattice, 272
- long-range interatomic force, 15
- long-range order parameter, 254
- low-energy electronic stopping, 105
- LSS parameter calculation, 124
- mass
  - of electron, 529
  - reduced, 45
- mass analysis, ion beam, 461
- materials properties, cascade, 185
- maximum range channeling, 138
- mean free path, 176
- mean ionization potential, 104, 194
- melting temperature, 186
- metal, glassy, 270
- metallurgy
  - implantation, 517
  - ion implantation, 254
- metastable phase
  - alloys, 269
  - amorphous, 354
  - crystal structure, 354
  - formation, 266, 352, 429
  - kinetics, 353
  - phase field, 355
  - transformation, 325
- metglasses, 271
- MEVVA ion sources, 459
- microstructure ion assisted
  - deposition, 365
- Miedema rules, 279
- Miedema semi-empirical model, 509
- Miller indices, 7, 485
- minimum potential energy, 18
- misfit parameter, 284
- mixing enthalpy, 341
- modulus, elastic, 20
- molecular densification, 379
- molecular dynamic ion–solid
  - simulations, 200
  - cascade temperature, 203
  - crystalline order, 202
  - defects, 201
  - diffusion, 203, 204
- Moliere screening function, 29
- momentum
  - approximation, 101
  - conservation of, 42
- Monte Carlo simulation
  - densification, 374
  - dpa, 199
  - ion–solid simulations, 191

- electronic energy loss, 193
- nuclear scattering, 192
- PIPER, 192
- procedure, 194
- motion, central force, 49
- moving ion, effective charge, 100
  
- nearest-neighbor distance, 22
- neutron, 11
- NRT model damage energy, 154
- nuclear collisions, 89
- nuclear cross-section, 90
- nuclear scattering Monte Carlo simulation, 192
- nuclear stopping
  - power law, 93
  - reduced cross-section, 93
  - reduced notation, 92
- nucleation
  - homogeneous, 350
  - phase formation, 324
- nucleus, radius, 11
  
- optical coating, 433
- order, radiation enhanced diffusion, 262
- order–disorder, 254
  - enthalpy, 328
  - transition temperature, 328
- overlap collision cascade, 260
- oxidation, high-temperature, 418
  
- Pauli exclusion principle, 24
- permittivity of free space, 529
- phase diagram
  - binary, 267, 322
  - phase width, 355
  - polymorphous, 326
- phase formation
  - ion beam mixing, 323
  - ion implantation, 265
  - kinetics, 324
  - nucleation, 324
  - thermodynamics, 326
- phase stability, Gibbs criterion, 346
- phase transformation
  - amorphous, 326
  - cascade, 348
  - defect, 342
  - energetic, 324
  - metastable, 325
  
- PIII, 3
- PIPER, Monte Carlo simulation, 192
- planar densities, 6
- Planck's constant, 11, 529
- plasma immersion ion implantation, 3
- plasma ion sources, 467
- plasma source ion implantation, 467
- point defect, irradiation induced disorder, 255
- Poisson's equation, 26
- polar coordinates, 51
- polyatomic materials
  - calculation, 131
  - damage energy, 169
  - displacement damage, 171
  - displacement efficiency, 171
  - ion beam mixing, 305
  - range, 131
  - sputtering, 229
- polymers, 427
- polymorphous phase diagram, 326
- potential
  - central force, 58
  - hard-sphere, 83
  - interatomic, 14, 32, 67
  - mean ionization, 104, 194
  - minimum energy, 18
  - power law, 74, 78
  - screened Coulomb, 24, 76
- power law
  - nuclear stopping, 93
- power law potential, 74, 78
- PRAL (projected range algorithm), 120
- precipitates, 519
- preferential sputtering, 230
- primary knock-on, displacements produced by, 147
- primary knock-on atom (PKA), 141
- primary knock-on damage energy, 152
- primary recoil damage function
  - thin target, 167
  - ion implantation, 168
- probability function, 72
- processing, reactive IBAD, 399
- production rate of damage energy, 165
- projected range, 4, 39, 115, 128
  - calculation, 125
  - PRAL, 120
  - transverse, 116

538

*Index*

- proton, 11
- PSII, 467
  
- quenching
  - rapid thermal, 269
  - rate, 270
  
- radial range, 116
- radiation-damage effects, 5
- radiation enhanced diffusion, 262
- radius
  - Bohr, 11
  - nucleus, 11
  - screening, 32
- random walk
  - collision cascade, 304
  - diffusion, 304
- range, 88, 115
  - calculations, 120–1
  - damage, 141
  - distributions, 4, 117
  - enhanced diffusion, 205
  - polyatomic targets, 131
  - projected, 4, 39, 88, 115–16, 128
  - radial, 116
  - reduced, 121
  - spreading, 116
  - straggling, 117
- rapid thermal quenching, 269
- rate
  - energy-loss, 88
  - quenching, 270
- reactive IBAD processing, 399
- recoil ion beam mixing, 300
- recovery collision cascade, 349
- reduced cross-section, 80
- reduced damage energy, 161
- reduced energy, 59
- reduced length, 92
- reduced mass, 45
- reduced notation
- reduced nuclear stopping, 92–3
- reduced range calculation, 121
- reduced stopping cross-section, 94
- reflective coating, 438
- replacement collision, 148, 173, 273
- replacement cross-section, 257
- replacement per atom, 256
- resistant coating of aqueous
  - corrosion, 444
  
- Rugate filter production, 436
- Rutherford cross-section, 70
  
- scattering
  - center-of-mass, 44
  - classical theory, 40
  - CM angle, 55
  - cross-section scattering, 63
  - fitting parameter, 83
  - impulse approximation, 75
  - two-particle, 42
- scattering angle, 505
- scattering integral, 55
- screened Coulomb potential, 24, 76
- screening distance, 59
  - Thomas–Fermi, 60
- screening function, 25
  - Bohr, 30
  - inverse power, 30
  - Lenz–Jensen, 31
  - Lindhard, 28
  - Moliere, 29
  - Sommerfeld asymptotic, 27
  - Thomas–Fermi, 27, 79, 81
- screening length
  - Bohr, 33
  - Firsov, 33
  - Lindhard, 33
  - Thomas–Fermi, 26
  - universal, 36
- self-diffusion, 211
- self-interstitial atom (SIA), 281
- semi-empirical sputtering, 223
- short-range interatomic force, 15
- simulation
  - molecular dynamic, 200
  - Monte Carlo, 191
  - TRIM, 192, 197
- single-element targets sputtering, 219
- skewness, 120
- solid angle, detector, 63
- solid lubricant coating, 442
- solid solubility, 523
- solid solutions, 265
- solubility, 278
  - solid, 523
- solutions
  - interstitial, 265
  - solid, 265
- Sommerfeld asymptotic function, 27
- spacing, interatomic, 488
- spatial distribution, 162



- specific heat, 186  
 spreading range, 116  
 spike  
   cylindrical model, 213  
   deposited energy, 181  
   displacement, 179, 275  
   effective temperature, 322  
   lifetime, 213  
   melt, 186  
   sputtering, 234, 244  
   temperature, 213  
   thermal, 180, 275  
   volume, 182  
   yield, 246  
 splat cooling, 270  
 sputtering  
   alloy, 229  
   angular dependence, 225  
   composition changes, 232  
   computer simulation, 247  
   deposited energy, 222  
   equilibrium, 287  
   ion implantation, 228  
   linear cascade, 219  
   materials factor, 220, 223  
   polyatomic target, 229  
   preferential, 230  
   semi-empirical, 223  
   single-element targets, 219  
   spike, 234, 244  
   surface chemistry, 288  
   threshold energy, 224  
   yield, 219, 223  
 square-well interatomic potential, 17  
 standard deviation range distribution, 119  
 stopping, ion, 88  
 stopping cross-section, 90, 93  
 straggling range, 117  
 strain, 21  
 strain energy, 346  
 Stranski–Krastanov growth, 370  
 stress, 21  
   intrinsic, 380  
   ion beam assisted deposition, 381  
 sublimation, heat of, 20, 308  
 substitutional alloy, 278  
 surface chemistry sputtering, 288  
 system, ion implantation, 2  
  
 table of elements, 491  
  
 Taylor series, 21  
 temperature  
   collision cascade, 313  
   melting, 186  
   order–disorder transition, 328  
   spike, 213  
 texture, ion beam assisted deposition, 387  
 thermal assisted ion mixing, 319  
 thermal reordering, irradiation enhanced, 261  
 thermal spike, 180, 275  
   diffusion in, 209  
 thermodynamic effect ion beam mixing, 305  
 thermodynamic phase formation, 326  
 Thomas–Fermi differential equation, 503  
 Thomas–Fermi statistical model, 25  
 Thomas–Fermi screening distance, 60  
 Thomas–Fermi screening function, 27–8, 79, 81  
 Thomas–Fermi screening length, 26  
 total cross-section, 65  
 two-particle scattering, 42  
 transferred energy, 48  
 transformation enthalpy, 340  
 transition temperature ion beam mixing, 322  
 transparent conducting films, 437  
 transverse projected range, 116  
 tribological coating, 440  
 tribology, 410, 413  
   dual ion implantation, 412  
 TRIM, 192, 197  
   densification, 376  
  
 universal calculation, 122  
 universal screening length, 36  
  
 vacancy diffusion coefficient, 205  
 vacancy–interstitial defects, 343  
 van der Waals forces, 24  
 Vegard’s law, 267  
 velocity  
   Bohr, 11  
   collision cascade, 182  
   of light, 10, 529  
   spike, 182  
 Volmer–Weber growth, 370  
 volume, atomic, 7, 19

Cambridge University Press

052137376X - Ion-Solid Interactions: Fundamentals and Applications - Michael Nastasi,  
James W. Mayer and James K. Hirvonen

Index

[More information](#)

---

540

*Index*

yield

spike, 246

sputtering, 219, 223

$Z_1$  oscillations, electronic stopping,  
111

ZBL universal scattering formula, 98