

Index

Note: page numbers in *italics* refer to figures and tables

- ACTH levels in swimmers, 155
 adiposity, energy storage, 193
 adolescent subfecundity, 32
 adrenal androgens, aromatization in
 adipose tissue, 28
 adrenal weight and life-span, 217
 aerobic exercise, 26
 male reproductive effects, 34
 age
 of children and feeding pattern, 68
 determination, 63
 and menstrual dysfunction during
 training, 160
 aging, 11, 207–8
 acceleration by obesity, 222–3
 and cell death, 212–14
 evolved trait, 208
 and genetics, 217–18
 HLA in regulation, 214
 and hypoxic stress in highlanders, 134
 immune system effectiveness, 214
 mechanisms, 211
 MHC in regulation, 214
 and mortality, 218–22
 physiological changes, 229
 pigment, 212
 agriculture, environmental contamination,
 83
 air pollution, 88–91
 birthweight, 89–90
 child morbidity rates, 90
 growth studies, 89
 hypoxia, 90
 individual exposure, 89
 lead, 91–6
 polychlorobiphenyl compounds, 96–103
 skeletal maturation, 90
 toxic waste, 96–9
 airport noise studies, 104–5
 alcohol, behavioural congenital defects,
 107
 Allen's law, 4
 altitude adaptation, 10, 118
 amenorrhoea
 anorexia nervosa, 162
 in athletes, 150–1
 ballet dancers, 26
 constitutional delay, 151
 diet of runners, 161
 beta-endorphins in, 155
 female athletes, 26, 144
 lactational, 23
 LH release in exercise-associated, 164
 reversibility, 166
 runners, 159–60, 161
 weight loss, 24
 amenorrhoea, secondary, 158
 athletes, 158
 college women, 158
 American Academy of Physical
 Education, 145
 Amish people, 6, 200
 anaemia in high altitude populations, 137
 Andean highlanders
 adaptation to hypobaric hypoxia, 136
 blunted hypoxic drive, 124
 haemoglobin concentrations, 127–8
 pregnancy, 124–5
 pulmonary diffusing capacity of
 children, 125
 androstenedione levels in swimmers and
 gymnasts, 154
 animal testing of pollutants, 7
 anorexia nervosa, 24
 amenorrhoea, 162
 anthelmintic treatment of children, 71–2,
 76
 anthropology
 causes of morphology, 2
 non-genetic influences, 1
 unknown factors in studies, 2
 anthropometry, 75–6
 anxiety, sleep and hormonal production
 effects in athletes, 158

238 *Index*

- apolipoprotein
 and cholesterol, 190–2
 in diabetic patients, 195
 apolipoprotein (APO) loci, genetic variation, 191
 apolipoprotein B (APO B), 195
 arm circumference: height ratio (QUAC stick method), 62
 arm circumference measurement, 73
 arteriosclerosis, 193
Ascaris infection, 71
Ascaris lumbricoides, 76
 Asia, population trends, 222
 assortative mating, 147–8
 genetic component, 148
 atherosclerosis
 in ancient Egypt, 186
 and obesity, 223
 progeria patients, 218
 athletes
 elite, 146, 170–1
 female, 26, 144, 150–1
 impaired LH production, 164
 male, 174–5
 oligomenorrhoea, 158
 pathogenic weight control behaviours, 162
 secondary amenorrhoea, 158
 auxological epidemiology, 85, 86
 chemical waste exposure, 96, 97
 community health, 96
 auxology, 85
 Aymara Indians, 120

 Baker, P. T., 10
 ballet dancers, 26
 delayed menarche, 152
 eating disorders, 162
 menstrual dysfunction, 158
 oligomenorrhoea, 158
 prolonged prepubertal state, 154
 secondary amenorrhoea, 158
 selection, 162
 Bangladesh
 anthelmintic treatment of children, 71–2
 child health programmes, 76
 Beaton, G. H., 75
 behavioural defects, congenital, 107
 behavioural teratology, 107
 Bergman's law, 4
 berylliosis, 7
 binge eating, 162
 bioanthropology
 and epidemiology, 1
 health and welfare issues, 1
 statistical reasoning, 1

 biological anthropology, problems to which applied, 3–11
 birth
 control, 6
 defects at Love Canal (New York), 98
 rate, 6
 spacing and child survival, 23–4
 birth interval
 analysis, 15
 health of mother, 24
 birthweight
 air pollution, 89–90
 endurance exercise during pregnancy, 170
 haemoglobin concentrations at high altitudes, 129
 infants born to athletes, 170, 171
 Love Canal (New York), 98–9
 maternal haemoglobin concentration, 129
 noise pollution effects, 104
 Blake, Judith, 15, 16, 17
 blood lead levels, 92
 NHANES II sample, 95
 prenatal and birthweight, 95
 blood pressure, 189–90
 dietary Na, 189
 family environmental variables, 189
 genetic heritability, 189
 Na–Li countertransport, 189
 relative weight/obesity, 189
 sodium excretion, 189
 see also hypertension
 body build
 adaptation to climate, 4
 determinants, 4–5
 body composition, 4, 145
 during training, 160
 and life expectancy, 229
 and menstruation, 18
 relationship to chronic disease, 200
 in survival, 222–6
 body fat
 distribution, 223
 in reproductive success, 28
 Body Mass Index (BMI), 75
 obesity heritability, 193
 predicted mortality curves, 224, 225
 probability of death for age group, 225
 weight recommendations, 224
 body size, attainment of genetic potential, 228
 bodyweight
 changes and longevity, 226
 determinants, 5
 life-span prediction, 216

- loss and infertility, 25
- low, 229
- Bolivia, Europeans in highland, 122
- bottle-feeding, 59
- brain weight and life-span, 216, 217
- breast cancer, 198
- breast milk, PCB levels, 100
- breastfeeding, 41–2
 - and diarrhoea, 68
 - nutritional status of child, 68
 - weight gain, 59
- bride price, 6
- Bristlecone pine, 215
- Bukavu (Zaire), 20
- Caesarian section rate in runners, 170
- calcium, lead uptake effects, 93
- caloric restriction, 226–7
- cancer, 197–9
 - dietary factors, 223
 - environmental etiology, 197
 - genetic etiology, 198
 - genetic predisposition, 218
 - heritability, 187–8
 - non-heritable somatic mutation, 187
 - population differences, 219
 - protective dietary factors, 198
 - radiation links, 8
 - United States mortality trends, 219
- carcinoembryonic/oncofoetal antigens, 199
- cardiovascular disease, 143, 144, 186, 197
 - ascertaining presence, 187
 - insulin insensitivity, 223
 - mortality amongst male athletes, 175
 - omental fat accumulation, 223
 - physical activity effects, 174
 - population differences, 219
 - United States mortality trends, 219
- cardiovascular endurance, 145
- cardiovascular fitness, 143
- cardiovascular related morbidity and mortality, 189
- cell
 - death and aging, 212–14
 - nucleus, 209
 - specialization, 209
- ceramicists, exposure to pollutants, 84
- cerebral vascular disease, 197
 - see also* stroke
- chemical exposure
 - actual exposure, 102
 - biological marker approach, 102
 - confounding factors, 102
 - dietary, 97
 - human residential, 96–7
 - occupational, 97
 - prenatal and postnatal growth retardation, 102
 - risk behaviour modelling, 102, 103
 - social science approach, 102, 103
- chemical pollutant accumulation, 7–8
- chemical waste
 - disposal in Third World countries, 108
 - exposure and auxological epidemiology, 96
- chemical waste sites
 - Love Canal, 97–8
 - predicted dose–response relationships, 96
 - synergistic effects of chemicals, 96
 - toxicological approach, 96
- childbearing, delayed, 42
- childhood growth
 - dearth of food, 9
 - pollution response, 10
 - variance, 10
- childhood nutritional status, 73–7
 - mild to moderate, 73
- children
 - environmental contamination risks, 84
 - health improvements, 76
 - survival and birth spacing, 23–4
- China, elderly population, 222
- Chinese-Americans, non-insulin-dependent diabetes mellitus, 195
- Chlamydia trachomatis*, 32
- chloracne, 99
- cholesterol
 - and apolipoproteins, 190–2
 - dietary, 190
 - excretion pathways, 190
 - levels in agricultural and foraging populations, 192
 - parent–offspring correlations, 191
 - retention, 190
- chronic disease
 - body form relationship, 200
 - environmental component, 188
 - genetic epidemiological approach, 188
 - genetic factors, 199
 - genetics, 188–97
 - and human evolution, 185–7
 - multifactorial origin, 199
 - risk factors, 188–97
 - susceptibility to environmental factors, 199
- chronic stress effects, noise model, 105
- ciliates, 209
- Clarke, H. H., 145
- climate
 - human exposure to changed conditions, 4
 - modification of earth's, 4–5

240 *Index*

- cold, physiological response, 5
- college women
ovarian maturation, 158
physiological immaturity, 158
- community health
assessment, 86, 107
auxological epidemiology, 96
- coronary heart disease, 193, 197
familial aggregation, 197
HDL-cholesterol, 191
life-style, 175
postcollegiate habitual physical exercise, 175–6
- corpus luteum, inadequate functioning in
infertility, 40
- corticotropin-releasing factor (CRF), 33
- cortisol, 155
- craftspeople, 84
- cretinism, 55, 72
- critical fatness hypothesis, 152–3
- critical weight hypothesis, 152–3
- cut-off points, 59–63
Z scores, 60
- Darwinian fitness, 10, 143
definition, 147
and physical fitness, 144
- Davis, Kingsley, 15, 16, 17
- death
evolution, 228
necessity for, 208
- degenerative disease, 185
of adulthood, 11
definitions, 187–8
development in later stage of life, 186
diagnoses, 187–8
environmental reasons for presence, 187
genes for development at early age, 186
genetic reasons for presence, 187
heritability, 185
lack of fit between ancient genes and
present-day environment, 186
late-acting disease genes, 186
multifactorial aetiology, 200
physical activity effects, 174
and physical fitness, 145
polygenic traits, 185
risk factors, 143
survival beyond 40 years, 186
survivorship effects, 185
syndromes, 187
- Delvoye, P., 20
- demographic trends, 207
- developing countries, life expectancy, 228
- developmental adaptation to high altitude, 134–5
- deworming *see* anthelmintic treatment of
children
- diabetes, 11
and obesity, 223
- diagnosis cut-off point, 187
- diarrhoea
nutritional status, 68, 69
relationship to malnutrition, 68–9
- diet
in cardiovascular disease prevention, 143
cholesterol levels, 192
in fertility, 6
human, 3–4
low-fat, high-fibre, 227
non-human primate, 3–4
protective factors against cancer, 198
- dietary fat, 193
cancer promoting, 198
- dietary restriction
growth response, 226
mechanisms in longevity, 227
testosterone levels, 174
tumour incidence, 226
- dietary sodium and blood pressure, 189
- dieting
menarchal delay, 152
women, 24, 25
- 2,3-diphosphoglycerate (2,3-DPG), 126–7
- disease, 2
cut-off point, 187
and ovarian function, 32–3
- disposable soma, 209
- DL_{CO}, 125, 126
- DL_{O₂}, 125
- DNA
loss of capability to repair, 214
repair capacity, 214
repair mechanisms, 229
replication errors, 213
ultraviolet damage, 214
- Dobzhansky, Th., 147
- dogs, life-span variation with breed, 217
- domestic animals' life-span, 218
- dowry, 6
- Drosophila*, 211
- early cognitive/behavioural development, 95–6
- Eastern Seaboard Corridor (USA), 7
- eating disorders
male athletes, 194
see also anorexia nervosa
- ecological variables, sensitivity of ovarian
function to, 39

- education as predictor of nutritional status, 70
- Efe pygmies (Ituri Forest, Zaire), 25, 33
- egg production, lifetime, 216
- elite athletes, 146
- subsequent reproductive function, 170–1
- embryogenesis, cell death, 213
- endomorphy, 175
- beta-endorphins, 155
- in amenorrhoea of runners, 165
- energy
- allocation and optimizing strategies, 210
 - storage, 193
- environment, interaction with, 9
- environmental contamination, 83
- growth effects, 106
 - human biological adaptation, 83
- environmental epidemiology, 85, 86, 107
- environmental factors, amplification of inherited tendencies, 219
- environmental habitability, 85
- suboptimal growth, 87
- environmental stress, graded ovarian response, 38
- environmental tracking, 38
- erythrocyte counts, 90
- Ethiopian highlanders, 119
- ethnobotany, 4
- eugenics movement, 8
- eukaryotes, 208
- evolution of senescence and death, 228
 - reproduction, 209
- Europeans
- age of migration to highland, 122, 123
 - at high altitudes, 122
- Eveleth, P., 58
- evolution, human, 14
- exercise
- impact of fertility, 27
 - length of time sustained in senescence, 212
 - and longevity, 226
 - testosterone effects, 34
- extinction of species of plants and animals, 3–4
- extramarital sexual behaviour, 6
- familial hypercholesterolemia, 190
- familial hypertriglyceridemia, 190, 191
- family size, menarche delay, 155–6
- fasting, testosterone and gonadotropin levels, 33
- fat
- cell size, 223
 - genes for placement, 194
 - mass (FM), 152
 - omental accumulation, 223
 - for ovulatory menstrual cycle maintenance, 160
 - stored body, 5
- fat deposition, 194
- pattern in females, 223
 - population differences in polyunsaturated:saturated dietary fat ratio, 193
 - sites, 193–4
- fat patterning, 194
- genetic control, 194
 - heritability, 193
- fat-free mass (FFM), 152
- father's presence and employment as nutritional status predictor, 70
- fatness, 145
- environmental effects, 193
- fatty acids, 192–3
- fecundability, 30–1
- fecundity, 6
- age and, 30–1
 - decreasing in senescence, 212
 - ecological variables affecting, 36–7
 - female athletes, 144
 - moderate suppression of ovarian function, 35
 - response to weight loss, 38
 - response to nutritional status, 38
 - transitions with ovarian function, 38
- feeding
- childhood, 5
 - infant, 4
 - supplementary during lactation, 20
- Fels Longitudinal Survey, 57
- female athletes, 26
- amenorrhoea, 144
 - fecundity, 144
 - primary amenorrhoea, 150–1
- female life expectancy, 217
- fertility, 14–15
- and age at menarche, 149
 - age-related decline, 17
 - age-specific patterns, 17
 - anthropological studies, 9
 - biological determination, 15
 - conceptual pioneers, 15–19
 - control, 6
 - determinants, 15
 - evolutionary logic in, 19
 - exercise impact, 27
 - long-term consequences from menstrual dysfunction, 167
 - male factors, 33–4
 - offspring in next generation, 147
 - ovarian function in regulation, 34–40

242 *Index*

- fertility—*continued*
 potential and age at menarche, 149
 teenage, 42
 and venereal disease, 32
 fertilizability of ovum, 35
 fertilizers, 83
 fibroblasts *see* human fibroblasts
 fires, indoor air-pollution, 84
 fish, game, 101–2
 fitness programmes, 143
 foetus, environmental contamination risks, 84
 follicular suppression effects, 35
 food
 allergies, 4
 intake and physical activity, 76
 rationing scarce, 5
 resources, 3
 source substitution, 3
 forced vital capacity (FVC), 119
 adaptation, 121, 122
 and age of migration, 123
 high-altitude effects, 119, 120
 low-altitude Quechua children, 121
 and stature, 121
 Fore people (Papua New Guinea), 199, 200
 fourth decade of life and degenerative disease, 185, 186
 free radicals, 227
 Frisch hypothesis, 38, 41
 Frisch, R. E., 16, 18, 160
- Gainj (New Guinea), 21
 gallbladder disease, 196
 gallstones, 196
 game fish, 101–2
 gametogenesis, 210
 gene
 markers, 188
 pool, 8
 variants, 188
 genetic degradation of human species, 8–9
 genetic mutation, radiation links, 8
 genetic variability, 209
 genetics and aging, 217–18
 Genoves, Santiago, 5
 germ line, 210
 separation, 209
 gestational length and endurance exercise during pregnancy, 170
 Giant sequoia, 215
 goitre, 72
 endemic, 55
 gonadotropin releasing hormone (GnRH), 149
- LH response in men runners, 173
 release pattern, 28
 greenhouse effect, 4
 growth
 children with Yusho disease, 100
 community health assessment, 107
 deficit in at-risk population, 93
 failure, 56
 helminth infection impact, 70–3
 as indicator of environmental habitability, 87
 and lead burden, 91
 as measure of physical wellbeing of child, 97
 and noise pollution, 104
 performance and intestinal permeability, 73
 poverty effects, 88
 reference curves, 57–9
 references, 87
 rural–urban differences, 106
 span and morphological plasticity, 85
 statistical techniques for analysis, 87
 suboptimal, 85
 tempo of, 30
 urban–rural comparison, 87–8
 Guatemalan mothers, nutritional status, 23
 gymnasts, 146
 hormone levels, 154–5
 secondary sex characteristic development, 152
- Habicht, J.-P., 58
 habitability of environments, 85–6
 haemoglobin concentration
 blood viscosity, 127
 ethnic differences, 129
 functional implications, 128–9
 highland populations, 137
 measurement, 18
 relationship with altitude, 127–8
 respiratory infections, 128
 work capacity, 129
 Hamilton, L. H., 162
 HDL-cholesterol, 191
 health policy in industrialized society, 42
 health, WHO definition, 84
 health-related fitness, 145
 healthy life-style, 143
 hearing, noise-induced shifts, 103
 heart attacks, genetic predisposition, 218
 heart disease and obesity, 223
 heat, physiological response, 5
 height in nutritional status measurement, 56–7

- height-for-age interrelationship with weight-for-height and weight-for-age, 60, 61
- helminth infection, 70–3
intestinal permeability, 72
plasma protein loss, 73
- Henry, Louis, 15, 17–18
- herbicides, 83
- high-altitude environments
adaptation, 118
developmental adaptation, 120, 134–5
developmental adaptation hypothesis, 120, 122
genetic adaptation, 121
human physiological adaptation, 117
length of residence, 132
multi-stress, 118
oxygen transport system, 135
oxygen utilization, 135
- highlanders
adaptation to hypoxic environment, 130
aging and hypoxic stress, 134
anaemia incidence, 137
anaerobic sources of energy for children, 132
erythrocyte counts, 90
ethnic differences, 137
lung size of children, 125
lung volumes, 137
ODC shift in protein-energy malnutrition, 127
P₅₀, 127
pulmonary diffusing capacity, 125
sex difference in diffusing capacity, 126
skeletal maturation, 90
stress from birth to early childhood, 136
- Himalayan highlanders
adaptation to hypobaric hypoxia, 136
haemoglobin concentration, 128
- homeobox, life-limiting, 211, 212
- hookworms, 72
- hormone
changes and menstrual dysfunction, 163–6
diurnal pattern of secretion, 163
levels and factors influencing, 163–4
receptor responsiveness, 157
secretion, 157, 163
- Howie, P. W., 20
- Human Adaptability Project (IBP), 10, 118
- human environment changes, 186
- human epidermis, 212
- human evolution, 143
and chronic disease, 185–7
hormone context for women, 198
- human fibroblasts
DNA synthesis inhibition, 213
finite number of divisions, 213
hybridized with immortal cells, 213
- human population
adaptive strategies, 228
control over reproduction, 208
life expectancy, 208
- humans
adaptation, 10
gene pool, 8
genetic determinants of life-span, 218
maximum life-span, 229
mobility, 4
as product of evolutionary past, 14
reproductive ecology, 16
well-being, 2
- Hutchinson–Gifford progeria syndrome, 218
- Hutterites, 200
- hyperinsulinemia, 190, 197
- hyperlipidemia
populational differences in polyunsaturated:saturated dietary fat ratio, 193
syndromes, 190
- hypertension, 189
association with obesity, 190, 223
blood pressure cut-off point, 187
see also blood pressure
- hypertriglyceridemia, APO E variation, 191
- hypo-proteinaemic oedema, 73
- hypobaric hypoxia, 118
adaptation to in highland adult males, 134
adaptedness to, 132
cardiorespiratory system changes, 120
chemosensitivity to, 124
haemoglobin concentration, 128
ODC shift, 126
oxygen requirements for work, 131–2
population differences in adaptation, 136
- hypolipidemia syndromes, 190
- hypothalamic dysfunction, 37
- hypothalamic positive feedback response, 28
- hypothalamic–pituitary axis, disruption by exercise, 37
- hypothalamic–pituitary function, 33, 34
- hypothalamic–pituitary–gonadal axis, 149
- hypothalamic–pituitary–ovarian axis
alterations in menstrual dysfunction, 166
maturity in college women, 158

244 *Index*

- hypothalamus
 maturation, 28
 progesterone receptor systems, 35–6
 hypoxia, air pollution, 90
- illness, predictor of undernutrition, 68
 immaturity period length, 209, 210
 immortal cells, 213
 immortality, recessive, 213
 immune function and steroids, 33
 immune system
 decline, 229
 regulation, 214
 implantation success, 35
 inbreeding, 209–10
- India
 elderly population, 222
 height measurement, 62
 Industrial Midwest (USA), 7
 industrialization, environmental
 contamination, 83, 84
 industrialized society, health policy, 42
- infants
 born to mothers with Yusho disease, 100
 feeding, 20
- infertility
 belt of Africa, 32
 luteal phase deficiency, 167
 relationship to vigorous exercise, 167
- insects as food, 4
- Institute of Andean Biology, 118
 Andean highlander studies, 119–20
- insulin
 reduction of response to in obesity, 223
 therapy, 194
- insulin-dependent diabetes mellitus, 194
 HLA haplotype correlation, 195
- insulin-receptor (INS-R) genes, 195
- interleukin-1 production, 32–3
- International Biological Programme (IBP), 118
- intestinal permeability, 72–3
- Inuit homicide, 5
- invertebrates, programmed cell death, 213
- iodine deficiency, 55
 Bangladeshi children, 72
- Ireland
 late marriage, 6
 potato famine, 4
- iron deficiency
 Bangladeshi children, 72
 and hookworms, 72
- iron deficiency anaemia, 55, 72
 and lead exposure, 93
- Japan, consumption of contaminated rice
 oil, 99–101
- Japan, survivorship in early and middle
 life, 222
- K* strategy, 210–11, 212
- Khartoum (Sudan), 64
- kidney weight and life-span, 217
- Kirkwood, T. B. L., 210
- !Kung San (Botswana), 20, 22
 fertility and life-style, 26
- kuru, 199
- kwashiorkor, 55, 73
- La Leche League, 23
- La Paz (Bolivia), 131
 anaemia incidence, 137
- lactase, 117
- lactate, blood concentration, 132
- lactating hormone levels during human
 evolution, 198
- lactation
 amenorrhoea, 6–7
 bodyweight correlation, 23
 in fertility, 6
 frequency, 21
 and interbirth interval, 22
 and nutritional status, 22–3
 ovarian suppression, 21, 22
 resumption of menses, 19
 supplementary feeding, 20
- lactational amenorrhoea, bodyweight
 correlation, 23
- lactational subfecundity, 17, 19–24
 analysis, 40
 evolutionary logic, 23
- lactic acid, exercise induced, 132
- Lake Michigan fish, 101–2
- latitude and longevity, 215
- LDL-cholesterol, 191
- LDL-receptor, 191
- lead
 absorption, 91
 ingestion, 91
see also blood lead levels
- lead burden
 blood levels, 92
 early cognitive/behavioural
 development, 95–6
 and growth, 91
 maternal, 92–3
 maternal nutrition, 93
 nutritional status of child, 93
 and physical growth, 96
 prenatal exposure, 92–3
 tooth dentine level, 91–2
- lead exposure
 and iron deficiency anaemia, 93
 physical development, 93–4

- physical growth, 94
- postnatal physical growth, 94–5
- pregnancy outcome, 94
- lead pollution, 91–6
 - child morbidity rates, 90
- lean body mass, 5
 - cereal grain requirements, 9–10
- Lese (Ituri Forest, Zaire), 25, 33
 - menarche age and ovarian function trajectory, 31–2
 - ovarian function level of women, 39
- leukaemia, 198
 - radiation links, 8
- levamisole, 71
- life expectancy
 - Asian, 222
 - and body composition, 229
 - captive and wild animals, 218
 - diseases of later life, 219
 - domesticated species, 207
 - excessive leanness, 224
 - female humans, 217
 - greater body weights, 224
 - human, 208, 228
 - intrinsic limitations, 228
 - population differences, 219
 - Tunisia, 221
 - United States, 221
 - of women, 207
- life-span
 - attainment of genetic potential, 228
 - and caloric restriction, 226–7
 - comparative of living species, 214–17
 - dogs, 217
 - domestic animals, 218
 - extension, 212
 - food restriction mechanism, 227
 - genetic determinants in humans, 218
 - maximal in captive animals, 218
 - maximum in humans, 229
 - organ weight relationships, 216–17
 - prediction on body and brain weight, 216, 217
 - and protein intake, 226
 - species-specific, 211
- life-style
 - alteration, 145
 - and infertility, 41
- lipid metabolism
 - genetic disorders, 190
 - genetic factors in, 191
- Lipid Reserch Clinics Family Study, 191
- lipids, heritability estimates, 192
- lipofuscin, 212
- liver weight and life-span, 217
- longevity
 - and body-weight changes, 226
 - comparative life-spans, 214–15
 - and exercise, 226
 - food restriction in early life, 226
 - genetic determinants, 229
 - human, 228
 - and latitude, 215
 - life-style, 175–6
 - and metabolic levels, 227
 - and physical activity, 174–6
 - physically active life-style, 144
 - and reproductive strategy, 216
 - temperature-related, 215
- Love Canal (New York), 7, 97–8
 - birth defects, 98
 - birthweight, 98–9
 - evacuation of heavily exposed individuals, 98
 - postnatal physical growth, 99
 - spontaneous abortion, 98
- lung cancer, 198
- lung volume, 119–23
 - enhancement at early age, 136
 - Ethiopian highlanders, 119
 - high-altitude effects, 119
 - highlanders, 137
 - residual volume, 119
 - vital capacity, 119
- luteal phase
 - deficiency (LPD), 40–1, 167
 - suppression, 41
- luteinizing hormone (LH)
 - acute exercise effects in men, 172
 - changes with training, 164–5
 - cyclical secretion pattern at sexual maturity, 154
 - levels in men runners, 172–3
 - naloxone effects, 155, 165–6
 - pulsatile secretion, 154
 - secretion, 153, 154
 - stress association, 158
 - training effects, 154
- luteinizing hormone-releasing hormone (LHRH), 24
- McNeilly, A. S., 20
- major histocompatibility complex, 214
- malaria, embryonic loss, 32
- male athletes
 - cardiovascular disease mortality, 175
 - eating disorders, 174
 - longevity, 174–5
 - neuroendocrine function, 174
- malnutrition
 - acute on chronic long-duration, 57
 - acute short-duration, 57
 - causes, 56
 - clinical hypogonadism, 33

246 *Index*

- malnutrition—*continued*
 continuing levels, 55–6
 cut-off points, 59–63
 and diarrhoea, 68
 effect on infectious diseases, 69
 growth failure, 56
 iodine deficiency, 55
 iron deficiency, 55
 male testicular function, 33
 mortality correlation, 69
 past chronic, 57
 protein energy (PEM) *see* protein-energy malnutrition
 relationship to diarrhoea, 68–9
 seasonality, 68
 vitamin A deficiency, 55
- Malthus, Thomas, 15
- marasmic-kwashiorkor, 55
- marasmus, 55
- marathon runners
 hormonal changes in male, 144
 menstrual patterns, 159
 testosterone levels, 172
- marital sexual behaviour, 6
- marriage, age at, 6
- mate selection, physical activity and fitness in, 144
- maturation delay and physical training, 152
- maximal exercise tests, 129
- meiosis, 209, 210
- menarche
 age at, 6, 149
 ballet dancers, 152
 constitutional delay, 155
 and family size, 155–6
 hormonal association with late, 153
 late and physical training, 151
 level of fatness, 152
 and range of sports, 152, 153
 time of beginning training, 151
- menarcheal age
 and ovarian maturation, 31
 skeletal and pelvic maturation, 29
- menopause
 age at, 6
 and age at menarche, 150, 151
- menses, resumption after childbirth, 19
- menstrual cycle
 luteal deficiency, 21
 prolactin level relationship, 20
- menstrual dysfunction
 alterations in hypothalamic–pituitary–ovarian axis, 166
 body fat levels, 160–1
 hormonal changes, 163–6
 impaired LH production, 164
 implications, 166–7
 long-term consequences for fertility, 167
 nutritional inadequacy and amenorrhoea, 161–2
 and stress, 162–3
 and training, 158–9
- menstrual function
 age variation, 27
 and body composition, 18
 and nutritional status, 16, 18
- menstrual history, 159–67
 age and parity, 160
 dieting, 161–2
 eating disorders, 161–2
 hormonal changes, 163–6
 stress, 162–3
 weight loss and body composition, 160–1
- mental ability, child, 93
- mesomorphy, 175
- metabolic rate
 and food intake, 227
 and life-span, 216, 217
 and longevity, 227
 slowing, 229
- metallurgists, exposure to pollutants, 84
- Metropolitan Life Insurance Recommended Weights for Height, 223
- mid upper arm circumference (MUAC), 62
- migrant studies, 199
 unique gene pools, 200
- milk
 in food supplementation programmes, 117
 production under nutritional stress, 42
- miscarriage, 150
- Mississippi River Basin (USA), 7
- Monge, M., C., 118
- morbidity rates, 2
- mortality
 and aging, 218–22
 density-dependent pattern, 228
 first 10 minutes of life, 222
 and malnutrition, 69
 rates, 2
- mothers
 health and birth interval, 24
 nutritional status, 24
 with Yusho disease, 100
- motor performance decline in senescence, 212
- movement, skilled, 145
- Multinational Andean Genetic and Health Programme, 120
- multiple diseases, 187

- muscular strength and endurance, 145
 mutation rate, 8
 myeloid leukaemia, 198
 myocardial infarction, 187
- Na–Li countertransport, 189
 Nag, Moni, 16
 naloxone, 155, 165–6
 National Center for Health Statistics (NCHS) growth reference curve, 57–8, 59, 73–5, 76
 cut-off point, 59
 limitations, 75
 statistics provided, 74
 national growth norms, 87
 National Health and Nutrition Examination Survey (HANES 1), 57
 natural selection, 143
 attenuation with increasing age, 212
 near-maximal exercise tests during pregnancy, 170
 Neel, J. V., 196
 neuroendocrine function in male athletes, 174
 New World Syndrome, 196
Nippostrongylus brasiliensis, 72
 noise exposure, chronic, 103, 104
 noise pollution, 103–6
 airports, 104
 auditory effects, 103
 birthweight effects, 104
 chronic exposure of workers, 103
 and growth, 104
 growth retardation, 105
 non-auditory effects, 103
 physiological effects, 103
 psychological effects, 103
 non-insulin-dependent diabetes mellitus, 143, 185, 186, 194–5
 disease of overabundance, 197
 evolutionary models of prevalence, 196
 genes for, 186
 mortality and obesity association, 194
 multifactorial etiology, 195
 obesity association, 190, 194
 Samoans incidence, 192
 Norgan, N. G., 75
 nursing
 frequency, 20
 pattern, 22
 nutritional status
 anthropometric indicators, 56–7
 arm circumference measurement, 62–3
 deworming children, 76
 and diarrhoea, 68, 69
 education as predictor, 70
 and exercise, 26
 father's presence and employment, 70
 fecundity response, 38
 grain consumption, 70
 helminth infection impact, 70–3
 indicators, 24
 and lactation, 22–3
 lead burden of child, 93
 measurement, 56–63
 measurement and relation to health, 55–6
 and menstrual function, 16, 18
 number in household, 70
 predictors, 67–70
 and severity of infection, 69
 sex of child, 70
- obesity, 143
 acceleration of aging, 222–3
 association with hypertension, 190
 association with non-insulin-dependent diabetes, 190
 dietary patterns associated with, 223
 energy storage, 193
 heritability, 193
 hyperinsulinemia, 190
 and mortality, 194
 mortality and morbidity effects with increasing age, 224
 populational differences in polyunsaturated:saturated dietary fat ratio, 193
 upper body, 196
 oestradiol levels of swimmers, 155
 oestrogen
 levels in Western women, 198
 metabolism in reproductive maturation, 28
 oestrone levels in swimmers and gymnasts, 154
 Ohio River Basin (USA), 7
 oligomenorrhoea, 158
 ballet dancers, 26
 female athletes, 26
 reversibility, 166
 omental fat accumulation, 223
 oncogenes, 187–8, 197
 osteoarthritis in Neanderthal man, 186
 osteoporosis, 218
 outbreeding, 209
 enhancement of variability, 210
 ovarian cycles
 luteal competence, 29
 maturation, 29
 progesterone levels, 29

248 *Index*

- ovarian function
 - age and, 27–32
 - age-related changes, 30
 - behavioural variable response, 34–6
 - comparison between cultures, 31
 - constitutional variable response, 34–6
 - decline after 35 years of age, 29–30
 - detection of moderate suppression, 35
 - developmental tracking, 39–40
 - disease and, 32–3
 - and energetics, 24–7
 - energy balance effects, 25
 - environmental stress, 38
 - environmental tracking, 38
 - environmental variable response, 34–6
 - graded response, 39
 - and immune function, 32–3
 - maturation, 28
 - nutritional status indicators, 24
 - regulation of human fertility, 34–40
 - response discrimination, 37–9
 - steroid levels, 37
 - suppression, 21, 22
 - suppression with aerobic exercise, 26
 - suppression in recreational women runners, 26
 - trajectory, 31, 32, 39
 - transitions in fecundity, 38
 - variation in levels, 22
 - young women, 29
- ovarian maturation
 - and menarcheal age, 31
 - onset, 28
- ovarian response and grading of
 - continuum, 36
- ovarian sensitivity and physical
 - development, 39
- ovarian steroid production, ultradian
 - patterns, 35
- overpopulation, 5–7
- overweight, survival changes, 224–5
- ovulation, 17, 18
- oxygen
 - alveolar diffusion, 125
 - atmospheric partial pressure (P_{O_2}), 118
 - availability, 117
 - consumption, 129–34
 - saturation (S_{O_2}), 126
 - unloading from haemoglobin, 126–7
 - utilization at high altitude, 135
- oxygen transport
 - in blood, 118
 - capacity, 127–9
 - efficiency index (\dot{V}_{O_2} /heart rate), 129
 - system at high altitude, 135, 136
- oxyhaemoglobin dissociation curve
 - (ODC), 126–7
- P_{50} , 126, 127
- parental investment, 210
- parity and menstrual dysfunction during
 - training, 160
- pelvis
 - maturation, 29
 - size, 28–9
- penetrance concept, 2
- performance-related fitness, 145
- pesticides, 83
- phenotypic variance, 188
- physical activity
 - definition, 146
 - during pregnancy, 170
 - and food intake, 76
 - and longevity, 174–6
 - performance-related fitness, 145
 - and physical fitness, 143, 144
- physical development and lead exposure,
 - 93–4
- physical exercise and coronary heart
 - disease risk, 175–6
- physical fitness
 - and Darwinian fitness, 144
 - definition, 145
 - genotypic component, 146
 - industry, 143
 - pregnancy effects, 170
- physical growth
 - postnatal at Love Canal, 99
 - status, 86
- physical inactivity, risk factor for
 - morbidity and mortality, 174
- physical training *see* training
- physiological fitness, 10
- physique and success in particular sports,
 - 175
- Pima Indians, 191
 - non-insulin-dependent diabetes mellitus, 195
- P_{O_2} , 118
 - and oxygen saturation, 126
- policy making, 41
- pollutant body burden, 101
- pollutants
 - exposure to and study of growth, 106, 107
 - individual body burdens, 89
 - toxicological studies, 86
- pollution, 83, 84
 - biological effects, 85–7
 - chemical, 7–8
 - indoor from fires, 84

- low level, 7–8
- multiple contaminants, 7
- population studies, 86
- subclinical effects, 86
- whole population effects, 7
- polychlorinated biphenyls (PCBs)
 - breast milk levels, 100
 - contamination of rice oil, 99
 - dietary intake, 101–2
 - direct contact and birth size, 101
 - food contamination, 101
 - gestational age and birthweight, 101
- polychlorinated dibenzofurans, 99, 100
- polychlorinated quaterphenyls, 99, 100
- polychlorobiphenyl compounds, 96–103
 - behavioural congenital defects, 107
- Polynesian populations of South Pacific, 192
 - diabetes in, 11
- polyunsaturated:saturated dietary fat ratio, 193
- polyunsaturated fats, tumourigenic potential, 198
- population
 - adaptation of, 9
 - growth, 5–6
 - pressure, 6, 12
 - survival curve, 212
 - trends in Asia, 222
- postpartum taboos, 18
- potato blight, 4
- poverty effects on growth, 88
- pregnancy
 - Andean highlanders, 124–5
 - intensity of exercise during, 169–70
 - near-maximal exercise tests, 170
 - outcome with lead exposure, 94
 - oxygen demands, 126
 - physical activity during, 170
 - serum cholesterol levels, 190
 - stress in highland females, 129
 - and training, 167–71
 - training during, 168–70
 - training effects, 167
- premature death, reduction of risk, 228
- primate life-span prediction, 216
- progeny per parent, 210
- progesterone
 - luteal phase deficiency, 167
 - luteal phase suppression, 35
 - luteal production and *Chlamydia trachomatis*, 32
 - pulses, 35–6
 - receptor systems, 35–6
 - surge in late luteal phase, 35
 - progesterone levels
 - of dieting women, 25
 - during human evolution, 198
 - in ovarian cycles, 29, 30
 - with recreational running, 167
- prolactin, 155
 - levels in lactation, 20
 - postpartum levels, 20
- protein
 - deficiency measurement, 56
 - intake and life-span, 226
- protein energy malnutrition, 55
 - anthropometric measurement, 73
 - body fat and muscle tissue changes, 62
 - frequency, 55–6
 - ODC shift in highlanders, 127
 - weight-for-age as indicator, 61
- protein-losing enteropathy, 72, 73
- Protozoa*, 208
- puberty
 - onset, 75, 153–4
 - opiate neuroendocrine system changes at, 155
- public health, 41–2
 - implications of ovarian function changes for policy, 42
 - programmes and physiological characteristics of highlanders, 136
- pulmonary diffusing capacity, 125–6
 - enhancement at early age, 136
- pulmonary ventilation, 118
- QUAC stick method, 62
- qualities of life, 2
- Quechua Indians
 - highlanders, 119, 120
 - lowlanders, 121
- r* strategy, 210–11
- radiation contamination, 8, 84
- radon gas, 8
- rate of living hypothesis, 227
- recreational running, 144
- recuperative capacity, 225
- reference growth curve, 57–9, 73
 - in developing countries, 74
 - universal standards, 74
- reproduction in eukaryotes, 209
- reproduction, human
 - body fat requirements, 28
 - energy requirement, 19
 - maturation, 28
 - success probability, 19
 - variables, 16–17
- reproductive behaviour, teenage, 42

250 *Index*

- reproductive ecology, 14–15, 16
 and human affairs, 40–3
 and public policy, 41
 reproductive effort in hostile environment, 39
 reproductive epidemiology, 85
 reproductive failure, 38
 reproductive function in elite athletes, 170–1
 reproductive physiology variability, 15
 reproductive strategy, target seeking, 216
 reproductive success
 energetic constraints, 28
 energy conserving mechanisms, 38
 mechanical constraints, 28–9
 reduction in variance, 38
 residual volume of lung, 119
 respiratory infections and haemoglobin concentration, 128
 respiratory rate at high altitude, 132
 Revelle, R., 18
 rice oil, consumption of contaminated by Japanese, 99–101
 rockfish, 215
 runners
 amenorrhoea, 159–60
 amenorrhoeic and stress, 163
 birthweight of infants, 170
 Caesarean section rate, 170
 compulsive, 162
 eumenorrhoeic and stress, 163
 menstrual dysfunction, 158
 obligatory, 162, 163
 skeletal maturation, 152
 runners, recreational
 ovarian function suppression, 26
 progesterone levels, 167
 St Lucia, 71
 San Antonio Heart Study, 148
 saturated dietary fat, 193
Schistosoma haematobium, 70
Schistosoma mansoni, 71
 schistosomiasis, 70
 schizophrenia, 1
Sebastes aleutianus, 215
 senescence, 208
 changes associated with, 212
 evolution, 209
 factors triggering onset, 211
 free-ranging species, 207
 inability to synthesize DNA and divide, 214
 physiological changes, 229
 senescent human cells
 infection with cancer-inducing virus, 213
 inhibiting protein, 213
 senility, accelerated inherited, 218
 senescence, evolution of, 228
 serum albumin levels, 56
 sex hormones in trained males, 171–4
 sexual maturation in male athletes, 156–7
 sexual maturation and training, 149–58
 boys, 156–8
 girls, 149–56
 sexual reproduction
 elimination of deleterious genes, 210
 evolution of, 209
 reassortment of traits, 210
 sexual selection and physical fitness, 144
 Shakir strip, 62
 Shangold, M. M., 167
 skeletal maturation, 29, 90
 male athletes, 156–7
 runners, 152
 skin hyperpigmentation, 99
 skinfold thickness measurement, 73
 sleep
 cycles and LH release, 153–4
 training effects, 158
 societies, variation among, 2–3
 sodium
 availability in inland tropical areas, 189–90
 excretion, 189
 retention and genes associated with, 189–90
 transport and genes associated with, 190
 somatic line, 210
 somatotype, 175
 sound contamination, 84
 spontaneous abortion
 and age at menarche, 149
 Love Canal (New York), 98
 sport
 late maturation and selection for, 151
 low bodyweight emphasis, 152
 weight regulation of boys, 156
 spouse correlations for physical fitness, 147–8
 standard curves, 58–9
 Stefansson, Vilhjamur, 3
 sterility and age at menarche, 149
 stress
 campus life, 158
 hormonal changes, 163
 and LH, 158
 and menstrual dysfunction, 162–3
 metabolic changes, 163
 pregnancy wastage, 38
 response to noise, 103, 104, 105
 stroke, 187
 and obesity, 223
see also cerebral vascular disease

- stunting, 57
- subscapular skinfold heritability, 193
- subsistence economy and weight loss in women, 25–6
- Sudan
- blanket food distribution in famine, 63
 - civil war, 64
 - economic situation, 64
 - famine, 63
 - immigration to, 64
 - migration in, 64
 - political situation, 64
 - post-famine nutritional survey, 63–7
 - US aid in famine, 63
- Sudan Emergency Relief Information and Surveillance System (SERISS), 63
- sampling strategy, 64–6
 - weight-for-height Z scores, 66
- superfecundation, 6
- survival
- body composition in, 222–6
 - probability in Japan, 222
- survivorship
- increased in developing countries, 221–2
 - survival advantage, 212
- swimmers, 146
- age at menarche, 151
 - hormone levels, 154–5
 - oestradiol levels, 155
 - secondary sex characteristic development, 152
- syndromes, 187
- teenage mothers, 42
- teenage pregnancy, 32
- maturation delay, 152
- temperature, adaptation to, 5
- testicular function in malnutrition, 33
- testosterone
- dietary restriction effects, 174
 - exercise effects, 34
 - and fasting, 33
 - and height, 34
 - levels during exercise, 172
 - levels of male swimmers, 157
 - levels in swimmers and gymnasts, 154, 155
 - marathon runners' levels, 157, 172
- 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, 96
- thalidomide, 7
- thrifty genes, 196
- tissues, death and replacement of cells, 212
- Tobias, Philip, 5
- tooth lead levels, 91–2
- toxic waste, 96–103
- toxic waste site
- communities, 96
 - effects, 96
- trace contaminants, 96
- training
- age at menarche, 149
 - altered reproductive function, 144
 - definition, 146
 - during pregnancy, 168–70
 - effects on sleep, 158
 - hormonal changes, 165
 - hormonal tests importance, 165
 - intensity and threshold effect, 165
 - interruption and resumption of menses, 167
 - late menarche, 151
 - luteal phase changes, 164
 - menstrual disruption, 165
 - and menstrual dysfunction, 158–9
 - menstrual function prior to, 159
 - neuroendocrine system response, 149
 - and pregnancy, 167–71
 - prepubertal, 149
 - primary amenorrhoea, 151
 - programmes, 146
 - selection for and late maturation, 151
 - sex hormone in males, 171–4
 - training and sexual maturation, 149–58
 - boys, 156–8
 - girls, 149–56
- tree shrews, 216
- triceps skinfold thickness, 63
- heritability, 193
- tumour-promoting genes, 198
- tumour-suppressing genes, 198
- Tunisia
- age distribution, 219, 221
 - life expectancy, 221
- ultraviolet light, 214
- undernutrition, 55
- United States
- advanced age survivors, 221
 - age distribution, 219, 220
 - demographic trends, 219
 - lead levels, 91
 - life expectancy, 221
 - mortality trends, 219, 220
- United States Center for Disease Control (CDC), 74–5
- universal standards, 58–9
- upper arm muscle area measurement, 62
- urban–rural comparison of growth, 87–8
- \dot{V}_E at high altitude, 132, 133
- venereal disease and fertility, 32

252 *Index*

- ventilation, 123–5
 chemoreceptor regulation, 124
 requirements of highlanders, 124
 ventilatory equivalent (\dot{V}_E/\dot{V}_{O_2}), 129, 132, 134
 very low-density lipoprotein (VLDL), 190
 vital capacity of lung, 119
 vitamin A absorption in deworming programmes, 77
 vitamin A deficiency
 and ascariasis, 72
 Bangladeshi children, 72
 disease resistance, 55
 night blindness, 55
 vitamin E, 227
 $\dot{V}_{O_2,max}$, 129
 Aymara highland youths, 133–4, 135
 development of values during adolescence, 135
 European highland youths, 133–4, 135
 high altitude born boys, 131, 132
 high altitude natives and childhood migrants, 130
 highland boys of European ancestry, 131
 low altitude born boys, 131, 132
 and work capacity, 131
 young adult highland males, 134
 volume of air inspired per minute (V_E (litre/min)), 123
Volvox, 209
- walleye fish, 215, 216
 war, 2
 absence of human instinct, 5
 channelling in non-destructive directions, 5
 mass slaughter in, 5
 population policy, 12
 wasting, 57
 wasting-stunting, 57
- weaning and diarrhoea, 68
 weight
 control and pathogenic behaviours, 162
 in nutritional status measurement, 56–7
 weight loss
 and body composition during training, 160–1
 extragonadal oestrogen production, 37
 fecundity response, 38
 hypothalamic dysfunction, 37
 weight-for-age
 correlation with pneumonia, 68
 PEM indicator, 61
 weight-for-height
 interrelationship with height-for-age and weight-for-age, 60, 61
 use in developing countries, 62
 Z scores, 66–7
 Weismann, A., 208
 wine, lead contamination, 84
 women in developing countries, policies for, 42
 work capacity, 131
 haemoglobin concentration, 129
 work performance
 maximal, 132
 submaximal, 132
 world demographic trends, 228
 World Health Organization, definition of health, 84
- xerophthalmia, 55, 72
 control, 77
- Yolngu Aboriginal women (Arnhem Land, Australia), 23
 Yusho disease, 99–100
 Z scores, 60, 74