

Index

- accessible kernel, 292
- activity, 188
 - external, 188, 234, 268, 271, 313
 - internal, 188, 234, 257, 268
- affine matroid, 165, 192
- A-language, 354
- Alexander duality, 278
- algebra
 - anticommutative, 265
 - exterior, 265
 - free Lie, 270
 - lattice-graded, 264–5
 - monoid-graded, 264
 - Orlik–Solomon, 265, 266, 270, 280, 281
 - Whitney homology, 259, 262, 266, 270, 280
- algorithm
 - breadth-first search, 311
 - depth-first search, 311, 345
 - Dijkstra's shortest path, 285, 311, 345
 - greedy, 284, 308, 309, 312, 345, 353
 - Kruskal's, 284, 311, 345
 - Prim's, 284, 313, 345
 - worst-out greedy, 353
- α -sequence, 54
- alternative precedence language, 322, 347, 351
- alternative precedence system, 322, 323
- antichain, 298
- antimatroid, 291–2, 293–5, 301, 319, 322, 324, 332, 335, 344, 346, 347
- arborescence, 295
- argument complexity, 315, 346
- atom, 109, 248
- axiom
 - anti-exchange, 320
 - exchange, 286, 288, 291, 293, 304, 318, 319, 323, 339
 - fork, 353
 - strong exchange, 349
- basic word graph, 352
- basis
 - f -, 82
 - number of, 130, 187
 - of algebra, 266
 - of free group, 254, 257
 - of greedoid, 287
- basis design, 69
- basis-matroid (B-matroid), 80, 85
- beta invariant, *see* invariant, beta
- Betti number, 253
- bicircular matroid, 93, 96
- bicycle, 91, 103
- binary matroid, 204
- block
 - k -, 168
 - minimal k -, 168
 - normal, 175
 - of a partition, 107
 - supersolvable, 173
 - tangential k -, 168, 170, 172, 175, 207
 - tangential 1-, 168–70, 171
 - tangential 2-, 168–9, 176
- block design, *see* design
- bond
 - basic, 233
 - smallest, 182
 - spanning, 175
- bottleneck function, generalized, 310, 345, 353
- boundary, 253
- Bruhat order, weak, 341
- Carathéodory number, 353
- Cauchy's theorem, 23
- chain, 248
 - maximal, 250, 275
 - unrefinable, 249
- chip firing game, 340–3, 348
- chip firing language, 341, 354
- choice function, 76
- chromatic number, 165, 204
- circuit, 325
 - basic, 233
 - broken, 189, 210, 233, 238, 266, *see also* complex, broken circuit
 - f -, 82
 - generalized, 143

- generic, 38
- geometric, 38
- rooted, 326–7
- smallest, 182
- circuit design, 69
- circuit elimination, 40, 41
- closure
 - greedoid, 303
 - hereditary, 292
 - interval, 321
 - kernel, 345, 349
 - monotone, 304, 350
 - rank, 303, 349
 - transitive, 321
- closure feasible, 305
- closure operator, 82, 84, 114, 303, 319
- code
 - binary, 162, 185
 - dimension of, 181
 - distance of, 182
 - dual, 181
 - Hamming, 209
 - length of, 181
 - linear, 181
- codeword, 182
- coloop, 288
- coloring
 - proper 1-, 136
 - proper vertex, 136
 - two-variable, 156
 - vertex, 136
- complementation, 317
- complex
 - acyclic, 253
 - broken circuit, 189, 238, 240, 241, 259, 268, 273, 274
 - Cohen–Macaulay, 267, 268
 - dual, 278, 318
 - matroid, 232, 234, 243, 255–9, 268, 271
 - non-spanning subset, 278, 280
 - order, 248, 259–60, 275
 - pure, 228, 232, 267
 - reduced broken circuit, 238–9, 256, 272
 - reduced rooted, 278
 - rooted, 273, 281
 - shellable, 229, 231, 252, 254, 267, 268, 269, 275, 318
 - simplicial, 227
 - spherical, 255
 - strongly connected, 271
- components, number of, 133
- compression, 10
- concatenation, 288
- cone, 228
- conic-rigidity matroid, 27
- connected, 145, 307
 - k -, 307–8, 335, 338, 345
 - k -edge-, 351
 - 3-, 199
 - weakly k -, 351
- connection, generalized parallel, 205
- continuation, 307
- contraction, 55, 82, 305
- convex geometry, 320, 322, 344, 346
- convex hull, 286, 294, 319, 322, 346
- convex set, 294, 322
- corank, 125
- cotree, 202
- cover, 109, 248
- critical exponent, 163, 176
- critical form, 36, 41
- critical problem, 162
- crossing, 161
- cubic-rigidity matroid, 47
- cycle, 253
 - elementary, 260, 261, 279
 - fundamental, 255, 257, 279
- deletion–contraction, 126
- dependence of bars, 9
- design
 - balanced incomplete block design (BIBD), 56
 - base, 69
 - circuit, 69
 - matroid, 69
 - perfect matroid, 54, 192
 - symmetric, 63
- Dijkstra’s algorithm, *see* algorithm, Dijkstra’s shortest path
- direct sum, 86, 306
- distinguish, 162
- distinguished edge, 150
- distinguished element, 150
- Dowling geometry, 172, 185
- duality, 317–9, 346
 - Alexander, 278
 - geometric, 138, 159, 204
- dynamic programming, 346
- edge labeling, 248, 250, 269, 275, 290, 329
- Edmond’s covering theorem, 178
- embedding, 192
- equicardinal matroid, 68
- Euler characteristic, 228, 238, 241
- exchange property, *see* axiom, exchange
- exponent, 64
 - critical, 163, 176
- extension, series–parallel, 199
- extreme point, 320, 351
- f -bases, 82
- f -circuit, 82
- f -independent set, 82
- f -vector, 230–1
- face enumerator, 228, 240
- face number, 228, 240, 241, 245
- faces, 228
- facet, 228
- factor matroid, 96
- Faigle geometry, 297–8, 301, 344

- Fano matroid, 169
 feasible set, 287
 feasible system of representatives, 350
 fibroid, 346
 finitary matroid, 74
 finite character, 74
 5-flow conjecture, 142
 flat, 328
 cyclic, 180
 modular, 173, 205
 number of rank 1, 133
 flow
 H -, 138
 k -, 141
 nowhere-zero, 138
 2-variable, 159
 flow polynomial, 139
 Four Colour theorem, 138, 162, 206, 210
 frame
 infinitesimally rigid, 48
 isostatic, 48
 k -, 47
 2-, 7
 framework
 bar, 1
 bar and body, 48
 body and hinge, 49
 in 3-space, 16–23
 infinitesimally rigid, 3, 8, 11, 16, 48
 isostatic, 6, 7, 16–19, 44, 45, 48
 non-rigid, 4
 rigid, 1
 simple, 50
 statically rigid, 10, 11, 16
 free set, 307, 325, 351
 fundamental recursion, 126
 gammoid, 133, 179
 Gaussian coefficient, 192
 girth, 243
 graph
 basis, 337, 348, 352
 bipartite, 42, 44
 bond, 179
 conic-independent, 24, 41, 46
 conic-rigid, 26, 37, 46
 facet, 269
 generic plane geometric, 24
 homeomorphic, 93
 medial, 160, 204
 of isostatic framework, 6, 36, 37, 43
 orientation of, 138
 Peterson, 142, 169
 planar, 11
 plane geometric, 24
 regular, 100
 Turán, 195, 211
 vertex 3-connected, 11
 wheel, 103, 177, 200
 whirl, 176–7
 graphic matroid, 91
 graphical statics, 40
 greedoid, 271, 286, 289, 301
 alternative precedence structure, 343
 anti-exchange, 343
 blossom, 345
 branching, 295–6, 330, 338, 344, 349
 convex pruning, 294, 301, 323, 326, 352
 directed branching, 295, 297, 301, 336, 350
 dismantling, 298, 301, 344
 ear decomposition, 345
 edge pruning, 294
 full, 292
 Gaussian, 301, 318, 344, 345, 346, 348, 353
 Gaussian elimination, 300
 hereditary, 286
 hereditary class of, 336
 hereditary closure of, 312
 infinite, 343
 interval, 271, 290–2, 300, 301, 331, 332, 333, 335, 336
 interval closure, 326
 line search, 295
 local poset, 296, 301, 335, 336, 337, 344
 medieval marriage, 300, 301, 344
 non-simple, 339, 340, 348
 ‘ordered’ version, 288–90
 paving, 349
 perfect elimination, 345
 poly-, 339, 341, 348, 353, 354
 polymatroid, 297, 301, 336, 344, 350
 poset, 294, 297, 301, 323, 325, 326, 335
 retract, 298–9, 301, 344
 series-parallel, 345
 simple, 339
 simplicial vertex pruning, 294
 strong, 339, 342, 354
 transposition, 299–300, 301, 344
 undirected branching, 287, 295, 297, 301, 336, 337
 ‘unordered’ version, 286–8
 upper interval, 343
 vertex pruning, 294, 326
 vertex search, 294, 301, 323, 349
 greedoid closure, 303
 greedoid language, 288, 289
 greedoid optimization, 309
 greedoid polynomial, 313, 316–17, 318, 352
 greedy algorithm, *see* algorithm, greedy
 group
 chain, 209
 Coxeter, 341, 348
 symmetric, 341
 group invariant, 129, 197
 growth rate, 178
 h -vector, 230–1, 242, 244, 247, 267, 268, 274, 275
 Hadwiger’s conjecture, 162, 206
 Hall triple system, 65
 Hamming ball, punctured, 184

- Helly number, 352
 Henneberg sequence, 43, 44
 homogeneous, 264
 homology, 252–3, 256, 269, 275
 of partition lattices, 270
 order, 270
 homology group, 253
 homotopy theorem, 267
 hyperplane, modular, 176
 hyperplane arrangement, 189, 210
 central, 190
 hyperplane-separable subset, 191, 211

 ideal (of a poset), 294
 ideal rank function, 298
 idempotent, 81, 303
 incidence structure, 32
 independence numbers, 243, 268
 independence space, 74
 circuit axioms for, 75
 strong circuit axioms for, 75
 independent sets, number of, 130
 independent transversal, 77
 infinite matroid, 280
 intersection theory, 192–6
 interval property, 290
 without lower bounds, 293
 without upper bounds, 291
 invariant
 beta, 128, 132, 191, 192, 199, 241
 generalized T–G, 124
 geometric T–G, 199
 group, 129, 197
 isomorphism, 123
 knot, 188
 of a greedoid, 316–17
 T–G (= Tutte–Grothendieck), 124
 T–G group, 129
 Tutte, 130
 isthmuses, number of, 133

 Johnson association scheme, 58
 join
 lattice, 107
 of simplicial complexes, 256, 272

 knot invariant, 188
 Kruskal's algorithm, *see* algorithm, Kruskal's

 Laman's theorem, 40
 language, 288
 exchange, 288
 geodesic, 342
 greedoid, 288, 289
 hereditary, 288
 pure, 289
 lattice
 atom-ordered, 248, 265, 272
 complemented, 109
 complete, 107
 congruence, 118
 distributive, 276, 294, 323, 324, 335
 four-generated, 107, 110, 115
 free, 116
 geometric, 109, 114, 190, 248, 265
 graded, 323
 join-distributive, 323–4, 330, 347
 modular, 117
 partition, 106, 107, 110, 112, 276, 277
 relatively complemented, 119
 semimodular, 109, 113, 277, 324, 332, 333, 335
 simple, 109
 subdirectly irreducible, 115
 subgroup, 113, 116
 subspace, 269, 276
 supersolvable, 272, 275
 three-generated, 115
 lattice embedding, 106, 108, 112, 113
 lattice join, 107
 legal move, 340
 length, 288
 lexicographic order, 233
 link, 21, 45
 load
 equilibrium, 10
 resolved, 10
 loop, 64, 288
 number of, 133

 M-space, planar, 69
 MacWilliams duality formula, 184, 194
 manifold
 simplicial 4-, 45
 simplicial 4-pseudo-, 45
 strongly connected, 45
 matrix
 cardinality-corank, 157, 184, 193, 211
 conic-rigidity, 24–7
 cubic-rigidity, 47
 generating, 181
 intersection, 192
 rigidity, 2, 3, 7, 11, 16, 48
 matroidal family
 of digraphs, 101
 of graphs, 91, 92
 Maxwell's theorem, 13, 14, 24
 meet, 107
 meet-semilattice, 332
 minor, 305, 347
 excluded, 335–7, 347
 minor-closed, 305, 347
 Möbius function, 57, 131–2, 147, 160, 190,
 191, 240, 251, 259, 275
 Möbius invariant, 242, 245
 monochromatic edge, 156
 monotone, 302
 motion
 infinitesimal, 2, 3, 7, 39, 47–8, 49
 trivial, 3, 48
 Moufang loop, commutative, 54, 64

- nbc-basis, 233, 239, 252, 259, 261
 - reduced, 239
- neat base-family, 272, 279
- objective function, 309
 - compatible, 309, 353
 - linear, 311, 312, 345, 353
 - \mathcal{R} -compatible, 312
 - stable, 309
- 1-truncation, 54
- operator, 82
- optimization, greedoid, 309
- order embedding, 108
- order filter, 321
- ordered matroid, 232
- ordered sum, 306
- orientation (of a graph), 138
 - acyclic, 146, 211
 - totally acyclic, 159, 202
- oriented matroid, 267, 346
- Orlik–Solomon algebra, *see* algebra, Orlik–Solomon
- orthogonality function, 79
- parallel redrawing, 36, 41, 50
 - trivial, 36
- parallel redrawing matroid, 39
- parallel redrawing polymatroid, 50
- partial alphabet, 296
- partition, 107
 - compact, 109
 - Eulerian, 161
- partition lattice, *see* lattice, partition
- pathic matroid, 96
- percolation, 149
- picture
 - elementary plane, 29
 - plane, 32, 37
 - simple, 35, 50
 - sharp, 35, 50
- picture matroid, 31, *see also* scene analysis matroid
- pointed matroid, 135, 150
- polychromate, 195, 215
- polyhedron
 - basis, 348
 - oriented, 43
 - projection of, 12
 - spatial, 12–15
 - 3-connected abstract spherical, 11, 14
 - toroidal, 44
- polymatroid, 50, 296, 298, 301, 339
- polynomial
 - cardinality-corank, 136, 158, 194
 - characteristic, 131, 136, 166, 240, 267, 268, 272
 - chromatic, 136, 146, 160, 268
 - coboundary, 157, 193
 - codeweight, 182
 - corank-nullity, 125
 - dual coboundary, 159
 - flow, 139
 - greedoid, *see* greedoid polynomial
 - Hilbert–Poincaré, 266
 - intersection, 192
 - pointed Tutte, 135, 150
 - rank generating, 124
 - shelling, *see* shelling polynomial
 - Tutte, 127, 133, 197, 236, 237, 268, 314–16, 346
- poset, 321
 - labeled, 327
 - of closed sets, 331, 347, 352
 - of flats, 328–9, 331, 347
 - semimodular, 332
 - universal, 329
- poset property, 334
- poset representation, 327, 329, 347, 352
- pre-independence space, 74
- Prim’s algorithm, *see* algorithm, Prim’s
- projection of a polyhedron, 12
- pure condition, 37, 39, 41
- q -lift, 172
- quasigroup, 64
- quotient, 172, 207
 - $GF(q)$ -vector, 208
- Rado’s selection principle, 76
- random submatroid, 128, 150
- rank, 78
 - basis, 304
 - of Abelian group, 253
 - of greedoid, 287, 289, 302
- rank feasible, 304
- rank-selected subposet, 252, 270, 275
- region, 190
- regular matroid, 205
- reliability, 346
 - network, 149
 - of matroids, 150
- restriction, 55, 75, 82, 305
 - induced by shelling, 229, 251, 254
- retention probability, 150, 203
- retract, 298, 299
 - monotone, 298
- rigidity matroid, generic, 5, 17
- root, 325
- S -closure, 144
- scene
 - sharp, 34
 - spatial, 29, 32
 - trivial, 30
- scene analysis matroid, 39, 41
 - see also* picture matroid
- score, 148
- score vector, 148, 155
- screw center, 49
- search algorithm, *see* algorithm, breadth-first search *and* depth-first search
- selector, 343, 347

- self-stress, *see* stress
 semi-lattice, geometric, 278
 semimodular function, 7, 40, 41, 42
 series-parallel
 extension, 199
 network, 153–4, 170
 set system, 286
 accessible, 287
 shellable complex, *see* complex, shellable
 shelling, 228, 233, 239, 250, 254
 lexicographic, 268, 269
 shelling polynomial, 230, 236, 240, 318
 shelling structure, 343
 shuffle, 263, 306
 simplices, 228
 simplicial complex, *see* complex, simplicial
 simplicial matroid, 267
 simplification, 238
 sink, 147
 6-flow theorem, 142
 size function, 178
 slimmed matroid, 344
 slimming, 293, 296
 source, 147
 spanning set, 313–15
 number of, 130
 special position, 36–9
 Sperner lemma, 267
 Sperner property, 56
 spline, 24–9, 41
 spline matroid, 24–5, 29, 39
 splitter, 206
 Stanley–Reisner ring, 268
 star, 21
 Steiner system, 55, 60
 Stirling number, 192, 194
 stress, self-, 9, 11–15, 24, 39
 subcardinal, 302
 subdegree, 315
 sublattice, 112
 order, 112
 $\{0, 1\}$, 117
 submodular, 302
 subscheme, 61
 subword, 291
 supersolvable matroid, 173
 support, 144, 288, 340
 symmetric matroid, 348
 tension, 10
 tensor product, 203
 ternary matroid, 177
 3-sum, 202, 206
 tie down factor, 37
 Tits building, 269
 trace, 325
 transposition property, 299, 351
 transversal, independent, 77
 transversal matroid, 31, 96, 133, 179, 208
 presentation of, 180
 principal, 179
 tree, minimal spanning, 311
 trifid, 55, 60, 64, 65
 trimmed matroid, 344
 truncation, 40, 306, 351
 complete principal, 173
 Dilworth, 7
 Turán's theorem, 195
 Tutte–Grothendieck invariant, 346
 Tutte's 5-flow conjecture, 142
 Tutte's 4-flow conjecture, 143
 Tutte's tangential 2-block conjecture, 169
 twisted matroid, 293, 299, 301, 344
 2-partitionable matroid, 279
 2-sum, 205
 uniform matroid (on upper intervals), 69,
 192, 212
 unimodality, 268, 274
 union, matroid, 40
 unit increase, 302
 vertex, contact, 143
 vertex split, 19, 21, 41, 45
 voltage-graphic matroid, 96
 weight, 182
 wheel, 103, 177, 200
 whirl, 176–7
 Whitney homology, *see* algebra, Whitney
 homology
 Whitney number
 of the first kind, 57, 189, 193, 212, 241, 245,
 262, 268, 273
 of the second kind, 57, 192, 212, 274
 word, 288
 basic, 289, 309
 feasible, 289
 simple, 288, 339
 (W, P) -matroid, 348