

Contents

<i>Preface</i>	xi
<i>Acknowledgments</i>	xviii
<b>1 Introduction and background</b>	1
1.1 Internal history of recent science	3
1.2 Philosophical issues and the Forman thesis	6
1.3 The purview of this case study	7
1.4 Quantum field theory (QFT) background	8
1.5 Renormalized quantum electrodynamics (QED)	12
1.6 Feynman diagrams	19
1.7 Gauge field theories	22
1.8 Summary	26
<b>2 Origin of the <i>S</i> matrix: Heisenberg’s program as a background to dispersion theory</b>	28
2.1 The <i>S</i> Matrix: Wheeler and Heisenberg	30
2.2 Discussion of Heisenberg’s <i>S</i> -matrix papers	34
2.3 Heisenberg’s subsequent role in the program	39
2.4 Work on the program just after WWII	42
2.5 The <i>S</i> matrix and nuclear theory	51
2.6 Causality and dispersion relations	57
2.7 A problem background for the 1950s	63
2.8 Summary	65
<b>3 Dispersion relations</b>	67
3.1 Goldberger, Gell-Mann, Thirring and microcausality	69
3.2 ‘Proofs’ of dispersion relations	70
3.3 Phenomenological use of dispersion relations	77
	vii

viii	<i>Contents</i>	
3.4	Pragmatic attitude of many practitioners	80
3.5	More general proofs	81
3.6	Other applications of dispersion relations	83
3.7	Summary	87
<b>4</b>	<b>Another route to a theory based on analytic reaction amplitudes</b>	<b>89</b>
4.1	Some technical preliminaries	91
4.2	Fermi and the impulse approximation	94
4.3	The Chew model and phenomenology	97
4.4	A digression: crossing symmetry	100
4.5	The Chew–Low-model	104
4.6	Chew’s particle-pole conjecture	109
4.7	Summary	113
<b>5</b>	<b>The analytic <i>S</i> matrix</b>	<b>115</b>
5.1	Gell-Mann: a new approach to QFT	116
5.2	The Mandelstam representation	118
5.3	Proofs of double dispersion relations	123
5.4	Regge’s innovation	126
5.5	A bootstrap mechanism	127
5.6	An independent <i>S</i> -matrix program	129
5.7	Summary	132
<b>6</b>	<b>The bootstrap and Regge poles</b>	<b>134</b>
6.1	The Pomeranchuk theorems	136
6.2	The Chew–Mandelstam calculation	139
6.3	Regge poles and asymptotic boundary conditions	141
6.4	The LaJolla conference and Chew’s rejection of QFT	142
6.5	Early successful predictions	145
6.6	Degenerating Regge phenomenology	152
6.7	Applications of the bootstrap	155
6.8	Too much complexity	161
6.9	Summary	165
<b>7</b>	<b>An autonomous <i>S</i>-matrix program</b>	<b>167</b>
7.1	QFT versus SMT	169
7.2	A conceptual framework for SMT	173
7.3	A bootstrapped world	176
7.4	A shift to ‘higher’ philosophical ground	179
7.5	Axiomatic SMT and its offshoots	182

<i>Contents</i>	ix
7.6 Enormous complexity again	185
7.7 Summary	187
<b>8 The duality program</b>	189
8.1 S-matrix origin of duality	191
8.2 The Veneziano model	193
8.3 A topological expansion	196
8.4 The topological S-matrix program	200
8.5 The emergence of quantized string theories	203
8.6 Superstrings—the ultimate bootstrap	207
8.7 Summary	208
<b>9 ‘Data’ for a methodological study</b>	209
9.1 An overview of this case study	210
9.2 Hallmarks of this episode	213
9.3 A review of several developments in modern physics	217
9.4 An illustration: the compound nucleus model	223
9.5 Causal quantum theory	231
9.6 Summary	236
<b>10 Methodological lessons</b>	238
10.1 Some general characteristics of science	239
10.2 The role of sociological factors in high-energy physics	243
10.3 Structures and dynamics in methodology	249
10.4 Changes in methodological rules	256
10.5 A uniqueness in our theories?	262
10.6 Convergence of scientific opinion	271
10.7 A view of science	281
<i>Appendix</i>	291
<i>Notes</i>	316
<i>References</i>	330
<i>Glossary of technical terms (from physics and from philosophy)</i>	372
<i>Some key figures and their positions</i>	393
<i>Index</i>	399