

Index

A

- | | | | |
|----------------------------------|-------------------------------------|---------------------------------|-----------------------------|
| <i>Abutilon theophrasti</i> | 129 | anthracnose | 134 |
| <i>Acremonium diospyri</i> | 129 | antibiosis | 88, 192, 195, 203, 223, 278 |
| <i>Acremonium</i> sp. | 132 | antibiotic | 195, 203, 221, 223, 278 |
| activation, of prophenoloxidase | 114 | <i>Anticarsia gemmatalis</i> | 57, 112-115 |
| <i>Acyrtosiphon pisum</i> | 93 | antifungal toxin | 88 |
| additives, to improve | | <i>Aphanomyces astaci</i> | 85, 103, 115 |
| mycoherbicides | 139 | aphid control | 57 |
| adhesion to insect cuticle | 85 | aphids | 66, 72 |
| <i>Aeschynomene indica</i> | 127 | <i>Aphis fabae</i> | 67 |
| <i>Aeschynomene virginica</i> | 127, 268 | <i>Aphis gossypii</i> | 72 |
| agar media for | | <i>Aphodius tasmaniae</i> | 69 |
| ectomycorrhizas | 31 | application | |
| agar plugs as | | of nematocides | 164 |
| mycorrhizal inocula | 31 | of mycoherbicides | 138 |
| <i>Agrobacterium radiobacter</i> | 261, 269 | appressoria | 60, 89, 196 |
| <i>Agrobacterium tumefaciens</i> | 269 | <i>Arachis hypogaea</i> | 130 |
| agrochemical market value | 259 | <i>Armillaria mellea</i> | 269 |
| air-lift fermenter | 34 | <i>Arthrobotrys irregularis</i> | 166 |
| alfalfa | 134 | <i>Aschersonia aleyrodii</i> | 57, 63, 99 |
| alginate | 137, 162, 164,
178, 181-182, 212 | <i>Aschersonia</i> sp. | 55 |
| alkanes | 87 | <i>Aspergillus flavus</i> | 106 |
| <i>Alternaria alternata</i> | 175 | <i>Aspergillus melleus</i> | 115 |
| <i>Alternaria cassiae</i> | 130 | <i>Aspergillus nidulans</i> | 76, 242, 244 |
| <i>Alternaria crassa</i> | 136-137, 141-142 | <i>Aspergillus sojae</i> | 244 |
| <i>Alternaria macrospora</i> | 136 | <i>Aspergillus</i> sp. | 142, 245 |
| <i>Alternaria</i> sp. | 132, 135, 139 | assessment methods | 174 |
| <i>Amanita verna</i> | 8 | <i>Astacus astacus</i> | 114, 115 |
| <i>Ampelomyces quisqualis</i> | 76 | attachment | 85 |
| <i>Ampelopsis quinquefolia</i> | 46 | attacins | 110 |
| aneuploid | 246 | auxotrophic markers | 240, 248 |
| <i>Anisoplia austriaca</i> | 55 | <i>Avena fatua</i> | 133 |
| antagonism | 88, 278 | | |
| antagonists | 191 | | |

- B**
- Bacillus cereus* 110
Bacillus thuringiensis 76, 260
 262-263, 269
 bacterial insecticides 262
 baiting techniques 173
Bdellovibrio bacterovorus 220
Beauveria bassiana 56-58, 60, 62-
 64, 74, 76, 86-87, 90, 96,
 99, 100, 109, 116, 136, 251
Beauveria brongniartii 55, 57, 65, 75
Beauveria tenella 55
 beauvericin 60
Begonia 65
 benomyl 222, 229, 246
 benomyl resistance 144, 224
 Bioact® 158
 bioassay 174
 standardization 263
 for infectivity 36
 biological control agents
 advantages 260
 assessment 174
 commercial advantages 184
 commercialization 271
 cost recovery 261
 disadvantages 184
 efficacy 261
 environmental impact 285
 environmental tolerance 270
 establishment 282
 formulation 283-284
 global market value 260
 market niches 260
 modes of action 191, 270
 of plant pathogens 277
 patents & licencing 186
 persistence 270
 potential 172
 range 219
 registered 171
 registration 271
 registration procedures 185
 regulation 285
 regulatory requirements 271
 screening 279-280
 selection 172-173
 shelf life 284
 speed of action 270
 Biomal® 130, 132, 134, 139, 144
 Biotrol® 63
 biotypes, of weeds 134
Bipolaris sorghicola 139
 blackcherry 130, 133
 blastospore 65, 71, 106, 112-113
Boletus sp. 31
Bombyx mori 103, 106-107,
 109, 114-115
 Boverin® 64
Brachycaudus helichrysi 72
 breeding programme 251
 broomcorn 133
- C**
- Calliphora vomitoria* 89
 carbofuran 166
Carica papaya 141
 carnation 229
 carrageenan 179
 carriers
 for entomogenous fungi 72
 for mycoherbicides 138
 for mycoinsecticides 267
 for mycoparasite 178, 182
 for mycorrhizal inocula 36
 for nematophagous fungi 162
 carrot 192
Castanea sativa 193
Catenaria anguilulae 166
Catenaria auxiliaris 156
 cecropins 110
 cell cultures 264
 cellulase 205, 225-226, 230
 cellulose 225, 227, 268
Cenococcum geophilum 5, 8
Cephalosporium acremonium 243
 -244, 248
Ceratosanthes hilariana 65
Cercospora rodmanii 268
Cetonia aurata 108
Chaetomium globosum 195

- | | | | |
|--|---|------------------------------|---|
| <i>Chaetomium</i> sp. | 177 | conidia | 71, 86, 88, 127, 137-138, 175, 228, 244 |
| chestnut | 193 | as inoculum | 67 |
| chestnut blight | 193 | movement in soil | 62 |
| chitin | 94-96, 100, 165 | primary | 59 |
| chitinase | 60, 94-96, 100, 165, 192, 197, 205, 236 | conidial discharge | 61-62 |
| chlamyospore | 176 | <i>Conidiobolus obscurus</i> | 62, 66-67, 75, 86-87, 93 |
| chlamyospores | 158, 162, 177-178 | <i>Coniothyrium minitans</i> | 197 |
| Chloramine T | 44 | <i>Coniothyrium</i> sp. | 177 |
| <i>Chondrostereum purpureum</i> | 171, 269 | continuous culture | 35 |
| chromosome loss | 246 | control | |
| citrus | 128, 268 | integrated | 73 |
| citrus mite | 67 | of aphids | 72 |
| clay | 75, 178-179, 268 | of aphids in the field | 67 |
| as mycorrhizal carrier | 36 | of black vine weevil | 65 |
| in mycorrhiza production | 43 | of caterpillars | 70 |
| <i>Cleonus punctiventris</i> | 55 | of chrysomelid beetles | 65 |
| <i>Clitumrus extradentatus</i> | 112 | of citrus rust mite | 67 |
| cloning | 144 | of cockchafer | 65, 69 |
| coal spoil | | of coconut pests | 70 |
| mycorrhiza field test | 16, 17 | of codling moth | 64 |
| <i>Coccus viridis</i> | 73 | of colorado beetle | 64 |
| cockchafer | 55, 69 | of cornborer | 64 |
| cocklebur | 141 | of cyst nematodes | 157 |
| coconut pests | 70 | of <i>Fusarium</i> wilt | 278, 284 |
| <i>Coelomomyces psorophorae</i> | 85-86 | of green leafhopper | 64 |
| cold storage | | of insects with fungi | 265 |
| of endomycorrhizas | 46 | of jointvetch | 127 |
| Collego® | 127, 139, 141-144, 261, 268, 284 | of lucerne aphid | 66 |
| <i>Colletotrichum coccodes</i> | 139, 143 | of nematodes | 153-154 |
| <i>Colletotrichum gloeosporioides</i> | 127, 138-139, 141, 261, 268 | of pine caterpillars | 64 |
| <i>Colletotrichum graminicola</i> | 144 | of plant pathogens | 171, 269 |
| <i>Colletotrichum malvarum</i> | 143 | of potato aphids | 66 |
| <i>Colletotrichum musae</i> | 139 | of <i>Pythium</i> rot | 196 |
| <i>Colletotrichum orbiculare</i> | 141, 144 | of <i>Rhizoctonia</i> rot | 229 |
| colonization | | of rice black bug | 65 |
| by control agents | 282 | of rice blast | 142 |
| of plant surfaces | 285 | of rice pests | 65 |
| of roots | 224, 284 | of soft green scale | 73 |
| commercial advantages of | | of soil pests | 69 |
| biocontrol agents | 184 | of spittlebug | 69 |
| commercial application of ecto-
mycorrhizas | 18 | of Texas gourd | 137 |
| commercial inocula | 36 | of velvetleaf | 139 |
| competition | 192, 194, 278 | of weeds | 127 |
| | | of weevil | 69 |
| | | of whitefly | 63, 72-73 |

- Cordyceps* sp. 55
 corn 139, 145
Corticium bicolor 8
 costs, recovery of 260
 cotton 195, 223, 279
 crabgrass 145
 crayfish 109, 114
 cress 191
Cricanemella xenoplax 154
 criteria for
 commercial BCAs 270
 commercialization 271
 design of screening programme 280
 efficacy 181
 microbial pesticide 154
 mycorrhizal fungi 29
 nematicide 154
 pest control fungi 74
 protoplast fusion 240
 quality control 184
 testing biocontrol fungi 160
 cross protection 192-193
 crown gall 269
 cryopreservation, of
 endomycorrhizas 46
 cucumber 182, 192, 222, 224, 278
Cucumis melo 192
Cucumis sativus 192
Cucurbita taxana 137
Culex pipiens 86
 cultivation of ecto-
 mycorrhizal fungi 30
 culture collections 175
 culture maintenance 30, 176
 culture media
 for ectomycorrhizas 31
 for mycoparasites 176
 cuticle 87-88, 91, 98, 100, 108-110
 adhesion 86
 degradation *in vitro* 96
 histochemistry 103
 penetration 60, 90
 plant 141
 cutin 141
 cutinase 141
Cydia pomonella 64
 cyst nematodes 154, 164
 cytochrome oxidase 223
- ## D
- Dactyella oviparasitica* 155-156
 Dagger G® 269, 284
 damping off 172, 182, 191, 195, 223, 228, 269, 278
Datura stramonium 136
Daucus carota 134
 dead donor strategy 242, 248, 250
 degradation of cuticle *in vitro* 96
Delia antiqua 57, 60
Dendroctonus ponderosae 87
Dendrolimus sp. 64
 destruxins 106-109
 detection, of microbes 223, 283
 Devine® 128, 132-133, 138, 268, 284
 diatomaceous earth 182
Digitaria sanguinalis 133
 Dimilin® 100-103
 dimorphism 115
 diploid 248
 diploidization 243-245
Diprion similis 57
 disease control, mechanisms 192
 disease spread & rainfall 57
 disease suppressive soil 172
 dispersal of spores 60, 156
 dispersants 267
 DNA 144
 dodder 129, 132, 134
 Douglas fir 36
 ectomycorrhizas of 30
Drosophila melanogaster 113
 dsRNA 193
 DTX 106-110
- ## E
- ecology of ectomycorrhizas 2
 ectomycorrhizal successions 2
 ectomycorrhizal seedlings
 demand & production 20
 ectomycorrhizas
 cold storage 31
 commercial application 18
 criteria for selection 3

	Index	295
ectomycorrhizas		
cultivation	27, 30	
cultivation on solid media	31	
ecology	2	
effect of inoculation on plant productivity	27	
effect on pathogens	2	
fermentation culture	33	
field testing	12	
flask culture	32	
infectivity testing	35	
inoculation, pure cultures	28	
introduction into soil	3	
isolation & culture	29	
nutrient accumulation by	2	
occurrence	1, 27	
of Douglas fir	30	
protection against pathogens	193	
relationship to trees	2	
selection criteria	29	
<i>Eichhornia crassipes</i>	131	
electrofusion	239-240, 245	
<i>Empoasca fabae</i>	90, 109, 111	
encapsulation	116, 137	
<i>Encarsia formosa</i>	63, 73	
endomycorrhizas	1	
benefit to crop growth	47	
cryopreservation	46	
disinfected root inoculum	44	
field experiments	41	
genetic variability	51	
impact on plant development	41	
inoculation	46	
inoculation trials	48	
inoculum production	43	
L-drying	46	
limiting factor in inoculation	48	
opportunities for inoculation	48	
protection against pathogens	193	
soil-based inoculum	43	
storage	46	
endoplasmic reticulum	107	
endoprotease	89, 91-93, 96	
<i>Endothia parasitica</i>	193, 230	
endotoxin	262-263	
<i>Enterobacter agglomerans</i>	88	
<i>Enterobacter cloacae</i>	282	
entomogenous fungi	55	
cuticle adhesion	86	
effect of temperature	58	
effects of humidity	56	
extracellular enzymes	93	
fermenter culture	75	
growth on alkanes	87	
host range	57	
infection process	59, 61	
pest control	63	
protoplasts	116, 251	
required characters	74	
spore survival	62	
sporulation	60	
stimulation of germination	87	
storage	75-76	
taxonomy	56	
use in 19th century	55	
<i>Entomophaga aulicae</i>	116	
<i>Entomophaga egressa</i>	116	
<i>Entomophaga grylli</i>	116	
<i>Entomophaga mainaiga</i>	116	
<i>Entomophthora coronata</i>	99, 106	
<i>Entomophthora forficula</i>	57	
<i>Entomophthora muscae</i>	57, 60, 66	
<i>Entomophthora sphaerasperma</i>	66	
<i>Entomophthora tenthredis</i>	57	
environmental impact	285	
enzymes in cuticle penetration	93	
epicuticle	90	
epicuticular lipids	87	
<i>Erwinia herbicola</i>	282	
<i>Erynia neoaphidis</i>	66-67	
<i>Erynia radicans</i>	90, 109, 111	
<i>Erynia variabilis</i>	87	
esterase	91, 93, 103	
ethoprop	166	
F		
fast lysis	200	
fatty acids	87-88	
feedback inhibition	144	
fermentation	132, 266	
fermentation culture	262	
fermentation		
deep-tank	177	
of ectomycorrhizas	33	
of mycoparasites	211	

solid substrate 35, 177, 266
 fermenter 34
 fermenter culture 75, 176
 fermenter-grown inoculum 36, 135
 field trials
 environmental variables 282
 improvements 281-282
 naturally infested sites 281
 of aphid control 67
 of caterpillar control 70
 of cockchafer control 69
 of ectomycorrhizas 12
 of endomycorrhizas 43
 of fungal insecticides 64-65
 of mite control agent 68
 of mycoherbicide 130, 137
 of mycoparasite 174, 182-183
 & 197
 of nematicides 162, 166
 of nematophagous fungi 158
 of take-all control 279, 281
 of termite control 70
 of *Trichoderma* seed
 treatments 229
 of whitefly control 72
 fir 36
 flask culture of ectomycorrhizas 32
 fluid drilling 182
 forest regeneration 17
Forficula sp. 57
 formulation
 bacterial insecticide 262-263
 BCAs 283-284
 enhancing activity 284
 mycoherbicide 136-140
 mycoinsecticides 76, 266-267
 mycoparasite 178, 182, 185,
 191, 212
 mycorrhizal inoculum 36
 nematophagous fungi 162-164
 performance 181
 virus insecticides 264, 265
 freeze-dried inoculum 37
 freeze-dried spores 136
 fungicide resistance 74
Fusarium oxysporum 172, 193, 223
Fusarium solani 137, 172
Fusarium sp. 137, 139, 172, 192

194, 244, 278, 284

G

Gaeumannomyces graminis 193-194,
 222, 278-279, 281-282
 gall tissue 155
Galleria melonella 108, 110, 115
 genetic recombination 221
 genetic variability of endo-
 mycorrhizas 51
 germ tube 89, 90
 germination 87
 conidia 59
 effect of r.h. 56
 effect of temperature 58
 effects of surface topography 90
 inhibitors 140
 of conidia 86
 stimulation 59, 87, 139
Gibberella zeae 142, 250
Gigaspora margarita 49
Gliocladium roseum 175
Gliocladium sp. 175-177, 179,
 182, 195, 221
Gliocladium virens 178, 182, 195,
 221-223, 252, 279
 gliovirin 221, 223
Globodera pallida 158
Globodera rostochiensis 158
Globodera sp. 157
Gloeocercospora sorghi 145
Glomus fasciculatum 50
Glomus mosseae 50
 glucanase 192, 197, 205-207, 236
 glucans 89, 96, 114-116
 glucan activation of prophenol-
 oxidase 109
Glycine max 129
 glycoproteins 192
Gossypium hirsutum 133
 gourd 137
 granulation 200
 green bean 192
Gromphadorhina laevigata 107
 growth responses 219
 growth stimulation 228
 gypsy moth 116

H

haploidization	246
haustoria	197
hazards of biocontrol agent	158
<i>Hebeloma crustuliniforme</i>	8, 33
<i>Hebeloma</i> sp.	18
<i>Heliothis</i> sp.	70
<i>Heliothis zea</i>	58, 70, 87, 90
<i>Heterobasidion annosum</i>	171, 269
<i>Heterodera avenae</i>	158-159, 165
<i>Heterodera glycines</i>	156, 158
<i>Heterodera schachtii</i>	158-160
<i>Heterodera</i> sp.	157
heterokaryon	248
heterokaryosis	242, 244
<i>Hirsutella rhossioensis</i>	154
<i>Hirsutella thompsonii</i>	55, 57, 67, 75, 85
hornworm	106
host defence	139
host range	57, 129, 133, 145, 155, 161, 197, 230, 262
host-pathogen interaction	140
<i>Humicola</i> sp.	245
<i>Hyalophora cecropia</i>	100, 106
hydrophobic rodlets	86
hyperdiploid	246
hyperparasitism	192
hyphal bodies	60, 67, 75, 106, 112-113, 115-116
hyphal interactions	198
hyphal lysis	200
hyphal penetration	196, 207
hypodiploid	246
hypovirulence	193-194, 219

I

immobilization	138
improvement, genetic	221
<i>in vitro</i> assays	174
induced resistance	192
induction	144
of sporulation by light	140
infection pegs	109
infection process in entomogenous	

fungi	59, 61
infectivity testing	35
inhibition, feedback	144
inhibitors of protease	114-115
inoculation	
techniques	6
with homogenised larvae	67
with pure cultures	28
with VAM	46
inoculum	
agar plugs	31
application rate	164
carrier systems	36
costs	19
endomycorrhizas	43
entomogenous conidia	67
entomogenous mycelium	67
fermenter-grown	36
freeze-dried	37
hyphal bodies	67
mycoherbicide	135
nursery trials	9
of nematophagous fungi	157
operational procedures	19
opportunities for using VAM	48
production, mycelial	8
production, mycoparasite	177
soil-based	43
testing	11
types	6
VAM application	46
insecticide, fungal	265
insecticides, bacterial	262
insecticides, viral	264
integrated control	73, 139
ionophores	107
<i>Isaria</i> sp.	55
isolation of ectomycorrhizas	29

J

jimsonweed	136, 141-142
johnsongrass	134, 139, 145
jointvetch	127, 132, 141, 143, 261

K

kaolin	137, 162
--------	----------

- karyogamy 243-244
- L**
- L-DOPA 111
- L-drying, to store endo-
mycorrhizas 46
- Laccaria* spp. 18
- Laetisera* sp. 177
- Lageridium giganteum* 99
- landfill sites reclamation 28
- leafhopper 64
- lectins 111
- lectins, on spore wall 86
- Lens culinaris* 130
- lentils 130
- Leptinotarsa decemlineata* 64
- Leptohylemyia coarctata* 66
- lettuce 183
- lignin 192
- lignite 182
- lilac 46
- lipase 60, 91, 96, 103, 205
- lipids 87
- liquid culture of
- ectomycorrhizas 32
 - mycoherbicides 135
 - mycoparasites 176-177, 212
 - nematophagous fungus 162-164
- liquid media 176
- Liquidambar styraciflua* 46-47
- loblolly pine 13-14, 17
- localized resistance 192
- locust 110, 116
- longleaf pine 15
- loss of virulence 132, 144
- Luboa® 129, 132, 134, 144
- Lycopersicon esculentum* 134
- Lymantria dispar* 116
- M**
- macroconidia 197
- Macrosiphoniella sanborni* 57-58, 72
- Mahanarva postica* 69
- maintenance
- of mycoherbicides 136
 - of mycorrhizal cultures 30
- maize 224
- mallow 130
- Malva pusilla* 130
- Manduca sexta* 89, 93, 100, 103,
106-107, 109, 111, 114
- market value, agrochemicals 259
- Massospora* sp. 56
- Massospora levispora* 62
- media for culturing
- ectomycorrhizas 31
 - mycoinsecticides 265
- Medicago sativa* 134
- melanin 109, 111, 138
- melanization 108-109
- Meloidogyne arenaria* 158
- Meloidogyne incognita* 158
- Meloidogyne* sp. 155, 166
- Melolontha melolontha* 55, 57, 65
- melons 172
- Metarhizium album* 68
- Metarhizium anisopliae* 55-58, 60,
62, 65, 68-69, 75-76, 86-90,
93, 96, 98-100, 103, 106-111,
114-115, 136, 247-248, 251
- Metarhizium flavoviride* 68
- Metarhizium lecaniae* 116
- microbial insecticide, production 63
- Microdochium bolleyi* 194
- milkweed vine 128, 268
- minerals in culture media 31
- mites 67
- in spore transport 62
- mitochondria 107
- mitochondrial DNA 223
- mitotic recombination 244, 246, 248
- molasses 182
- Morrenia odorata* 128
- mosaic heterokaryon 244-245, 250
- mucus 85-86
- Musca domestica* 114
- muskmelon 192
- mutagenesis 221, 223-224, 235, 279
- Mycar® 55, 68
- mycelial inoculum 7, 8
- Mycocentrospora acerina* 192
- mycoherbicide 127, 268
- combination 139
 - specificity 144

mycolytic enzymes 236
 mycoparasites 173, 203
 mycoparasitism 196, 220, 279
 MycoRhiz® 9, 11, 36
 mycorrhiza, types, origins 1
 Mycotal® 55, 72
 mycoviruses 193
Myzus persicae 57, 72

N

Nasutitermes exitiosus 70
 nematocides 153
 nematode,
 cyst 155, 159-160, 161, 164
 ectoparasitic 154
 plant parasitic 154
 root knot 155, 160
 -trapping fungi 154
 nematophagous fungi 153, 156
Nematophthora gynophila 156-158
Neozygites fresenii 67
Neozygites parvispora 62, 66, 75
Nephottix sp. 64
Neurospora crassa 144
Nicotiana tabacum 192
 nitrosoguanidine 224
 nodules 110
Nomuraea atypicola 70
Nomuraea rileyi 56-58, 60, 70,
 86-87, 89, 99-100, 112-113, 115
 non-disjunction 244, 246
 non-self recognition 111
 NPV 264-265
 NTG 224
 nuclear fusion 243-244
 nursery trials
 of endomycorrhizas 43
 of inoculum formulations 9
 VAM inoculation 48
 Nutri-link® 44

O

oats 133
 oospores 191, 211
Ophiostoma ulmi 194
 opsonization 112-113

Oryctes rhinoceros 68, 103, 108
Oryza sativa 127, 133
 osmotic stabilizer 238-239
Ostrinia nubilalis 64
Otiiorhyncus rhinoceros 70
Otiiorhyncus sulcatus 65, 69

P

Paecilomyces farinosus 112-113
Paecilomyces fumoso-rosea 109
Paecilomyces lilacinus 156, 158
Paecilomyces sp. 56
 papaya 141
Paracoccidioides brasiliensis 116
 parasexual cycle 242-244, 248
 parasitoid 73
Pasteuria penetrans 162
 patenting 186
Paxillus involutus 5
 pea 196-197, 229
 peach 155
 peanuts 130
 peat 36, 43
 peatmoss 8, 32
 pectin 141
 PEG 239
 pellets 32
 penetrant hypha 92-93, 106
 penetration
 of plant 140
 of insect cuticle 90
Penicillium sp. 139, 142, 177
Peniophora gigantea 171, 269
 peptidase 93, 98
Periplaneta americana 111
 peroxidase 192
 persimmon 129, 132
 persimmon wilt 129
 persistence of BCAs 270
 pesticide 154
 pesticide, market value 259
 pests affected by entomogenous
 fungi 57
Phaseolus vulgaris 141, 192
 phenoloxidase 108-109, 113
 phenols 88, 103, 109, 111
 pheromone 72

- | | | | |
|----------------------------------|----------------------------------|--------------------------------|---|
| <i>Phialophora graminicola</i> | 193-194 | production, statistics | 20 |
| <i>Phoma betae</i> | 192 | productivity, plant | 27 |
| phospholipase | 141 | prophenoxidase | 109, 113 |
| <i>Phyllocoptuta oleivora</i> | 67 | prophenoxidase, activation | 114 |
| <i>Phymatotrichum omnivorum</i> | 173, 175 | protease | 60, 93, 96, 99-100, 103,
109, 111, 114-115, 141,
197, 205, 207, 236 |
| phytoalexins | 141, 192 | protease inhibitors | 114-115, 192 |
| <i>Phytophthora nicotiana</i> | 128 | protoplast | 142-143 221, 235 |
| <i>Phytophthora palmivora</i> | 128,
139, 268 | protoplast | |
| <i>Phytophthora</i> sp. | 284 | buoyancy | 238 |
| pigmentation markers | 241 | dead donor strategy | 242 |
| pine caterpillars | 64 | electrofusion | 239-240, 245 |
| <i>Pinus caribaea</i> | 8 | entomophthoralean | 116 |
| <i>Pinus elliotii</i> | 13-14 | from spores | 238 |
| <i>Pinus palustris</i> | 15 | fusant selection | 241 |
| <i>Pinus taeda</i> | 13-14 | fusion | 142, 173, 221, 235,
239-240, 242, 244,
248, 250-252 |
| <i>Pinus virginiana</i> | 17 | heterogeneity | 238 |
| <i>Pisolithus tinctorius</i> | 4-9, 11-12, 14-
18, 20-21, 36 | inactivation | 242 |
| <i>Pisum sativum</i> | 197 | isolation | 235-236 |
| plasmids | 222 | purification | 238-239 |
| <i>Plathypena scabra</i> | 70 | release | 238 |
| plum | 171 | selection markers | 241 |
| polyacrylamide | 138, 179 | yield | 236, 238 |
| polyethylene glycol | 239 | <i>Prunus serotina</i> | 130 |
| polymeric gels | | <i>Prunus</i> sp. | 131 |
| as mycorrhizal carrier | 36 | <i>Pseudomonas fluorescens</i> | 284 |
| powdery mildew | 76 | <i>Pseudomonas</i> sp. | 220, 283 |
| ppo | 113, 116 | <i>Pseudotsuga menziesii</i> | 30 |
| ppo, activation | 114 | <i>Psylla mali</i> | 66 |
| preservatives, in mycoherbicides | 138 | Pt index | 14 |
| primary conidia | 59 | <i>Puccinia chondrillina</i> | 269 |
| procuticle | 92 | pycnidia | 135-136 |
| production of | | <i>Pyricularia grisea</i> | 133, 145 |
| bacterial insecticide | 263 | <i>Pyricularia oryzae</i> | 133, 142 |
| entomogenous spores | 64 | <i>Pythium oligandrum</i> | 174, 191, 197,
200, 203, 205-206,
209-210, 212 |
| fungal products | 266 | <i>Pythium</i> sp. | 145, 172-173, 195, 200,
269, 282, 284 |
| insecticidal fungi | 75 | <i>Pythium ultimum</i> | 191, 195, 203, 207,
221-223, 228, 251 |
| <i>M. anisopliae</i> inoculum | 69 | | |
| microbial insecticide | 63 | | |
| mycelial inoculum | 7, 8 | | |
| mycoherbicide | 130, 132, 135 | | |
| mycoinsecticide | 265 | | |
| mycoparasite spores | 177 | | |
| mycoparasites | 176 | | |
| nematicide | 154 | | |
| viral insecticides | 264 | | |
| production, standardization | 263 | | |

Q

quantification, of microbes 283

	Index	301
quinones	92	
R		
radish	224, 228	
rainfall, effect on disease spread	57	
rape	160	
reclamation	28	
recognition	111	
recombinogens	246	
red rice	133	
reforestation trials	20	
regeneration, of forest	17	
registration	185	
relative humidity	56	
released microorganisms,		
detection	223	
repression	144	
research support	230	
resistance		
induced	192	
localized	192	
systemic	192	
to benomyl	142, 144, 224	
to chlorate	223	
to fungicides	74, 228	
to mycoherbicides	145	
to pesticide	142	
resistance markers	241, 248	
resting spores	61-62, 67, 75, 156-158	
<i>Reticulitermes flavipes</i>	106	
r.h.	56-58, 60, 63	
rhinoceros beetle	68, 103	
<i>Rhizobium</i> sp.	260	
<i>Rhizobium trifolii</i>	282	
<i>Rhizoctonia</i>	229, 284	
<i>Rhizoctonia solani</i>	182, 194-195, 200, 207, 221, 279	
<i>Rhizoctonia</i> sp.	145, 223, 269	
<i>Rhizopogon luteolus</i>	6	
<i>Rhizopogon roseolus</i>	8	
rhizosphere	186, 194, 219, 230, 250	
rhizosphere competence	194, 219, 221, 224, 226-228, 230	
<i>Rhynchophorus bilineatus</i>	70	
rice	127, 145, 268	
rice black bug, control	65	
rice blast	142	
risk assessment	185	
RNA, double-stranded	193	
root exudates	227	
root knot nematodes	154	
<i>Russula</i> sp.	8	
rust	73	
S		
safety zone	133	
<i>Sapanes australis</i>	70	
<i>Sarcophaga bullata</i>	113	
scale	73	
scarabeid beetles	108	
<i>Schistocerca gregaria</i>	57, 88-89, 107, 110, 116	
<i>Scleroderma</i> spp.	18	
<i>Scleroderma verrucosum</i>	8	
<i>Scleroderma vulgare</i>	8	
sclerotia	129, 142, 173-175, 183, 195, 197	
of ectomycorrhizas	5	
<i>Sclerotinia minor</i>	183, 197	
<i>Sclerotinia sclerotiorum</i>	174	
<i>Sclerotinia</i> sp.	173	
<i>Sclerotium cepivorum</i>	221	
<i>Sclerotium rolfsii</i>	221	
<i>Sclerotium</i> sp.	145	
<i>Scotinophara coarctata</i>	57, 65	
screening programmes	280, 281	
secondary metabolites	195	
seed treatment	182	
selection criteria		
for ectomycorrhizas	3	
for mycorrhizas	29	
selection of fusants	240-241	
<i>Serratia</i> sp.	283	
<i>Sesbania exaltata</i>	141	
shake flask culture	33, 236	
shattercane	145	
shear	34	
shelf life	128, 138, 284	
shortleaf pine	17	
sicklepod	130	
<i>Sida spinosa</i>	133	
siderophores	278	
silkworm	55, 114-115	
soil		

- disease suppressive 172
 movement of conidia 62
 soil inoculum 6
 soil pests, control 69
 soil priming 229
 solid substrate fermentation 35, 135-136, 266
 sorghum 145
Sorghum bicolor 145
Sorghum halepense 134, 139, 145
Sorghum vulgare 133
 soybean 129, 130, 133, 139, 142, 268
 specificity, of mycoherbicides 144
 spittlebug 69
Spodoptera exigua 112-113
 spore 6
 adhesion 85
 dispersal 60, 156
 drying 136
 encapsulation 137
 inoculum 7
 size 251
 survival on foliage 62
 viability 7
Sporidesmium sclerotivorum 177, 183, 197
 sporulation 136
 light induced 140
 of entomogenous fungi 60
 spruce 36
 squash 158
 standardization, bioassay 263
 statistics 20
Stemphylium radicinum 207
 stillage 182
 stimulation of germination 87, 139
 stirred tank reactor 34
 storage
 of ectomycorrhizas 31
 of endomycorrhizas 46
 of insecticidal fungi 75-76
 of mycoherbicide 136-138
 strain improvement 173
 strain selection 74
Strongwellsea castrans 66
 suberin 192
 submerged culture 262
 substrate
 for inoculum production 8, 177
 succession
 ectomycorrhizas, in forest 2
 sugar-beet 191
Suillus bovinus 5
Suillus cothuranatus 8
Suillus granulatus 8
Suillus luteus 8
Suillus plorans 8
Suillus variegatus 5
 sunflower 197
 super strain, of *Pisolithus* 12
 support for research 230
 suppressive soils 172, 186, 194
 surface topography
 effects on germination 90
 plant 141
 surfactants 139
 survival
 of nematophagous fungi 163
 of spores in dead hosts 62
 spores on foliage 62
Syringa vulgaris 46
 systemic resistance 192
- T**
- take-all 184, 193-194, 278-279, 284
Talaromyces flavus 177, 179, 182, 223
Talaromyces sp. 177
 temperature
 effect on germination 58
 termite 70, 106
 testing infectivity 35
 testing techniques 174
Tetranychus urticae 57
Thelephora terrestris 5, 12, 15-17, 36
Thelephora tinctorius 14
Therioaphis trifolii 66
 thidiazuron 139
 thrips 66
Thrips tabaci 57, 66
 TMV 269
 tobacco 192
 tobacco mosaic virus 269
 tomato 134, 182, 224, 278
 toxicity 185

toxin 88, 106, 141, 143
 toxin genes 263
 transformation 143-145, 221-222
 trees, relationship to ecto-
 mycorrhizas 2
Trialeurodes vaporariorum 57, 63
 trials, of VAM inoculation 47, 48
Trichoderma harzianum 173, 182,
 196, 221, 224, 228-229, 251, 284
Trichoderma koningii 182, 284
Trichoderma polysporum 224
Trichoderma sp. 173, 175-177, 179,
 194-196, 219-221, 223-224,
 226, 228-229, 252
Trichoderma viride 171, 269
Tricholoma fimosum 30
Trichoplusia ni 56, 70, 115
 trisomic 246
Triticum aestivum 130
 tubulin 144, 222
 turbine impeller 34
Tylenchulus semipenetrans 158
 tyrosinase 109, 111

U

Uromyces appendiculatus 141
Uromyces dianthi 73
 UV-light 63, 221, 224, 242,
 245, 246, 277
 UV screens 139

V

Vaccinium macrocarpon 134
 VAM 1, 41, 43-44, 46-50
 vegetative incompatibility 248
 vegetative inoculum production 8
 Velgo® 129, 132-133, 139
 velvetleaf 129-130, 139, 143
 vermiculite 8, 32, 36, 136, 177
 Vertalec® 55, 72

Verticillium chlamydosporium 156-
 158, 160, 162-164, 166
Verticillium dahliae 223, 245
Verticillium lecanii 55-58, 60, 72,
 75, 85, 99-100, 136, 249-251
Verticillium sp. 192, 244
 vesicular-arbuscular mycorrhizas 1
 viability
 effect of drying 178
 mycorrhizas in cold storage 31
Vicia faba 67
 vine weevil 69
 viral insecticides 264
 Virginia pine 17
 virulence 143, 193, 230
 virulence, inadequate 132
 virulence, loss of 132, 144
 virus insecticides 264
 vitamins in culture media 31

W

wall-bound enzymes 89
 waste site reclamation 28
 water hyacinth 131, 268
 weed biotypes 134
 weed control 127
 weevil 69
 wheat 130, 158, 222
 wheat cockchafer 55
 whitefly 55, 57, 63, 72-73

X

Xanthium pennsylvanicum 131
Xanthium spinosum 131

Z

Zea mays 129
Zoophthora radicans 66
 zoospores 156