

Index

- AA *see* acid, antimonite
 absorbent 210
 absorption edge 141
 coefficient (α) 333, 375, 391, 459
 a.c. impedance techniques 221, 389, 410, 418–30
 acceptor 80, 171, 383
 acetone 260
 acid 12, 20, 25, 238, 301, 368, 481
 antimonite 9, 48, 285, 527, 529
 bromide 305
 Brønsted 368
 chloric 305, 313, 342, 477
 fluoric 23, 525
 molybdic 386
 see also H_xMoO_3 and $MoO_3 \cdot nH_2O$
 heteropoly 9, 15, 22, 49, 65, 275, 356, 357, 402
 see also $H_3PW_{12}O_{40} \cdot nH_2O$, $H_4SiW_{12}O_{40}nH_2O$, $H_3Mo_{12}O_{40} \cdot nH_2O$
 niobic 15
 see also $HNbO_3$, $Nb_2O_5 \cdot nH_2O$
 nitric 183
 perchloric 7, 25, 313
 see also H_3OClO_4 , $HClO_4 \cdot 5H_2O$
 phosphoric 255, 311, 312, 461
 see also PEI, PEO, PVA, PVP
 salicylic 495
 silicic 289
 sulphuric 305, 311, 312, 316, 319, 343, 419, 468, 540, 567
 tungstic 15, 281
 see also $H_3PW_{12}O_{40} \cdot nH_2O$
 vanadic 281
 see also $V_2O_5 \cdot nH_2O$, H_xVO_2 , $H_xV_2O_5$
 acidity 8, 10, 14
 Hammett 11
 accumulation layer (electron) 570
 activation energy I, 8, 39, 40–53, 61, 161, 167, 169, 178, 202, 228, 245–8, 266, 284, 286, 319, 335, 341, 354–8, 375, 385, 401, 460
 adsorption *see* Brunauer adsorption isotherm
 aerogels 439
 Ag 199, 371, 527, 528
 AgI 40, 64–6, 393
 AIROF 563
 alkalination 495
 alkylammonium ions 256, 259
 aliphatic chains 251
 all-solid devices *see* battery,
 see capacitors,
 see displays,
 $Al(OH)_3$ 147
 Al_2O_3 *see* alumina
 alumina 69
 alumina, beta (β) 9, 64, 65, 84, 167, 190, 334, 335, 354, 370, 381, 393
 ammonium 9, 47, 65, 334, 335, 354, 381
 ammonium–oxonium 528
 hydroxonium 167
 oxonium 9, 44, 47, 65, 167, 191, 335, 370, 381
 ion-rich 44, 47, 190
 stoichiometric 193, 199
 alumina, beta' (β') 9, 47, 64, 65, 84, 190, 381, 393, 499–509
 ammonium 47, 84, 191, 381, 499–509
 ammonium–oxonium 84, 194, 354, 499–509
 hydroxium 9, 65, 370, 499–509
 oxonium 65, 370, 371, 499–509
 potassium 500
 rubidium 505
 alumina, gamma (γ) 44
 alunite 268
 aluminosilicates 210, 356
 amides 314
 amines 27, 222, 244, 247
 Aminosil® 288, 312, 320
 ammoniac 507, 527, 529, 536
 ammonium acid sulphate 52
 ammonium bronze *see* bronze, *see* $(NH_4)_{0.085}H_{0.05}MoO_3$, $(NH_4)_xWO_3$
 ammonium ion 9, 18, 26, 47, 48, 84, 168, 191, 212, 216, 227, 254, 257, 269, 321, 334, 354–58, 359, 380, 399, 428, 447, 453, 503
 ammonium beta alumina *see* alumina beta (β)
 ammonium beta' alumina *see* alumina beta' (β')

Index

- ammonium ion (*contd*)
 ammonium beta gallate 47, 191
 beta⁺ gallate 48, 190–8
 ammonium ferrocyanide hydrate *see*
 $(\text{NH}_4)_2\text{Fe}(\text{CN})_6$
 ammonium zeolite 48
 amplification factor 476
 analcite 48, 213
 anolyte 488
 anhydrous (materials) 246
 anisotropy 40, 244, 264, 278
 Arrhenius law 9, 39, 135, 324, 352, 460, 488
 non- 264, 324, 459, 460
 attempt frequency 352, 354–8, 374
 autunite 8, 254
- BaCeO₃ 122, 512
 ballistic regime *see* regime
 band
 gap 40, 155
 proton conduction 142, 143
 width (Raman) 383, 384
 (IR) 374
 basicity 10, 14, 18, 25
 Lewis 11, 102
 batteries 255, 492
 all-solid 540–9
 lead–acid 540
 Leclanché 539
 biosensor *see* sensor
 Bjerrum
 defects *see* defect
 model 2, 70, 170
 bleaching 555
 blends
 acid/polymer 41, 314, *see* Nafion[®], PEI,
 PEO, PVA, PVP
 bounced-back effect 395, 465
 Brønsted acid *see* acid
 bronze 44, 52, 101–7, 116, 117, 216, 444–54
 ammonium bronze 447, 453, *see*
 $(\text{NH}_4)_x\text{WO}_3$, $(\text{NH}_4)_{0.85}\text{H}_{0.05}\text{MoO}_3$
 electrodes 216
 molybdenum 65, 102–7, 216, 355, 449,
 527, 528, 551, 555, 556
 tungsten 44, 52, 102–107, 281, 355, 448,
 527, 528, 551, 552, 556
 uranium 117
 vanadium 55, 102, 115, 116, 281
 Brownian motion 457
 Brunauer adsorption isotherm 55
- cadmium 540
 Ca₂KH₇(PO₄)₄ · 2H₂O 88
- CaHPO₄ · 12H₂O 49, 238
 calorimetry 74, 174, 197
 CaO 69
 Ca(OH)₂ 139
 capacitor (super) 255, 524, 567
 carbon 568
 see also graphite
 catalyst 239
 superacid 495
 caterpillar mechanism 466
 catholyte 488
 Ca(UO₂SiO₄OH)₂ · 3H₂O *see*
 uranophane
 CeO₂ · nH₂O 287, 356
 ceramic xxiii, 69, 124, 202, 499–509, 512,
 521
 cerium hydrogen phosphate *see* hydrogen
 cerium phosphate
 chabazite 65, 213, 422
 charge
 (bound) 391
 (free) 394
 chemical drying 75, 259
 chlor-alkali electrolyser *see*
 electrolyser
 Chudley–Elliott model *see* model
 classification
 chemical 10
 conductivity mechanism 54, 400
 defect concentration 1
 dimensionality 46
 preparation 42
 proton hydrates 21
 clathrates 21, 23
 clays 48, 272, 273, 278, 356
 cluster 9, 296, 340, 460, 476
 CO 528, 529, 536
 cobaltocene 259
 Cole–Cole diagram 394, 411
 colloid 243–5, 282
 colour 551
 composite
 electrode 308, 487
 electrocatalyst 308
 conductivity 62, 302, 317, 374
 a.c. *see* a.c. impedance techniques
 data 8, 29, 40, 47–52, 165, 178, 202, 214,
 228, 266, 268, 249, 281, 286, 307, 319,
 335, 341, 556, 559
 d.c. 147
 electronic 40, 41, 64, 96, 101, 128, 215,
 281, 418–23, 506
 frequency dependent 381–406, 458
 high temperature 122
 mixed *see* conductivity, electronic
 prefactor 39, 45

Index

- equations for the *see* conductivity, mechanisms
 extra 475
 mechanisms 1, 6, 13, 39, 54, 62, 162, 457–72, 474–84
see also Grotthuss mechanism, vehicle mechanism, caterpillar mechanism
 microwave *see* conductivity, frequency dependent
 surface 47, 55, 69, 163, 241, 272, 283, 410, 418
 conductors
 2D (two-dimensional) *see* dimensionality
 high temperature 51, 122, 168, 251, 281, 511, 517
 organic *see* polymers
 mixed organic/inorganic *see* blends
 metallic 101
 non-protonic 40
 semi 101, 155, 281, 523
 correlation factor 62, 167, 465
 Creuz–Tauber complex 259
 crown ether 21
 CrO₂ 102, 286
 .*n*H₂O 286
 CsH₂PO₄ 169, 170, 373
 CsHSO₄ 44, 52, 70–4, 169, 174, 335, 373, 383, 395, 398–404, 468
 CsHSeO₄ *see* CsHSO₄
 Cs₃H(SeO₄)₂ 8, 52, 178
 Cs_{0.75}Li_{0.25}HSO₄ 71, 400, 402, 469
 CsOH . H₂O 52, 65, 356
 CuO 122
 Cu₂O 122
 Curie–Weiss temperature 265, 404
 d.c. techniques 217, 221, 410, 418–30
 dealumination 212
 Debye
 Debye frequency 93
 Debye relaxation 381–406, 394
 Debye solid 167, 459
 Debye–Waller factor 330
 defect 2, 38, 61, 67, 70, 130, 143, 160, 168, 193, 280
 Bjerum 2, 3, 70, 161, 170
 electric field induction 75
 Frenkel 38, 39, 62–7, 170, 193, 195, 383
 Schottky 38, 62–7, 170
 S₂O₇ *see* S₂O₇[–]
 dehydration 140, 197, 259, 299, 507
 dehydrogenation 520
 deuterium 176, 193, 261, 369, 412, 445, 468, 475
 devices 204, 251, 255, 294, 301, 326, 492, 512, 523–536, 540–9, 551, 553, 567
see also batteries, capacitor display electrolyses, sensor
 dialysis 294
 dielectric
 material 558
 properties 228, 479, 558
 relaxation 389, 397, 465
 diffraction 19, 79, 192
 diffusion
 coefficient 38, 61, 65, 167, 169, 187, 289, 335, 341, 342, 387, 412, 434, 476, 483, 556
 dilution (isotopic) *see* isotopic dilution
 dimensionality 22, 468
 1D 40
 2D 40, 43, 186, 192, 243, 249, 261, 278, 361, 448, 451
 dimers 81, 171, 373, 383
 dipole 177, 389
 display (electrochromics) 204, 255, 301, 326, 551, 553–63
 disorder
 orientational 29, 139, 166, 175, 263, 367, 385, 484
 structure 80, 185
 DLTS 392
 donor 80, 171, 383
 doping 163, 523
 Drude model *see* model
 drying *see* chemical drying
 ECD *see* displays
 Einstein
 model *see* model
 solid 459
 EISF 187, 332, 446, 454
 electric field 259, 260
 induction defect *see* defect
 electrochromism 101, 551 *see also* display
 electrode 42, 212, 511
 blocking 411, 421, 567
 coated 496
 composite 543, 547, 549
 controlling 524
 polarizable *see* electrode, blocking
 reversible 412
 sensing 527
 polarization 426, 511
 electrolyser 295, 493, 517
 chlor-alkali 295, 493
 stream (water) 494, 516
 electro dialysis 294, 495
 electrolysis 125, 170, 205, 231, 386, 420, 493, 499

Index

- electrolysis (*contd*)
 water 494, 516
 electrolytic domain 66
 e.m.f. measurement 126, 419, 512, 531, 592
 energy of activation *see* activation energy
 enthalpy
 of formation 39, 62, 105, 174, 263
 of hydrogen insertion 106, 108
 equilibrium (chemical) 10
 esterification 495
 ethane 513, 521
 Eucryptite (beta) *see* LiAlSiO₄
 exchange (ion) 7, 25, 42, 104, 191, 212, 227,
 231, 238–49, 254, 267, 272, 284, 296,
 487, 500, 502
 field assisted ion 504
 exfoliation 256
- feldspar 267, 272
 ferrite (beta) 191
 ferroelectricity 169, 177, 178, 262, 404
 fibrous *see* structure
 Fick's law *see* law
 film 269, 294, 311, 320, 487, 519, 528, 556
 Flemion® 294
 Fokker–Planck equation 465
 fractal 272, 433, 435, 439
 free-volume theory 63
 Frenkel defect *see* defect
 frequency
 attempt *see* attempt frequency
 vibrational 111, 141, 173, 257, 260, 262,
 369–75, 379, 380
 fuel-cells 205, 294, 491, 499, 509, 511
 fusion (cold) 90, 99
- $g(\omega)$ 167, 333, 375, 391, 457
 gallate (β , β'') 47, 190, 198
 Ga₂O₃ · n H₂O 286
 gap *see* band gap
 gas sensor *see* sensor
 gel 44, 234, 255, 272, 279, 281, 398, 400,
 440, 487, 545
 glass 40, 71, 165, 288, 459
 pH electrode 281
 transition *see* T_g
 grain boundary 258, 411, 507
 graphite (intercalated) 183
 grinding effect 175
 Grotthuss (von) mechanism 2, 47, 52, 194,
 229, 264, 277, 285, 474
- Hall effect 42
 Hammett acidity *see* acidity
 Haven factor *see* correlation factor
 HClO₄ · 5 · H₂O 23, 50, 167
- H_{0.5}Cu_{0.5}Zr₂(PO₄)₃ 234
 heteropoly acid *see* acid
 HF *see* acid, fluoric
 H⁺(H₂O) _{n} 13, 19, 196, 371
 history xxiii, 183, 211, 295, 475
 Hittorf experiment 424
 H _{x} MoO₃ 65, 102–107, 216, 355, 449, 527,
 528, 555, 556
 HNbO₃ 48, 355
 · n H₂O 48, 281
 HNbWO₆ · n H₂O 357
 HNO₃ *see* acid, nitric
 H₂O *see* water
 H₂O₂ 529, 536
 H₃O⁺ 6, 12, 19, 84, 160, 167, 187, 191, 227,
 254–7, 262, 273, 277, 281, 335, 342,
 356, 370, 380, 399, 405, 474, 501
 H₃O₆⁺ 20
 H₅O₂⁺ 8, 13, 19, 23, 168, 263, 277, 342,
 370, 380
 H₇O₃⁺ 370
 H₉O₄⁺ 20, 263, 475, 480
 H₃OAl₃(SO₄)₂(OH)₆ 268
 H₃O beta alumina *see* alumina, oxonium
 beta
 H₃O beta" alumina *see* alumina, oxonium
 beta"
 H₃OClO₄ xxiii, 7, 8, 25, 44, 50, 53, 65, 70,
 166, 335
 H₅O₂ClO₄ 168
 H₃OFe(SO₄)₂ · 3H₂O 44, 50, 269, 339
 H₅O₂Fe(SO₄)₂ · 2H₂O 269, 342
 H₃OFe₃(SO₄)₂(OH)₆ 268, 269
 (H₃O)₅GdSi₄O₁₂ 48
 H₃ONo₂(ClO₄)₂ 168
 hopping 64, 93, 281, 285, 352, 389, 393, 448,
 457, 462
see also vehicle mechanism
 H₃OTi₂NbO₇ · H₂O 48
 H₃OUO₂AsO₄ · 3H₂O 15, 49, 65, 264, 419,
 421, 482
 H₃OUO₂PO₄ · 3H₂O 8, 15, 44, 50, 53, 55,
 65, 72, 73, 254–70, 340, 354, 341, 370,
 398, 400, 405, 419, 421, 482, 527, 528,
 542, 549, 562, 568
 H₃OZr₂(PO₄)₃ 44, 45, 47, 227, 356
 HPF₆ · 5H₂O/HF 24
 H₃PMo₁₂O₄₀ · n H₂O 15, 275
 H₃PW₁₂O₄₀ · n H₂O 15, 22, 49, 65, 275,
 287, 340, 341, 342, 357, 358, 402, 427,
 559
 H₄ReO₃ 102–7, 355, 447, 448
 HSbO₃ · n H₂O 10, 48, 281
 H₂Sb₄O₁₁ · n H₂O 47, 284
 H₂Si₁₄O₂₀ · n H₂O 289
 HSbP₂O₈ · n H₂O 48

Index

- $\text{H}_3\text{Sb}_3\text{P}_2\text{O}_{14} \cdot n\text{H}_2\text{O}$ 48
 $\text{H}_5\text{Sb}_5\text{P}_2\text{O}_{20} \cdot n\text{H}_2\text{O}$ 49
 $\text{HSbTeO}_6 \cdot \text{H}_2\text{O}$ 48
 $\text{H}_4\text{SiW}_{12}\text{O}_{40} \cdot n\text{H}_2\text{O}$ 49, 65, 275, 287, 357, 415, 427, 483
 $\text{HTaWO}_6 \cdot n\text{H}_2\text{O}$ 48, 356, 360
 $\text{H}_2\text{Ti}_4\text{O}_9 \cdot 1.2\text{H}_2\text{O}$ 429
 HTiNbO_5 48
 HTiTaO_5 48
 humidity *see* pressure, water partial
 H_2UO_2 *see* uranium bronze
 $\text{H}_8\text{UO}_2(\text{IO}_6)_2 \cdot 4\text{H}_2\text{O}$ 50
 HUAs *see* $\text{H}_3\text{OUO}_2\text{AsO}_4 \cdot 3\text{H}_2\text{O}$
 HUP *see* $\text{H}_3\text{OUO}_2\text{PO}_4 \cdot 3\text{H}_2\text{O}$
 H_xVO_2 115
 $\text{H}_x\text{V}_2\text{O}_5$ 116
 H_xWO_3 44, 52, 102–107, 281, 355, 448, 527, 528, 552, 556
 hydrazine 248, 259, 489
 hydrazinium ions *see* N_2H_5^+
 hydride 42, 68, 90, 146, 354, 528, 534, 542, 547
 ordered 91
 hydrogen 512, 528
 bonding 6, 12, 21, 23, 27, 73, 85, 111, 159, 165, 178, 368, 476
 bond length *see* length (hydrogen bond)
 diffusion 65, 93, 167, 169, 187, 289, 335, 341
 non-hydrogen bonded systems 138
 separation 519
 hydrogen uranyl arsenate *see* $\text{H}_3\text{OUO}_2\text{AsO}_4 \cdot 3\text{H}_2\text{O}$
 hydrogen uranyl phosphate *see* $\text{H}_3\text{OUO}_2\text{PO}_4 \cdot 3\text{H}_2\text{O}$
 hydrogen cerium phosphate 238
 hydrogen thorium phosphate 238
 hydrogen tin phosphate 238
 hydrogen titanium phosphate 49, 238
 hydrogen zirconium phosphate *see* $\text{Zr}(\text{HPO}_4)_2 \cdot n\text{H}_2\text{O}$
 hydrolysis 273, 296, 314
 hydronium ion *see* H_3O^+
 hydrophilic 308
 hydrophobic 308
 hydrous oxide 10, 49, 282
 hydroxide 8, 103, 138
 hydroxonium *see* H_5O_2^+
 hydroxyl group 118, 138, 160, 215, 239, 267, 279, 280, 282, 283, 447, 451
 $\text{HZr}_2(\text{PO}_4)_3$ 44, 49, 227

 ice 2, 50, 70, 158, 163, 479, 523–6
 doped 163
 ilmenite 48
 imidazole 44

 imides 314
 impedance (complex) *see* a.c. impedance techniques
 incommensurate 177, 184, 405
 index
 refractive 391
 decoupling 460
 injection 42
 $\text{In}(\text{OH})_3 \cdot n\text{H}_2\text{O}$ 49, 285
 $\text{In}_2\text{O}_3 \cdot n\text{H}_2\text{O}$ 286
 $\text{InH}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$ 269
 INS spectra *see* neutron scattering
 insertion 541
 hydrogen 101
 insulators 38
 intercalation 65, 183, 239, 248, 259, 463
 ion exchange *see* exchange
 ionization 8
 Ir_2O_3 555
 IR spectra 117, 141, 257, 260, 262, 281, 284, 371

 isotopic dilution 261, 369
 isotopic shift 379, 380
 ITO 563

 jarosite 267, 268
 jump 80, 331, 400, 401

 KDP *see* KH_2PO_4
 KD_2PO_4 50, 169
 Keggin salts 15, 22, 49, 65, 272–5, 287–9, 340–2, 357, 358, 402, 427, 559
 KH_2AsO_4 50, 170
 KHCO_3 81, 82
 KHF_2 51
 KH_2PO_4 4, 51, 169
 KHSO_4 50, 171, 172
 KHSeO_4 172
 Kramer's regime *see* regime
 Kröger's notation 38, 68
 KTaO_3 122, 133

 Langbeinite 227
 Langevin equation 457, 463–5
 lattice gas 463, 372
 frustrated 159
 law
 Arrhenius *see* Arrhenius
 Bernard–Fowler 159, 161
 Curie–Weiss 265, 404
 Davies–Jones 63
 Faraday 42, 124
 Fick's 62, 330
 Fokker–Planck 465
 Gutmann's 11
 Langevin 457, 463–5

*Index*law (*contd*)

- Nernst 232, 305, 419, 530
 Nernst–Einstein 39, 62, 305, 476
 Newton 462
 Rasch–Henderson 64
 Smoluchowski 465
 Stokes–Einstein 304, 460
 Vögel–Tamman–Fulcher 63, 324, 459
 Walden's 460
 Waugh–Fedin 448
 Williams–Landel–Ferry 460
- lead–acid battery *see* batteries
 Leclanché battery *see* batteries
 length (hydrogen bond) 12, 21, 23, 27, 73,
 85–8, 165, 169, 178, 262, 264, 269, 275,
 368
 LiAlSiO₄ 41
 LiN₂H₃SO₄ 29, 50, 384, 421, 483
 liquid 50, 283, 352, 415, 434
 model 457
 quasi-liquid 2, 4, 54, 158, 176, 184, 251,
 402, 458
 liquid-like *see* liquid, quasi-
 low expansion material 224
 low-frequency measurement 167
 lutetium diphtalocyanine 554
- Madelung (potential) 5
 MEEP 40
 memory effect 523
 membrane 233, 245, 294, 490, 527
 perfluorinated 294
 perfluorocarboxylic 294
 perfluorosulphonic 294, 490
 metal 101, 183
 methanol 492
 methyl viologen ion 259
 Mg(OH)₂ 139
 mica 267, 269
 microstructure 500
 microwave 264, 387–406
 mirror 551
 mixed alkali effect 503
 MnO₂ 52, 372, 539
 mobility 62, 135, 160, 444–54
 model 457–70, 475
 Bjerrum *see* Bjerrum model
 BPP 352
 Chudley–Elliott 331, 467
 Debye 381–406
 Drude 398, 459
 Einstein 462
 Grotthuss *see* Grotthuss, *see* transloca-
 tion
 Ising 406
 Sears 332

tunnelling 93–7

- molten salt 165
 molybdenum oxide 69, 102, 112, 216, 386
 montmorillonite 48, 279, 280, 356
 Monte-Carlo simulation 466
 modenite 48, 213
 tin 220
 MoS₂(NH₃)_ySr_x 358
 motion (local) 350, 360
- Na⁺β alumina xxiii, 40, 64, 190, 393
 NaBH₄ 489
 Nafion[®] xxiii, 44, 51, 294–308, 341, 354,
 487–96, 527, 528, 561, 563
 Na₃H(SO₄)₂ 178
 NASIGEL 234, 287
 NASICON 41, 224, 356
 glassy 41
 H 44, 47, 224–35, 356, 393
 natrolite 48, 65, 213
 NaUO₂PO₄·3H₂O 265, 340, 399, 400
 NbH_x 91
 Nb₂O₅·nH₂O 287, 356, 555
 NbS₂(NH₄)_x(NH₃)_y 358
 Nernst equation 305, 419, 530
 Nernst–Einstein law *see* law, Nernst–
 Einstein
 Newton's equation *see* law, Newton
 neutron scattering 329–46
 inelastic, spectra 109–14, 116, 167, 329,
 337–42, 372
 quasi-elastic 166, 168, 175, 204, 264, 277,
 325, 330–7, 340, 446, 451, 469
- NH₃ *see* ammonia
 NH₄⁺ *see* ammonium ion
 N₂H₅⁺ 24, 28, 50, 85, 353, 421
 N₂H₆²⁺ 24, 31, 353
 N₂H₇⁺ 28
 NH₄⁺ beta (β) alumina *see* alumina, beta,
 ammonium
 NH₄⁺ beta" (β") alumina *see* alumina,
 beta", ammonium
 NH₄⁺/H₃O⁺ beta (β) alumina *see* alumina,
 beta, ammonium/oxonium
 NH₄⁺/H₃O⁺ beta" (β") alumina *see*
 alumina, beta", ammonium/oxonium
 NH₄⁺ beta (β) gallate 47
 NH₄⁺ beta" (β") gallate 48, 190–8
 N₂H₅HC₂O₄ 86
 (NH₂)₂CO 50
 (NH₄)₂Fe(CN)₆ 353, 357
 (NH₂)COHNO₃ 50
 NH₄H₂(IO₃)₃ 50
 (NH₄)_{0.085}H_{0.05}MoO₃ 454
 NH₄H₂PO₄ 170
 N₂H₆SO₄ 50, 65, 353

Index

- $\text{NH}_4\text{HS}(\text{Se})\text{O}_4$ 52, 171–4, 177, 398, 400–3
 $(\text{NH}_4)_3\text{H}(\text{SeO}_4)_2$ 178
 $(\text{NH}_4)_4\text{H}(\text{SeO}_4)_3$ 178
 NH_4NO_3 354
 NH_4SnF_6 356
 NH_4TaWO_6 356
 $(\text{NH}_4)_x\text{WO}_3$ 355, 453
 $\text{NH}_4\text{Zr}_2(\text{PO}_4)_3$ 227, 356
 $(\text{NH}_4)_2\text{ZrSi}_2\text{O}_7$ 269
 $(\text{NH}_4)_2\text{ZrSi}_3\text{O}_9$ 269
 nickel 514, 540
 NiH_x 542
 NiO 122
 NiOOH 52, 540
 NMR 114, 166, 176, 186, 204, 277, 350–63,
 432–42, 445–51
 diffusion coefficient measurement by *see*
 NMR, PFG
 dimensionality effect 361
 imaging 442
 high resolution 359
 microscopy 442
 PFG 354, 356–8, 412, 437, 445, 484
 relaxation time *see* time
 NO 528
 non-hydrogen bonded system 138
 non-specific bonded 331, 372
 non-stoichiometry 47, 61, 66, 101, 170, 192,
 194, 259, 383
 number (ionic transference) 68, 419
 ^{17}O 484
 ^{18}O 8, 288
 O_2 (oxygen) 528, 536
 OH^- *see* hydroxyl group
 O–H oscillator 140
 Onsager reaction 5
 Ormolyte 288, 545
 Ormosil[®] 288, 326
 oscillation 458
 osmotic 494
 overtone 141
 oxy-hydroxides 8, 103
 oxonium *see* H_3O^+

 PAA 51, 559
 Paam 312, 319, 559
 PANI 51
 particle hydrate 9
 path probability method 460
 PbO_2 52, 540
 PdH_x 92, 146, 527, 528, 547
 PEI 51, 559
 $\text{PEI-H}_3\text{PO}_4$ 51, 313, 319, 320
 PEI-HSO_4 51, 313, 319, 320
 pellicular zirconium hydrogen phosphate 243
 PEO 40, 64
 PEO-HSO_4 51
 $\text{PEO-H}_3\text{PO}_4$ 51, 312, 317, 319, 355, 559
 perchlorate (oxonium) *see* H_3OClO_4
 percolation 302, 467, 570
 permeability 438, 488
 permittivity 389, 524
 perovskite 122, 512
 fluoride 26
 permselectivity 305
 pH meter 205
 glass electrode *see* glass
 phase diagram
 H–Nb 91
 HCl– H_2O 342
 H_2SO_4 – H_2O 343
 phase transition 53, 72, 138, 165, 170, 173,
 174, 178, 185, 262, 383, 402, 404
 phosphate 8, 44–9, 55, 224, 231, 238–51,
 255–69, 272, 280, 285, 544
 phosphonate (zirconium) 249–50
 plastic phase 171, 374
 PMoA *see* $\text{H}_3\text{PMo}_{12}\text{O}_{40} \cdot n\text{H}_2\text{O}$
 polarization 13, 42, 151, 162, 420, 426, 531
 polaron 98, 282
 polyamide 318
 polyamine 318
 poly(AMPS) 561
 polyaniline *see* PANI
 polycondensation 283
 polyethylene imine *see* PEI
 polyethylene oxide *see* PEO
 polymers 7, 40, 51, 63, 272, 283, 294, 311,
 487–96, 545, 559
 inorganic 272, 283, 545
 polypropylene oxide *see* PPO
 polyvinyl alcohol *see* PVA
 pore 272, 274, 432–42, 488
 potential 25, 142, 405
 barrier 375, 381
 Madelung 5, 6
 Morse 140
 PPO 40
 pressure 175, 264, 359, 481, 484
 water partial 55, 69, 174, 241, 244, 275,
 276, 527
 proton
 hydrates 18, *see* H_3O^+ , H_5O_2^+ , H_7O_3^+ ,
 H_9O_4^+
 bare xxiii
 free xxii, 371, 372
 localized 372
 lone 2
 semiconductor 155, 523
 proton transfer 3
 see Grotthuss
 see translocation

Index

- protonation 318
 PSiA *see* $\text{H}_4\text{SiW}_{12}\text{O}_{40} \cdot n\text{H}_2\text{O}$
 PtH_x 542
p-TsOH 561
P(ω) *see* *g*(ω)
 pyridine 259
 pyrochlore 48
 pyrrole 305
 PVA 51, 528, 559
 PVA–H₃PO₄ 51, 312, 319
 PVP–H₃PO₄ 312, 319, 559, 561
 P₂VP 312, 319
 P₄VP 316, 319
 PWA *see* $\text{H}_3\text{PW}_n\text{O}_{40} \cdot n\text{H}_2\text{O}$
- QNS *see* neutron scattering
 quasi-liquid *see* liquid
- Raman
 scattering 377–87
 spectra 71, 166, 172, 257
- Rasch–Henderson equation 64
- Rb 567
- RbAg₄I₅ 40, 393
- RbHSO₄ 50
- RbHSeO₄ 73
- Rb_{0.5}Co_{0.5}HSO₄ 400
- Rb₃H(SeO₄)₂ 52, 73, 178
- regime
 ballistic 464
 Kramer's 463, 464
- relationship *see* law
- relative humidity *see* pressure, water
 partial
- relaxation (dielectric) 389–97
 time *see* time
- reorientation 4, 22, 29, 81, 341, 353, 399,
 401, 448, 454, 469
- resins 296
- resist 275
- ReO₃ 102, 110
- rhomboclase *see* $\text{H}_3\text{OFe}(\text{SO}_4)_2 \cdot 3\text{H}_2\text{O}$
- rotation 138, 331, 352, 458
- Sb₂O₅ · *n*H₂O 49, 286, 427, 529
- Schottky defect *see* defect
- selenates 8, 52, 73, 170–4, 177, 178, 398–
 403
- self-diffusion coefficient 65 *see* diffusion
- semi-conductor *see* conductors
- sensor 225, 326, 527–36
 amperometric 532
 bio 536
 four-probe type 532
 gas 527
 micro 251, 528, 534
- piezo 525
- potentiometric 532
- thermal 551
- separator (hydrogen) 294, 488
- Silicium 571
- sieves (molecular) 239
- silicates 48, 210, 224, 231, 268, 289, 288
- sintering 258, 275, 569
- SiO₂ · *n*H₂O 69, 288, 558
- Smoluchowski equation 465
- SnCl₂ · 2H₂O 51
- Sn(HPO₄)₂ · *n*H₂O 559
- SnO₂ · *n*H₂O 44, 49, 285, 286, 356
- S₂O₇ 71
- Soliton 467
- solution (aqueous) 19, 342, 474
- SPE (Solid Polymer Electrolyte) 295, 488
- spectra *see* IR, Raman, neutron scattering
- spectroscopy (vibrational) *see* IR, Raman,
 neutron scattering (INS)
- spillover (hydrogen) 104, 546
- SrCeO₃ 52, 69, 122, 419, 512, 529
- steam concentration cell 105, 125, 127, 516
- Stokes–Einstein equation 304, 460
- storage 90, 101, 492
- stress 502
- structure
 chains 13, 28, 166, 171, 239, 261, 267, 273
 fibrous 238, 250
 layer 8, 55, 139, 158, 169, 192, 238, 261,
 273, 361
 skeleton 54, 210, 225
 tunnel 113, 447, 449, 450
- sulphate (acid) *see* CsHSO₄
- sulphone 295
- superacid
 catalyst 493
 hydrates 23
- supercapacitor *see* capacitor
- surface 61, 69, 240
 charge 11, 15
 conductivity *see* conductivity
 layer 55, 434
 melting 457
- swelling 303, 487
- synthesis 47–52, 104, 191, 224, 230, 258,
 268, 273, 296, 314, 446, 500, 557
 hydrothermal synthesis 224, 230, 268
- tangent loss 391
- Ta₂O₅ · *n*H₂O 286, 356, 558, 561
- Tarzan mechanism 251
- TaS₂(NH₃)_x 354
- TaS₂(NH₄)_x(NH₃)_y 358
- TED sulphate 44
- T_g 63, 459

Index

- thermal history 71, 172
 thermal stability 73, 174, 199, 229
 thermogravimetry (TGA) 197, 200
 thermally stimulated capacitance (TSCap)
 339
 thermally stimulated depolarization
 (TSDp) 151
 thermo-potential 146
 $\text{ThO}_2 \cdot n\text{H}_2\text{O}$ 49, 69, 122, 286
 TiH 527, 528
 time
 collective 406
 correlation 278
 of flight 457
 relaxation 458, 460
 NMR relaxation 352, 354–8, 399–405,
 414, 433, 445, 453
 residence 277, 331
 TiNiH_x 542
 $\text{TiO}_2 \cdot n\text{H}_2\text{O}$ 69, 285, 356, 555
 $\text{TiS}_2(\text{NH}_3)_x$ 354
 TiS_2H_x 354
 $\text{TiS}_2(\text{NH}_4)_x(\text{NH}_3)_y$ 358
 tortuosity 438
 tracer 8
 transistor 525, 571
 translation 330
 translocation 4, 54, *see* Grotthuss
 mechanism
 transport
 mechanisms of *see* translocation
 see Grotthuss mechanism
 see jump
 see hopping
 see vehicle mechanism
 see tunnelling
 see liquid, quasi
 number of *see* number
 tritium 412
 TSCap *see* thermally stimulated
 capacitance
 TSDp *see* thermally stimulated
 depolarization
 Tubant method *see* Hittorf experiment
 tunnelling 93, 464, 467, 475, 480
 tungsten bronze *see* H_xWO_3
 uranium bronze 102, 117
 $\text{UO}_2(\text{H}_2\text{PO}_4)_2 \cdot 3\text{H}_2\text{O}$ 8, 44, 50, 53, 73, 267
 uranophane 267
 uranyl salt 8, 44, 50, 53, 73, 255, 261, 400
 see HUP, HUAS
 vacancy 38, 54, 66
 vanadium bronze *see* bronze
 Van der Waals 139
 volume 63
 vehicle mechanism 6, 25, 54, 217, 264, 277,
 418, 483
 see hopping, *see* jump
 vermiculite 65, 280
 viscosity 460, 461
 Vögel–Tamman–Fulcher (VTF) equation
 63, 324, 459
 V_2O_5 gel ($n\text{H}_2\text{O}$) 44, 55, 255, 281, 286, 356,
 398, 400, 545
 VS_2H_x 354
 wadeite 269
 Wagner polarization 420
 Walden's rule 480
 water 12, 13, 50, 343, 399, 401, 476
 Waugh–Fedin relationship 448
 Williams–Landel–Ferry (WLF) equation
 460
 window 553
 $\text{WO}_3 \cdot n\text{H}_2\text{O}$ 102, 301, 281 *see* bronze
 (tungsten)
 Y_2O_3 122
 zeolite 9, 48, 65, 210–22, 422, 428, 528
 zirconium hydrogen phosphate *see*
 $\text{Zr}(\text{HPO}_4)_2 \cdot n\text{H}_2\text{O}$
 zirconium oxide 41, 44, 49, 66, 122, 286,
 558
 ZnO 69
 $\text{Zn}(\text{SO}_4)_2$ 544
 $\text{ZrHNa}(\text{PO}_4)_2 \cdot n\text{H}_2\text{O}$ 226, 242
 $\text{ZrHLi}(\text{PO}_4)_2 \cdot n\text{H}_2\text{O}$ 425, 430
 $\text{Zr}(\text{HPO}_4)_2 \cdot n\text{H}_2\text{O}$ 44–5, 47, 49, 71, 226,
 238–50, 272, 280, 425, 430, 525, 528,
 558, 559
 ZrP_2O_7 243